SELKENT

CONSTRUCTION FIXINGS AND TOOLS

35 YEARS IN BUSINESS 1987-2022

NAILED IT!



THE SELKENT BLUE BOOK

2022/2023 EDITION 23

020 8699 6777 sales@selkent.com www.selkent.com

SELKENT

CONSTRUCTION FIXINGS AND TOOLS

NAILED IT!

Riverside House, Kangley Bridge Road
London SE26 5DA

020 8699 6777 *sales@selkent.com* *www.selkent.com*

OPEN 6am - 6pm, order online 24/7

SPEED IS EVERYTHING AT SELKENT.
WE NAIL IT EVERY TIME.

NAILED IT!

At Selkent we specialise in construction fixings and tools to the RC Frame, Infrastructure and Façade sectors.

We will go further and faster than any other supplier of Fastenings, Fixings and Tools to help keep construction sites productive and on schedule.

GIVE OUR TEAM A CALL, WE WILL BE HAPPY TO DISCUSS YOUR REQUIREMENTS.



Selkent has been awarded the following accreditations.

CERTIFICATE NUMBER 15619

Constructionline Gold Member

ASFP

RISQS Verified

FORS GOLD FLEET OPERATOR RECOGNITION SCHEME

CONSTRUCT CONCRETE STRUCTURES GROUP

SILVER SCHOL

SELKENT

THE SPEED

OF DOING BUSINESS WITH US

ORDER ACCURACY

99.67%

OF ORDERS ARE DELIVERED CORRECTLY

QUICK ANSWERING

2 RINGS

AVERAGE PHONE CALL PICK-UP TIME

QUICK QUOTES

11 MINS

AVERAGE TIME TO RECEIVE A QUOTE

STOCK LEVELS

98.83%

FULFILMENT RATE

Committed to reducing our carbon footprint

At Selkent we are serious about sustainability. We are committed to minimising the environmental impact of our operation. Below are some of the steps Selkent is proactively taking to reach our long term net zero target by 2030.

NAILED IT!

- Goal to be Carbon Neutral by end of 2023
- Promoting waste management by efficient recycling
- Efficient use of resources, energy and fuel
- Reducing CO2 emissions by delivering on our electric vehicles
- Working with environmentally responsible suppliers
- Considering environmental issues in decision-making processes
- ISO 14001 accreditation for environmental management
- Electric Selkent delivery fleet



CERTIFICATE NUMBER 15619

SELKENT
CONSTRUCTION FIXINGS AND TOOLS

FAST DELIVERY

ORDER **BEFORE** 10 am

SAME DAY DELIVERY
within M25

ORDER **BEFORE** 6 pm


NEXT DAY AM DELIVERY
UK nationwide

ONSITE TECHNICAL SUPPORT

We offer a full technical change management process for any of your current applications, including onsite technical advice, pull-out testing and load calculation service.

Contact one of the technical team or email **technical@selkent.com**





A UNIQUE, ULTRA-RESPONSIVE TAILORED SERVICE

We know that every day brings a new challenge as you work to demanding deadlines and balance multiple demands. We also understand that every site and every job is different. That means you need a supplier who goes the extra mile and tailors solutions to your needs to keep things on track, no matter what.

Our ultra-responsive service is designed to help keep your construction site productive and efficient, whatever you need: ***Find a different product? Deliver today? Turn that quote around this minute?***

RIGHT PRODUCTS, RIGHT NOW.



ONLINE ORDERING

Browse through our vast range of products and place your order the most convenient way.

- Bespoke customer pricing portal
- Access to invoices
- Access to PODs
- Track spend per site
- User and sub user permissions

www.selkent.com





HEX SET & BOLTS 12-17


HOLDING DOWN BOLTS & HSFG 18-19


WIRE ROPE GRIPS & STUDDING 20-22


COACH, HOOK, EYE AND U BOLTS 23-24


NUTS 25-29


WASHERS 30-35


SOCKET SCREWS 36-44


SECURITY SCREWS 45


SELF TAPPING SCREWS 46-47


RIVETS & RIVET GUNS 48-49


MACHINE SCREWS & COACH SCREWS 49-51


WOODSCREWS & PLUGS 52-54


PLASTERBOARD & HOLLOW FIXINGS 55-59


SELF-DRILL SCREWS 60-65


INSULATION, FAÇADE & CEILING FIXINGS 66-68



NAILS 69-70



POWER NAILS 71-72



LINDAPTER 73-83


BLIND BOLTS & GRATING CLIPS 84


THROUGH BOLTS 85-89


HAMMER SCREWS 90


ANCHOR STUDS & WEDGE ANCHORS 91-92


ANCHOR SCREWBOLTS & TAPCONS 93-96


PACKERS & SHIMS 97-98



RESINS 99-107


APPLICATOR GUNS 108-109



SILICONES & SEALANTS 112-114




ADHESIVES 115



FOAMS & APPLICATOR GUNS 116-117




GLUES & FILLERS 118-120


DRY LINING METALWORK 121-124


BUILDING METALWORK 125-128


BRICKWORK ACCESSORIES 129-137


SUB GRID 138-144



FIRE COLLARS 146-149


FIRE COLLAR ACCESSORIES 150


GRP HANDRAIL & FITTINGS 156-158


HANDRAIL & FITTINGS 159-173


ACCESSIBLE HANDRAIL & FITTINGS 174-175


CHANNEL & CHANNEL ACCESSORIES 176-185



DIAMOND BLADES 188-192



TCT BLADES 192-194



ABRASIVE DISCS, SANDING & BRUSHES 194-199



JIGSAW BLADES & RECIP SAW BLADES 199-205



MAGNETIC DRILLS & CUTTERS 206-207



DRILL ADAPTERS & BITS 208




DRIVER BITS & SETS 209-212



HEX WRENCHES 213-214



HSS DRILLING 214-217



WOOD DRILLING 217-219



MASONRY DRILLING 219-226



SDS CHISELS 226-227



DRILL ACCESSORIES, TAPS & ARBORS 228-229



HOLESAWS 230



MULTICUTTERS & ROUTER BITS 231-238



WET & DRY CORE DRILLING 239-243



MEASURING & LEVELS 244-248



HAMMERS & MALLETS 249-253



HANDSAWS, HACKSAWS & KNIVES 253-256



DIGGING & SCRAPERS 257-263


CROWBARS, CHISELS & BOLSTERS 264-266


SNIPS, SHEARS, CUTTER, PLIERS & NIPPERS 268-272


SPANNERS, WRENCHES 273-276


CHALK & BRICK LINES 277-279


TROWELS, FLOATS & MIXING 280-284


SCREWDRIVING 284-285


SOCKETS & IMPACT SOCKETS 286-292


POWER TOOLS 293-300



HEAD & EAR PROTECTION 302-304


EYE PROTECTION 305-310


GLOVES & HAND PROTECTION 311-319


FOOTWEAR & KNEE PROTECTION 320-323


HI VIS, COVERALLS & WATERPROOF CLOTHING 324-329


FALL ARREST & LANYARDS 330-334


FACE MASKS 334-336


FIRST AID & THERMOMETERS 337-339


HANDLING EQUIPMENT 342-343


LIFTING STRAPS & SLINGS 344


SITE ELECTRICAL & LIGHTING 345-350


BATTERIES & TORCHES 351-352



HEATERS & FANS 353



MAGNETS 354



BRUSHES, BROOMS & SCRAPERS 355-357



PLANT NAPPY 358



ENVIROPAD 359



DRAIN FILTERS 360



SPILL CONTROL 361-362



BINS & LINERS 363-365



BUCKETS & TUBS 365-366



JERRY CANS, CONTAINERS, FUNNELS & PUMPS 367-369



PRESSURE SPAYERS 370-371



AIR & WATER HOSES & ACCESSORIES 372-375



DRAINAGE ACCESSORIES 376-377



LADDERS, TRESTLES & HOP UPS 378-379



SCAFFOLDING, PROPS & SAFETY TAGGING 380-383



ARMORGUARD 384-388



LOCKS, CHAINS, BOLTS & HINGES 389-393



DECORATING 394-401



SITE EQUIPMENT & COMMUNICATION 402-403



FIRE PROTECTION 404-405



LINE MARKING SPRAY & SETTING OUT 406-407



SPRAYS, LUBRICANTS, GREASE & OIL 408-412



VEHICLE PROTECTION 413



SHEETING & PROTECTION MATERIALS 414-416



STAPLING & CABLE TIES 417



NETTING & FENCING 418-419



BAGS & SACKS 420-421



WELDING 422-423



STEEL BANDING, STRAPPING & ROPE 424-425



WATERPROOFING 426-428



BUILDING & DRYLINING PRODUCTS 429-433



TAPES 434-438



CLEANING & JANITORIAL 439-445



SITE WELFARE & FURNITURE 445-449



HYGIENE 449-452



STATIONERY & SIGNAGE 453-463



CONCRETE TOOLS 466-467



CONCRETE MOULDS 468-469




CONCRETE ACCESSORIES 470-473



REBAR BUDDY 474



FASTENINGS, FIXINGS & ACCESSORIES



DØ	M3	M4	M5	M6	M8	M10	M12	M16	M20	M24	M27	M30
A	5.50	7	8	10	13	17	19	24	30	36	41	46
	5.50	7	8	10	13	17	19	24	30	36	41	46

FULLY THREADED HEXAGON SET SCREW

GRADE 8.8 HT DIN 933 **BZP**



STOCK CODE	SIZE	
	M4	
1002	M4 x 10mm	500
1003	M4 x 12mm	500
1004	M4 x 16mm	500
1005	M4 x 20mm	500
1006	M4 x 25mm	500
1007	M4 x 30mm	500
	M5	
1011	M5 x 10mm	500
1012	M5 x 12mm	500
1013	M5 x 16mm	500
1014	M5 x 20mm	500
1015	M5 x 25mm	500
1016	M5 x 30mm	500
1017	M5 x 35mm	200
1018	M5 x 40mm	200
1019	M5 x 45mm	200
1020	M5 x 50mm	200
	M6	
1021	M6 x 10mm	500
1022	M6 x 12mm	500
1023	M6 x 16mm	500
1024	M6 x 20mm	500
1025	M6 x 25mm	500
1026	M6 x 30mm	500
1027	M6 x 35mm	200
1028	M6 x 40mm	200
1029	M6 x 45mm	200
1030	M6 x 50mm	200
1034	M6 x 70mm	200
1031	M6 x 55mm	200
1032	M6 x 60mm	200
1033	M6 x 65mm	200
	M8	
1036	M8 x 10mm	200
1037	M8 x 12mm	200

STOCK CODE	SIZE	
1038	M8 x 16mm	200
1039	M8 x 20mm	200
1040	M8 x 25mm	200
1041	M8 x 30mm	200
1042	M8 x 35mm	200
1043	M8 x 40mm	200
1044	M8 x 45mm	200
1045	M8 x 50mm	200
1046	M8 x 55mm	200
1047	M8 x 60mm	200
1048	M8 x 65mm	200
1049	M8 x 70mm	200
1051	M8 x 80mm	200
1052	M8 x 90mm	100
1053	M8 x 100mm	100
	M10	
1055	M10 x 16mm	200
1056	M10 x 20mm	200
1057	M10 x 25mm	200
1058	M10 x 30mm	200
1059	M10 x 35mm	100
1060	M10 x 40mm	100
1061	M10 x 45mm	100
1062	M10 x 50mm	100
1063	M10 x 55mm	100
1064	M10 x 60mm	100
1065	M10 x 65mm	100
1066	M10 x 70mm	100
1067	M10 x 75mm	100
1068	M10 x 80mm	100
1069	M10 x 90mm	100
1070	M10 x 100mm	100
1596	M10 x 110mm	100
1108	M10 x 120mm	50
	M12	
1071	M12 x 16mm	100

[cont.]


FULLY THREADED HEXAGON SET SCREWS GRADE 8.8 HT DIN 933 BZP



STOCK CODE	SIZE	
1072	M12 x 20mm	100
1073	M12 x 25mm	100
1074	M12 x 30mm	100
1075	M12 x 35mm	100
1076	M12 x 40mm	100
1077	M12 x 45mm	100
1078	M12 x 50mm	100
1079	M12 x 55mm	100
1080	M12 x 60mm	100
1081	M12 x 65mm	50
1082	M12 x 70mm	50
1083	M12 x 75mm	50
1084	M12 x 80mm	50
1085	M12 x 90mm	50
1086	M12 x 100mm	50
1087	M12 x 110mm	50
1088	M12 x 120mm	50
1089	M12 x 130mm	25
1090	M12 x 140mm	25
1091	M12 x 150mm	25
2211	M12 x 200mm	25
	M14	
10910	M14 x 100mm	50
	M16	
1092	M16 x 25mm	50
1093	M16 x 30mm	50
1094	M16 x 35mm	50
1095	M16 x 40mm	50
1096	M16 x 45mm	50
1097	M16 x 50mm	50
1098	M16 x 55mm	50
1099	M16 x 60mm	25
1100	M16 x 65mm	25
1101	M16 x 70mm	25
1102	M16 x 75mm	25
1103	M16 x 80mm	25
1104	M16 x 90mm	25
1105	M16 x 100mm	25
1106	M16 x 110mm	25

STOCK CODE	SIZE	
1107	M16 x 120mm	25
1110	M16 x 150mm	20
2246	M16 x 200mm	20
	M20	
1113	M20 x 30mm	25
1114	M20 x 40mm	25
1115	M20 x 45mm	25
1116	M20 x 50mm	25
1117	M20 x 55mm	25
1118	M20 x 60mm	25
1119	M20 x 65mm	25
1120	M20 x 70mm	25
1121	M20 x 75mm	25
1122	M20 x 80mm	25
1123	M20 x 90mm	25
1124	M20 x 100mm	25
1125	M20 x 110mm	25
1126	M20 x 120mm	25
1127	M20 x 130mm	25
1128	M20 x 140mm	25
1129	M20 x 150mm	25
	M24	
1132	M24 x 50mm	25
1133	M24 x 55mm	25
1134	M24 x 60mm	25
1135	M24 x 65mm	25
1136	M24 x 70mm	25
1137	M24 x 75mm	25
1138	M24 x 80mm	25
1139	M24 x 90mm	10
1140	M24 x 100mm	10
2248	M24 x 110mm	10
	M30	
1142	M30 x 60mm	5
1143	M30 x 70mm	5
1145	M30 x 80mm	5
1146	M30 x 90mm	5
1147	M30 x 100mm	5
1148	M30 x 110mm	5

Other sizes available: M33, M36, M39, M42, M45, M48, M52, M56, M60, M64, M68



DØ	M3	M4	M5	M6	M8	M10	M12	M16	M20	M24	M27	M30
A	5.50	7	8	10	13	17	19	24	30	36	41	46
	5.50	7	8	10	13	17	19	24	30	36	41	46

FULLY THREADED HEXAGON SET SCREW

GRADE 8.8 HT DIN 933 **GALV**



STOCK CODE	SIZE	
	M8	
1581	M8 x 20mm	200
1435	M8 x 25mm	200
1436	M8 x 30mm	200
1437	M8 x 35mm	200
1438	M8 x 40mm	200
1439	M8 x 45mm	200
1440	M8 x 50mm	200
	M10	
1583	M10 x 25mm	100
1441	M10 x 30mm	100
1442	M10 x 35mm	100
1443	M10 x 40mm	100
1444	M10 x 45mm	100
1445	M10 x 50mm	100
	M12	
1584	M12 x 25mm	100
1446	M12 x 30mm	100
1447	M12 x 35mm	100
1448	M12 x 40mm	100
1449	M12 x 45mm	100
1450	M12 x 50mm	100

STOCK CODE	SIZE	
1610	M12 x 60mm	100
2241	M12 x 65mm	100
	M16	
1451	M16 x 30mm	50
1452	M16 x 35mm	50
1453	M16 x 40mm	50
1454	M16 x 45mm	50
1455	M16 x 50mm	50
1456	M16 x 55mm	50
1457	M16 x 60mm	50
1585	M16 x 65mm	25
1586	M16 x 70mm	25
	M20	
1458	M20 x 40mm	25
1459	M20 x 45mm	25
1460	M20 x 50mm	25
1461	M20 x 55mm	25
1526	M20 x 60mm	25
1587	M20 x 65mm	25
1588	M20 x 70mm	25
2209	M20 x 100mm	25

HEXAGON SET SCREW FULLY THREADED

GRADE 304 DIN 933 **ST/ST A2**



STOCK CODE	SIZE	
	M6	
1550	M6 x 12mm	100
1482	M6 x 16mm	100
1483	M6 x 20mm	100
1484	M6 x 25mm	100
1485	M6 x 30mm	100
1551	M6 x 35mm	100
1486	M6 x 40mm	100
1552	M6 x 45mm	100
1553	M6 x 50mm	100
	M8	
1487	M8 x 16mm	100

STOCK CODE	SIZE	
1488	M8 x 20mm	100
1489	M8 x 25mm	100
1490	M8 x 30mm	100
1554	M8 x 35mm	100
1491	M8 x 40mm	100
1555	M8 x 45mm	100
1492	M8 x 50mm	100
1556	M8 x 60mm	100
	M10	
1557	M10 x 16mm	100
1493	M10 x 20mm	100
1494	M10 x 25mm	100

[cont.]

HEXAGON SET SCREWS FULLY THREADED GRADE 304 DIN 933 ST/ST A2



STOCK CODE	SIZE	
1495	M10 x 30mm	100
1558	M10 x 35mm	100
1496	M10 x 40mm	100
1559	M10 x 45mm	100
1497	M10 x 50mm	50
1560	M10 x 60mm	50
	M12	
1498	M12 x 25mm	50
1499	M12 x 30mm	50
1561	M12 x 35mm	50
1500	M12 x 40mm	50

STOCK CODE	SIZE	
1562	M12 x 45mm	50
1501	M12 x 50mm	50
1563	M12 x 60mm	50
	M16	
1564	M16 x 35mm	25
1565	M16 x 40mm	25
1566	M16 x 45mm	25
1567	M16 x 50mm	25
1568	M16 x 60mm	25
2255	M16 x 65mm	25
1597	M16 x 100mm	25

PART THREADED HEXAGON BOLT

GRADE 8.8 HT DIN 931 BZP



STOCK CODE	SIZE	
	M6	
1158	M6 x 50mm	200
1160	M6 x 60mm	200
1162	M6 x 70mm	200
1164	M6 x 80mm	200
1166	M6 x 100mm	100
	M8	
1167	M8 x 50mm	200
1168	M8 x 55mm	200
1169	M8 x 60mm	200
1170	M8 x 65mm	200
1171	M8 x 70mm	200
1172	M8 x 75mm	200
1173	M8 x 80mm	200
1174	M8 x 90mm	100
1175	M8 x 100mm	100
	M10	
1176	M10 x 50mm	100
1177	M10 x 55mm	100
1178	M10 x 60mm	100
1179	M10 x 65mm	100
1180	M10 x 70mm	100
1181	M10 x 75mm	100
1182	M10 x 80mm	100
1183	M10 x 90mm	100
1184	M10 x 100mm	100

STOCK CODE	SIZE	
1185	M10 x 110mm	50
1186	M10 x 120mm	50
1187	M10 x 130mm	50
1188	M10 x 140mm	50
1189	M10 x 150mm	50
11891	M10 x 180mm	50
11892	M10 x 200mm	50
	M12	
1190	M12 x 50mm	100
1191	M12 x 55mm	100
1192	M12 x 60mm	100
1193	M12 x 65mm	50
1194	M12 x 70mm	50
1195	M12 x 75mm	50
1196	M12 x 80mm	50
1197	M12 x 90mm	50
1198	M12 x 100mm	50
1199	M12 x 110mm	50
1200	M12 x 120mm	50
1201	M12 x 130mm	50
1202	M12 x 140mm	50
1203	M12 x 150mm	50
1204	M12 x 160mm	25
1205	M12 x 170mm	25
1206	M12 x 180mm	25
1208	M12 x 200mm	25

[cont.] →


PART THREADED HEXAGON BOLTS GRADE 8.8 HT DIN 931 BZP



STOCK CODE	SIZE	
1207	M12 x 220mm	20
	M16	
1209	M16 x 50mm	50
1210	M16 x 55mm	50
1211	M16 x 60mm	50
1212	M16 x 65mm	50
1213	M16 x 70mm	50
1214	M16 x 75mm	50
1215	M16 x 80mm	25
1216	M16 x 90mm	25
1217	M16 x 100mm	25
1218	M16 x 110mm	25
1219	M16 x 120mm	25
1220	M16 x 130mm	25
1221	M16 x 140mm	25
1222	M16 x 150mm	25
1223	M16 x 160mm	25
1224	M16 x 85mm	25
1225	M16 x 180mm	25
1226	M16 x 200mm	25
1227	M16 x 220mm	10
1850	M16 x 240mm	10
3292	M16 x 250mm	10
1228	M16 x 260mm	10
1229	M16 x 300mm	10
	M20	
1230	M20 x 55mm	25
1231	M20 x 60mm	25
1232	M20 x 65mm	25
1233	M20 x 70mm	25
1234	M20 x 75mm	25
1235	M20 x 80mm	25
1253	M20 x 85mm	25
1236	M20 x 90mm	25
1237	M20 x 100mm	25
1238	M20 x 110mm	25
1239	M20 x 120mm	25
1240	M20 x 130mm	10
1241	M20 x 140mm	10
1242	M20 x 150mm	10
1243	M20 x 160mm	10
1244	M20 x 170mm	10
1245	M20 x 180mm	10

STOCK CODE	SIZE	
1247	M20 x 200mm	10
1248	M20 x 220mm	5
1249	M20 x 240mm	5
1250	M20 x 260mm	5
1252	M20 x 300mm	5
	M24	
1254	M24 x 70mm	10
1255	M24 x 75mm	25
1256	M24 x 80mm	10
1257	M24 x 90mm	10
1258	M24 x 100mm	10
1259	M24 x 110mm	10
1260	M24 x 120mm	10
1261	M24 x 130mm	10
1262	M24 x 140mm	10
1263	M24 x 150mm	10
1264	M24 x 160mm	10
1265	M24 x 170mm	10
1266	M24 x 180mm	10
1267	M24 x 200mm	10
1603	M24 x 220mm	10
	M27	
1739	M27 x 70mm	25
1740	M27 x 80mm	25
1741	M27 x 90mm	25
1284	M27 x 100mm	10
1285	M27 x 110mm	10
1744	M27 x 120mm	10
1745	M27 x 130mm	10
1746	M27 x 140mm	10
1747	M27 x 150mm	10
	M30	
1273	M30 x 80mm	10
1274	M30 x 90mm	10
1275	M30 x 100mm	10
1276	M30 x 110mm	10
1277	M30 x 120mm	10
1278	M30 x 130mm	10
1279	M30 x 140mm	10
1280	M30 x 150mm	10
1281	M30 x 160mm	10
1282	M30 x 180mm	10
1283	M30 x 200mm	10

Larger sizes available up to M120



DØ	M3	M4	M5	M6	M8	M10	M12	M16	M20	M24	M27	M30
A	5.50	7	8	10	13	17	19	24	30	36	41	46
	5.50	7	8	10	13	17	19	24	30	36	41	46

STANDARD THREADED LENGTHS	up to 120mm	= 2 x dia + 6mm	135-200mm	= 2 x dia + 12mm	≥ 200mm	= 2 x dia + 25mm

PART THREADED HEXAGON BOLT

GRADE 8.8 HT DIN 931 **GALV**



STOCK CODE	SIZE	
	M8	
1462	M8 x 60mm	100
1463	M8 x 70mm	100
	M10	
1464	M10 x 60mm	50
1465	M10 x 65mm	50
1466	M10 x 70mm	50
1527	M10 x 80mm	50
	M12	
1467	M12 x 60mm	50
1468	M12 x 65mm	50
1469	M12 x 70mm	25
1528	M12 x 80mm	25
1529	M12 x 90mm	25
	M16	
1470	M16 x 60mm	25

STOCK CODE	SIZE	
1471	M16 x 65mm	25
1472	M16 x 70mm	25
1473	M16 x 80mm	25
1530	M16 x 90mm	25
1531	M16 x 100mm	25
1532	M16 x 110mm	25
1533	M16 x 120mm	25
	M20	
1474	M20 x 60mm	25
1475	M20 x 65mm	25
1476	M20 x 70mm	25
1477	M20 x 80mm	25
1534	M20 x 90mm	25
1535	M20 x 100mm	25
1536	M20 x 110mm	25
1537	M20 x 120mm	25

PART THREADED HEXAGON BOLT

GRADE 304 DIN 931 **ST/ST A2**



STOCK CODE	SIZE	
	M6	
1569	M6 x 60mm	100
1570	M6 x 70mm	100
1571	M6 x 80mm	100
	M8	
1572	M8 x 70mm	100
1573	M8 x 80mm	100
1574	M8 x 100mm	100
	M10	
1575	M10 x 70mm	100

STOCK CODE	SIZE	
1576	M10 x 80mm	100
1577	M10 x 100mm	100
	M12	
1578	M12 x 70mm	100
1579	M12 x 80mm	100
1580	M12 x 100mm	100

Also available A4/Grade 316 ST/ST

DIAM.	M3	M4	M5	M6	M8	M10	M12	M16	M20	M24	M27	M30
	5.50	7.00	8.00	10.00	13.00	17.00	19.00	24.00	30.00	36.00	41.00	46.00

HEXAGON SET NUT & WASHER

BS-EN15048 GRADE 8.8 HT ASSEMBLED **BZP**



CE MARKED

STOCK CODE	SIZE	
	M12	
1615	M12 x 30mm	100
1616	M12 x 35mm	100
1622	M12 x 40mm	100
1681	M12 x 45mm	100
1623	M12 x 50mm	100
	M16	
1716	M16 x 30mm	100
1624	M16 x 35mm	100
1617	M16 x 40mm	100
1625	M16 x 45mm	100
1618	M16 x 50mm	100
1619	M16 x 55mm	100
1683	M16 x 60mm	100
1684	M16 x 65mm	100
1685	M16 x 70mm	100

STOCK CODE	SIZE	
	M20	
1717	M20 x 40mm	100
1686	M20 x 45mm	100
1626	M20 x 50mm	100
1627	M20 x 55mm	100
1620	M20 x 60mm	100
1628	M20 x 65mm	100
1621	M20 x 70mm	100
1687	M20 x 75mm	100
1688	M20 x 80mm	100
1729	M20 x 90mm	100
1785	M20 x 100mm	100
	M24	
1727	M24 x 60mm	100
1689	M24 x 70mm	100
1690	M24 x 80mm	100
1691	M24 x 90mm	100
1728	M24 x 100mm	100

HEXAGON SET NUT & WASHER

BS-EN15048 GRADE 8.8 HT ASSEMBLED **GALV**



CE MARKED

STOCK CODE	SIZE	
	M12	
1692	M12 x 30mm	100
1693	M12 x 35mm	100
1694	M12 x 40mm	100
1695	M12 x 50mm	100
	M16	
1718	M16 x 30mm	100
1696	M16 x 35mm	100
1697	M16 x 40mm	100
1698	M16 x 45mm	100
1699	M16 x 50mm	100
1700	M16 x 55mm	100
1701	M16 x 60mm	100
1703	M16 x 70mm	100

STOCK CODE	SIZE	
	M20	
1719	M20 x 40mm	100
1704	M20 x 45mm	100
1705	M20 x 50mm	100
1706	M20 x 55mm	100
1707	M20 x 60mm	100
1708	M20 x 65mm	100
1709	M20 x 70mm	100
1710	M20 x 75mm	100
1711	M20 x 80mm	100
	M24	
1712	M24 x 70mm	100
1713	M24 x 80mm	100
1714	M24 x 90mm	100

SQUARE-SQUARE HOLDING DOWN BOLTS & NUT

GRADE 8.8 BS7419 **SELF COLOUR**



CE MARKED

STOCK CODE	SIZE	
	M16 THREAD LENGTH 116mm	
1412	M16 x 300mm	1
1413	M16 x 375mm	1
1414	M16 x 450mm	1
1415	M16 x 600mm	1
	M20 THREAD LENGTH 120mm	
1416	M20 x 300mm	1
1417	M20 x 375mm	1
1546	M20 x 400mm	1
1418	M20 x 450mm	1
1547	M20 x 525mm	1
1419	M20 x 600mm	1
	M24 THREAD LENGTH 124mm	
1423	M24 x 300mm	1
1420	M24 x 375mm	1
1548	M24 x 400mm	1
1421	M24 x 450mm	1
1549	M24 x 525mm	1
1422	M24 x 600mm	1



SQUARE PLATE WASHERS

SELF COLOUR

PAGE 34

HSFG BOLT & NUT

BS EN 14399.3 **SELF COLOUR**



STOCK CODE	SIZE	
	M16	
1508	M16 x 50mm	1
1509	M16 x 55mm	1
1510	M16 x 60mm	1
1511	M16 x 65mm	1
1512	M16 x 70mm	1
1513	M16 x 75mm	1
1514	M16 x 80mm	1
	M20	
1515	M20 x 50mm	1
1516	M20 x 55mm	1
1517	M20 x 60mm	1
1518	M20 x 65mm	1
1519	M20 x 70mm	1
1520	M20 x 75mm	1
1521	M20 x 80mm	1
1522	M20 x 90mm	1
1731	M20 x 100mm	1
	M24	
1636	M24 x 90mm	1

WAX CONES

APPROX. CONE LENGTH = BOLT LENGTH – 75mm



STOCK CODE	SIZE	LENGTH OF SLEEVE	
1673	M16/M20	220mm	1
1680	M16/M20	300mm	1
1674	M16/M30	380mm	1
1677	M16/M30	450mm	1
1675	M16/M30	530mm	1

HSFG CSK HEAD BOLT, NUT & NF WASHER

BS-EN 14399.7



STOCK CODE	SIZE	
	M16	
1786	M16 x 60mm	25
1787	M16 x 80mm	25
	M20	
1788	M20 x 70mm	25

WIRE ROPE GRIPS

DIN 741 **GALV**



STOCK CODE	SIZE	
5510	5mm	100
5512	8mm	100
5513	10mm	100
5514	12mm	100
5503	16mm	50
5515	20mm	50
5504	22mm	50

STOCK CODE	SIZE	
5505	26mm	50
5499	30mm	50
5506	34mm	50
5507	40mm	25
5508	50mm	25

STUDDING

GRADE 4.6 MILD STEEL DIN 975 **BZP**



STOCK CODE	SIZE	
	1m Length	
1290	M4 x 1m	10m
1291	M5 x 1m	10m
1292	M6 x 1m	10m
1293	M8 x 1m	10m
1294	M10 x 1m	5m
1295	M12 x 1m	5m
1296	M16 x 1m	5m
1297	M20 x 1m	5m
1298	M24 x 1m	5m
1299	M30 x 1m	2m
1300	M36 x 1m	2m

STOCK CODE	SIZE	
	3m Length	
1301	M6 x 3m	30m
1302	M8 x 3m	30m
1307	M10 x 3m	15m
1303	M12 x 3m	15m
1304	M16 x 3m	15m
1305	M20 x 3m	15m
1306	M24 x 3m	6m

GRADE 8.8 HT DIN 975 **BZP**



STOCK CODE	SIZE	
	1m Length	
3293	M6 x 1m	10m
1426	M8 x 1m	10m
1427	M10 x 1m	5m
1428	M12 x 1m	5m
1429	M16 x 1m	5m
1430	M20 x 1m	5m
1431	M24 x 1m	5m
3294	M27 x 1m	5m
1612	M30 x 1m	5m

STOCK CODE	SIZE	
	3m Length	
3295	M6 x 3m	6m
1590	M8 x 3m	6m
1591	M10 x 3m	6m
1432	M12 x 3m	6m
1433	M16 x 3m	6m
1434	M20 x 3m	6m
1308	M24 x 3m	6m
1682	M27 x 3m	6m
1678	M30 x 3m	6m
1679	M33 x 3m	6m
1321	M36 x 3m	6m

STUDDING

GRADE 4.6
DIN 975 **GALV**



STOCK CODE	SIZE	
	1m Length	
1523	M8 x 1m	10m
1478	M10 x 1m	5m
1479	M12 x 1m	5m
1480	M16 x 1m	5m
1481	M20 x 1m	5m
1524	M24 x 1m	5m

GRADE 8.8 HT
DIN 975 **GALV**



STOCK CODE	SIZE	
	1m Length	
1592	M10 x 1m	5m
1593	M12 x 1m	5m
1594	M16 x 1m	5m
1614	M20 x 1m	5m
1715	M24 x 1m	5m
1635	M30 x 1m	5m
	3m Length	
3296	M10 x 3m	15m
1721	M12 x 3m	15m
1722	M16 x 3m	15m
1723	M20 x 3m	15m
2230	M24 x 3m	15m
3297	M30 x 3m	15m

GRADE 316 DIN 975 **ST/ST A2**

STOCK CODE	SIZE	
	1m Length	
1538	M3 x 1m	10m
1539	M4 x 1m	10m
1540	M5 x 1m	10m
1541	M6 x 1m	10m
1502	M8 x 1m	10m
1503	M10 x 1m	5m
1504	M12 x 1m	5m
1505	M16 x 1m	5m
1506	M20 x 1m	5m
1507	M24 x 1m	5m



STOCK CODE	SIZE	
	3m Length	
2332	M12 x 3m	15m
2334	M16 x 3m	15m
2201	M20 x 3m	15m

Other sizes available

GRADE 304 DIN 975 **ST/ST A4**

STOCK CODE	SIZE	
	1m Length	
2382	M12 x 1m	10m


Other sizes available



STOCK CODE	SIZE	
	3m Length	
2338	M8 x 3m	15m
2340	M10 x 3m	15m
2342	M12 x 3m	15m
2204	M16 x 3m	15m
2350	M20 x 3m	15m

STUDDING CONNECTORS

BZP



STOCK CODE	SIZE	
2100	M8 x 24mm	100
2101	M10 x 30mm	100
2102	M12 x 36mm	50
2103	M16 x 48mm	10

STOCK CODE	SIZE	
2104	M20 x 60mm	10
2131	M24 x 72mm	10
2163	M30 x 90mm	10

ALLTHREAD STUDS

GRADE 8.8 HT DIN 975 **BZP**




STOCK CODE	SIZE	
	M10	
ALL1015088Z	M10 x 150mm	1
	M12	
ALL1215088Z	M12 x 150mm	1
ALL1220088Z	M12 x 200mm	1
ALL1225088Z	M12 x 250mm	1
ALL1230088Z	M12 x 300mm	1
	M16	
ALL1615088Z	M16 x 150mm	1
ALL1620088Z	M16 x 200mm	1
ALL1625088Z	M16 x 250mm	1
ALL1630088Z	M16 x 300mm	1

STOCK CODE	SIZE	
ALL1640088Z	M16 x 400mm	1
	M20	
ALL2015088Z	M20 x 150mm	1
ALL2020088Z	M20 x 200mm	1
ALL2025088Z	M20 x 250mm	1
ALL2030088Z	M20 x 300mm	1
ALL2035088Z	M20 x 350mm	1

IN-HOUSE CUTTING & DEBURRING FABRICATION LINE FOR FAST NEXT DAY CUT STUDDING

Bespoke lengths cut in-house to your requirements



ROOFING BOLT & NUT

BZP



STOCK CODE	SIZE	
9073	M6 x 80mm	100
9074	M6 x 35mm	100

CUP SQUARE HEX CARRIAGE BOLTS & NUT

COACH BOLTS - DIN603 **BZP**



STOCK CODE	SIZE	
	M8	
1638	M8 x 50mm	100
1639	M8 x 65mm	100
1640	M8 x 75mm	100
1641	M8 x 100mm	50
1642	M8 x 110mm	50
1643	M8 x 130mm	50
1644	M8 x 150mm	50
1645	M8 x 180mm	50
1646	M8 x 200mm	50
	M10	
1647	M10 x 30mm	100
1648	M10 x 40mm	100
1649	M10 x 50mm	100
1650	M10 x 65mm	100
1651	M10 x 75mm	100
1652	M10 x 80mm	100
1653	M10 x 90mm	50
1654	M10 x 100mm	50
1655	M10 x 110mm	50

STOCK CODE	SIZE	
1656	M10 x 130mm	50
1657	M10 x 140mm	50
1658	M10 x 150mm	50
1659	M10 x 160mm	50
1660	M10 x 180mm	50
1661	M10 x 200mm	50
1662	M10 x 220mm	50
	M12	
1663	M12 x 50mm	100
1664	M12 x 75mm	100
1665	M12 x 100mm	50
1672	M12 x 110mm	50
1666	M12 x 120mm	50
1667	M12 x 130mm	50
1668	M12 x 150mm	50
1668A	M12 x 160mm	25
1669	M12 x 180mm	50
1670	M12 x 220mm	50
1671	M12 x 200mm	50

HOOK BOLTS WITH SQUARE NUT

BZP & ZYP



STOCK CODE	SIZE	
	M6	
HKBYM6X60	M6 x 60mm	100
HKBYM6X80	M6 x 80mm	100
HKBYM6X100	M6 x 100mm	100
HKBYM6X140	M6 x 140mm	100
HKBYM6X160	M6 x 160mm	100
	M8	
HKBYM8X60	M8 x 60mm	100
HKBYM8X70	M8 x 70mm	100

STOCK CODE	SIZE	
HKBYM8X80	M8 x 80mm	100
HKBYM8X100	M8 x 100mm	100
HKBYM8X120	M8 x 120mm	100
HKBYM8X140	M8 x 140mm	100
HKBYM8X150	M8 x 150mm	100
HKBYM8X160	M8 x 160mm	100
HKBYM8X180	M8 x 180mm	100
HKBYM8X200	M8 x 200mm	100
HKBYM8X220	M8 x 220mm	100

U BOLT

BZP

Standard Nominal Bore Mild Steel



STOCK CODE	SIZE	
	M6	
8261	M6 x 15mm	100
8262	M6 x 20mm	100
8263	M6 x 25mm	100
	M10	
8264	M10 x 32mm	100
8265	M10 x 40mm	100
8266	M10 x 50mm	100

STOCK CODE	SIZE	
	M12	
8267	M12 x 65mm	100
8268	M12 x 80mm	100
8269	M12 x 100mm	100
8270	M12 x 125mm	100
8271	M12 x 150mm	100
	M16	
8272	M16 x 200mm	100

EYE BOLT

DIN 580 **BZP**



STOCK CODE	SIZE	
8273	M6	1
8274	M8	1
8275	M10	1
8276	M12	1
8277	M16	1
8278	M20	1
8279	M24	1

EYE NUT

DIN 582 **BZP**



STOCK CODE	SIZE	
8280	M6	1
8281	M8	1
8282	M10	1
8283	M12	1
8284	M16	1
8285	M20	1
8286	M24	1

SUPER FAST DELIVERY

Order before 10am for **SAME DAY DELIVERY WITHIN M25**

Order before 6pm for **NEXT DAY AM DELIVERY UK NATIONWIDE**

Call us today on 020 8699 6777
or visit www.selkent.com

SELKENT
CONSTRUCTION FIXINGS AND TOOLS



FULL NUT
GRADE 8 HT DIN 934 **BZP**



STOCK CODE	SIZE	
2001	M3	200
2002	M4	200
2003	M5	200
2004	M6	200
2005	M8	200
2006	M10	100
2007	M12	100
20071	M14	100
2008	M16	100
2205	M18	50
2009	M20	50
2210	M22	25
2010	M24	50
2144	M27	10
2011	M30	10
2145	M33	10
2012	M36	10
2156	M42	10

GRADE 10 HT DIN 934 **BZP**

STOCK CODE	SIZE	
2164	M10	100
2165	M12	100
2166	M16	50
2167	M20	50
2155	M24	50

FULL NUT
GRADE 8 HT DIN 934
SELF COLOUR



STOCK CODE	SIZE	
2083	M8	200
2084	M10	100
2085	M12	100
2091	M14	100
2086	M16	100
2092	M18	50
2087	M20	50
2093	M22	50
2088	M24	50
2094	M27	10
2089	M30	10
2090	M36	10
2095	M39	10
2096	M42	10

FULL NUT
GRADE 8 HT DIN 934
TAPPED OVERSIZE **GALV**



STOCK CODE	SIZE	
2049	M8	200
2050	M10	100
2051	M12	100
2052	M16	100
2053	M20	50
2054	M24	50
2549	M30	10

FULL NUT
DIN 934 **ST/ST A2**



STOCK CODE	SIZE	
2055	M3	200
2056	M4	200
2057	M5	200
2058	M6	200
2059	M8	200
2060	M10	100
2061	M12	100
2062	M16	100
2063	M20	50
2064	M24	50

FULL NUT
DIN 934 **ST/ST A4**



STOCK CODE	SIZE	
2410	M4	200
2411	M5	200
2199	M6	200
2188	M8	200
2190	M10	100
2186	M12	100
2207	M16	50
2417	M18	50
2194	M20	50
3282	M24	50

HALF NUT
DIN 439/936 **BZP**



STOCK CODE	SIZE	
2013	M3	200
2014	M4	200
2015	M5	200
2016	M6	200
2017	M8	200
2018	M10	100
2019	M12	100
2020	M16	50
2021	M20	50
2022	M24	50

HALF NUT
DIN 439 **GALV**




STOCK CODE	SIZE	
2129	M16	100
2132	M30	25

HALF NUT
DIN 439 **ST/ST A2**



STOCK CODE	SIZE	
2105	M5	200
2106	M6	200
2107	M8	200
2108	M10	100
2109	M12	100
2110	M16	50

T (THIN) NYLON INSERT NUT
DIN 985 **BZP**



STOCK CODE	SIZE	
2023	M3	200
2024	M4	200
2025	M5	200
2026	M6	200
2027	M8	200
2028	M10	100
2029	M12	100
3281	M14	100
2030	M16	50
2031	M20	50
2032	M24	10
2033	M30	10

T (THIN) NYLON INSERT NUT
DIN 985 **GALV**



STOCK CODE	SIZE	
2161	M10	200
2162	M16	100
2228	M20	25

T (THIN) NYLON INSERT NUT
DIN 985 **ST/ST A2**



STOCK CODE	SIZE	
2071	M3	200
2072	M4	200
2073	M5	200
2074	M6	200
2075	M8	200
2076	M10	100
2077	M12	100
2078	M16	50
2133	M20	50
2159	M24	10
2160	M30	10

For fast delivery
call our sales team on
020 8699 6777
or to order online visit
www.selkent.com

T (THIN) NYLON INSERT NUT

DIN 985 **ST/ST A4**



STOCK CODE	SIZE	
2470	M4	200
2471	M5	200
2472	M6	200
2473	M8	100
2474	M10	100
2475	M12	100
2476	M16	50
2477	M20	50
2478	M24	10
2479	M27	10
2480	M30	10

P (THICK) NYLON INSERT NUT

DIN 982 **BZP**



STOCK CODE	SIZE	
2079	M6	200
2080	M8	200
2081	M10	100
2082	M12	100
2149	M16	50
2150	M20	50
2157	M24	10
2158	M30	10

DOME NUT

DIN 1587 **BZP**



STOCK CODE	SIZE	
2034	M3	200
2035	M4	200
2036	M5	200
2037	M6	200
2038	M8	200
2039	M10	100
2040	M12	100
2041	M16	50
2042	M20	50
2130	M24	50

DOME NUT

DIN 1587 **GALV**



STOCK CODE	SIZE	
2125	M10	100
2127	M12	50
2196	M16	50

DOME NUT

DIN 1587 **ST/ST A2**



STOCK CODE	SIZE	
2111	M3	200
2065	M4	200
2066	M5	200
2067	M6	200
2068	M8	200
2069	M10	100
2070	M12	100
2135	M16	100
2134	M20	100

DOME NUT

DIN 1587 **ST/ST A4**



STOCK CODE	SIZE	
2400	M4	200
2401	M5	200
2402	M6	200
2403	M8	200
2187	M10	100
2405	M12	100
2406	M16	100
2407	M20	100
2408	M24	100

SHEAR NUT

MILD STEEL **BZP**



STOCK CODE	SIZE	
2112	M6	100
2113	M8	100
2114	M10	100
2115	M12	50

SHEAR NUT

STEEL **GALV**



STOCK CODE	SIZE	
2116	M8	100
2117	M10	100
2118	M12	100
2119	M16	50

SHEAR NUT

ST/ST A2



STOCK CODE	SIZE	
2120	M6	100
2121	M8	100
2122	M10	100
2123	M12	50

STEEL WING NUT

BZP



STOCK CODE	SIZE	
2043	M3	200
2044	M4	200
2045	M5	200
2046	M6	200
2047	M8	200
2048	M10	100
2128	M12	100

NYLON NUT CAP

BLACK



STOCK CODE	SIZE	
2146	M8	100
2097	M10	100
2098	M12	50
2099	M16	50
2147	M20	25
2148	M24	25

RAWLNUT



STOCK CODE	SIZE	HOLE	
RAWLNUTM4	M4 x 24mm	8mm	50
RAWLNUTM5	M5 x 26mm	10mm	50
RAWLNUTM6	M6 x 35mm	13mm	50
RAWLNUTM8	M8 x 50mm	18mm	50
RAWLNUTM10	M10 x 55mm	20mm	25
RAWLNUTM12	M12 x 77mm	24mm	20

PLAIN CHANNEL NUT

FOR ALL CHANNELS **BZP**



STOCK CODE	SIZE	
2168	M6	100
2169	M8	100
2170	M10	100
2171	M12	100

SHORT SPRING CHANNEL NUT

FOR SHALLOW CHANNELS

BZP




STOCK CODE	SIZE	
2172	M6	100
2173	M8	100
2174	M10	100
2175	M12	100

LONG SPRING CHANNEL NUT

FOR DEEP CHANNELS

BZP



STOCK CODE	SIZE	
2176	M6	100
2177	M8	100
2178	M10	100
2179	M12	100

WEDGE NUT

Standard Wedge Nuts (SWN)	25mm (Top of Wedge) x 18mm (Base of Wedge)
Mini Wedge Nuts	19mm (Top of Wedge) x12mm (Base of Wedge)
Mini Mini Wedge Nuts	18.5mm (Top of Wedge) x 10mm (Base of Wedge)
Rib Deck	21mm (Top of wedge) x 17mm (Base of wedge)



STANDARD

STOCK CODE	SIZE	
M6STWN	M6	1000
M8STWN	M8	1000
M10STWN	M10	1000

RIB DECK

STOCK CODE	SIZE	
M10RDWN	M10	1000

MINI

STOCK CODE	SIZE	
M6MINIWN	M6	1000
M8MINIWN	M8	1000

MINI MINI

STOCK CODE	SIZE	
M6MINMINWN	M6	1000
M8MINMINWN	M8	1000

WEDGE NUT

BZP



STOCK CODE	SIZE	
2183	M6	100
2184	M8	100
2185	M10	100

STUDDING CONNECTOR

BZP



STOCK CODE	SIZE	
2100	M8 x 24mm	100
2101	M10 x 30mm	100
2102	M12 x 36mm	50
2103	M16 x 48mm	10

STOCK CODE	SIZE	
2104	M20 x 60mm	10
2131	M24 x 72mm	10
2163	M30 x 90mm	10

FORM A FLAT WASHER

DIN 125 A/BS 4320 **BZP**



STOCK CODE	SIZE			
	INT.Ø	EXT.Ø	THICKNESS	
3001	M3	7mm	0.5mm	500
3002	M4	9mm	0.8mm	500
3003	M5	10mm	1.0mm	200
3004	M6	12.5mm	1.6mm	200
3005	M8	17mm	1.6mm	200
3006	M10	21mm	2.0mm	200
3007	M12	24mm	2.5mm	200
3000	M14	28mm	2.5mm	100
3008	M16	30mm	3.0mm	100
3206	M18	34mm	3.0mm	100
3009	M20	37mm	3.0mm	100
2189	M22	39mm	3.0mm	50
3010	M24	44mm	4.0mm	50
3209	M27	50mm	4.0mm	50
3011	M30	56mm	4.0mm	50
3210	M33	60mm	5.0mm	50
3012	M36	66mm	5.0mm	50

FORM A FLAT WASHER

DIN 125 A/BS 4320 **GALV**



STOCK CODE	SIZE			
	INT.Ø	EXT.Ø	THICKNESS	
3141	M6	12.5mm	1.6mm	200
3060	M8	17mm	1.6mm	200
3061	M10	21mm	2.0mm	100
3062	M12	24mm	2.5mm	100
3063	M16	30mm	3.0mm	100
3064	M20	37mm	3.0mm	50
3065	M24	44mm	4.0mm	50
3199	M30	55mm	4.0mm	100

FORM A FLAT WASHER

ST/ST A2



STOCK CODE	SIZE	
3067	M4	500
3068	M5	200
2206	M6	200
2198	M8	200
2202	M10	200
2192	M12	200
2197	M16	100
3232	M20	100

FORM A FLAT WASHER

DIN 125A **ST/ST A4**



STOCK CODE	SIZE	
2420	M3	1000
2421	M4	1000
2422	M5	1000
2423	M6	1000
2208	M8	200
2225	M10	200
2426	M12	200
2427	M14	100
2191	M16	100
2429	M18	100
2430	M20	50
2431	M22	50
3271	M24	50
2433	M27	50
2434	M30	50
2435	M45	25
2436	M52	25

FORM A STEEL FLAT WASHER

DIN 125A **SELF COLOUR**



STOCK CODE	SIZE	
3108	M5	200
3109	M6	200
3110	M8	200
3111	M10	200
3112	M12	200
3113	M16	100
3114	M20	100
3115	M24	50
3116	M30	50
3117	M36	25
3149	M39	25
3150	M42	25

FORM B FLAT WASHER

BZP BS4320



STOCK CODE	SIZE	
3128	M6	1000
3129	M8	500
3130	M10	500
3131	M12	200
3132	M14	200
3133	M16	100
3134	M20	100

FORM B FLAT WASHER

GRADE 304 BS4320 **ST/ST A2**



STOCK CODE	SIZE			
	INT.Ø	EXT.Ø	THICKNESS	
3069	M6	12.5mm	0.8mm	1000
3070	M8	17mm	1.0mm	200
3071	M10	21mm	1.25mm	100
3072	M12	24mm	1.6mm	100
3073	M16	30mm	2.0mm	100
3074	M20	37mm	2.0mm	50
3075	M24	44mm	2.5mm	50

FORM B FLAT WASHER

GRADE 316 BS4320 **ST/ST A4**



STOCK CODE	SIZE			
	INT.Ø	EXT.Ø	THICKNESS	
2440	M4	9mm	0.8mm	1000
2441	M5	10mm	0.8mm	1000
2442	M6	12.5mm	0.8mm	1000
2443	M8	17mm	1.0mm	200
2444	M10	21mm	1.25mm	100
2195	M12	24mm	1.6mm	100
2446	M14	28mm	1.6mm	100
2447	M16	30mm	2.0mm	100
2448	M20	37mm	2.0mm	50
2449	M22	39mm	2.0mm	50
2450	M24	44mm	2.5mm	50
2451	M27	50mm	2.5mm	50
2452	M30	56mm	2.5mm	50

FORM C FLAT WASHER

BS4320 **BZP**



STOCK CODE	SIZE			
	INT.Ø	EXT.Ø	THICKNESS	
3156	M4	10mm	0.8mm	200
3157	M5	12.5mm	1.0mm	200
3158	M6	14mm	1.6mm	200
3159	M8	21mm	1.6mm	200
3160	M10	24mm	2.0mm	100
3161	M12	28mm	2.5mm	100
3162	M16	34mm	3.0mm	100
3163	M20	39mm	3.0mm	50

FORM C FLAT WASHER

GRADE 304 BS4320 **ST/ST A2**



STOCK CODE	SIZE			
	INT.Ø	EXT.Ø	THICKNESS	
3164	M4	10mm	0.8mm	200
3165	M5	12.5mm	1.0mm	200
3166	M6	14mm	1.6mm	200
3167	M8	21mm	1.6mm	200
3168	M10	24mm	2.0mm	100
3169	M12	28mm	2.5mm	100

FORM G FLAT WASHER

BZP



STOCK CODE	SIZE			
	INT.Ø	EXT.Ø	THICKNESS	
3214	M8	24mm	2.0mm	100
3215	M10	30mm	2.5mm	100
3216	M12	36mm	3.0mm	100
3217	M16	48mm	4.0mm	100
3218	M20	60mm	5.0mm	100
3212	M24	72mm	6.0mm	100

FORM G FLAT WASHER

DIN 125 A/BS4320 **GALV**



STOCK CODE	SIZE			
	INT.Ø	EXT.Ø	THICKNESS	
3190	M10	30mm	2.5mm	100
3191	M12	36mm	3.0mm	100
3143	M16	48mm	4.0mm	100
3144	M20	60mm	5.0mm	100
3213	M24	72mm	6.0mm	100

PENNY STEEL WASHER

BZP



STOCK CODE	SIZE			
	INT.Ø	EXT.Ø	THICKNESS	
3013	M5	20mm	1.25mm	200
3090	M5	25mm	1.25mm	200
3014	M6	20mm	1.25mm	200
3088	M6	25mm	1.5mm	200
3091	M6	30mm	1.5mm	200
3015	M8	25mm	1.5mm	200
3089	M8	30mm	1.5mm	200
2200	M10	25mm	1.5mm	100
3016	M10	30mm	1.5mm	100
3188	M10	40mm	1.5mm	100
3189	M10	50mm	1.5mm	100
3017	M12	40mm	1.5mm	100
3142	M12	50mm	1.5mm	100

PENNY STEEL WASHER

GRADE 304

ST/ST A2



STOCK CODE	SIZE			
	INT.Ø	EXT.Ø	THICKNESS	
3076	M5	25mm	1.5mm	100
3077	M6	25mm	1.5mm	100
3078	M8	30mm	1.5mm	100
3170	M10	35mm	1.5mm	100
3171	M12	35mm	1.5mm	100

NYLON WASHER



STOCK CODE	SIZE	
3092	M4	1000
3093	M5	1000
3094	M6	500
3095	M8	500
3096	M10	500
3097	M12	200
3098	M16	100
3099	M20	100
3155	M24	50

PENNY NYLON WASHER



STOCK CODE	SIZE			
	INT.Ø	EXT.Ø	THICKNESS	
3152	M8	25mm	2.0mm	500
3153	M10	30mm	2.5mm	100
3154	M12	36mm	3.0mm	100

ONSITE TECHNICAL SUPPORT

We offer a full technical change management process for any of your current applications, including onsite technical advice, pull-out testing and load calculation service.

Contact one of the technical team or email technical@selkent.com

SELKENT
CONSTRUCTION FIXINGS AND TOOLS



TYPE A SPRING STEEL WASHER

SINGLE COIL SQUARE SECTION
DIN 7980 **BZP**



STOCK CODE	SIZE	
3018	M3	200
3019	M4	200
3020	M5	200
3021	M6	200
3022	M8	200
3023	M10	100
3024	M12	100
3025	M16	100
3026	M20	50
3027	M24	50
3028	M30	10

TYPE A SPRING STEEL WASHER

SINGLE COIL SQUARE SECTION
DIN 7980 **GALV**



STOCK CODE	SIZE	
3118	M6	200
3119	M8	200
3120	M10	100
3121	M12	100
3122	M16	100
3123	M20	50

TYPE A SPRING WASHER

SINGLE COIL SQUARE SECTION
GRADE 304 **ST/ST A2**



STOCK CODE	SIZE	
3079	M3	200
3080	M4	200
3081	M5	200
3082	M6	200
3083	M8	200
3084	M10	200
3085	M12	100
3086	M16	100
3087	M20	50

TYPE A SPRING WASHER

SINGLE COIL SQUARE SECTION
GRADE 316 **ST/ST A4**



STOCK CODE	SIZE	
2460	M4	200
2461	M5	200
2462	M6	200
2463	M8	200
2464	M10	200
2465	M12	100
2466	M16	100
2467	M20	50
2468	M24	50
2469	M30	50

TYPE B SPRING STEEL WASHER

SINGLE COIL RECTANGULAR SECTION
BZP



STOCK CODE	SIZE	
3124	M6	200
3125	M8	200
3126	M10	100
3127	M12	100
3151	M16	100

For fast delivery
call our sales team on
020 8699 6777
or to order online visit
www.selkent.com

TYPE A SPRING WASHER SINGLE COIL SQUARE SECTION

GRADE 316 **ST/ST A4**



STOCK CODE	SIZE	
2193	M12	500

TOOTH LOCK STEEL INTERNAL WASHER

BZP



STOCK CODE	SIZE	
3029	M3	500
3030	M4	500
3031	M5	500
3032	M6	200
3033	M8	200
3034	M10	100
3035	M12	100
3036	M16	100
3037	M20	50
3038	M24	50

D-SHAPE TAPER WASHER

5 DEGREE **BZP**



STOCK CODE	SIZE	
3049	M6	200
3050	M8	200
3051	M10	100
3052	M12	100
3053	M16	100
3054	M20	50
3055	M24	50

SQUARE PLATE WASHER


BZP



STOCK CODE	SIZE	THICKNESS	
3100	M6 x 40mm x 40mm	3mm	100
3101	M8 x 40mm x 40mm	3mm	100
3102	M10 x 40mm x 40mm	3mm	100
3103	M12 x 40mm x 40mm	3mm	100
3104	M10 x 50mm x 50mm	3mm	50
3105	M12 x 50mm x 50mm	3mm	50
3182	M16 x 50mm x 50mm	3mm	50
3211	M20 x 50mm x 50mm	3mm	50

SQUARE PLATE WASHER

SELF COLOUR



STOCK CODE	SIZE	THICKNESS	
3057	M16 x 100mm x 100mm	10mm	1
3058	M20 x 100mm x 100mm	10mm	1
3059	M24 x 100mm x 100mm	10mm	1
3222	M20 x 100mm x 100mm	12mm	1
3223	M24 x 100mm x 100mm	12mm	1
3220	M20 x 100mm x 100mm	15mm	1
3221	M24 x 100mm x 100mm	15mm	1
2212	M30 x 100mm x 100mm	10mm	1

SQUARE PLATE WASHER

GALV



STOCK CODE	SIZE	
3245	M10 x 40mm x 3mm	100
3200	M12 x 50mm x 3mm	100

NYLON TOP HAT INSULATING WASHER



STOCK CODE	SIZE	
3207	M10	25
3201	M12	25
3202	M16	25

THROUGH HARDENED WASHER

BS-EN 14 339.9 **SELF COLOUR**



STOCK CODE	SIZE	
3137	M16	25
3139	M20	25
3194	M24	25

LOAD INDICATOR WASHER

BS-EN 14 339.9 **SELF COLOUR**



STOCK CODE	SIZE	
3138	M16	25
3140	M20	25
3193	M24	25

DISC SPRING WASHER

BZP



STOCK CODE	SIZE			
	INT.Ø	EXT.Ø	THICKNESS	
3177	M6	13.8mm	1.5mm	100
3178	M8	17.8mm	2.0mm	100
3179	M10	22.5mm	2.5mm	100
3180	M12	29.0mm	3.0mm	100

ORDER ONLINE

Browse through our vast range of products and place your order the most convenient way.

- Bespoke customer pricing portal
- Access to invoices
- Access to PODs
- Track spend per site
- User and sub user permissions.


Order online 24/7 at www.selkent.com

SELKENT
CONSTRUCTION FIXINGS AND TOOLS



SOCKET CAP SCREWS TECHNICAL DATA

D1	M3 PITCH 0.50	M4 PITCH 0.70	M5 PITCH 0.80	M6 PITCH 1.00	M8 PITCH 1.25	M10 PITCH 1.50	M12 PITCH 1.75	M14 PITCH 2.00	M16 PITCH 2.00	M20 PITCH 2.50	M24 PITCH 3.00
D2	5.5	7	8.5	10	13	16	18	21	24	30	36
K	3	4	5	6	8	10	12	14	16	20	24
S	2.5	3	4	5	6	8	10	12	14	17	19
T min.	1.3	2	2.5	3	4	5	6	7	8	10	12



SOCKET CAP SCREW

BS 4168 DIN 912 GRADE 12.9 **BZP**



STOCK CODE	SIZE	
	M3	
4002	M3 x 5mm	100
4003	M3 x 6mm	100
4004	M3 x 8mm	100
4005	M3 x 10mm	100
4006	M3 x 12mm	100
4007	M3 x 16mm	100
4008	M3 x 20mm	100
4009	M3 x 25mm	100
4010	M3 x 30mm	100
4011	M3 x 35mm	100
4012	M3 x 40mm	100
	M4	
4014	M4 x 8mm	100
4015	M4 x 10mm	100
4016	M4 x 12mm	100
4017	M4 x 16mm	100
4018	M4 x 20mm	100
4019	M4 x 25mm	100
4020	M4 x 30mm	100
4021	M4 x 35mm	100
4022	M4 x 40mm	100
4023	M4 x 45mm	100
4024	M4 x 50mm	100
	M5	
4026	M5 x 8mm	100
4027	M5 x 10mm	100
4028	M5 x 12mm	100
4029	M5 x 16mm	100
4030	M5 x 20mm	100
4031	M5 x 25mm	100
4032	M5 x 30mm	100
4033	M5 x 35mm	100
4034	M5 x 40mm	100

STOCK CODE	SIZE	
4035	M5 x 45mm	100
4036	M5 x 50mm	100
4037	M5 x 55mm	100
4038	M5 x 60mm	100
4039	M5 x 65mm	100
4040	M5 x 70mm	100
	M6	
4044	M6 x 10mm	100
4045	M6 x 12mm	100
4046	M6 x 16mm	100
4047	M6 x 20mm	100
4048	M6 x 25mm	100
4049	M6 x 30mm	100
4050	M6 x 35mm	100
4051	M6 x 40mm	100
4052	M6 x 45mm	100
4053	M6 x 50mm	100
4054	M6 x 55mm	100
4055	M6 x 60mm	100
4056	M6 x 65mm	100
4057	M6 x 70mm	100
4058	M6 x 75mm	100
4059	M6 x 80mm	100
4060	M6 x 90mm	100
4061	M6 x 100mm	100
	M8	
4063	M8 x 12mm	100
4064	M8 x 16mm	100
4065	M8 x 20mm	100
4066	M8 x 25mm	100
4067	M8 x 30mm	100
4068	M8 x 35mm	100
4069	M8 x 40mm	100
4070	M8 x 45mm	100

[cont.]

SOCKET CAP SCREWS BS 4168 DIN 912 GRADE 12.9 BZP



STOCK CODE	SIZE	
4071	M8 x 50mm	100
4072	M8 x 55mm	100
4073	M8 x 60mm	100
4074	M8 x 65mm	100
4075	M8 x 70mm	100
4076	M8 x 75mm	100
4077	M8 x 80mm	100
4078	M8 x 90mm	100
4079	M8 x 100mm	100
	M10	
4083	M10 x 16mm	100
4084	M10 x 20mm	100
4085	M10 x 25mm	100
4086	M10 x 30mm	100
4087	M10 x 35mm	100
4088	M10 x 40mm	100
4089	M10 x 45mm	50
4090	M10 x 50mm	50
4091	M10 x 55mm	50
4092	M10 x 60mm	50
4093	M10 x 65mm	50

STOCK CODE	SIZE	
4094	M10 x 70mm	50
4095	M10 x 75mm	50
4096	M10 x 80mm	50
4097	M10 x 90mm	50
4098	M10 x 100mm	50
	M12	
4106	M12 x 20mm	50
4107	M12 x 25mm	50
4108	M12 x 30mm	50
4109	M12 x 35mm	50
4110	M12 x 40mm	50
4111	M12 x 45mm	50
4112	M12 x 50mm	50
4113	M12 x 55mm	50
4114	M12 x 60mm	50
4115	M12 x 65mm	50
4116	M12 x 70mm	50
4117	M12 x 75mm	50
4118	M12 x 80mm	50
4119	M12 x 90mm	50
4120	M12 x 100mm	50

SOCKET CAP SCREW

DIN 912 ST/ST A2



STOCK CODE	SIZE	
	M3	
4148	M3 x 6mm	100
4149	M3 x 8mm	100
4150	M3 x 10mm	100
4151	M3 x 12mm	100
4152	M3 x 16mm	100
4153	M3 x 20mm	100
4154	M3 x 25mm	100
	M4	
4155	M4 x 6mm	100
4156	M4 x 8mm	100
4157	M4 x 10mm	100
4158	M4 x 12mm	100
4159	M4 x 16mm	100
4160	M4 x 20mm	100
4161	M4 x 25mm	100
4162	M4 x 30mm	100

STOCK CODE	SIZE	
	M5	
4163	M5 x 10mm	100
4164	M5 x 12mm	100
4165	M5 x 16mm	100
4166	M5 x 20mm	100
4167	M5 x 25mm	100
4168	M5 x 30mm	100
4408	M5 x 35mm	100
4409	M5 x 40mm	100
	M6	
4410	M6 x 10mm	100
4411	M6 x 12mm	100
4412	M6 x 16mm	100
4413	M6 x 20mm	100
4414	M6 x 25mm	100
4415	M6 x 30mm	100
4416	M6 x 35mm	100

[cont.] ➞

SOCKET CAP SCREWS 304 DIN 912 ST/ST A2




STOCK CODE	SIZE	
	M6	
4417	M6 x 40mm	100
4418	M6 x 50mm	100
	M8	
4419	M8 x 12mm	100
4420	M8 x 16mm	100
4421	M8 x 20mm	100
4422	M8 x 25mm	100
4423	M8 x 30mm	100
4424	M8 x 35mm	100
4425	M8 x 40mm	100
4426	M8 x 50mm	100
4427	M8 x 60mm	100
	M10	
4428	M10 x 20mm	100

STOCK CODE	SIZE	
4429	M10 x 25mm	100
4430	M10 x 30mm	100
4431	M10 x 35mm	100
4432	M10 x 40mm	100
4433	M10 x 50mm	50
4434	M10 x 60mm	50
	M12	
4435	M12 x 20mm	50
4436	M12 x 25mm	50
4437	M12 x 30mm	50
4438	M12 x 35mm	50
4439	M12 x 40mm	50
4440	M12 x 50mm	50
4099	M12 x 60mm	50

SOCKET COUNTERSUNK TECHNICAL DATA

*60º standard

D1	*M3*	*M4*	*M5*	*M6*	*M8*	*M10*	*M12*	*M16*	*M20*	*M24**	*M30**
D2	6	8	10	12	16	20	24	30	36	38	53
K max.	1.7	2.3	2.8	3.3	5	5.5	6.5	7.5	8.5	14.22	21.65
S	2	2.5	3	4	4.4	6	8	10	12	14	17
T min.	1.2	1.8	2.3	2.5	3.5	4.4	4.6	5.3	5.9	8.25	12



SOCKET COUNTERSUNK SCREW

DIN 7991 GRADE 10.9 BZP



STOCK CODE	SIZE	
	M3	
4169	M3 x 6mm	200
4170	M3 x 8mm	200
4171	M3 x 10mm	200
4174	M3 x 12mm	200
4172	M3 x 16mm	200
4173	M3 x 20mm	200
	M4	
4176	M4 x 8mm	200
4177	M4 x 10mm	200
4175	M4 x 12mm	200
4178	M4 x 16mm	200
4179	M4 x 20mm	200
4180	M4 x 25mm	200
4181	M4 x 30mm	100

STOCK CODE	SIZE	
	M5	
4182	M5 x 10mm	200
4183	M5 x 12mm	200
4184	M5 x 16mm	200
4185	M5 x 20mm	200
4186	M5 x 25mm	200
4187	M5 x 30mm	200
4188	M5 x 35mm	200
4189	M5 x 40mm	200
4190	M5 x 45mm	200
4191	M5 x 50mm	200
	M6	
4193	M6 x 12mm	200
4194	M6 x 16mm	200
4195	M6 x 20mm	200

[cont.]

SOCKET COUNTERSUNK SCREWS DIN 7991 GRADE 10.9 BZP



STOCK CODE	SIZE	
4196	M6 x 25mm	200
4197	M6 x 30mm	200
4198	M6 x 35mm	200
4199	M6 x 40mm	200
4200	M6 x 45mm	200
4201	M6 x 50mm	200
4518	M6 x 60mm	200
	M8	
4203	M8 x 12mm	200
4204	M8 x 16mm	200
4205	M8 x 20mm	200
4206	M8 x 25mm	200
4207	M8 x 30mm	200
4208	M8 x 35mm	200
4209	M8 x 40mm	200
4210	M8 x 45mm	200
4211	M8 x 50mm	200
4212	M8 x 55mm	100
4213	M8 x 60mm	100
3298	M8 x 70mm	100
4214	M8 x 80mm	100
	M10	
4215	M10 x 20mm	200
4216	M10 x 25mm	200
4217	M10 x 30mm	100
4218	M10 x 35mm	100
4219	M10 x 40mm	100
4220	M10 x 45mm	100
4221	M10 x 50mm	100
4222	M10 x 55mm	100
4223	M10 x 60mm	100
4224	M10 x 70mm	100
4225	M10 x 80mm	100
4226	M10 x 90mm	100
4227	M10 x 100mm	100
	M12	
4229	M12 x 25mm	50

STOCK CODE	SIZE	
4230	M12 x 30mm	50
4231	M12 x 35mm	50
4232	M12 x 40mm	50
4233	M12 x 45mm	50
4234	M12 x 50mm	50
4235	M12 x 55mm	50
4236	M12 x 60mm	50
4237	M12 x 70mm	50
4238	M12 x 80mm	50
4126	M12 x 90mm	50
4127	M12 x 100mm	50
	M16	
3299	M16 x 30mm	50
4239	M16 x 35mm	25
4240	M16 x 40mm	25
4241	M16 x 45mm	25
4242	M16 x 50mm	25
4529	M16 x 55mm	25
4243	M16 x 60mm	25
2216	M16 x 65mm	25
4244	M16 x 70mm	25
4128	M16 x 80mm	25
4129	M16 x 90mm	25
4130	M16 x 100mm	25
	M20	
4132	M20 x 40mm	25
4133	M20 x 45mm	25
4134	M20 x 50mm	25
4135	M20 x 55mm	25
4136	M20 x 60mm	25
4553	M20 x 65mm	25
4137	M20 x 70mm	25
4138	M20 x 80mm	25
4139	M20 x 100mm	25
	M24	
2203	M24 x 70mm	25

SOCKET COUNTERSUNK SCREW

DIN 7991 GRADE 10.9 **GALV**



STOCK CODE	SIZE	
	M8	
4248	M8 x 20mm	100
4249	M8 x 25mm	100
4250	M8 x 30mm	100
4251	M8 x 35mm	100
4382	M8 x 40mm	100
	M10	
4252	M10 x 25mm	100
4253	M10 x 30mm	100
4254	M10 x 35mm	100
4255	M10 x 40mm	100
4385	M10 x 45mm	100
4386	M10 x 50mm	100
	M12	
4257	M12 x 30mm	100
4258	M12 x 35mm	100
4259	M12 x 40mm	100
4260	M12 x 45mm	100

STOCK CODE	SIZE	
4387	M12 x 50mm	100
3300	M12 x 65mm	50
	M16	
4465	M16 x 30mm	50
4261	M16 x 35mm	50
4262	M16 x 40mm	50
4263	M16 x 45mm	50
4389	M16 x 50mm	25
4390	M16 x 55mm	25
4466	M16 x 60mm	50
	M20	
4468	M20 x 35mm	50
4469	M20 x 40mm	50
4470	M20 x 45mm	50
4471	M20 x 50mm	50
4472	M20 x 55mm	50
4473	M20 x 60mm	50

SOCKET COUNTERSUNK SCREW

DIN 7991 GRADE 304 **ST/ST A2**



STOCK CODE	SIZE	
	M3	
4530	M3 x 5mm	200
4441	M3 x 6mm	100
4442	M3 x 8mm	100
4443	M3 x 10mm	100
4202	M3 x 12mm	100
4444	M3 x 16mm	100
4445	M3 x 20mm	100
4446	M3 x 25mm	100
4532	M3 x 30mm	200
	M4	
4534	M4 x 6mm	200
4447	M4 x 8mm	100
4448	M4 x 10mm	100
4100	M4 x 12mm	100
4449	M4 x 16mm	100

STOCK CODE	SIZE	
4450	M4 x 20mm	100
4451	M4 x 25mm	100
4452	M4 x 30mm	100
	M5	
4538	M5 x 8mm	200
4453	M5 x 10mm	100
4454	M5 x 12mm	100
4455	M5 x 16mm	100
4456	M5 x 20mm	100
4457	M5 x 25mm	100
4458	M5 x 30mm	100
4459	M5 x 35mm	100
4460	M5 x 40mm	100
	M6	
4461	M6 x 10mm	100
4462	M6 x 12mm	100

[cont.]→

SOCKET COUNTERSUNK SCREWS DIN 7991 GRADE 304 ST/ST A2



STOCK CODE	SIZE	
4392	M6 x 20mm	100
4393	M6 x 25mm	100
4394	M6 x 30mm	100
4463	M6 x 35mm	100
4464	M6 x 40mm	100
4474	M6 x 50mm	100
	M8	
2226	M8 x 12mm	200
4475	M8 x 16mm	100
4395	M8 x 20mm	100
4396	M8 x 25mm	100
4397	M8 x 30mm	100
4476	M8 x 35mm	100
4398	M8 x 40mm	100
4399	M8 x 50mm	100
4477	M8 x 60mm	100
	M10	
4478	M10 x 20mm	100
4400	M10 x 25mm	100
4401	M10 x 30mm	100
4402	M10 x 35mm	100
4403	M10 x 40mm	100
4549	M10 x 45mm	100
4404	M10 x 50mm	100

STOCK CODE	SIZE	
4479	M10 x 60mm	100
4480	M10 x 70mm	100
4481	M10 x 80mm	50
	M12	
4405	M12 x 25mm	100
4406	M12 x 30mm	100
4407	M12 x 35mm	100
4482	M12 x 40mm	100
4551	M12 x 45mm	50
4483	M12 x 50mm	100
4484	M12 x 60mm	50
4485	M12 x 70mm	50
4486	M12 x 80mm	50
3291	M12 x 90mm	50
	M16	
4487	M16 x 30mm	50
4488	M16 x 35mm	50
4489	M16 x 40mm	50
4490	M16 x 45mm	50
4491	M16 x 50mm	50
4492	M16 x 60mm	50
4493	M16 x 70mm	50
4494	M16 x 80mm	50

A UNIQUE, TAILORED SERVICE

We understand that every job is different and provides new challenges and demanding deadlines.

As a supplier we go the extra mile and tailor solutions to suit your needs to keep job on schedule, no matter what.

RIGHT PRODUCTS, RIGHT PRICE, RIGHT NOW


Contact our customer services team or email sales@selkent.com

SELKENT
CONSTRUCTION FIXINGS AND TOOLS



SOCKET BUTTON TECHNICAL DATA

D1	M3	M4	M5	M6	M8	M10	M12	M16	M20
D2	7	6	9.5	10.5	14	18	21	28	35
K max.	1.65	2.2	2.75	3.3	4.4	5.5	6.6	8.8	10.5
S	2	2.5	3	4	5	6	8	10	12
T min.	1.04	1.3	1.56	2.08	2.6	3.12	4.16	5.5	6.87



SOCKET BUTTON SCREW

ISO 7380 GRADE 10.9 BZP



STOCK CODE	SIZE	
	M3	
4264	M3 x 6mm	100
4265	M3 x 8mm	100
4266	M3 x 10mm	100
4267	M3 x 12mm	100
4268	M3 x 16mm	100
	M4	
4270	M4 x 8mm	100
4271	M4 x 10mm	100
4272	M4 x 12mm	100
4273	M4 x 16mm	100
4274	M4 x 20mm	100
4275	M4 x 25mm	100
	M5	
4278	M5 x 10mm	100
4279	M5 x 12mm	100
4280	M5 x 16mm	100
4281	M5 x 20mm	100
4282	M5 x 25mm	100
4283	M5 x 30mm	100
	M6	
4284	M6 x 10mm	100
4285	M6 x 12mm	100
4286	M6 x 16mm	100
4287	M6 x 20mm	100
4288	M6 x 25mm	100
4289	M6 x 30mm	100
4517	M6 x 50mm	200
4519	M6 x 60mm	200
	M8	
4291	M8 x 12mm	100

STOCK CODE	SIZE	
4292	M8 x 16mm	100
4293	M8 x 20mm	100
4294	M8 x 25mm	100
4295	M8 x 30mm	100
4521	M8 x 35mm	200
4296	M8 x 40mm	100
4001	M8 x 45mm	100
4013	M8 x 50mm	100
	M10	
4297	M10 x 16mm	100
4298	M10 x 20mm	100
4299	M10 x 25mm	100
4300	M10 x 30mm	100
4526	M10 x 35mm	100
4301	M10 x 40mm	100
4025	M10 x 45mm	100
4041	M10 x 50mm	100
4527	M10 x 60mm	100
	M12	
4507	M12 x 25mm	100
4508	M12 x 30mm	100
4509	M12 x 35mm	100
4510	M12 x 40mm	100
4042	M12 x 45mm	100
4043	M12 x 50mm	100
4528	M12 x 60mm	50
	M16	
4080	M16 x 35mm	50
4081	M16 x 40mm	50
4082	M16 x 45mm	50
4140	M16 x 50mm	50

SOCKET BUTTON SCREW

ISO 7380 GRADE 304 **ST/ST A2**



STOCK CODE	SIZE	
	M3	
4495	M3 x 6mm	100
4496	M3 x 8mm	100
4497	M3 x 10mm	100
4498	M3 x 12mm	100
4499	M3 x 16mm	100
4500	M3 x 20mm	100
	M4	
4501	M4 x 8mm	100
4502	M4 x 10mm	100
4503	M4 x 12mm	100
4504	M4 x 16mm	100
4505	M4 x 20mm	100
4506	M4 x 25mm	100
	M5	
4101	M5 x 8mm	100
4102	M5 x 10mm	100
4103	M5 x 12mm	100
4104	M5 x 16mm	100
4511	M5 x 20mm	100
4512	M5 x 25mm	100
4245	M5 x 30mm	100
4539	M5 x 35mm	200
4540	M5 x 40mm	200
	M6	
4246	M6 x 10mm	100
4247	M6 x 12mm	100
4105	M6 x 16mm	100

STOCK CODE	SIZE	
4121	M6 x 20mm	100
4122	M6 x 25mm	100
4123	M6 x 30mm	100
	M8	
4124	M8 x 12mm	100
4125	M8 x 16mm	100
4141	M8 x 20mm	100
4142	M8 x 25mm	100
4143	M8 x 30mm	100
4544	M8 x 35mm	100
4144	M8 x 40mm	100
4145	M8 x 50mm	100
	M10	
4146	M10 x 16mm	100
4147	M10 x 20mm	100
4192	M10 x 25mm	100
4228	M10 x 30mm	100
4548	M10 x 35mm	100
4256	M10 x 40mm	100
4269	M10 x 50mm	100
	M12	
4276	M12 x 20mm	50
4383	M12 x 25mm	50
4384	M12 x 30mm	50
4277	M12 x 35mm	50
4362	M12 x 40mm	50
4363	M12 x 50mm	50

SUPER FAST DELIVERY

Order before 10am for **SAME DAY DELIVERY WITHIN M25**

Order before 6pm for **NEXT DAY AM DELIVERY UK NATIONWIDE**


Call us today on 020 8699 6777
or visit www.selkent.com

SELKENT
CONSTRUCTION FIXINGS AND TOOLS



SOCKET SET TECHNICAL DATA

D1	M3	M4	M5	M6	M8	M10	M12
S	1.5	2.0	2.5	3.0	4.0	5.0	6.0
T MIN.	2.0	2.5	3.0	3.5	5.0	6.0	8.0



SOCKET SET SCREW PLAIN CUP POINT

GRADE 14.9 DIN 916 **BZP**



STOCK CODE	SIZE	
	M3	
4303	M3 x 4mm	100
4304	M3 x 5mm	100
4305	M3 x 6mm	100
4306	M3 x 8mm	100
4307	M3 x 10mm	100
4308	M3 x 12mm	100
4309	M3 x 16mm	100
	M4	
4312	M4 x 5mm	100
4313	M4 x 6mm	100
4314	M4 x 8mm	100
4315	M4 x 10mm	100
4316	M4 x 12mm	100
4317	M4 x 16mm	100
4318	M4 x 20mm	100
	M5	
4321	M5 x 6mm	100
4322	M5 x 8mm	100
4323	M5 x 10mm	100
4324	M5 x 12mm	100
4325	M5 x 16mm	100
4326	M5 x 20mm	100
4327	M5 x 25mm	100
	M6	
4330	M6 x 8mm	100
4331	M6 x 10mm	100
4332	M6 x 12mm	100
4333	M6 x 16mm	100
4334	M6 x 20mm	100
4335	M6 x 25mm	100
	M8	
4340	M8 x 10mm	100
4341	M8 x 12mm	100
4342	M8 x 16mm	100
4343	M8 x 20mm	100
4344	M8 x 25mm	100

SOCKET SET SCREW PLAIN CUP POINT

DIN 916 GRADE 304 **ST/ST A2**



STOCK CODE	SIZE	
	M3	
4388	M3 x 5mm	100
4364	M3 x 6mm	100
4365	M3 x 8mm	100
4302	M3 x 10mm	100
4366	M3 x 12mm	100
4310	M3 x 16mm	100
	M4	
4311	M4 x 5mm	100
4319	M4 x 6mm	100
4320	M4 x 8mm	100
4328	M4 x 10mm	100
4367	M4 x 12mm	100
4336	M4 x 16mm	100
4337	M4 x 20mm	100
	M5	
4338	M5 x 6mm	100
4339	M5 x 8mm	100
4345	M5 x 10mm	100
4346	M5 x 12mm	100
4347	M5 x 16mm	100
4348	M5 x 20mm	100
4349	M5 x 25mm	100
	M6	
4350	M6 x 8mm	100
4351	M6 x 10mm	100
4352	M6 x 12mm	100
4353	M6 x 16mm	100
4354	M6 x 20mm	100
4355	M6 x 25mm	100
	M8	
4356	M8 x 10mm	100
4357	M8 x 12mm	100
4358	M8 x 16mm	100
4359	M8 x 20mm	100
4360	M8 x 25mm	100

BUTTON PIN HEX SECURITY SCREW

ST/ST A2



STOCK CODE	SIZE	
	M3	
8001	M3 x 10mm	200
8002	M3 x 12mm	200
8003	M3 x 16mm	200
	M4	
8004	M4 x 10mm	200
8005	M4 x 12mm	200
8006	M4 x 16mm	200
8007	M4 x 20mm	200
8008	M4 x 25mm	200
8009	M4 x 30mm	200
	M5	
8010	M5 x 12mm	200
8011	M5 x 16mm	200
8012	M5 x 20mm	200
8013	M5 x 25mm	200
8014	M5 x 30mm	200

STOCK CODE	SIZE	
8015	M5 x 40mm	200
8016	M5 x 50mm	200
	M6	
8017	M6 x 12mm	200
8018	M6 x 16mm	200
8019	M6 x 20mm	200
8020	M6 x 25mm	200
8021	M6 x 30mm	200
8022	M6 x 40mm	100
8023	M6 x 50mm	100
	M8	
8024	M8 x 16mm	100
8025	M8 x 20mm	100
8026	M8 x 25mm	100
8027	M8 x 30mm	100
8028	M8 x 40mm	100
8029	M8 x 50mm	100

COUNTERSUNK PIN HEX SECURITY SCREW

ST/ST A2



STOCK CODE	SIZE	
	M3	
8030	M3 x 10mm	200
8031	M3 x 12mm	200
8032	M3 x 16mm	200
	M4	
8033	M4 x 10mm	200
8034	M4 x 12mm	200
8035	M4 x 16mm	200
8036	M4 x 20mm	200
8037	M4 x 25mm	200
8038	M4 x 30mm	200
	M5	
8039	M5 x 12mm	200
8040	M5 x 16mm	200
8041	M5 x 20mm	200
8042	M5 x 25mm	200
8043	M5 x 30mm	200

STOCK CODE	SIZE	
8044	M5 x 40mm	200
8045	M5 x 50mm	200
	M6	
8046	M6 x 12mm	200
8047	M6 x 16mm	200
8048	M6 x 20mm	200
8049	M6 x 25mm	200
8050	M6 x 30mm	200
8051	M6 x 40mm	200
8052	M6 x 50mm	200
	M8	
8053	M8 x 16mm	200
8054	M8 x 20mm	200
8055	M8 x 25mm	200
8056	M8 x 30mm	100
8057	M8 x 40mm	100
8058	M8 x 50mm	100

PAN POZI SELF TAPPING SCREW

TYPE AB **BZP**



STOCK CODE	SIZE	
	No.6	
7009	No.6 x 8mm	200
7010	No.6 x 9.5mm	200
7011	No.6 x 13mm	200
7012	No.6 x 16mm	200
7013	No.6 x 19mm	200
7014	No.6 x 25mm	200
	No.8	
7017	No.8 x 9.5mm	200
7018	No.8 x 13mm	200
7019	No.8 x 16mm	200
7020	No.8 x 19mm	200
7021	No.8 x 25mm	200
7022	No.8 x 32.mm	100
7023	No.8 x 38mm	100

STOCK CODE	SIZE	
	No.10	
7026	No.10 x 9.5mm	100
7027	No.10 x 13mm	200
7028	No.10 x 16mm	200
7029	No.10 x 19mm	200
7030	No.10 x 25mm	200
7031	No.10 x 32mm	200
7032	No.10 x 38mm	200
	No.12	
7035	No.12 x 13mm	200
7036	No.12 x 16mm	200
7037	No.12 x 19mm	200
7038	No.12 x 25mm	200
7039	No.12 x 32mm	200
7040	No.12 x 38mm	200

COUNTERSUNK POZI SELF TAPPING SCREW

TYPE AB **BZP**



STOCK CODE	SIZE	
	No.6	
7061	No.6x 9.5mm	200
7062	No.6x 13mm	200
7063	No.6x 16mm	200
7064	No.6x 19mm	200
	No. 8	
7069	No.8 x 13mm	200
7070	No.8 x 16mm	200
7071	No.8 x 19mm	200
7072	No.8 x 25mm	200
7073	No.8 x 32mm	200
7074	No.8 x 38mm	200

STOCK CODE	SIZE	
	No.10	
7078	No.10 x 13mm	200
7079	No.10 x 16mm	200
7080	No.10 x 19mm	200
7081	No.10 x 25mm	200
7082	No.10 x 32mm	200
7083	No.10 x 38mm	200
	No.12	
7086	No.12 x 13mm	200
7087	No.12 x 16mm	200
7088	No.12 x 19mm	200
7089	No.12 x 25mm	200
7090	No.12 x 32mm	200
7091	No.12 x 38mm	200

PAN POZI SELF TAPPING SCREW

TYPE AB **ST/ST A2**



STOCK CODE	SIZE	
	No.6	
7103	No.6 x 9.5mm	1000
7104	No.6 x 13mm	1000
7105	No.6 x 16mm	1000
7106	No.6 x 19mm	1000
7107	No.6 x 25mm	1000
	No.8	
7108	No.8 x 9.5mm	1000
7109	No.8 x 13mm	1000
7110	No.8 x 16mm	1000
7111	No.8 x 19mm	1000
7112	No.8 x 25mm	1000
7113	No.8 x 32mm	1000
7114	No.8 x 38mm	1000

STOCK CODE	SIZE	
	No.10	
7115	No.10 x 9.5mm	1000
7116	No.10 x 13mm	1000
7117	No.10 x 16mm	1000
7118	No.10 x 19mm	1000
7119	No.10 x 25mm	1000
7120	No.10 x 32mm	1000
7121	No.10 x 38mm	500
	No.12	
7122	No.12 x 13mm	500
7123	No.12 x 19mm	500
7124	No.12 x 25mm	500
7125	No.12 x 32mm	500
7126	No.12 x 38mm	500

TYPE AB **ST/ST A4**

STOCK CODE	SIZE	
	No.6	
2308	No.6 x 32mm	100
2309	No.6 x 38mm	100
	No.8	
2310	No.8 x 45mm	100
2311	No.8 x 50mm	100
2312	No.8 x 60mm	100
2313	No.8 x 65mm	100

STOCK CODE	SIZE	
	No.10	
2314	No.10 x 45mm	100
2315	No.10 x 50mm	100
2316	No.10 x 60mm	100
2317	No.10 x 65mm	100
	No.12	
2318	No.12 x 16mm	500
2319	No.12 x 32mm	500
2320	No.12 x 45mm	500
2321	No.12 x 50mm	500
2322	No.12 x 60mm	500
2323	No.12 x 65mm	500

COUNTERSUNK POZI SELF TAPPING SCREW

TYPE AB GRADE 304 **ST/ST A2**



STOCK CODE	SIZE	
	No.6	
7127	No.6 x 9.5mm	100
7128	No.6 x 13mm	100
7129	No.6 x 16mm	100
7130	No.6 x 19mm	100
7131	No.6 x 25mm	100
	No.8	
7132	No.8 x 13mm	100
7133	No.8 x 16mm	100
7134	No.8 x 19mm	100
7135	No.8 x 25mm	100
7136	No.8 x 32mm	100
7137	No.8 x 38mm	100

STOCK CODE	SIZE	
	No.10	
7138	No.10 x 13mm	100
7139	No.10 x 16mm	100
7140	No.10 x 19mm	100
7141	No.10 x 25mm	100
7142	No.10 x 32mm	100
7143	No.10 x 38mm	100
	No.12	
7173	No.12 x 13mm	500
7174	No.12 x 19mm	500
7175	No.12 x 25mm	500
7176	No.12 x 32mm	500
7177	No.12 x 38mm	500
7178	No.12 x 50mm	250

COUNTERSUNK POZI SELF TAPPING SCREW

TYPE AB GRADE 316 **ST/ST A4**



STOCK CODE	SIZE	
	No.6	
2301	No.6 x 32mm	100
2302	No.6 x 38mm	100
	No.8	
2303	No.8 x 9.5mm	100
7075	No.8 x 45mm	100
7076	No.8 x 50mm	100
7077	No.8 x 60mm	100
2304	No.8 x 65mm	100

STOCK CODE	SIZE	
	No.10	
2305	No.10 x 9.5mm	100
7084	No.10 x 45mm	100
7085	No.10 x 50mm	100
2306	No.10 x 60mm	100
2307	No.10 x 70mm	100
	No.12	
7092	No.12 x 45mm	500
7093	No.12 x 50mm	500
7094	No.12 x 65mm	500

RIVET NUT


FLAT HEAD **ZYP**



STOCK CODE	SIZE	HOLE SIZE	GRIP RANGE	
7183	M4	6.0mm	0.5mm - 2.0mm	500
7185	M5	7.0mm	0.5mm - 3.0mm	500
7187	M6	9.0mm	0.8mm - 4.0mm	500
7190	M8	11.0mm	1.0mm - 4.0mm	200
7191	M10	12.0mm/13.0mm	1.0mm - 5.0mm	200

RIVET NUT

THIN SHEET **ZYP**



STOCK CODE	SIZE	HOLE SIZE	GRIP RANGE	
7193	M4 TF4	6.4mm	0.5mm - 2.0mm	500
7194	M5 TF5	7.2mm	0.5mm - 3.0mm	500
7195	M6 TF5	9.6mm	0.7mm - 3.3mm	500
7196	M8 TF8	10.6mm	1.0mm - 3.7mm	200

ALUMINIUM DOME HEAD RIVET

MILD STEEL MANDREL



STOCK CODE	SIZE	GRIP RANGE	
7146	3.2mm x 8mm	3mm - 5mm	500
7147	3.2mm x 10mm	5mm - 7mm	500
7148	3.2mm x 12mm	7mm - 9mm	500
7149	3.2mm x 14mm	9mm - 11mm	500
7150	3.2mm x 16mm	11mm - 13mm	500
7152	4.0mm x 8mm	3mm - 4.5mm	500
7153	4.0mm x 10mm	5mm - 6.5mm	500
7154	4.0mm x 12mm	7mm - 8.5mm	500
7155	4.0mm x 14mm	8mm - 10.5mm	500
7156	4.0mm x 16mm	10mm - 12.5mm	500
7157	4.0mm x 18mm	12mm - 14.5mm	500
7158	4.0mm x 20mm	14mm - 16.5mm	500

STOCK CODE	SIZE	GRIP RANGE	
7160	4.8mm x 8mm	2.5mm - 4mm	250
7161	4.8mm x 10mm	4.5mm - 6mm	250
7162	4.8mm x 12mm	6.5mm - 8mm	250
7163	4.8mm x 14mm	7.5mm - 10mm	250
7164	4.8mm x 16mm	9.5mm - 12mm	250
7165	4.8mm x 18mm	11.5mm - 14mm	250
7166	4.8mm x 20mm	13.5mm - 16mm	250
7167	4.8mm x 24mm	17.5mm - 20mm	250
7168	6.4mm x 12mm	4.5mm - 7mm	250
7169	6.4mm x 16mm	6.5mm - 10mm	250
7170	6.4mm x 22mm	12.5mm - 17mm	250
7171	6.4mm x 26mm	16.5mm - 21mm	250

MFX 60 RIVET GUN



Capacity	3.0 - 6.4 mm aluminium
Material	Aluminium with steel parts
Weight	2.2 Kg
Length used	310 mm
Length open	830 mm
Equipment	Nose pieces ø 3.0 - 6.4 mm
STOCK CODE	7197

MFX 510 QI RIVET GUN



Capacity	Blind inserts M5-M10 steel. Blind bolts M5-M8 steel
Body	ABS (plastic) with steel parts
Lever	Steel
Weight	2.2Kg
Length	555mm
Total Weight	4.5Kg
Equipment	Conversion kit blind inserts: M5, M6, M8, M10 Conversion kit blind bolts: M5, M6, M8
STOCK CODE	7198

PAN POZI MACHINE SCREW

DIN 7985 **BZP**



STOCK CODE	SIZE	
	M4	
5010	M4 x 5mm	200
5011	M4 x 6mm	200
5012	M4 x 8mm	200
5013	M4 x 10mm	200
5014	M4 x 12mm	200
5015	M4 x 16mm	200
5016	M4 x 20mm	200
5017	M4 x 25mm	200
5018	M4 x 30mm	200
5019	M4 x 35mm	200
5020	M4 x 40mm	200
5021	M4 x 50mm	200
	M5	
5022	M5 x 6mm	200
5023	M5 x 8mm	200
5024	M5 x 10mm	200
5025	M5 x 12mm	200
5026	M5 x 16mm	200
5027	M5 x 20mm	200
5028	M5 x 25mm	200
5029	M5 x 30mm	200
5030	M5 x 35mm	200

STOCK CODE	SIZE	
5031	M5 x 40mm	200
5032	M5 x 50mm	100
	M6	
5033	M6 x 8mm	200
5034	M6 x 10mm	200
5035	M6 x 12mm	200
5036	M6 x 16mm	200
5037	M6 x 20mm	200
5038	M6 x 25mm	200
5039	M6 x 30mm	200
5040	M6 x 35mm	200
5041	M6 x 40mm	200
5042	M6 x 45mm	100
5043	M6 x 50mm	100
	M8	
5046	M8 x 16mm	200
5047	M8 x 20mm	200
5048	M8 x 25mm	200
5049	M8 x 30mm	100
5051	M8 x 40mm	100
5052	M8 x 50mm	100

[cont.]

PAN POZI MACHINE SCREW

GRADE 304 DIN 7985 **ST/ST A2**



STOCK CODE	SIZE	
	M3	
5145	M3 x 25mm	100
5146	M3 x 30mm	100
	M4	
5147	M4 x 6mm	100
5136	M4 x 8mm	100
5137	M4 x 10mm	100
5138	M4 x 12mm	100
5139	M4 x 16mm	100
5140	M4 x 20mm	100
5148	M4 x 25mm	100
5149	M4 x 30mm	100
5150	M4 x 40mm	100
	M5	
5151	M5 x 6mm	100
5152	M5 x 8mm	100
5141	M5 x 10mm	100

STOCK CODE	SIZE	
5142	M5 x 12mm	100
5143	M5 x 16mm	100
5144	M5 x 20mm	100
5153	M5 x 25mm	100
5154	M5 x 30mm	100
5155	M5 x 40mm	100
5156	M5 x 50mm	100
	M6	
5157	M6 x 10mm	100
5158	M6 x 12mm	100
5159	M6 x 16mm	100
5160	M6 x 20mm	100
5161	M6 x 25mm	100
5162	M6 x 30mm	100
5163	M6 x 40mm	100
5164	M6 x 50mm	100

COUNTERSUNK POZI MACHINE SCREW

DIN 965 **BZP**



STOCK CODE	SIZE	
	M4	
5067	M4 x 6mm	200
5068	M4 x 8mm	200
5069	M4 x 10mm	200
5070	M4 x 12mm	200
5071	M4 x 16mm	200
5072	M4 x 20mm	200
5073	M4 x 25mm	200
5074	M4 x 30mm	200
	M5	
5075	M5 x 8mm	200
5076	M5 x 10mm	200
5077	M5 x 12mm	200
5078	M5 x 16mm	200
5079	M5 x 20mm	200
5080	M5 x 25mm	200
5081	M5 x 30mm	200
5082	M5 x 35mm	200
5083	M5 x 40mm	200
5084	M5 x 50mm	200

STOCK CODE	SIZE	
	M6	
5085	M6 x 10mm	200
5086	M6 x 12mm	200
5087	M6 x 16mm	200
5088	M6 x 20mm	200
5089	M6 x 25mm	200
5090	M6 x 30mm	200
5091	M6 x 35mm	200
5092	M6 x 40mm	200
5093	M6 x 45mm	100
5094	M6 x 50mm	100
	M8	
5095	M8 x 16mm	200
5096	M8 x 20mm	200
5097	M8 x 25mm	200
5098	M8 x 30mm	100
5099	M8 x 40mm	100
5100	M8 x 50mm	100
5055	M8 x 60mm	100
5056	M8 x 70mm	100

COUNTERSUNK POZI MACHINE SCREW

GRADE 304 DIN 965 **ST/ST A2**



STOCK CODE	SIZE	
	M4	
5173	M4 x 8mm	100
5174	M4 x 10mm	100
5175	M4 x 12mm	100
5176	M4 x 16mm	100
5177	M4 x 20mm	100
5178	M4 x 25mm	100
5179	M4 x 30mm	100
	M5	
5180	M5 x 8mm	100
5181	M5 x 10mm	100
5120	M5 x 12mm	100
5121	M5 x 16mm	100
5122	M5 x 20mm	100
5123	M5 x 25mm	100
5124	M5 x 30mm	100
5182	M5 x 40mm	100
5183	M5 x 50mm	100
	M6	
5184	M6 x 10mm	100
5125	M6 x 12mm	100
5126	M6 x 16mm	100
5127	M6 x 20mm	100
5128	M6 x 25mm	100
5129	M6 x 30mm	100
5185	M6 x 40mm	100
5186	M6 x 50mm	100

HEX HEAD COACH SCREW

DIN 571 **BZP**



STOCK CODE	SIZE	
	M6	
9002	M6 x 25mm	200
9003	M6 x 30mm	200
9004	M6 x 35mm	200
9005	M6 x 40mm	200
9006	M6 x 45mm	200
9007	M6 x 50mm	200
9009	M6 x 60mm	200

Other sizes available on request

HEX HEAD COACH SCREW

DIN 571 **BZP**



STOCK CODE	SIZE	
9011	M6 x 70mm	200
9013	M6 x 80mm	100
9015	M6 x 100mm	100
	M8	
9017	M8 x 30mm	100
9018	M8 x 35mm	100
9019	M8 x 40mm	100
9021	M8 x 50mm	100
9023	M8 x 60mm	100
9025	M8 x 70mm	100
9027	M8 x 80mm	100
9028	M8 x 90mm	100
9029	M8 x 100mm	50
9031	M8 x 120mm	50
9032	M8 x 130mm	50
9033	M8 x 140mm	50
9034	M8 x 150mm	50
	M10	
9036	M10 x 30mm	100
9038	M10 x 40mm	100
9040	M10 x 50mm	100
9042	M10 x 60mm	50
9044	M10 x 70mm	50
9045	M10 x 75mm	50
9046	M10 x 80mm	50
9047	M10 x 90mm	50
9048	M10 x 100mm	50
9049	M10 x 110mm	50
9050	M10 x 120mm	25
9051	M10 x 130mm	25
9052	M10 x 140mm	25
9053	M10 x 150mm	25
	M12	
9057	M12 x 40mm	50
9058	M12 x 45mm	50
9059	M12 x 50mm	50
9061	M12 x 60mm	50
9063	M12 x 70mm	50
9065	M12 x 80mm	50
9066	M12 x 90mm	50
9067	M12 x 100mm	100
9068	M12 x 110mm	25
9069	M12 x 120mm	25
9070	M12 x 130mm	25
9071	M12 x 140mm	25
9072	M12 x 150mm	25

[cont.] ➞

COUNTERSUNK POZI WOODSCREW

ZYP



STOCK CODE	SIZE	
3.0X12WSCREW	3.0mm x 12mm	200
3.0X16WSCREW	3.0mm x 16mm	200
3.0X20WSCREW	3.0mm x 20mm	200
3.0X25WSCREW	3.0mm x 25mm	200
3.5X12WSCREW	3.5mm x 12mm	200
3.5X16WSCREW	3.5mm x 16mm	200
3.5X20WSCREW	3.5mm x 20mm	200
3.5X25WSCREW	3.5mm x 25mm	200
3.5X30WSCREW	3.5mm x 30mm	200
3.5X40WSCREW	3.5mm x 40mm	200
3.5X50WSCREW	3.5mm x 50mm	200
4.0X12WSCREW	4.0mm x 12mm	200
4.0X16WSCREW	4.0mm x 16mm	200
4.0X20WSCREW	4.0mm x 20mm	200
4.0X25WSCREW	4.0mm x 25mm	200
4.0X30WSCREW	4.0mm x 30mm	200
4.0X35WSCREW	4.0mm x 35mm	200
4.0X40WSCREW	4.0mm x 40mm	200
4.0X45WSCREW	4.0mm x 45mm	200
4.0X50WSCREW	4.0mm x 50mm	200
4.0X60WSCREW	4.0mm x 60mm	200
4.0X70WSCREW	4.0mm x 70mm	200
4.0X80WSCREW	4.0mm x 80mm	200
4.5X30WSCREW	4.5mm x 30mm	200
4.5X40WSCREW	4.5mm x 40mm	200
4.5X50WSCREW	4.5mm x 50mm	200
4.5X60WSCREW	4.5mm x 60mm	200

STOCK CODE	SIZE	
4.5X70WSCREW	4.5mm x 70mm	200
4.5X80WSCREW	4.5mm x 80mm	200
5.0X20WSCREW	5.0mm x 20mm	200
5.0X25WSCREW	5.0mm x 25mm	200
5.0X30WSCREW	5.0mm x 30mm	200
5.0X40WSCREW	5.0mm x 40mm	200
5.0X45WSCREW	5.0mm x 45mm	200
5.0X50WSCREW	5.0mm x 50mm	200
5.0X60WSCREW	5.0mm x 60mm	200
5.0X70WSCREW	5.0mm x 70mm	200
5.0X75WSCREW	5.0mm x 75mm	200
5.0X80WSCREW	5.0mm x 80mm	200
5.0X90WSCREW	5.0mm x 90mm	100
5.0X100WSCREW	5.0mm x 100mm	100
5.0X120WSCREW	5.0mm x 120mm	100
6.0X50WSCREW	6.0mm x 50mm	200
6.0X60WSCREW	6.0mm x 60mm	200
6.0X70WSCREW	6.0mm x 70mm	200
6.0X80WSCREW	6.0mm x 80mm	200
6.0X90WSCREW	6.0mm x 90mm	100
6.0X100WSCREW	6.0mm x 100mm	100
6.0X120WSCREW	6.0mm x 120mm	100
6.0X130WSCREW	6.0mm x 130mm	100
6.0X150WSCREW	6.0mm x 150mm	100
6.0X180WSCREW	6.0mm x 180mm	100
6.0X200WSCREW	6.0mm x 200mm	100

COUNTERSUNK POZI WOODSCREW

GRADE 304 **ST/ST A2**



STOCK CODE	SIZE	
	No.4 (3mm)	
9117	No.4 x ½"	100
9118	No.4 x ⅝"	100
9119	No.4 x ¾"	100
9120	No.4 x 1"	100
	No.6 (3.5mm)	
9121	No.6 x ½"	100
9122	No.6 x ⅝"	100
9123	No.6 x ¾"	100
9124	No.6 x 1"	100
9125	No.6 x 1¼"	100
9126	No.6 x 1½"	100
	No.8 (4mm)	
9127	No.8 x ½"	100
9128	No.8 x ¾"	100
9129	No.8 x 1"	100
9130	No.8 x 1¼"	100
9131	No.8 x 1½"	100
9132	No.8 x 1¾"	100
9133	No.8 x 2"	100
9134	No.8 x 2½"	100
9135	No.8 x 3"	100

STOCK CODE	SIZE	
	No.10 (5mm)	
9136	No.10 x ¾"	100
9137	No.10 x 1"	100
9138	No.10 x 1¼"	100
9139	No.10 x 1½"	100
9140	No.10 x 1¾"	100
9141	No.10 x 2"	100
9142	No.10 x 2½"	100
9143	No.10 x 3"	100
9144	No.10 x 3½"	100
9145	No.10 x 4"	100
	No.12 (6mm)	
9146	No.12 x 1"	100
9147	No.12 x 1¼"	100
9148	No.12 x 1½"	100
9149	No.12 x 2"	100
9150	No.12 x 2½"	100
9151	No.12 x 3"	100
9152	No.12 x 4"	100

PREMIUM SELFDRILL WOODSCREW




STOCK CODE	SIZE	SIZE INCH	
9822	3mm x 12mm	No.4 x 1/2"	200
9823	3mm x 16mm	No.4 x 5/8"	200
9825	3mm x 20mm	No.4 x 3/4"	200
9830	3mm x 20mm	No.6 x 3/4"	200
9827	3mm x 25mm	No.4 x 1"	200
9829	3mm x 30mm	No.4 x 1 1/4"	200
9831	3mm x 35mm	No.4 x 1 3/8"	200
9824	3mm x 40mm	No.4 x 1 1/2"	200
9826	3.5mm x 12mm	No.6 x 1/2"	200
9828	3.5mm x 16mm	No.6 x 5/8"	200
9832	3.5mm x 25mm	No.6 x 1"	200
9833	3.5mm x 30mm	No.6 x 1 1/4"	200
9834	3.5mm x 35mm	No.6 1 3/8"	200
9835	3.5mm x 40mm	No.6 x 1 1/2"	200
9836	3.5mm x 45mm	No.6 x 1 3/4"	200
9837	3.5mm x 50mm	No.6 x 2"	200
9838	4mm x 12mm	No.8 x 1/2"	200
9839	4mm x 16mm	No.8 x 5/8"	200
9840	4mm x 20mm	No.8 x 3/4"	200
9841	4mm x 25mm	No.8 x 1"	200
9842	4mm x 30mm	No.8 x 1 1/4"	200
9843	4mm x 35mm	No.8 x 1 3/8"	200
9844	4mm x 40mm	No.8 x 1 1/2"	200
9845	4mm x 45mm	No.8 x 1 3/4"	200
9846	4mm x 50mm	No.8 x 2"	200
9847	4mm x 55mm	No.8 x 2 3/8"	200
9848	4mm x 60mm	No.8 x 2 1/2"	200
9849	4mm x 70mm	No.8 x 2 3/4"	200
9850	4mm x 80mm	No.8 x 3"	200
9851	4.5mm x 16mm	No.9 x 5/8"	200
9852	4.5mm x 20mm	No.9 x 3/4"	200
9853	4.5mm x 25mm	No.9 x 1"	200
9854	4.5mm x 30mm	No.9 x 1 1/4"	200

STOCK CODE	SIZE	SIZE INCH	
9855	4.5mm x 40mm	No.9 x 1 1/2"	200
9856	4.5mm x 50mm	No.9 x 2"	200
9857	4.5mm x 55mm	No.9 x 2 3/8"	200
9858	4.5mm x 60mm	No.9 x 2 1/2"	200
9859	4.5mm x 70mm	No.9 x 2 3/4"	200
9860	4.5mm x 80mm	No.9 x 3"	200
9861	5mm x 25mm	No.10 x 3/4"	200
9862	5mm x 30mm	No.10 x 1 "	200
9863	5mm x 35mm	No.10 x 1 3/8"	200
9864	5mm x 40mm	No.10 x 1 1/2"	200
9865	5mm x 45mm	No.10 x 1 3/4 "	200
9866	5mm x 50mm	No.10 x 2"	200
9867	5mm x 55mm	No.10 x 2 3/8"	200
9868	5mm x 60mm	No.10 x 2 1/2"	200
9869	5mm x 70mm	No.10 x 2 3/4"	200
9870	5mm x 75mm	No.10 x 2 7/8"	200
9871	5mm x 80mm	No.10 x 3 1/2"	200
9872	5mm x 90mm	No.10 x 3 3/4 "	100
9873	5mm x 100mm	No.10 x 4"	100
9874	6mm x 40mm	No.12 x 1 1/2"	200
9875	6mm x 45mm	No.12 x 1 3/4 "	200
9876	6mm x 50mm	No.12 x 2 "	200
9877	6mm x 60mm	No.12 x 2 1/2"	200
9878	6mm x 70mm	No.12 x 2 3/4"	200
9879	6mm x 80mm	No.12 x 3 "	200
9880	6mm x 90mm	No.12 x 3 1/2"	100
9881	6mm x 100mm	No.12 x 4"	100
9882	6mm x 120mm	No.12 x 4 3/4"	100
9883	6mm x 130mm	No.12 x 5"	100
9884	6mm x 150mm	No.12 x 6"	100
9885	6mm x 180mm	No.12 x 7 1/4"	100
9886	6mm x 200mm	No.12 x 8"	100

HECO-TOPIX WOODSCREW

COUNTERSUNK TORX HEAD



STOCK CODE	SIZE	
10X80HTTX	10mm x 80mm	100

COUNTERSUNK POZI SELFDRILL WOODSCREW PREMIUM ZYP



STOCK CODE	TYPE	SIZE	
5.0X50TXSCREW	TX25	5.0mm x 50mm	200
5.0X60TXSCREW	TX25	5.0mm x 60mm	200
5.0X70TXSCREW	TX25	5.0mm x 70mm	200
5.0X80TXSCREW	TX25	5.0mm x 80mm	200

STOCK CODE	TYPE	SIZE	
5.0X100TXSCREW	TX25	5.0 x 100mm	100
6.0X80TXSCREW	TX30	6.0 x 80mm	100
6.0X120TXSCREW	TX30	6.0 x 120mm	100
6.0X150TXSCREW	TX30	6.0 x 150mm	100
8.0X225TX40SCREW	TX40	8.0 x 225mm	100

HEXAGON HEAD INDEX SCREW

GREEN



STOCK CODE	SIZE	
HEXIND6760G	6.7mm x 60mm	50
HEXIND6775G	6.7mm x 75mm	50
HEXIND6787G	6.7mm x 87mm	50
HEXIND67100G	6.7mm x 100mm	50

STOCK CODE	SIZE	
HEXIND67125G	6.7mm x 125mm	50
HEXIND67150G	6.5mm x 150mm	50
HEXIND67200G	6.7mm x 200mm	50
HEXIND67250G	6.7mm x 250mm	50

CLASSIC DECKING SCREW - PZ2

DOUBLE COUNTERSUNK - ST/ ST7 TUB 250



STOCK CODE	SIZE	
DECK50SS	4.5mm x 50mm	1
DECK65SS	4.5mm x 65mm	1
DECK75SS	4.5mm x 75mm	1

SOLO DECKING SCREW - PZ2

DOUBLE COUNTERSUNK - EXTERIOR - GREEN



STOCK CODE	SIZE	
DECKGR50	4.5mm x 50mm	200
DECKGR60	4.5mm x 60mm	200
DECKGR70	4.5mm x 70mm	200

NYLON PLUG



STOCK CODE	SIZE	
6154	5mm x 25mm	200
6155	6mm x 30mm	100
6156	7mm x 30mm	100
6157	8mm x 40mm	100
6158	10mm x 50mm	50
6159	12mm x 65mm	25
6160	14mm x 80mm	20

PLASTIC PLUG



STOCK CODE	SIZE	COLOUR	
6161	5mm x 22mm	Yellow	100
6162	6mm x 34mm	Red	100
6163	7mm x 41mm	Brown	100

RAWL NYLON PLUG



STOCK CODE	SIZE	
6159R	12mm x 65mm	100

HOLLOW WALL ANCHOR METAL CAVITY FIXING





Five Way Expansion

Thread Diam. mm	4				5			6	
Hole Diam. mm	7				10			13	
Screw Length mm	25	45	50	65	45	60	70	60	70
Wall Thickness mm	0-5	8-16	16-23	23-38	6-13	8-16	16-32	7-16	16-32
Max. Fixture Thickness mm	8	16	17	30	17	26	26	30	26
Rec. Tensile Loads kN	0.10	0.10	0.18	0.18	0.18	0.18	0.18	0.29	0.29
Rec. Shear Loads kN	0.14	0.14	0.23	0.23	0.23	0.23	0.23	0.34	0.34

STOCK CODE	SIZE	
HWA04025	4mm x 25mm	100
HWA04045	4mm x 45mm	100
HWA04050	4mm x 50mm	100
HWA04065	4mm x 65mm	100
HWA05045	5mm x 45mm	100

STOCK CODE	SIZE	
HWA05060	5mm x 60mm	50
HWA05070	5mm x 70mm	50
HWA06060	6mm x 60mm	50
HWA0670	6mm x 70mm	50

HOLLOW WALL ANCHOR SETTING TOOL



STOCK CODE	
HWATOOL	1

2 PART DOME CAPS

3.5mm - 4.2mm SCREWS (No.6 - No.8)



STOCK CODE	COLOUR	
2PTCAPSWHITE	WHITE	200
2PTCAPSBLACK	BLACK	200
2PTCAPSDBROWN	DARK BROWN	200
2PTCAPSLBROWN	LIGHT BROWN	200
2PTCAPSCHROME	CHROME	200

SURFACE SCREW CUPS





STOCK CODE	SIZE	
	ELECTRO BRASS	
SURFCUPBR6	No.6 / 3.5mm	60
SURFCUPBR8	No.8 / 4.0mm	55
SURFCUPBR10	No.10 / 5.0mm	50

STOCK CODE	SIZE	
	NICKEL	
SURFCUPNICK6	No.6 / 3.5mm	60
SURFCUPNICK8	No.8 / 4.0mm	55
SURFCUPNICK10	No.10 / 5.0mm	50

PLASTERBOARD FIXINGS SPEED PLUG & SCREW

ZINC



STOCK CODE	SIZE	
DRIVAS	4mm x 30mm	100
DRIVADOUB	4mm x 40mm	100

MIRROR DOME SCREW

SCREWS, GROMMETS & DOME CAPS **CHROME**



STOCK CODE	SIZE	
MIRRSC8X3/4CH	8mm x 3/4"	200
MIRRSCR8X1CH	8mm x 1"	200
MIRRSCR8X11/4CH	8mm x 1 1/4"	200
MIRRSCR8X11/2CH	8mm x 1 1/2"	200
MIRRSCR8X2CH	8mm x 2"	200

SPRING TOGGLES



WINGS ONLY			
STOCK CODE	SIZE	DRILL HOLE Ø	
STOG8MMW	M8	22mm	100
STOG10MMW	M10	25mm	100
WITH SCREW			
STOG3X50	M3 x 50mm	11mm	100
STOG5X50	M5 x 50mm	14mm	100
STOG5X75	M5 x 75mm	14mm	50
STOG5X100	M5 x 100mm	14mm	100
STOG6X75	M6 x 75mm	18mm	50

FINE THREAD DRYWALL SCREW

BUGLE **ZINC PLATED**



STOCK CODE	SIZE	
DWFIN25BZP	3.5mm x 25mm	1000
DWFIN32BZP	3.5mm x 32mm	1000
DWFIN38BZP	3.5mm x 38mm	1000
DWFIN42BZP	3.5mm x 42mm	1000
DWFIN50BZP	3.5mm x 50mm	1000
DWFIN65BZP	4.2mm x 65mm	500
DWFIN75BZP	4.2mm x 75mm	500
DWFIN90BZP	4.2mm x 90mm	250
DWFIN100BZP	4.8mm x 100mm	250
DWFIN125BZP	4.8mm x 125mm	250
DWFIN150BZP	4.8mm x 150mm	250

FINE THREAD DRYWALL SCREW

BUGLE **BLACK PHOSPHATE**



STOCK CODE	SIZE	
DWFIN25BLACK	3.5mm x 25mm	1000
DWFIN32BLACK	3.5mm x 32mm	1000
DWFIN38BLACK	3.5mm x 38mm	1000
DWFIN42BLACK	3.5mm x 42mm	1000
DWFIN50BLACK	3.5mm x 50mm	1000
DWFIN65BLACK	4.2mm x 65mm	500
DWFIN75BLACK	4.2mm x 75mm	500
DWFIN90BLACK	4.2mm x 90mm	500
DWFIN100BLACK	4.8mm x 100mm	200

COARSE THREAD DRYWALL

BUGLE **BLACK PHOSPHATE**



STOCK CODE	SIZE	
DWCOA25	3.5mm x 25mm	1000
DWCOAR32	3.5mm x 32mm	1000
DWCOAR38	3.5mm x 38mm	1000
DWCOAR42	3.5mm x 42mm	1000
DWCOAR50	3.5mm x 50mm	1000
DWCOAR65	4.2mm x 65mm	1000
DWCOAR75	4.2mm x 75mm	500
DWCOAR90	4.2mm x 90mm	500
DWCOAR100	4.8mm x 100mm	500
DWCOAR120	4.8mm x 120mm	500
DWCOAR150	4.8mm x 150mm	200

SELF-DRILL DRYWALL SCREW

WAFER **BZP**



STOCK CODE	SIZE	
DW13SDWAF	13mm	1000
DW25SDWAF	25mm	1000
DW50SDWAF	50mm	500

WAFER HEAD SELF-DRILL SCREW



STOCK CODE	SIZE	
9160	4.2mm x 13mm / No.8 x 1/2"	1000
9161	4.2mm x 16mm / No.8 x 5/8"	1000
9162	4.2mm x 19mm / No.8 x 3/4"	1000
9163	4.2mm x 25mm / No.8 x 1"	1000

HD DRYWALL SCREW

WAFER **BZP**



STOCK CODE	SIZE	
DW13WAFPT	13mm	1000

DRYWALL SELF-DRILL SCREW

BUGLE **BZP**



STOCK CODE	SIZE	
DW25SD	25mm	1000
DW32SD	32mm	1000
DW38SD	38mm	1000
DW42SD	42mm	1000
DW50SD	50mm	1000
DW65SD	65mm	500
DW75SD	75mm	500
DWSD90	90mm	500
DWSD100	100mm	500
DWSD125	125mm	500

British Gypsum

FINE THREAD DRYWALL SCREW

BUGLE **BLACK PHOSPHATE**



STOCK CODE	SIZE	
BGDWFIN25BLACK	25mm	1000
BGDWFIN35BLACK	35mm	1000
BGDWFIN40BLACK	40mm	1000
BGDWFIN45BLACK	45mm	1000
BGDWFIN50BLACK	50mm	500
BGDWFIN55BLACK	55mm	500
BGDWFIN60BLACK	60mm	500
BGDWFIN65BLACK	65mm	500
BGDWFIN75BLACK	75mm	250
BGDWFIN80BLACK	80mm	250
BGDWFIN90BLACK	90mm	250
BGDWFIN105BLACK	105mm	250
BGDWFIN120BLACK	120mm	250

British Gypsum

JACKPOINT SCREW

WAFER **BZP**



STOCK CODE	SIZE	
BGDW13WAFPT	13mm	1000

British Gypsum

DRYWALL POINT SCREW

WAFER **BZP**



STOCK CODE	SIZE	
BGDWSD13WAF	13mm	1000

For fast delivery
call our sales team on
020 8699 6777
or to order online visit
www.selkent.com

British Gypsum JACKPOINT SCREW

BZP



STOCK CODE	SIZE	
BGDW25SD	25mm	1000
BGDW35SD	35mm	1000
BGDW41SD	41mm	500
BGDW60SD	60mm	500

British Gypsum GLASROC FIRE CASE SCREW

BZP



STOCK CODE	SIZE	
BG50GLABZP	50mm	1000

British Gypsum RIGIDUR SCREW

BZP



STOCK CODE	SIZE	
BG40RIGBZP	40mm	1000

British Gypsum HIGH PERFORMANCE SCREW

BLACK PHOSPHATE



STOCK CODE	SIZE	
BG35HPS	35mm	1000
BG60HPS	60mm	1000

SOFFIT SCREW FIRE RATED INSULATION

BEIGE - 6mm HOLE



STOCK CODE	SIZE	
SOFFITSCR50	7.5mm x 50mm	100
SOFFITSCR75	7.5mm x 75mm	100
SOFFITSCR85	7.5mm x 85mm	100
SOFFITSCR100	7.5mm x 100mm	100
SOFFITSCR125	7.5mm x 125mm	100
SOFFITSCR135	7.5mm x 135mm	100
SOFFITSCR150	7.5mm x 150mm	100
SOFFITSCR175	7.5mm x 175mmm	100
SOFFITSCR200	7.5mm x 200mm	100
SOFFITSCR225	7.5mm x 225mm	100
SOFFITSCR250	7.5mm x 250mm	100
SOFFITSCR275	7.5mm x 275mm	100
SOFFITSCR300	7.5mm x 300mm	100
SOFFITSCR325	7.5mm x 325mm	100

British Gypsum NAILABLE PLUGS



STOCK CODE	SIZE	
BG60HAMSC	60mm	100
BG80HAMSC	80mm	100
BG100HAMSC	100mm	100
BG110HAMSC	110mm	100
BG120HAMSC	120mm	100
BG135HAMSC	135mm	100

COLLATED SELF-DRILL DRYWALL SCREW

ZINC



STOCK CODE	SIZE	
DWCOLSD25	25mm	500
DWCOLSD35	35mm	500
DWCOLSD45	45mm	500
DWCOLSD50	50mm	500

COLLATED SELF-DRILL JACKPOINT SCREW

ZINC



STOCK CODE	SIZE	
BGDW25COLSD	25mm	500
BGDW35COLSD	35mm	500
BGDW41COLSD	41mm	500

COLLATED FINE THREAD DRYWALL SCREW

BLACK PHOSPHATE



STOCK CODE	SIZE	
BGDWCOLF25	25mm	1000
BGDWCOLF35	35mm	1000
BGDWCOLF40	40mm	1000
BGDWCOLF45	45mm	1000
BGDWCOLF50	50mm	1000
BGDWCOLF55	55mm	1000

COLLATED COARSE THREAD DRYWALL SCREW

BLACK PHOSPHATE



STOCK CODE	SIZE	
DWCOLC25	25mm	500
DWCOLC32	32mm	500
DWCOLC38	38mm	500
DWCOLC42	42mm	500
DWCOLC50	50mm	500
DWCOLC65	65mm	500
DWCOLC75	75mm	500

COLLATED FINE THREAD DRYWALL SCREW

ZINC

STOCK CODE	SIZE	
DWCOLF25	25mm	500
DWCOLF35	35mm	500
DWCOLF42	42mm	500
DWCOLF50	50mm	500
DWCOLF55	55mm	500



LS LOW PROFILE SCREW

UP TO 4mm STEEL



STOCK CODE	SIZE	
4.8X22LSLP	4.8mm x 22mm	500

CHEESE HEAD LOW PROFILE PH2 SCREW

up to 3mm STEEL



STOCK CODE	SIZE	
5.5X19CHLOWP	5.5mm x 19mm	500

LOW PROFILE RUSPERT PH2 ETA SCREW

UP TO 4mm



STOCK CODE	SIZE	
5.5X25LPROF	5.5mm x 25mm	200

LOW PROFILE HS CARBON STEEL

4mm - 12mm



STOCK CODE	SIZE	
5.5X38HSLP	5.5mm x 38mm	200

LOW PROFILE HS PH2 SCREW

4mm - 12mm STEEL



STOCK CODE	SIZE	
5.5X38LOWPRHS	5.5mm x 38mm	100

HEX LS SELF-DRILL SCREW

CORROSION RESISTANCE ETA-UP TO 4mm STEEL

ZINC



STOCK CODE	SIZE	
LS5.5X25HEX	5.5mm x 25mm	200
LS5.5X32HEX	5.5mm x 32mm	200
LS5.5X38HEX	5.5mm x 38mm	200
LS5.5X55HEX	5.5mm x 55mm	200
LS5.5X75HEX	5.5mm x 75mm	200
LS5.5X90HEX	5.5mm x 90mm	200
LS5.5X120HEX	5.5mm x 120mm	200

HEX LS WASHERED SELF-DRILL SCREW

CORROSION RESISTANCE ETA-UP TO 4mm STEEL

ZINC



STOCK CODE	SIZE	
LS5.5X25HEXG16	5.5mm x 25mm	200
LS5.5X32HEXG16	5.5mm x 32mm	200
LS5.5X38HEXG16	5.5mm x 38mm	200
LS5.5X55HEXG16	5.5mm x 55mm	200
LS5.5X75HEXG16	5.5mm x 75mm	200
LS5.5X90HEXG16	5.5mm x 90mm	200
LS5.5X120HEXG16	5.5mm x 120mm	200

ZINC HEX HS SELF-DRILL CORROSION RESISTANT



STOCK CODE	SIZE	
HS5.5X32HEX	5.5mm x 32mm	100
HS5.5X38HEX	5.5mm x 38mm	100
HS5.5X50HEX	5.5mm x 50mm	100
HS5.5X75HEX	5.5mm x 75mm	100
HS5.5X100HEX	5.5mm x 100mm	100

HEX HS WASHERED SELF-DRILL SCREW

CORROSION RESISTANCE ETA

4mm - 12mm STEEL

ZINC



STOCK CODE	SIZE	
HS5.5X32HEXG16	5.5mm x 32mm	100
HS5.5X38HEXG16	5.5mm x 38mm	100
HS5.5X50HEXG16	5.5mm x 50mm	100
5.5X70HSG16	5.5mm x 70mm	100
5.5X85HSG16	5.5mm x 85mm	100
5.5X100HSG16	5.5mm x 100mm	100

ZINC FLAKE SELF-DRILL SCREW

TO COMPOSITE PANELS TO STEEL UP TO 5mm

STEEL



HIGH THREAD G16 - LIGHT SECTION		
STOCK CODE	SIZE	
80MMLSHTG16	5.5mm/6.3mm x 80mm	100
105MMLSHTG16	5.5mm/6.3mm x 105mm	100
135MMLSHTG16	5.5mm/6.3mm x 135mm	100
150MMLSHTG16	5.5mm/6.3mm x 150mm	100
HIGH THREAD G19 - LIGHT SECTION		
STOCK CODE	SIZE	
175MMLSHTG19	5.5mm/6.3mm x 175mm	50
200MMLSHTG19	5.5mm/6.3mm x 200mm	50
230MMLSHTG19	5.5mm/6.3mm x 230mm	50
275MMLSHTG19	5.5mm/6.3mm x 275mm	50

SUPERTEK G16 HEX SCREW

4mm - 18mm STEEL



STOCK CODE	SIZE	
5.5X38SUPTEK	5.5mm x 38.0mm	200

HS HIGH THREAD WASHERED SCREW

4mm - 12mm STEEL



STOCK CODE	SIZE	
85MMHSHTG16	5.5/63mm x 85mm	100
105MMHSHTG16	5.5/63mm x 105mm	100
125MMHSHTG16	5.5/63mm x 125mm	100
150MMHSHTG16	5.5/63mm x 150mm	50
185MMHSHTG16	5.5/63mm x 185mm	50
235MMHSHTG16	5.5/63mm x 235mm	50

COUNTERSUNK WING TIP SELF-DRILL SCREW

TX25 LIGHT SECTION



STOCK CODE	SIZE	
4.8X38WINGLS	4.8mm x 38mm	100
5.5X50WINGLS	5.5mm x 50mm	200
5.5X70WINGLS	5.5mm x 70mm	200
5.5X85WINGLS	5.5mm x 85mm	200

STOCK CODE	SIZE	
5.5X100WINGLS	5.5mm x100mm	100
5.5X120WINGLS	5.5mm x 120mm	100
5.5X150WINGLS	5.5mm x 150mm	100
5.5X180WINGLS	5.5mm x 180mm	100

COUNTERSUNK WING TIP SELF-DRILL SCREW

TX25 HEAVY SECTION




STOCK CODE	SIZE	
5.5X40WINGHS	5.5mm x 40mm	100
5.5X50WINGHS	5.5mm x 50mm	100
5.5X65WINGHS	5.5mm x 65mm	100
5.5X85WINGHS	5.5mm x 85mm	100
5.5X100WINGHS	5.5mm x 100mm	100
5.5X135WINGHS	5.5mm x 135mm	100
5.5X150WINGHS	5.5mm x 150mm	100
5.5X180WINGHS	5.5mm x 180mm	100

COUNTERSUNK SELF-DRILL INSULATION SCREW

BUGLE HEAD - MAX THICKNESS OF 2 x 1.25mm, TORX 25 DRIVE

ETA-09/0346



STOCK CODE	D	SIZE	
4.8X50INSCREW	4.8mm	50mm	200
4.8X60INSCREW	4.8mm	60mm	200
4.8X70INSCREW	4.8mm	70mm	200
4.8X80INSCREW	4.8mm	80mm	200
4.8X100INSCREW	4.8mm	100mm	200
4.8X120INSCREW	4.8mm	120mm	200
4.8X140INSCREW	4.8mm	140mm	200
4.8X160INSCREW	4.8mm	160mm	100
4.8X180INSCREW	4.8mm	180mm	100
4.8X200INSCREW	4.8mm	200mm	100
4.8X240INSCREW	4.8mm	240mm	100
4.8X300INSCREW	4.8mm	300mm	100

HEX GASH PT WASHERED SCREW

FIXING LIGHT STEEL TO TIMBER



STOCK CODE	SIZE	
6.3X45HEXGASH	6.3mm x 45mm	200

HD MULTI-PURPOSE ROOFING SCREW

WOOD/CONCRETE/LIGHT STEEL - 5.15mm DRILL BIT



STOCK CODE	SIZE	
6.3X100ROOFSCR	6.3mm x 100mm	50
6.3X127ROOFSCR	6.3mm x 127mm	50
6.3X152ROOFSCR	6.3mm x 152mm	50
6.3X176ROOFSCR	6.3mm x 176mm	50
6.3X200ROOFSCR	6.3mm x 200mm	50
6.3X225ROOFSCR	6.3mm x 225mm	50
6.3X250ROOFSCR	6.3mm x 250mm	50

LOW PROFILE STAINLESS STEEL SELF-DRILL SCREW

TORX 25 BIT - UP TO 3mm STEEL



STOCK CODE	SIZE	
5.5X25LPSDSS	5.5mm x 25mm	100

LOW PROFILE STAINLESS BI METAL SELF-DRILL WASHERED SCREW

1.2mm - 4.0mm



STOCK CODE	SIZE	
5.5X25LPLSS16	5.5mm x 25mm	100
5.5X38LPLSS16	5.5mm x 38mm	100

HS LOW PROFILE STAINLESS STEEL SELF-DRILL SCREW

4mm TO 12mm STEEL



STOCK CODE	SIZE	
5.5X38LPHSSS	5.5mm x 38mm	100

LS STAINLESS HEX BI-METAL SELF-DRILL SCREW

UP TO 4mm STEEL



STOCK CODE	SIZE	
5.5X25HXSDSS	5.5mm x 25mm	200
5.5X32HXSDSS	5.5mm x 32mm	200
5.5X38HXSDSS	5.5mm x 38mm	200
5.5X50HXSDSS	5.5mm x 50mm	200
5.5X70HXSDSS	5.5mm x 70mm	200

LS STAINLESS HEX BI-METAL SELF-DRILL WASHERED SCREW

UP TO 4mm STEEL



STOCK CODE	SIZE	
5.5X25HXSDSS16	5.5mm x 25mm	200
5.5X32HXSDSS16	5.5mm x 32mm	200
5.5X38HXSDSS16	5.5mm x 38mm	200
5.5X50HXSDSS16	5.5mm x 50mm	200
5.5X70HXSDSS16	5.5mm x 70mm	200

STAINLESS HEX BI METAL SELF-DRILL SCREW

1.2mm TO 3.0mm



STOCK CODE	SIZE	
4.8X22HEXSDSS	4.8mm x 22mm	100

LS STAINLESS HEX BI-METAL SELF-DRILL SCREW

UP TO 6 mm STEEL



STOCK CODE	SIZE	
6.3X35HXSDSS	6.3mm x 35mm	100
6.3X47HXSDSS	6.3mm x 47mm	100

HS SS HEX SELF-DRILL SCREW

4 TO 12mm STEEL



FOR HEAVY STEEL - Drilling Capacity 4.0 – 12.5mm

STOCK CODE	SIZE	
5.5X40HSSS	5.5mm x 40mm	100
5.5X50HSSS	5.5mm x 50mm	100
5.5X80HSSS	5.5mm x 80mm	100
5.5X100HSSS	5.5mm x 100mm	100

HS HEX STAINLESS STEEL SELF-DRILL WASHERED SCREW

4mm TO 12.0mm



STOCK CODE	SIZE	
5.5X38HSSS16	5.5mm x 38mm	100

HS STAINLESS HEX BI METAL SELF-DRILL WASHERED SCREW

12mm STEEL



STOCK CODE	SIZE	
5.5X40HSSSSDS16	5.5mm x 40mm	100

STAINLESS STEEL SELF-DRILL SCREW

FOR COMPOSITE PANELS MAX. 6mm

ETA-13/0453



STOCK CODE	SIZE	
5.5/6.3X70SSHT	5.5mm/6.3mm x 70mm	100
5.5/6.3X85SSHT	5.5mm/6.3mm x 85mm	100
5.5/6.3X110SSHT	5.5mm/6.3mm x 110mm	100
5.5/6.3X125SSHT	5.5mm/6.3mm x 125mm	100
5.5/6.3X145SSHT	5.5mm/6.3mm x 145mm	100
5.5/6.3X175SSHT	5.5mm/6.3mm x 175mm	100
5.5/6.3X195SSHT	5.5mm/6.3mm x 195mm	100
5.5/6.3X230SSHT	5.5mm/6.3mm x 230mm	100
5.5/6.3X270SSHT	5.5mm/6.3mm x 270mm	100
5.5/6.3X300SSHT	5.5mm/6.3mm x 300mm	100



WASHERED

STOCK CODE	SIZE	
5.5/6.3X85SSHTS16	5.5mm/6.3mm x 85mm	100
5.5/6.3X110SSHTS16	5.5mm/6.3mm x 110mm	100
5.5/6.3X125SSHTS16	5.5mm/6.3mm x 125mm	100
5.5/6.3X145SSHTS16	5.5mm/6.3mm x 145mm	100
5.5/6.3X175SSHTS16	5.5mm/6.3mm x 175mm	100
5.5/6.3X195SSHTS16	5.5mm/6.3mm x 195mm	100

6.3 GAUGE STAINLESS BI METAL HEX SELF-DRILL



STOCK CODE	SIZE	
6.3X35HEXSS	6.3mm x 35mm	100
6.3X47HEXSS	6.3mm x 47mm	100



WASHERED

STOCK CODE	SIZE	
6.3X35HEXSSS16	6.3mm x 35mm	100
6.3X47HEXSSS16	6.3mm x 47mm	100

WING-DRILL STAINLESS BI-METAL TEK SCREW

UP TO 3mm STEEL



STOCK CODE	SIZE	TIMBER THICKNESS	
4.8X38SSWD	4.8mm x 38mm	6.0mm - 22.0mm	100
4.8X45SSWD	4.8mm x 45mm	6.0mm - 22.0mm	100

HEX HALTER FIXING

GRADE 304SS 2PT



STOCK CODE	SIZE	
HALT6.0X35	6.0mm x 3 5mm	100

HEX HALTER FIXING COMPLETE WITH WASHER

GRADE 304 SS



STOCK CODE	SIZE	
HALT6.3X50S16	6.3mm x 50mm	100

HEAVY SECTION HEX ST/ST BI METAL

4mm - 12mm



WASHERED

STOCK CODE	SIZE	
5.5X40HSSSDS16	5.5mm x 40mm	100

TEKCOVER



STOCK CODE	
TEKCOVERS	1000

Whatever the colour of your building

WE CAN POWDER COAT YOUR FIXINGS TO MATCH ANY APPLICATION



INSULATION TUBE WASHER

WITH INTEGRAL CAP



6mm HOLE - 15mm DEPRESSED CENTRE

STOCK CODE	SIZE	
60MMPLINSWAS	60mm	200

METAL INSULATION DISC

BZP



STOCK CODE	SIZE	
3238	35mm	100

BONDED TEK WASHER



ST/ST

STOCK CODE	SIZE	
S16WASHER	16mm	100

GALV

STOCK CODE	SIZE	
9434	16mm	100
9435	19mm	100
9436	28mm	100

SPREADER WASHER

ZINC



STOCK CODE	d	h	t	
METWASH76MM	76mm	6.5mm	0.7mm	100

INSULATION RETAINING PLATE

USED IN CONJUNCTION WITH 60MMPLSINWAS



STOCK CODE	SIZE	
90MMPLINSWAS	90mm	200

INSULATION WASHER




ST/ST

STOCK CODE	SIZE	HOLE	
70MMSSWASH8H	70mm	8mm	100
85MMSSWASH7H	85mm	7mm	100

SPREADER WASHER

FOR USE IN COMBINATION WITH FACADE FIXINGS





GALV

ST/ST

STOCK CODE	d	d1	t	L	
INSWAS85SS	85mm	14mm	0.5mm	2.8mm	100

STEEL

STOCK CODE	d	d1	t	L	
INSWAS85MET	85mm	14mm	0.5mm	2.8mm	100

ROUND INSULATION WASHER



STOCK CODE	SIZE	HOLE	
70MMGWASH62H	70mm	6.2mm	100

INSULATION ANCHOR

PLATE DIA. 60 - ETA-07/0291
10mm DRILL BIT FOR FIXING TO MASONRY AND CONCRETE



STOCK CODE	SIZE	
10X70INSPLAS	10mm x 70mm	100
10X90INSPLAS	10mm x 90mm	100
10X120INSPLAS	10mm x 120mm	100
10X140INSPLAS	10mm x 140mm	100

STOCK CODE	SIZE	
10X160INSPLAS	10mm x 160mm	100
10X180INSPLAS	10mm x 180mm	100
10x200INSPLAS	10mm x 200mm	100
10x220INSPLAS	10mm x 220mm	100

EXPRESS NAIL

BZP



STOCK CODE	SIZE	
EXPR6X50	6.0mm x 50mm	100
EXP6X60	6.0mm x 60mm	100
EXPR6X80	6.0mm x 80mm	100
EXPR8X70	8.0mm x 70mm	100
EXPR8X90	8.0mm x 90mm	100

STOCK CODE	SIZE	
EXPR8X110	8.0mm x 110mm	100
EXPR8X130	8.0mm x 130mm	100
EXPR8X150	8.0mm x 150mm	100
EXPR8X180	8.0mm x 180mm	100

FACADE FIXING

FIRE-RESISTANT INSULATION FIXING



STAINLESS STEEL *d 8mm / D 35mm*

STOCK CODE	LENGTH	
8X90INSSS	90mm	200
8X110INSSS	110mm	200
8X140INSSS	140mm	200
8X170INSSS	170mm	200
8X200INSSS	200mm	200
8X250INSSS	250mm	200
8X300INSSS	300mm	200

STEEL *d 8mm / D 35mm*

STOCK CODE	LENGTH	
8X90INSMET	90mm	200
8X110INSMET	110mm	200
8X140INSMET	140mm	200
8X170INSMET	170mm	200
8X200INSMET	200mm	200
8X250INSMET	250mm	200
8X300INSMET	300mm	200

STICK PINS

STOCK CODE	SIZE	
62MMSTICKP	62mm	500
110MMSTICKP	110mm	500
160MMSTICKP	160mm	500



WIREHANGER



STOCK CODE	SIZE	
WIREHANG	6mm	100

CEILING ANCHOR



STOCK CODE	SIZE	
6X40TDN	6mm x 40mm	100
6X65TDN	6mm x 65mm	100

CEILING BRACKET



STOCK CODE	SIZE	
CB1	25mm x 25mm	1

HAMMER PURLIN CLIP

ZYP



STOCK CODE	SIZE	
VF1PURL	19mm x 43mm	100

ACOUSTIC HANGER

WITH WASHER



STOCK CODE	SIZE	
EVAB35	35mm	100

VERTICAL FLANGE HANGER



STOCK CODE	TYPE	SIZE	
VF1HANGER	VF1/J1	1.5mm - 4mm	100
VF2HANGER	VF12/J2	5mm - 7mm	100

ONSITE TECHNICAL SUPPORT

We offer a full technical change management process for any of your current applications, including onsite technical advice, pull-out testing and load calculation service.

Contact one of the technical team or email technical@selkent.com

SELKENT
CONSTRUCTION FIXINGS AND TOOLS



ROUND WIRE NAIL

BRIGHT



STOCK CODE	SIZE	
RWN40B25	40mm x 2.36mm	25kg
RWN50B25	50mm x 2.65mm	20kg
RWN65B25	65mm x 3.35mm	20kg
RWN75B25	75mm x 3.75mm	20kg
RWN100B25	100mm x 4.5mm	20kg
RWN125B25	125mm x 5.00mm	25kg
RWN150B25	150mm x 6.00mm	20kg

ROUND LOST HEAD NAIL

BRIGHT



STOCK CODE	SIZE	
LHN40B25	40mm x 2.36mm	25kg
LHN50B25	50mm x 3.00mm	25kg
LHN65B5	65mm x 3.35mm	5kg
LHN65B25	65mm x 3.35mm	25kg

BRIGHT PANEL PIN NAIL



STOCK CODE	SIZE	
PPN15B25	15mm x 1.25mm	25kg
PPN25B25	25mm x 1.40mm	25kg
PPN30B25	30mm x 1.60mm	25kg
PPN40B25	40mm x 1.60mm	25kg

CLOUT HEAD NAIL

GALV



STOCK CODE	SIZE	
CHN30G5	30mm x 2.65mm	5kg
CHN40G25	40mm x 2.65mm	25kg
CHN50G25	50mm x 3.35mm	25kg
CHN65G25	65mm x 3.75mm	25kg
CHN75G25	75mm x 3.75mm	25kg

ROUND WIRE NAIL

GALV



STOCK CODE	SIZE	
RWN25G25	25mm x 1.80mm	25kg
RWN40G25	40mm x 2.36mm	25kg
RWN50G25	50mm x 2.65mm	25kg
RWN65G25	65mm x 3.35mm	25kg
RWN75G25	75mm x 3.75mm	25kg
RWN100G25	100mm x 4.5mm	25kg
RWN125G25	125mm x 5.00mm	25kg
RWN150G25	150mm x 6.00mm	25kg

OVAL BRAD NAIL

BRIGHT



STOCK CODE	SIZE	
OBN40B5	40mm x 2.65mm	5kg
OBN50B5	50mm x 3.35mm	5kg

ANNULAR RING SHANK NAIL

BRIGHT



STOCK CODE	SIZE	
ARN25B5	25mm x 2mm	5kg
ARN40B5	40mm x 2.36mm	5kg
ARN50B2.5	50mm x 2.65mm	2.5kg
ARN50B5	50mm x 2.65mm	5kg
ARN50B25	50mm x 4.50mm	25kg
ARN65B5	65mm x 3.35mm	5kg
ARN65B25	65mm x 5.00mm	25kg
ARN75B5	75mm x 3.75mm	5kg
ARN75B25	75mm x 6.00mm	25kg
ARN100B25	100mm x 5.00mm	25kg

ANNULAR RING SHANK NAIL

ST/ ST



STOCK CODE	SIZE	
50MMSTSTRING	50mm x 2.65mm	1kg

SHERADISED SQUARE TWIST NAIL



STOCK CODE	SIZE	
SHSQTW1.25KG	30mm x 3.75mm	1.25kg
SQTW30MM-25KG	30mm x 3.75mm	25kg

MASONRY NAIL



STOCK CODE	SIZE	
MASNAIL25	25mm x 2.5mm	100
MASNAIL30	30mm x 2.5mm	100
MASNAIL35	35mm x 2.5mm	100
MASNAIL40	40mm x 2.5mm	100
MASNAIL50	50mm x 2.5mm	100
MASNAIL60	60mm x 3.0mm	100
MASNAIL65W	65mm x 3.0mm	100
MASNAIL75	75mm x 3.5mm	100
MASNAIL85	85mm x 3.5mm	100
MASNAIL100	100mm x 3.5mm	100

METAL WASHER CONCRETE PIN



STOCK CODE	SIZE	
9900	16mm	100
9901	19mm	100
9902	22mm	100
9903	27mm	100
9904	32mm	100
9905	37mm	100
9906	42mm	100
9907	47mm	100
9908	52mm	100
9909	57mm	100
9910	62mm	100
9911	72mm	100
9912	82mm	100
9913	97mm	100

SP-KDM-8/38 SINGLE PINS COMPLETE WITH PLASTIC WASHER

BOX OF 150



STOCK CODE	
1880	150

MASONRY NAIL WITH WASHER



STOCK CODE	SIZE	
MASNAIL25W	25mm x 3.7mm	100
MASNAIL30W	30mm x 3.7mm	100
MASNAIL35W	35mm x 3.7mm	100
MASNAIL40W	40mm x 3.7mm	100
MASNAIL50W	50mm x 3.7mm	100

PLASTIC WASHERED PINS

DX460/A40/A41



STOCK CODE	SIZE	
VPW16	16mm	100
VPW19	19mm	100
VPW22	22mm	100
VPW27	27mm	100
VPW32	32mm	100
VPW37	37mm	100
VPW42	42mm	100
VPW47	47mm	100
VPW52	52mm	100
VPW57	57mm	100
VPW62	62mm	100
VPW67	67mm	100
VPW72	72mm	100

SHOT FIRE CARTRIDGE STRIP

PACK OF 100

STOCK CODE	COLOUR	
HB25BLCAR	Black	1
9971	Red	1
9972	Yellow	1



FISCHER FGC-100



STOCK CODE	
FISNAILER	1

FISCHER FGC PINS

FOR STEEL & CONCRETE

GVZ *2.6mm*



STOCK CODE	SIZE	
3311	15mm	1008 & 1 Fuel Cell
3312	17mm	1008 & 1 Fuel Cell
3313	22mm	1008 & 1 Fuel Cell
3314	27mm	1008 & 1 Fuel Cell
3315	32mm	1008 & 1 Fuel Cell
3316	40mm	1008 & 1 Fuel Cell

2ND FIX 16 GAUGE ANGLED BRADS & 2 FUEL CELLS

GALV *WOOD*



STOCK CODE	SIZE	
2NDFIX32A	32mm	2000 & 2 Fuel Cells
2NDFIX38A	38mm	2000 & 2 Fuel Cells
2NDFIX45A	45mm	2000 & 2 Fuel Cells
2NDFIX50A	50mm	2000 & 2 Fuel Cells
2NDFIX64A	64mm	2000 & 2 Fuel Cells

2ND FIX 16 GAUGE STRAIGHT BRADS & 2 FUEL CELLS

GALV *WOOD*



STOCK CODE	SIZE	
2NDFIX19S	19mm	2000 & 2 Fuel Cells
2NDFIX25S	25mm	2000 & 2 Fuel Cells
2NDFIX32S	32mm	2000 & 2 Fuel Cells
2NDFIX38S	38mm	2000 & 2 Fuel Cells
2NDFIX45S	45mm	2000 & 2 Fuel Cells
2NFIX50S	50mm	2000 & 2 Fuel Cells
2NDFIX64S	64mm	2000 & 2 Fuel Cells

RAWLPLUG®

GAS POWERED NAILER 15-38mm

- Pin range from 15mm to 38mm
- Simplified depth adjustment design
- Removable magnetic nose tip for attaching metal clips and ceiling hangers
- User can safely and comfortably perform in all overhead applications
- Compact and ergonomic design
- Rear loading lightweight plastic magazine with a capacity of 30 pins provides durability and accessibility
- Sequential firing mode for operators safety and fixing precision
- Low weight provides a high level of comfort and working experience
- Quick release mechanism provides easy access to the magazine for removing obstructions and performing routine maintenance
- Lithium technology, alongside energy saving features, ensures high capacity and performance of the system
- Embedding power of 85J enables work in steel (15-19 mm nails) and concrete (17-38 mm nails)
- The charge status indicator allows optimum work time scheduling



STOCK CODE	
RAWLGASNS&C	1

1ST FIX COLLATED RING NAILS & FUEL CELL

WOOD



STOCK CODE	SIZE	
	TYPE > GP	
1STFIX51GP	51mm	3,300 Box & 3 Fuel Cells
1STFIX63GP	63mm	3,300 Box & 3 Fuel Cells
1STFIX75GP	75mm	2,200 Box & 2 Fuel Cells
1STFIX90GP	90mm	2,200 Box & 2 Fuel Cells
	Type > *SM GP*	
1STFIX90GPSM	90mm	2,200 Box & 2 Fuel Cells
	TYPE > SS	
1STFIX51SS	51mm	3,300 Box & 3 Fuel Cells
1STFIX63SS	63mm	3,300 Box & 3 Fuel Cells
1STFIX80SS	80mm	1,100 Box & 1 Fuel Cell

2ND FIX 16 GAUGE COLLATED BRAD NAILS & 2 FUEL CELLS

ST/ST - *WOOD*



STOCK CODE	SIZE	
	STRAIGHT	
2NDFIXST25SS	25mm	2000 & 2 Fuel Cells
2NDFIXST38SS	38mm	2000 & 2 Fuel Cells
2NDFIXST50SS	50mm	2000 & 2 Fuel Cells
2NDFIXST64SS	64mm	2000 & 2 Fuel Cells
	ANGLED	
2NDFIXA38SS	38mm	2000 & 2 Fuel Cells
2NDFIXA50SS	50mm	2000 & 2 Fuel Cells
2NDFIXA64SS	64mm	2000 & 2 Fuel Cells

RAWL SQ TWIST NAILS



STOCK CODE	SIZE	
RAWL38SQTWST	38mm	2,200

PLASTIC COLLATED PINS WITH FUEL CELLS



STEP SHANK GALV FOR LIGHTWEIGHT STEEL APPLICATIONS		
STOCK CODE	SIZE	
DWGAS17	2.7mm x 17mm	500 & Fuel
DWGAS19	2.7mm x 19mm	500 & Fuel
SMOOTH SHANK GALV FOR CONCRETE APPLICATIONS		
DWGAS22	2.7mm x 22mm	500 & Fuel
DWGAS25	2.7mm x 25mm	500 & Fuel
DWGAS27	2.7mm x 27mm	500 & Fuel
DWGAS32	2.7mm x 32mm	500 & Fuel
DWGAS38	2.7mm x 38mm	500 & Fuel

RAWL GAS

TWIST NAILER



STOCK CODE	
RAWLGASTWNAIL	1

Established in 1934, Lindapter is a global market leader in the design, innovation and manufacture of steelwork clamping solutions, which provide a faster alternative to drilling or welding, ultimately saving contractors' time and money. Lindapter has an extensive range of Girder Clamps, Hollo-Bolts, decking fixings, floor fixings and lifting points which are available from ***Selkent, your Authorised Lindapter Distributor.***

TYPE A GIRDER CLAMP



Type A clamp allows a fast steelwork fixing connection. It has a recessed top to hold the bolt head captive whilst the nut is tightened. The skirt prevents the clamp rotating during installation.
Suitable for flanges up to 8°.

ZINC PLATED

STOCK CODE	SIZE	
LINA08M	M8-Medium	1
LINA10L	M10-Long	1
LINA10M	M10-Medium	1
LINA10S	M10-Short	1
LINA12LW	M12-Long	1
LINA12MW	M12-Medium	1
LINA12SW	M12-Short	1
LINA16LW	M16-Long	1
LINA16MW	M16-Medium	1
LINA16SW	M16-Short	1
LINA20LW	M20-Long	1
LINA20MW	M20-Medium	1
LINA20SW	M20-Short	1
LINA24LW	M24-Long White Heart	1
LINA24MW	M24-Medium White Heart	1
LINA24SW	M24-Short White Heart	1

HOT DIP GALV

STOCK CODE	SIZE	
LINA08MHDG	M8-Medium	1
LINA10LHDG	M10-Long	1
LINA10MHDG	M10-Medium	1
LINA10SHDG	M10-Short	1
LINA12LWHDG	M12-Long	1
LINA12MWHDG	M12-Medium	1
LINA12SWHDG	M12-Short	1
LINA16LWHDG	M16-Long	1
LINA16MWHDG	M16-Medium	1
LINA16SWHDG	M16-Short	1
LINA20LWHDG	M20-Long	1
LINA20MWHDG	M20-Medium	1
LINA20SWHDG	M20-Short	1
LINA24LWHDG	M24-Long	1
LINA24MWHDG	M24-Medium	1
LINA24SWHDG	M24-Short	1

TYPE AAF GIRDER CLAMP


HOT DIP GALVANISED



STOCK CODE	SIZE	
LINAAF12	M12	1
LINAAF16	M16	1
LINAAF20	M20	1

TYPE AF GIRDER CLAMP

HOT DIP GALV



The Type AF is a popular steelwork fixing connection with high load capacities. This high friction clamp has a recessed top to hold the bolt head captive whilst the nut is tightened. Can be combined with the Type CF. The skirt prevents the clamp rotating during installation.
The tail of the Type AF spans across slotted holes. **For flanges up to 10°.**

STOCK CODE	SIZE	
LINAF12M	M12 - MEDIUM	1
LINAF12S	M12 - SHORT	1
LINAF16M	M16 - MEDIUM	1
LINAF16S	M16 - SHORT	1

STOCK CODE	SIZE	
LINAF20M	M20 - MEDIUM	1
LINAF20S	M20 - SHORT	1
LINAF24M	M24 - MEDIUM	1
LINAF24S	M24 - SHORT	1

TYPE AF PACKING

P1/P2

Packing used to adjust the tail length of the AF High Friction clamps **to meet differing beam flange thicknesses.**



HOT DIP GALV

STOCK CODE	SIZE	
LINAF12P1	M12-P1	1
LINAF12P2	M12-P2	1
LINAF16P1	M16-P1	1
LINAF16P2	M16-P2	1

STOCK CODE	SIZE	
LINAF20P1	M20-P1	1
LINAF20P2	M20-P2	1
LINAF24P1	M24-P1	1
LINAF24P2	M24-P2	1

TYPE AF CLIPPED WASHER

Used to adjust the tail length of the AF High Friction clamps **to meet differing beam flange thicknesses**; has a slight bend along its centre line which flattens out during installation.



HOT DIP GALV

STOCK CODE	SIZE	
LINAF12CW	M12	1
LINAF16CW	M16	1
LINAF20CW	M20	1

TYPE AF W ADAPTER WASHER

Used to fill the recess of the type AF high Friction Clamp. Additionally it features two projections which, when the AFW is inverted, **will captivate the larger hexagons of 10.9 bolts.(M12 – M20 only).**



HOT DIP GALV

STOCK CODE	SIZE	
LINAFW12	M12	1
LINAFW16	M16	1
LINAFW20	M20	1
LINAFW24	M24	1

ALPHAWEDGE COMPLETE WITH ALPHALOK

Designed to lock quickly and securely into the re-entrant channel of Richard Lees steel decking, Alphalok or Ribdeck AL decking. Comes with Alphalok Plate.




ZINC PLATED

STOCK CODE	SIZE	
LINAW06	M6	1
LINAW08	M8	1
LINAW10	M10	1

TYPE B GIRDER CLAMP

Type B allows a fast steelwork fixing connection without the need for onsite drilling or welding. It is a steelwork clamp with flat top which allows the bolt head or nut to be rotated. **Suitable for use with all bolts, studs, tie rods and J-bolts, and flanges up to 8°**



ZINC PLATED


STOCK CODE	SIZE	
LINB08M	M8-Medium	1
LINB10L	M10-Long	1
LINB10M	M10-Medium	1
LINB10S	M10-Short	1
LINB12LW	M12-Long	1
LINB12MW	M12-Medium	1
LINB12SW	M12-Short	1
LINB16LW	M16-Long	1
LINB16MW	M16-Medium	1
LINB16SW	M16-Short	1
LINB20LW	M20-Long	1
LINB20MW	M20-Medium	1
LINB20SW	M20-Short	1
LINB24LW	M24-Long White Heart	1
LINB24MW	M24-Medium White Heart	1
LINB24SW	M24-Short White Heart	1

HOT DIP GALV

STOCK CODE	SIZE	
LINB08MHDG	M8-Medium	1
LINB10LHDG	M10-Long	1
LINB10MHDG	M10-Medium	1
LINB10SHDG	M10-Short	1
LINB12LWHDG	M12-Long	1
LINB12MWHDG	M12-Medium	1
LINB12SWHDG	M12-Short	1
LINB16LWHDG	M16-Long	1
LINB16MWHDG	M16-Medium	1
LINB16SWHDG	M16-Short	1
LINB20LWHDG	M20-Long	1
LINB20MWHDG	M20-Medium	1
LINB20SWHDG	M20-Short	1
LINB24LWHDG	M24-Long	1
LINB24MWHDG	M24-Medium	1
LINB24SWHDG	M24-Short	1

TYPE BR RAIL CLIP

Versatile clamp for steel beams or rail (low speed applications only). The skirt prevents the clamp rotating during installation. The BR tail spans slotted holes. **Suitable for flanges up to 8°.**



ZINC PLATED


STOCK CODE	SIZE	
LINBR12M	M12-Medium	1
LINBR12S	M12-Short	1
LINBR16M	M16-Medium	1
LINBR16S	M16-Short	1
LINBR20M	M20-Medium	1
LINBR20S	M20-Short	1

HOT DIP GALV

STOCK CODE	SIZE	
LINBR12MHDG	M12-Medium	1
LINBR12SHDG	M12-Short	1
LINBR16MHDG	M16-Medium	1
LINBR16SHDG	M16-Short	1
LINBR20MHDG	M20-Medium	1
LINBR20SHDG	M20-Short	1

TYPE BSLN LONG NOSE

Special clamp designed with longer nose to extend the contact area with the steel section. For parallel flanges only. Can be used with types CW, P1 short, P2 short.



ZINC PLATED


STOCK CODE	SIZE	
LINBSLN12	M12	1
LINBSLN16	M16	1

HOT DIP GALV

STOCK CODE	SIZE	
LINBSLN12HDG	M12	1
LINBSLN16HDG	M16	1

TYPE BSNT LEVEL NOSE

A special clamp for the installation of beams flange to flange. The location plate is substituted by a connecting frame made of steel flats equalling the flange thickness in height. The clamps are welded to this frame.



ZINC PLATED


STOCK CODE	SIZE	
LINBSNT12	M12	1
LINBSNT16	M16	1

HOT DIP GALV

STOCK CODE	SIZE	
LINBSNT12HDG	M12	1
LINBSNT16HDG	M16	1

TYPE CF HIGH SLIP RESISTANCE CLAMP

It allows a fast steelwork fixing connection. It is a high friction clamp which hooks over flanges of I-beams, angles and channels. Lindapter markings act as a unique anti-rotation device. Can be combined with all Lindapter Girder Clamp products including Type AF.



HOT DIP GALV

STOCK CODE	SIZE	
LINCF12	M12	1
LINCF16	M16	1

STOCK CODE	SIZE	
LINCF20	M20	1

TYPE CW CLIPPED WASHER

Packing used to adjust the tail length of various steelwork clamps to meet differing beam flange thicknesses.



ZINC PLATED

STOCK CODE	SIZE	
LINCW08	M8	1
LINCW10	M10	1
LINCW12	M12	1
LINCW16	M16	1
LINCW20	M20	1
LINCW24	M24	1

SHERAPLEX

LINCW08SP	M8	1

HOT DIP GALV

STOCK CODE	SIZE	
LINCW10HDG	M10	1
LINCW12HDG	M12	1
LINCW16HDG	M16	1
LINCW20HDG	M20	1
LINCW24HDG	M24	1

TYPE D2 ADJUSTABLE CLAMP

Adjustable clamp incorporating a setscrew tail to accommodate a wide range of flange thicknesses. The type D2 has a recessed head to hold the bolt head captive. The skirt prevents the clamp rotating during installation. **Suitable for flanges up to 5°.**



ZINC PLATED

STOCK CODE	SIZE	
LIND210	M10	1
LIND212	M12	1
LIND216	M16	1
LIND220	M20	1

HOT DIP GALV

STOCK CODE	SIZE	
LIND210HDG	M10	1
LIND212HDG	M12	1
LIND216HDG	M16	1
LIND220HDG	M20	1

TYPE FC FLUSH CLAMP JS500

The Flush Clamp is a Girder Clamp System without the need of a location plate. Suitable for connecting beams of varying widths and thicknesses. **Suitable for flanges up to 10° slope.**



STOCK CODE	SIZE	
LINFC16	M16	1

TYPE F9 FLANGE CLAMP

Flange Clamp for connecting all types of parallel running steelwork with flanges of the same width.
Can be used with bolts or alternatively with threaded rod. Not suitable for tapered flanges.



ZINC PLATED *WITH BOLT*

STOCK CODE	SIZE	
LINF910NC	M10	1
LINF912NC	M12	1
LINF916NC	M16	1
LINF920NC	M20	1
HOT DIP GALV *WITH BOLT*		
LINF910NCHDG	M10	1
LINF912NCHDG	M12	1
LINF916NCHDG	M16	1
LINF920NCHDG	M20	1
LINF924NCHDG	M24	1

ZINC PLATED *WITHOUT BOLT*

STOCK CODE	SIZE	
LINF910NB	M10	1
LINF912NB	M12	1
LINF916NB	M16	1
LINF920NB	M20	1
HOT DIP GALV *WITHOUT BOLT*		
LINF910NBHDG	M10	1
LINF912NBHDG	M12	1
LINF916NBHDG	M16	1
LINF920NBHDG	M20	1
LINF924NBHDG	M24	1

TYPE T TIP

To fill the nose of type D2 and D3 making it horizontal. For parallel flanges only. The thickness "T" should be added for tail length and bolt length calculations. The product is for aesthetic purposes only and technically not necessary.



ZINC PLATED

STOCK CODE	SIZE	
LINT12	M12	1
LINT16	M16	1
LINT20	M20	1

HOT DIP GALV

STOCK CODE	SIZE	
LINT12HDG	M12	1
LINT16HDG	M16	1
LINT20HDG	M20	1

TYPE GF GRATE-FAST

Grating fixing for rectangular open bar grating with cast main body giving superior clamping force. GF10HDG with wider top-hat bracket for different grating sizes and hot dip galvanised for corrosion resistance. GF210HDG for use with 30mm width floor grating bars only. GF08 with stainless steel top-hat bracket for GRP grating. Lloyd's Register Type Approval covers clamping force and vibration.




GALV

STOCK CODE	SIZE	TYPE	
LINGF08	M8	To Suit Bar Depth 22mm - 38mm	1
LINGF10HDG	M10	Option 1 To Suit Bar Depth 20mm - 50mm	1
LINGF210HDG	M10	Option 2 To Suit Bar Depth 19mm - 40mm	1

FLOORFAST

FOR 3-15 FLANGE

An innovative CE approved connection for securing steel floor plates, also known as chequer plates, Durbar floor plates, diamond plates or tread plates. The Floorfast consists of a malleable iron body casting with a countersunk socket screw; the eccentric stepped web of the casting allows it to lock under the steelwork providing full face contact when torque is applied. For thicker flanges packing pieces will be supplied. Lloyd's Register Type Approval covers clamping force and vibration.



ZINC PLATED

STOCK CODE	SIZE	TYPE	
LINFF08	M08	C/W 35mm CSK Skt	1
LINFF10	M10	C/W 35mm CSK Skt	1
LINFF12	M12	C/W 35mm CSK Skt	1

ST/ST

STOCK CODE	SIZE	TYPE	
LINFFST08	M08	35mm CSK Skt	1
LINFFST10	M10	35mm CSK Skt	1
LINFFST12	M12	35mm CSK Skt	1

GALV

STOCK CODE	SIZE	TYPE	
LINFF10HDG	M10	Tapped+15 C/W 35 CSK Slot	1
LINFF12HDG	M12	Tapped+10 C/W 35 CSK Slot	1

TYPE COUNTERSUNK HOLLO-BOLT

It is suitable for hollow sections or conventional steelwork where access is available from one side only. It also ensures that the fixing protrusion from the steelwork is kept to a minimum whilst still using a plain drilled hole in the supporting section and the outer plate/bracket.



STOCK CODE	SIZE	TYPE	
LINHBCSK08-1	M8	Size 1 JS-500 for 3 - 22mm Fixing	1
LINHBCSK08-2	M8	Size 2 JS-500 for 22 - 41mm Fixing	1
LINHBCSK08-3	M8	Size 3 JS-500 for 41 - 60mm Fixing	1
LINHBCSK10-1	M10	Size 1 JS-500 for 3 - 22mm Fixing	1
LINHBCSK10-2	M10	Size 2 JS-500 for 22 - 41mm Fixing	1
LINHBCSK10-3	M10	Size 3 JS-500 for 41 - 60mm Fixing	1

STOCK CODE	SIZE	TYPE	
LINHBCSK12-1	M12	Size 1 JS-500 for 3 - 25mm Fixing	1
LINHBCSK12-2	M12	Size 2 JS-500 for 25 - 47mm Fixing	1
LINHBCSK12-3	M12	Size 3 JS-500 for 47 - 69mm Fixing	1
LINHBCSK16-1	M16	Size 1 JS-500 for 12 - 29mm Fixing	1
LINHBCSK16-2	M16	Size 2 JS-500 for 29 - 50mm Fixing	1
LINHBCSK16-3	M16	Size 3 JS-500 for 50 - 71mm Fixing	1

TYPE FLUSH FIT HOLLO-BOLT

It is suitable for hollow sections or conventional steelwork where access is available from one side only. The bolt is concealed within the steelwork with no protruding bolt head or collar.




STOCK CODE	SIZE	TYPE	
LINHBFF08-1	M8	Size 1JS-500 for 10mm - 27mm Fixing	1
LINHBFF08-2	M8	Size 2JS-500 for 27mm - 45mm Fixing	1
LINHBFF08-3	M8	Size 3JS-500 for 45mm - 64mm Fixing	1
LINHBFF10-1	M10	Size 1JS-500 for 12mm - 27mm Fixing	1
LINHBFF10-2	M10	Size 2JS-500 for 27mm - 45mm Fixing	1

STOCK CODE	SIZE	TYPE	
LINHBFF10-3	M10	Size 3JS-500 for 45mm - 64mm Fixing	1
LINHBFF12-1	M12	Size 1JS-500 for 12mm - 30mm Fixing	1
LINHBFF12-2	M12	Size 2JS-500 for 30mm - 52mm Fixing	1
LINHBFF12-3	M12	Size 3JS-500 for 52mm - 74mm Fixing	1

FLUSHFIT HOLLO-BOLT TOOL

ZINC PLATED

Hollo-Bolt flush fit head is an expansion bolt that only requires access from one side of the Structural Hollow Section (SHS).



STOCK CODE	SIZE	
LINHBFF08KEY	M8	1
LINHBFF10KEY	M10	1

STOCK CODE	SIZE	
LINHBFF12KEY	M12	1

TYPE HB HOLLO-BOLT

The Original Expansion Bolt for Structural Steel. Suitable for hollow sections, tubes and where access is available from one side only. The Hollo-Bolt (hexagonal head, HDG) is approved by ICC-ES to resist seismic loads and wind loads in all seismic design categories (A to F). For corrosion protection, the Hollo-Bolt® comes with additional JS500 protection as standard or hot dip galvanised. Sizes M16 and M20 have a patented High Clamping Force (HCF) mechanism for optimised clamping force. Speedy installation with standard tools.



BZP

STOCK CODE	SIZE	TYPE	
LINHB08-1	M8	Size 1 JS-500 to suit 3mm - 22mm	1
LINHB08-2	M8	Size 2 JS-500 to suit 22mm - 41mm	1
LINHB08-3	M8	Size 3 JS-500 to suit 41mm - 60mm	1
LINHB10-1	M10	Size 1 JS-500 to suit 3mm - 22mm	1
LINHB10-2	M10	Size 2 JS-500 to suit 22mm - 41mm	1
LINHB10-3	M10	Size 3 JS-500 to suit 41mm - 60mm	1
LINHB12-1	M12	Size 1 JS-500 to suit 3mm - 25mm	1
LINHB12-2	M12	Size 2 JS-500 to suit 25mm - 47mm	1

STOCK CODE	SIZE	TYPE	
LINHB12-3	M12	Size 3 JS-500 to suit 47mm - 69mm	1
LINHB16-1	M16	Size 1 JS-500 to suit 12mm - 29mm	1
LINHB16-2	M16	Size 2 JS-500 to suit 29mm - 50mm	1
LINHB16-3	M16	Size 3 JS-500 to suit 50mm - 71mm	1
LINHB20-1	M20	Size 1 JS-500 to suit 12mm - 34mm	1
LINHB20-2	M20	Size 2 JS-500 to suit 34mm - 60mm	1
LINHB20-3	M20	Size 3 JS-500 to suit 60mm - 86mm	1

GALV

STOCK CODE	SIZE	TYPE	
LINHB08-1HDG	M8	Size 1 to suit 3mm - 22mm	1
LINHB08-2HDG	M8	Size 2 to suit 22mm - 41mm	1
LINHB08-3HDG	M8	Size 3 to suit 41mm - 60mm	1
LINHB10-1HDG	M10	Size 1 to suit 3mm - 22mm	1
LINHB10-2HDG	M10	Size 2 to suit 22mm - 41mm	1
LINHB10-3HDG	M10	Size 3 to suit 41mm - 60mm	1
LINHB12-1HDG	M12	Size 1 to suit 3mm - 25mm	1
LINHB12-2HDG	M12	Size 2 to suit 25mm - 47mm	1

STOCK CODE	SIZE	TYPE	
LINHB12-3HDG	M12	Size 3 to suit 47mm - 69mm	1
LINHB16-1HDG	M16	Size 1 to suit 12mm - 29mm	1
LINHB16-2HDG	M16	Size 2 to suit 29mm - 50mm	1
LINHB16-3HDG	M16	Size 3 to suit 50mm - 71mm	1
LINHB20-1HDG	M20	Size 1 to suit 12mm - 34mm	1
LINHB20-2HDG	M20	Size 2 to suit 34mm - 60mm	1
LINHB20-3HDG	M20	Size 3 to suit 60mm - 86mm	1

ST/ST

STOCK CODE	SIZE	TYPE	
LINHB16-1STST	M16	Size 1 to suit 12mm - 29mm	1

TYPE HW / HC HEMISPHERICAL WASHER & CUP

For vertical suspension on angled surface of up to 10° swing either side of the vertical. The hemispherical washer (HW) can be used without the cup.



ZINC PLATED

CUP	*WASHER*		
STOCK CODE	STOCK CODE	SIZE	
LINHC10	LINHW10	M10	1
LINHC12	LINHW12	M12	1
LINHC16	LINHW16	M16	1
LINHC20	LINHW20	M20	1

HOT DIP GALV

CUP	*WASHER*		
STOCK CODE	STOCK CODE	SIZE	
LINHC10HDG	LINHW10HDG	M10	1
LINHC12HDG	LINHW12HDG	M12	1
LINHC16HDG	LINHW16HDG	M16	1
LINHC20HDG	LINHW20HDG	M20	1

TYPE LB2 - LINDIBOLT® 2

The original threaded stud expansion bolt. Self heading bolt suitable for fixing to hollow-sections, tubes and applications where access is available from one side only. The Lindibolt® uses a standard clearance hole.



ZINC PLATED

STOCK CODE	SIZE	
LINLB10	M10	1
LINLB12	M12	1
LINLB16	M16	1

STOCK CODE	SIZE	
LINLB20	M20	1
LINLB24	M24	1

TYPE LS SELF ADJUSTING CLAMP

Self adjusting clamp for various flange thicknesses and slopes up to 10°. The special serrations on the tail prevent the clamp rotating during installation. The LS tail spans over slotted holes.



ST/ST

STOCK CODE	SIZE	TYPE	
LINLS10	M10	For flange thickness 3mm - 15mm	1
LINLS12	M12	For flange thickness 3mm - 20mm	1

STOCK CODE	SIZE	TYPE	
LINLS16	M16	For flange thickness 3mm - 25mm	1
LINLS20	M20	For flange thickness 3mm - 30mm	1

TYPE LR SELF ADJUSTING CLAMP

Self adjusting clamp for various flange thicknesses and slopes upto 15°. The leg of the saddle prevents the clamp rotating during installation. The LR tail spans slotted holes.



BZP

STOCK CODE	SIZE	TYPE	
LINLR10	M10	To suit 3mm - 10mm Clamping	1
LINLR12	M12	To suit 3mm - 12mm Clamping	1
LINLR16	M16	To suit 3mm - 16mm Clamping	1
LINLR20	M20	To suit 3mm - 20mm Clamping	1
LINLR24	M24	To suit 3mm - 24mm Clamping	1

HOT DIP GALV

STOCK CODE	SIZE	TYPE	
LINLR10HDG	M10	To suit 3mm - 10mm Clamping	1
LINLR12HDG	M12	To suit 3mm-12mm Clamping	1
LINLR16HDG	M16	To suit 3mm - 16mm Clamping	1
LINLR20HDG	M20	To suit 3mm - 20mm Clamping	1
LINLR24HDG	M24	To suit 3mm -24mm Clamping	1

TYPE MF METFLOOR

Designed for MetFloor® 60 & Metfloor 80 profiles manufactured by Composite Metal Flooring (CMF®).




ZINC PLATED

STOCK CODE	SIZE	
LINMF06	M6	1
LINMF08	M8	1

STOCK CODE	SIZE	
LINMF10	M10	1

TYPE MW2 MULTIWEDGE 2

Designed for Multideck 60 and Multideck 80 profiles manufactured by Kingspan Structural Products.



ZINC PLATED

STOCK CODE	SIZE	
LINMW06	M6	1
LINMW08	M8	1

STOCK CODE	SIZE	
LINMW10	M10	1

TYPE P1 PACKING

Packing used to adjust the tail length of various steelwork clamps to meet differing beam flange thicknesses.





ZINC PLATED

LONG	SHORT		
STOCK CODE	STOCK CODE	SIZE	
LINP1L08	LINP1S08	M8	1
LINP1L10	LINP1S10	M10	1
LINP1L12	LINP1S12	M12	1
LINP1L16	LINP1S16	M16	1
LINP1L20	LINP1S20	M20	1
LINP1L24	LINP1S24	M24	1

HOT DIP GALV

LONG	SHORT		
STOCK CODE	STOCK CODE	SIZE	
LINP1L08HDG	LINP1S08HDG	M8	1
LINP1L10HDG	LINP1S10HDG	M10	1
LINP1L12HDG	LINP1S12HDG	M12	1
LINP1L16HDG	LINP1S16HDG	M16	1
LINP1L20HDG	LINP1S20HDG	M20	1
LINP1L24HDG	LINP1S24HDG	M24	1

TYPE P2 PACKING

Packing used to adjust the tail length of various steelwork clamps to meet differing beam flange thicknesses.





ZINC PLATED


LONG	SHORT		
STOCK CODE	STOCK CODE	SIZE	
LINP2L08	LINP2S08	M8	1
LINP2L10	LINP2S10	M10	1
LINP2L12	LINP2S12	M12	1
LINP2L16	LINP2S16	M16	1
LINP2L20	LINP2S20	M20	1
LINP2L24	LINP2S24	M24	1

HOT DIP GALV

LONG	SHORT		
STOCK CODE	STOCK CODE	SIZE	
LINP2L08HDG	LINP2S08HDG	M8	1
LINP2L10HDG	LINP2S10HDG	M10	1
LINP2L12HDG	LINP2S12HDG	M12	1
LINP2L16HDG	LINP2S16HDG	M16	1
LINP2L20HDG	LINP2S20HDG	M20	1
LINP2L24HDG	LINP2S24HDG	M24	1

TYPE W DEEP WASHER

Washer to fill the recess of type A or type D2 to enable the nut to be tightened.



ZINC PLATED


STOCK CODE	SIZE	
LINW08	M8	1
LINW10	M10	1
LINW12	M12	1
LINW16	M16	1
LINW20	M20	1

HOT DIP GALV

STOCK CODE	SIZE	
LINW08HDG	M8	1
LINW10HDG	M10	1
LINW12HDG	M12	1
LINW16HDG	M16	1
LINW20HDG	M20	1

TYPE SD2 SLIMDEK 2

Designed for the ComFloor 225 profile manufactured by Tata Steel Europe.
It gives a fully flexible suspension position.



STOCK CODE	
LINSD210	1

TYPE TC TOGGLE CLAMP

Designed for service suspension from pre-cast hollow core slabs (minimum depth of core 75mm) as well as Structural Hollow Section (SHS), steel sheeting or purlins.



STOCK CODE	SIZE	
LINTC08	M8 c/w M8 Nut	1
LINTC10	M10 c/w M10 Nut	1

TYPE SW SWIVEL ASSEMBLY

Can be used with various fixings and allows the drop rod / setscrew to hang vertically.
Supplied complete with GRADE 8.8 M10 X 90 SETSCREW AND NUT.



STOCK CODE	
LINSW10	1

TYPE SH STRAP HANGER

The strap hanger carries FM approval for use in fire sprinkler installations. Supplied with or without a hanger nut.

ZINC PLATED



STOCK CODE	SIZE	
LINSH025	25mm/11mm Hole	1
LINSH025N	25mm/14mm Hole	1
LINSH032	32mm/11mm Hole	1
LINSH032N	32mm/14mm Hole	1
LINSH040	40mm/11mm Hole	1
LINSH040N	40mm/14mm Hole	1
LINSH050	50mm/11mm Hole	1
LINSH050N	50mm/14mm Hole	1
LINSH065	65mm/11mm Hole	1
LINSH065N	65mm/14mm Hole	1

STOCK CODE	SIZE	
LINSH080	80mm/11mm Hole	1
LINSH080N	80mm/14mm Hole	1
LINSH100	100mm/11mm Hole	1
LINSH100N	100mm/14mm Hole	1
LINSH125	125mm/13mm Hole	1
LINSH125N	125mm/17mm Hole	1
LINSH150	150mm/13mm Hole	1
LINSH150N	150mm/17mm Hole	1
LINSH200	200mm/18mm Hole	1
LINSH200N	200mm/21.5mm Hole	1

TYPE FL BEAM CLAMP

Suitable for use with parallel or tapered flange beams, supplied with the back hole drilled or tapped. The type FL uses a Grade 8.8 cup point setscrew for secure grip. Supplied with square or alternatively hexagon head setscrews. **Can be used with type SW - Swivel Unit** when connecting to inclined sections.



ZINC PLATED ***BACK HOLE***

STOCK CODE	SIZE	TYPE	
LINFL106D	M6	FL1 Boxed 68mm	1
LINFL108D	M8	FL1 9mm	1
LINFL210D	M10	FL2 11mm	1
LINFL312D	M12	FL3 13mm	1
LINFL412D	M12	FL4 13MM	1

ST/ST ***BACK HOLE***

STOCK CODE	SIZE	TYPE	
LINFLST210D	M10	FL2 11mm ANC4A/B -316	1

BZP ***BACK HOLE***

STOCK CODE	SIZE	TYPE	
LINFL106T	M6	FL1 Boxed Tapped 6mm	1
LINFL108T	M8	FL1 Tapped 8mm	1
LINFL210T	M10	FL2 Tapped 10mm	1
LINFL312T	M12	FL3 TAPPED 12MM	1
LINFL410T	M10	FL4 TAPPED 10MM	1

F3 FLANGE CLAMP

HOT DIP GALV

A two part flange clamp with large clamping range. The bolt can be substituted with either drop rod or J bolts. **For parallel flanges only**.



STOCK CODE	SIZE	
	WITH BOLT	
LINF308NC	M8	1
LINF310NC	M10	1
LINF312NC	M12	1
LINF316NC	M16	1
LINF320NC	M20	1

STOCK CODE	SIZE	
	WITHOUT BOLT	
LINF308NB	M8	1
LINF310NB	M10	1
LINF312NB	M12	1
LINF316NB	M16	1
LINF320NB	M20	1

TYPE V NUT

ZINC PLATED

It fits the re-entrant channel of several composite floor deckings including R51 (SMD), ComFlor® 51 (Tata Steel®), Holorib® (Hare Decking), Superib® (Hare Decking), Multideck® 50 (Kingspan®) and MetFloor® 55 (CMF®)



STOCK CODE	SIZE	
LINVN10	M10	1

TYPE FLS SWIVEL CLAMP

ZINC PLATED

For parallel and sloping flanges. Supplied with Grade 8.8 setscrew for secure grip.




STOCK CODE	SIZE	
LINFLS08	M8	1
LINFLS10	M10	1

TYPE TR60 DECKING FIXING

WITH ENCLOSURE PLATE **ZINC PLATED**

The Type TR60 is designed for TR60+ and TR80+ profiles manufactured by Structural Metal Decks.



STOCK CODE	SIZE	
LINTR6006	M6	1
LINTR6008	M8	1
LINTR6010	M10	1

WMC TYPE HC30 PURLIN CLAMP

BZP

Suitable for horizontal purlins. **Can be used with type SW-Swivel Unit** for use on inclined purlins.



STOCK CODE	TYPE	
LINHCW30	for Ward Multibeam 3 M10 Rod BZP	1

TYPE Z PURLIN CLIP

ZINC PLATED

A purlin clip to suit a large range of purlin sections. **Can be used with type SW – Swivel Unit** for use on inclined purlins.



STOCK CODE	SIZE	
LINZ10	M10	1

PHC TYPE HCW31 CEILING CLIP

BZP

A universal purlin clip suitable for multiple different applications.



STOCK CODE	TYPE	
LINHCW31	for Ward Multibeam 3 M10 Rod	1

TYPE WF WEBFIX PURLIN CLIP

ZINC PLATED

For a quick installation directly from the web of Zed purlins.



STOCK CODE	SIZE	
LINWF10	M10	1

CASE STUDIES



ST PANCRAS STATION



CLIFTON SUSPENSION BRIDGE



ROYAL OPERA HOUSE



HARRINGAY STATION




TOWER BRIDGE WALKWAY

BLIND BOLT

ZYP

Available in a wide range of sizes from M10 to M24 in diameter, with a choice of finishes, zinc and yellow passivated and stainless steel.



STOCK CODE	SIZE	
6586	M10 x 60mm	40
6587	M10 x 130mm	20
6219	M12 x 70mm	20
6588	M12 x 120mm	25
6589	M12 x 180mm	20
6220	M16 x 90mm	20
6590	M16 x 130mm	15

STOCK CODE	SIZE	
6591	M16 x 180mm	10
6221	M20 x 110mm	10
6592	M20 x 140mm	10
6593	M20 x 160mm	10
6594	M20 x 180mm	10
6595	M24 x 130mm	5

GRAT1G08 GALVANISED GRATING CLIP



STOCK CODE	
5318	50

RAWLPLUG

R-XPT THROUGH BOLT

BZP

ETA-08/0339 (M8 - M20) ETA CE



FEATURES AND BENEFITS

- High performance in non-cracked concrete confirmed by ETA Option 7
- High quality with cost effectiveness
- Suitable for reduced embedment to avoid contact with reinforcement
- Embedment depth markings help to ensure precise installation of the anchor
- Design allows drilling and installing directly through the fixture and helps to reduce installation effort
- Cold formed body ensures consistent dimensional accuracy
- Simple through-installation (drilling and installation through fixed material)
- Optimized expander design with six grip features allows for a high load-bearing capacity

APPLICATIONS

- Cladding restraint
- Curtain wall
- Balustrading
- Barriers
- Handrails
- Racking
- Structural steel
- Bollards

BASE MATERIALS

Approved for use in:

- Non-cracked concrete C20/25-C50/60
- Unreinforced concrete
- Reinforced concrete
- Also suitable for use in Natural Stone

STOCK CODE	SIZE	
	M6 - DRILL HOLE Ø 6mm	
6258	M6 x 50mm	100
6259	M6 x 65mm	100
6260	M6 x 85mm	100
6261	M6 x 100mm	100
	M8 - DRILL HOLE Ø 8mm	
6262	M8 x 50mm	100
6263	M8 x 60mm	100
6264	M8 x 65mm	100
6265	M8 x 75mm	100
6266	M8 x 80mm	100
6267	M8 x 85mm	100
6268	M8 x 95mm	100
6269	M8 x 105 mm	100
6270	M8 x 115mm	100
6271	M8 x 140mm	100
6272	M8 x 150mm	100
	M10 - DRILL HOLE Ø 10mm	
6273	M10 x 65mm	50
6274	M10 x 80mm	50
6275	M10 x 95mm	50
6276	M10 x 115mm	50
6277	M10 x 130mm	50
6278	M10 x 140mm	50
6279	M10 X 150 mm	50
6280	M10 x 180 mm	50
	M12 - DRILL HOLE Ø 12mm	
6281	M12 x 80mm	50

STOCK CODE	SIZE	
6282	M12 x 100mm	50
6283	M12 x120mm	50
6284	M12 x 125mm	50
6285	M12 x 135mm	50
6286	M12 x 140mm	50
6287	M12 x 150mm	50
6288	M12 x 180mm	50
6289	M12 x 220mm	50
	M16 - DRILL HOLE Ø 16mm	
6291	M16 x 90mm	25
6292	M16 x 100mm	25
6293	M16 x 105mm	25
6294	M16 x 125mm	25
6295	M16 x 140mm	25
6296	M16 x 150mm	25
6297	M16 x 160mm	25
6298	M16 x 180mm	25
6299	M16 x 220mm	25
6300	M16 x 280mm	25
	M20 - DRILL HOLE Ø 20mm	
6301	M20 x 125mm	5
6302	M20 x 160mm	5
6303	M20 x 200mm	5
6304	M20 x 300mm	5
	M24 - DRILL HOLE Ø 24mm	
6305	M24 x 180mm	5
6306	M24 x 260mm	5
6307	M24 x 300mm	5

RAWLPLUG

R-XPT THROUGH BOLT

GALV

ETA-08/0339 (M8 - M20)



FEATURES AND BENEFITS

- Increased corrosion resistance due to hot dip zinc external protection layer
- R-XPT is suitable for reduced embedment to avoid contact with reinforcement
- Embedment depth markings help to ensure precise installation of the anchor
- Design of R-XPTII allows drilling and installing directly through the fixture and helps to reduce installation time
- High quality with cost effectiveness
- Cold formed body ensures consistent dimensional accuracy

APPLICATIONS

- Cladding restraint
- Curtain wall
- Balustrading
- Barriers
- Handrails
- Racking
- Structural steel
- Bollards

BASE MATERIALS

Approved for use in:

- Non-cracked concrete C20/25-C50/60
- Unreinforced concrete
- Reinforced concrete
- Also suitable for use in natural stone

STOCK CODE	SIZE	
	M8 - DRILL HOLE Ø 8mm	
6311	M8 x 50mm	100
6312	M8 x 60mm	100
6313	M8 x 65mm	100
6314	M8 x 75mm	100
6315	M8 x 80mm	100
6316	M8 x 95mm	100
6317	M8 x 105mm	100
6318	M8 x 115mm	100
6319	M8 x 140mm	100
	M10 - DRILL HOLE Ø 10mm	
6320	M10 x 65mm	50
6321	M10 x 80mm	50
6322	M10 x 95mm	50
6323	M10 x 115mm	50
6324	M10 x 130mm	50
6325	M10 x 140mm	50
	M12 - DRILL HOLE Ø 12MM	
6326	M12 x 80mm	50
6327	M12 x 100mm	50

STOCK CODE	SIZE	
6328	M12 x 120mm	50
6329	M12 x 125mm	50
6330	M12 x 135mm	50
6110	M12 X 140mm	50
6331	M12 x 150mm	50
6332	M12 x 180mm	50
6333	M12 x 220mm	50
	M16 - DRILL HOLE Ø 16mm	
6334	M16 x 100mm	25
6336	M16 x 125mm	25
6337	M16 x 140mm	25
6338	M16 x 140mm	25
6339	M16 x 180mm	25
6340	M16 x 20mm	25
	M20 - DRILL HOLE Ø 20mm	
6341	M20 x 125mm	5
6342	M20 x 160mm	5
6343	M20 x 200mm	5
	M24 - DRILL HOLE Ø 24mm	
6344	M24 x 260mm	5







RAWLPLUG R-XPT THROUGH BOLT

ST/ST

ETA-08/0339 (M8 - M20) ETA CE



FEATURES AND BENEFITS

- High performance in non-cracked concrete
- Stainless steel material for corrosion resistance
- Design of R-XPT allows drilling and installing directly through the fixture and helps to reduce installation effort
- Embedment depth markings help to ensure precise installation of the anchor
- R-XPT-A4 is suitable for reduced embedment to avoid contact with reinforcement
- Head marking helps to determine anchor length and setting depth after installation
- Optimized expander design with six grip features allows for a high load-bearing capacity
- Cold formed body ensures consistent dimensional accuracy

APPLICATIONS

- Cladding restraint
- Curtain wall
- Balustrading
- Barriers
- Handrails
- Racking
- Structural steel
- Bollards

BASE MATERIALS

Approved for use in:

- Non-cracked concrete C20/25-C50/60

STOCK CODE	SIZE	
M6 - DRILL HOLE Ø 6mm		
6345	M6 x 50mm	100
6346	M6 x 85mm	100
M8 - DRILL HOLE Ø 8MM		
6347	M8 x 60mm	100
6348	M8 x 75mm	100
6349	M8 x 85mm	100
6350	M8 x 95mm	100
6351	M8 x 105mm	100
6352	M8 x 115mm	100
M10 - DRILL HOLE Ø 10mm		
6353	M10 x 65mm	50
6354	M10 x 80mm	50
6355	M10 x 95mm	50
6356	M10 x 115mm	50
6357	M10 x 130mm	50
6358	M10 x 140mm	50
M12 - DRILL HOLE Ø 12mm		
6359	M12 x 80mm	50
6360	M12 x 100mm	50
63601	M12 x 115mm	50

STOCK CODE	SIZE	
6361	M12 x 125mm	50
6362	M12 x 150mm	50
6363	M12 x 180mm	50
M16 - DRILL HOLE Ø 16mm		
6364	M16 x 125mm	25
6365	M16 x 140mm	25
6366	M16 x 150mm	25
6367	M16 x 180mm	25
6368	M16 x 220mm	25
M20 - DRILL HOLE Ø 20mm		
6369	M20 X 125mm	25
6370	M20 X 160mm	25
6371	M20 X 200mm	10
6372	M20 X 300mm	10
M24 - DRILL HOLE Ø 24mm		
6373	M24 X 260mm	10

RAWLPLUG R-SPL-II-C SAFETY PLUS ANCHOR

STOCK CODE	SIZE	
RSPL12125C	M12 x 125mm	25



FAZ II FISCHER THROUGH BOLT

A steel anchor for the highest requirements. Heavy loads can be secured in cracked concrete using the steel anchor. Thanks to its easy installation, the FAZ II can be used extremely flexibly. The tried-and-tested expansion clip safely introduces the loads into the concrete and enables top load-bearing capacity.



ZINC

STOCK CODE	THREAD Ø	MAX. FIXTURE THICKNESS	
	M6		
FAZII610Z	M6	10mm	50
FAZII620Z	M6	20mm	50
	M8		
FAZII810Z	M8	10mm	50
FAZII830Z	M8	30mm	50
FAZII850Z	M8	50mm	50
FAZII8100Z	M8	100mm	25
FAZII8160Z	M8	160mm	20
	M10		
FAZII1010Z	M10	10mm	50
FAZII1020Z	M10	20mm	25
FAZII1030Z	M10	30mm	25
FAZII1050Z	M10	50mm	20
FAZII1080Z	M10	80mm	20
FAZII10100Z	M10	100mm	20
FAZII10160Z	M10	160mm	20
	M12		
FAZII1210Z	M12	10mm	20
FAZII1220Z	M12	20mm	20
FAZII1230Z	M12	30mm	20
FAZII1250Z	M12	50mm	20
FAZII1280Z	M12	80mm	20
FAZII12100Z	M12	100mm	20
FAZII12160Z	M12	160mm	10
FAZII12200Z	M12	200mm	10
	M16		
FAZII1625Z	M16	25mm	10
FAZII1650Z	M16	50mm	10
FAZII16100Z	M16	100mm	10
FAZII16160Z	M16	160mm	10
FAZII16200Z	M16	200mm	10
FAZII16250Z	M16	250mm	10
	M20		
FAZII2030Z	M20	30mm	5
FAZII2060Z	M20	60mm	5
FAZII20160Z	M20	160mm	5
	M24		
FAZII2430Z	M24	30mm	5
FAZII2460Z	M24	60mm	5

STAINLESS A4

STOCK CODE	THREAD Ø	MAX. FIXTURE THICKNESS	
	M6		
FAZII610S	M6	10mm	50
FAZII620S	M6	20mm	50
	M8		
FAZII810S	M8	10mm	50
FAZII830S	M8	30mm	50
FAZII850S	M8	50mm	50
	M10		
FAZII1010S	M10	10mm	50
FAZII1020S	M10	20mm	50
FAZII1030S	M10	30mm	50
FAZII1050S	M10	50mm	20
FAZII1070S	M10	70mm	20
FAZII10100S	M10	100mm	20
FAZII10160S	M10	160mm	20
	M12		
FAZII1210S	M12	10mm	20
FAZII1220S	M12	20mm	20
FAZII1230S	M12	30mm	20
FAZII1250S	M12	50mm	20
	M16		
FAZII1625S	M16	25mm	20
FAZII1650S	M16	50mm	20
FAZII165S	M16	65mm	10
FAZII16100S	M16	100mm	10
	M20		
FAZII2030S	M20	30mm	4
FAZII2060S	M20	60mm	4
	M24		
FAZII2430S	M24	30mm	4
FAZII2460S	M24	60mm	4

THROUGH BOLT

ZYP

Suitable for use in concrete over 20N/mm². The through bolt requires a hole in the concrete the same diameter as in fixture thus allowing the hole to be drilled through the fixture avoiding lengthy marking out procedures.



STOCK CODE	SIZE	MIN. FIXING THICKNESS	
	M6 - MIN. HOLE DEPTH 35MM		
6062	M6 x 45mm	5mm	100
6063	M6 x 55mm	15mm	100
6064	M6 x 85mm	45mm	100
	M8 - MIN. HOLE DEPTH 40MM		
6065	M8 x 50mm	5mm	100
6066	M8 x 65mm	20mm	100
6067	M8 x 80mm	35mm	50
6071	M8 x 100mm	55mm	50
6070	M8 x 115mm	70mm	50
6072	M8 x 130mm	85mm	50
	M10 - MIN. HOLE DEPTH 50MM		
6073	M10 x 65mm	8mm	50
6074	M10 x 75mm	18mm	50
6075	M10 x 100mm	33mm	50
6076	M10 x 120mm	63mm	20

STOCK CODE	SIZE	MIN. FIXING THICKNESS	
	M12 - MIN. HOLE DEPTH 65MM		
6077	M12 x 80mm	25mm	20
6078	M12 x 100mm	25mm	20
6079	M12 x 120mm	50mm	20
6080	M12 x 140mm	65mm	20
6081	M12 x 180mm	105mm	20
	M16 - MIN. HOLE DEPTH 85MM		
6082	M16 x 90mm	5mm	20
6083	M16 x 125mm	30mm	20
6084	M16 x 150mm	55mm	20
6085	M16 x 175mm	80mm	20
	M20 - MIN. HOLE DEPTH 100MM		
6086	M20 x 130mm	20mm	10
6087	M20 x 160mm	50mm	10
6088	M20 x 215mm	105mm	10
	M24 - MIN. HOLE DEPTH 105MM		
6089	M24 x 175mm	40mm	5
6090	M24 x 260mm	125mm	10

RAWLPLUG HEAVY DUTY COUNTERSUNK ANCHOR



STOCK CODE	ANCHOR/ HOLE Ø	MAX HEAD Ø	MIN. HOLE DEPTH	
		M6		
6172	10mm	16.5mm	70mm	100
		M8		
6173	12mm	25mm	80mm	50
		M10		
6174	15mm	28mm	100mm	50

STOCK CODE	ANCHOR/ HOLE Ø	MAX HEAD Ø	MIN. HOLE DEPTH	
		M12		
6175	18mm	33mm	110mm	1
		M16		
6176	24mm	40mm	145mm	1

COLLARED HAMMERSCREW


BZP *ETA APPROVED*



STOCK CODE	SIZE	
6X40HAMLH	6mm x 40mm	100

HIGH PERFORMANCE LONG PLUG

HEX A4SS FRAME FIXING
10mm SDS PLUS DRILL BIT HOLE
TORX 40 DRIVE
13mm HEX HEAD



STOCK CODE	SIZE	
10X60HEXFRA4	10mm x 60mm	100
10X80HEXFRA4	10mm x 80mm	100
10X100HEXFRA4	10mm x 100mm	100

STOCK CODE	SIZE	
10X120HEXFRA4	10mm x 120mm	100
10X140HEXFRA4	10mm x 140mm	100
10X160HEXFRA4	10mm x 160mm	100

NYLON FRAME FIXING

ZYP



STOCK CODE	SIZE	
10X120FRAM	10mm x 120mm	100
10X140FRAM	10mm x 140mm	100

STOCK CODE	SIZE	
10X160FRAM	10mm x 160mm	100

HAMMER-IN FIXING



STOCK CODE	SIZE	
6614	5mm x 30mm	100
6615	5mm x 40mm	100

HAMMERFIX

A2 STAINLESS



STOCK CODE	SIZE	
6X40HAMA2	6mm x 40mm	100
6X60HAMA2	6mm x 60mm	100
8X60HAMA2	8mm x 60mm	100

STOCK CODE	SIZE	
8X80HAMA2	8mm x 80mm	100
8X100HAMA2	8mm x 100mm	100

NYLON HAMMERSCREW

ZYP




STOCK CODE	SIZE	
6X40HAMSC	6mm x 40mm	200
6X50HAMSC	6mm x 50mm	200
6X60HAMSC	6mm x 60mm	200
6X70HAMSC	6mm x 70mm	200
6X80HAMSC	6mm x 80mm	200

STOCK CODE	SIZE	
8X60HAMSC	8mm x 60mm	100
8X80HAMSC	8mm x 80mm	100
8X100HAMSC	8mm x 100mm	100
8X120HAMSC	8mm x 120mm	100
8X140HAMSC	8mm x 140mm	100

RAWLPLUG CHEMICAL ANCHOR STUD

Suitable for all capsule and cartridge resin bonded systems (except hammer capsules). M8 - M20 studs contain a socket driver system suitable for standard drill chucks. It comes with nut & washer.



BZP	GALV	ST/ST A2				
STOCK CODE	STOCK CODE	STOCK CODE	SIZE	MIN. HOLE DIA.	MIN. HOLE DEPTH	
6097	6474	6477	M8 x 110mm	10mm	80mm	10
6098	6225	6229	M10 x 130mm	12mm	90mm	10
6099	6226	6230	M12 x 160mm	14mm	110mm	10
6100	6227	6231	M16 x 190mm	18mm	125mm	10
6101	6228	6232	M20 x 260mm	22mm	170mm	10
6102	6475	6478	M24 x 300mm	28mm	210mm	10

CHEMICAL ANCHOR STUD

HT GRADE 8.8 BZP



STOCK CODE	SIZE	
6097HT	M8 x 110mm	10
6098HT	M10 x 130mm	10
6099HT	M12 x 160mm	10

STOCK CODE	SIZE	
6100HT	M16 x 190mm	10
6101HT	M20 x 260mm	5
6102HT	M24 x 300mm	5

RAWLPLUG CHEMICAL ANCHOR STUD

HT GRADE 8.8 BZP



STOCK CODE	SIZE	
6098HTR	M10 x 130mm	10
6099HTR	M12 x 160mm	10

STOCK CODE	SIZE	
6100HTR	M16 x 190mm	10
6101HTR	M20 x 260mm	5

fischer CHEMICAL ANCHOR STUD

HT GRADE 8.8 BZP



STOCK CODE	SIZE	
6098HTF	M10 x 130mm	10
6099HTF	M12 x 160mm	10

STOCK CODE	SIZE	
6100HTF	M16 x 200mm	10
6101HTF	M20 x 290mm	5

SCREWBOLT STUD

STOCK CODE	SIZE	
SCREWSTM12	M10 x 120mm (M12 x 25mm)	50
SCREWSTM16	M14 x 165mm (M16 x 25mm)	50



WEDGE ANCHOR

The wedge anchor is a Deformation Controlled Drop-In Anchor suitable for use in concrete over 20N/mm². This anchor must be installed using the correct setting punch.





BZP	ST/ST A4						
STOCK CODE	STOCK CODE	SIZE	ANCHOR LENGTH	ANCHOR HOLE Ø	MIN. HOLE DEPTH	INTERNAL THREAD LENGTH	
6111	–	M6	25mm	8mm	25mm	9mm	100
6112	6650	M8	30mm	10mm	30mm	12mm	100
6113	6651	M10	40mm	12mm	40mm	16mm	50
6114	6652	M12	51mm	15mm	51mm	18mm	50
6115	6653	M16	67mm	20mm	67mm	22mm	25
6116	–	M20	83mm	25mm	83mm	30mm	25

fischer

DROP IN ANCHOR

- Suitable for non-cracked concrete and for anchoring light ceiling linings and suspended ceilings
- Suitable for all screws or studs with metric threads
- Low anchoring depth reduces drilling time and thus cost-efficient installation
- Surface-flush anchor allows the attached item to be removed and re-fitted several times



STOCK CODE	SIZE	
6780	M16	25

RAWLPLUG WEDGE ANCHOR

ETA APPROVED

STOCK CODE	SIZE mm	
6647	M10	50
6648	M12	50
6649	M16	25



SETTING PUNCH

TO SUIT WEDGE ANCHORS



STOCK CODE	SIZE	
6117	M6	1
6118	M8	1
6119	M10	1

STOCK CODE	SIZE	
6120	M12	1
6121	M16	1
6122	M20	1

CHEMICAL SOCKET

Zinc plated and yellow passivated min 6µ. Provide an internal thread in the base material.



STOCK CODE	INT. THREAD Ø mm	INT. THREAD LENGTH	OUTSIDE Ø	ANCHOR LENGTH	MIN. HOLE Ø	MIN. HOLE DEPTH	
6103	M8	25mm	12mm	75mm	14mm	75mm	10
6104	M10	30mm	16mm	75mm	18mm	75mm	10
6105	M12	35mm	20mm	100mm	22mm	100mm	10
6106	M16	50mm	24mm	125mm	28mm	125mm	10

Excalibur SCREWBOLTS HEXAGON ANCHOR SCREWBOLT BZP



STOCK CODE	SIZE	
6454	6mm x 30mm	100
6455	6mm x 50mm	100
6456	6mm x 75mm	100
6457	6mm x 100mm	100
6458	6mm x 150mm	100
6654	8mm x 50mm	100
6655	8mm x 75mm	100
6656	8mm X 100mm	100
6459	10mm x 60mm	50
6460	10mm x 75mm	50
6461	10mm x 100mm	50
6462	10mm x 120mm	50

STOCK CODE	SIZE	
6463	10mm x 150mm	50
6464	12mm x 75mm	50
6465	12mm x 100mm	50
6466	12mm x 150mm	25
64671	16mm X 120mm	25
6467	16mm x 100mm	25
6468	16mm x 150mm	25
6469	16mm x 200mm	25
6470	20mm x 100mm	25
6471	20mm x 150mm	25
6472	20mm x 200mm	25

MULTI-SUBSTRATE ANCHOR COUNTERSUNK TORX HEAD



STOCK CODE	SIZE	ANCHOR Ø	MAX. FIXING THICKNESS	
6131	M6 x 50mm	8mm	20mm	100
6132	M6 x 75mm	8mm	40mm	100
6133	M6 x 100mm	8mm	60mm	100

STOCK CODE	SIZE	ANCHOR Ø	MAX. FIXING THICKNESS	
6134	M6 x 120mm	8mm	80mm	100
6135	M6 x 130mm	8mm	90mm	100
6136	M6 x 150mm	8mm	100mm	100

MULTI-SUBSTRATE ANCHOR HEXAGON FLANGE HEAD



STOCK CODE	SIZE	ANCHOR Ø	MAX. FIXING THICKNESS	
6137	M6 x 50mm	8mm	20mm	100
6138	M6 x 75mm	8mm	40mm	100
6139	M6 x 100mm	8mm	60mm	100

STOCK CODE	SIZE	ANCHOR Ø	MAX. FIXING THICKNESS	
6140	M6 x 120mm	8mm	80mm	100
6141	M6 x 130mm	8mm	90mm	100
6142	M6 x 150mm	8mm	100mm	100

MULTI-SUBSTRATE ANCHOR HEXAGON HEAD



STOCK CODE	SIZE	
6143	8mm x 60mm	100
6144	8mm x 75mmm	100
6145	8mm x 100mm	100
6146	10mm x 75mm	100
6147	10mm x 100mm	100
6753	10mm x 130mm	100
6148	10mm x 150mm	100
6149	12mm x 75mm	100
6150	12mm x 100mm	100
6151	12mm x 130mm	100

STOCK CODE	SIZE	
6152	12mm x 150mm	100
6153	12mm x 200mm	100
6624	14mm x 75mm	100
6625	14mm x 100mm	100
6626	14mm x 130mm	100
6627	14mm x 150mm	100
6628	14mm x 200mm	100
6629	16mm x 100mm	100
6630	16mm x 130mm	100
6631	16mm x 150mm	100
6760	16mm x 200mm	100

RAWLPLUG R-LX-HF CONCRETE SCREW ANCHOR



FEATURES AND BENEFITS

- Time-efficient through-fixing installation with the streamlined procedure - simply drill and drive
- Completely removable
- Unique design with patented thread form ensures high performance for relatively small hole diameter
- Non-expansion functioning ensures a low risk of damage to the base material and makes R-LX ideal for installation near edges and adjacent anchors
- High performance in non-cracked concrete
- Possibility of multiple uses
- Excellent product for temporary fixing
- Suitable for standard and reduced embedment depth

APPLICATIONS

- Through-fixing
- Temporary anchorages
- Formwork supports
- Balustrading & handrails
- Fencing & gates
- Racking systems
- Public seating
- Scaffolding

BASE MATERIALS

Suitable for use in:

- Concrete
- Solid brick
- Solid concrete block
- Aerated concrete block
- High density natural stone

STOCK CODE	SIZE	
	M5	
RCSHF05050ZF	M5 x 50mm	100
RCSHF05075ZF	M5 x 75mm	100
	M6	
RCSHF06050ZF	M6 x 50mm	100
RCSHF06075ZF	M6 x 75mm	100
RCSHF06100ZF	M6 x 100mm	100
RCSHF06130ZF	M6 x 130mm	100
RCSHF06150ZF	M6 x 150mm	100
	M8	
RCSHF08060ZF	M8 x 60mm	100
RCSHF08075ZF	M8 x 75mm	100
RCSHF08090ZF	M8 x 90mm	100
RCSHF08100ZF	M8 x 100mm	100
RCSHF08130ZF	M8 x 130mm	50
RCSHF08150ZF	M8 x 150mm	50

STOCK CODE	SIZE	
	M10	
RCSHF10065ZF	M10 x 65mm	50
RCSHF10075ZF	M10 x 75mm	50
RCSHF10085ZF	M10 x 85mm	50
RCSHF10100ZF	M10 x 100mm	50
RCSHF10120ZF	M10 x 120mm	25
RCSHF10160ZF	M10 x 160mm	25
RCSHF10140ZF	M10 x 140mm	25
	M12	
RCSHF12100ZF	M12 x 100mm	50
RCSHF12150ZF	M12 x 150mm	50
	M14	
RCSHF14080ZF	M14 x 80mm	20
RCSHF14105ZF	M14 x 105mm	20
RCSHF14115ZF	M14 x 115mm	20
RCSHF14135ZF	M14 x 135mm	20

ULTRACUT FBS II ULTRACUT CONCRETE SCREW

The unique saw-tooth geometry cuts quickly into the substrate and can be installed several times. The special thread geometry means that the screw flanks cut deeply into the concrete and allowing for high loads.

- Expansion-free anchoring (undercut) allows for lowest edge and axle clearances
- The assessment (ETA Option 1) covers the use of single-point anchors in cracked and non-cracked concrete
- The performance categorys Seismic C1 and C2 assessment ensures that the strictest of safety standards has been fulfilled (also with high earthquake specifications)
- The countersunk head is very suitable for visually appealing
- The checking gauge allows a multiple use covered by the approval





A4 ST/ST

STOCK CODE	SIZE	
FBSII860S	8mm x 60mm	50
FBSII870S	8mm x 70mm	50
FBSII880S	8mm x 80mm	50
FBSII890S	8mm x 90mm	50
FBSII1060S	10mm x 60mm	50
FBSII1070S	10mm x 70mm	50
FBSII1090S	10mm x 90mm	50
FBSII10100S	10mm x 100mm	50
FBSII10120S	10mm x 120mm	50
FBSII12110S	12mm x 110mm	50
FBSII12130S	12mm x 130mm	20

ZINC

STOCK CODE	SIZE	
FBSII855Z	8mm x 55mm	50
FBSII870Z	8mm x 7mm	50
FBSII880Z	8mm x 8mm	50
FBSII890Z	8mm x 90mm	50
FBSII8100Z	8mm x 100mm	50
FBSII8110Z	8mm x 110mm	50
FBSII8130Z	8mm x 130mm	50
FBSII1060Z	10mm x 60mm	50
FBSII1070Z	10mm x 70mm	50
FBSII1080Z	10mm x 80mm	50
FBSII1090Z	10mm x 90mm	50
FBSII10100Z	10mm x 100mm	50
FBSII10120Z	10mm x 120mm	50
FBSII10140Z	10mm x 140mm	50
FBSII10160Z	10mm x 160mm	50
FBSII10200Z	10mm x 200mm	20
FBSII10230Z	10mm x 230mm	20
FBSII10260Z	10mm x 260mm	20
FBSII1270Z	12mm x 70mm	20
FBSII1285Z	12mm x 85mm	20
FBSII12110Z	12mm x 110mm	20
FBSII12130Z	12mm x 130mm	20
FBSII12150Z	12mm x 150mm	20
FBSII1475Z	14mm x 75mm	20
FBSII14100Z	14mm x 100mm	20
FBSII14125Z	14mm x 125mm	10
FBSII14150Z	14mm x 150mm	10

fischer

FBS II CHECKING GAUGE FUP 14

Used to check the reliability of the Fischer Ultra Cut FBS II 14.



STOCK CODE	SIZE	
FUFBSII14CG	M14	1

TORX 30 SELF-TAPPING COUNTERSUNK CONCRETE SCREW

6mm DRILL HOLE



STOCK CODE	SIZE	
7.5X62FRFIX	7.5 x 62mm	100
7.5X72FRFIX	7.5 x 72mm	100
7.5X82FRFIX	7.5 x 82mm	100
7.5X92FRFIX	7.5 x 92mm	100
7.5X102FRFIX	7.5 x 102mm	100
7.5X112FRFIX	7.5 x 112mm	100
7.5X122FRFIX	7.5 x 122mm	100

STOCK CODE	SIZE	
7.5X132FRFIX	7.5 x 132mm	100
7.5X152FRFIX	7.5 x 152mm	100
7.5X162FRFIX	7.5 x 162mm	100
7.5X182FRFIX	7.5 x 182mm	100
7.5X202FRFIX	7.5 x 202mm	100
7.5X212FRFIX	7.5 x 212mm	100

HEXAGON A4 STAINLESS STEEL TAPCON

5.15 SDS PLUS DRILL BIT PILOT HOLE



STOCK CODE	SIZE	
4H32A4	6.3mm x 32mm	100
4H45A4	6.3mm x 45mm	100
4H57A4	6.3mm x 57mm	100

STOCK CODE	SIZE	
4H70A4	6.3mm x 70mm	100
4H82A4	6.3mm x 82mm	100
4H100A4	6.3mm x 100mm	100

COUNTERSUNK TAPCON



STOCK CODE	SIZE	FI XTURE THICKNESS PART	
6694	3F32 4.8mm x 32mm	0mm - 7mm	100
6695	3F45 4.8mm x 45mm	5mm - 20mm	100
6696	3F57 4.8mm x 57mm	17mm - 32mm	100
6697	3F70 4.8mm x 70mm	30mm - 45mm	100
6698	3F82 4.8mm x 82mm	42mm - 57mm	100
6699	3F100 4.8mm x 100mm	60mm - 75mm	100
6700	4F32 6.3mm x 32mm	0mm - 7mm	100

STOCK CODE	SIZE	FI XTURE THICKNESS PART	
6701	4F45 6.3mm x 45mm	5mm - 20mm	100
6702	4F57 6.3mm x 57mm	17mm - 32mm	100
6703	4F70 6.3mm x 70mm	30mm - 45mm	100
6704	4F82 6.3mm x 82mm	42mm - 57mm	100
6705	4F100 6.3mm x 100mm	60mm - 75mm	100
6706	4F125 6.3mm x 125mm	85mm - 100mm	100

HEXAGON HEAD TAPCON



STOCK CODE	SIZE	
6707	3H32 4.8mm x 32mm	100
6708	3H45 4.8mm x 45mm	100
6709	3H57 4.8mm x 57mm	100

SELF-TAPPING MASONRY SCREW

5.15 HEX HEADED SDS PLUS DRILL BIT PILOT HOLE



STOCK CODE	SIZE	
4H32TAPCON	6.3mm x 32mm	100
4H45TAPCON	6.3mm x 45mm	100
4H57TAPCON	6.3mm x 57mm	100
4H70TAPCON	6.3mm x 70mm	100
4H82TAPCON	6.3mm x 82mm	100
4H100TAPCON	6.3mm x 100mm	100

STOCK CODE	SIZE	
4H125TAPCON	6.3mm x 125mm	100
4H140TAPCON	6.3mm x 140mm	100
4H160TAPCON	6.3mm x 160mm	100
4H180TAPCON	6.3mm x 180mm	100
4H200TAPCON	6.3mm x 200mm	100
4H254TAPCON	6.3mm x 254mm	100

MILD STEEL PACKER



STOCK CODE	THICKNESS	SLOT HOLE	GALV TYPE	
		50mm x 50mm		
6545	1mm	14mm	Pre Galv	500
3275	2mm	14mm	Pre Galv	300
6546	3mm	14mm	Pre Galv	200
6547	5mm	14mm	Pre Galv	200
6570	10mm	14mm	Hot Dip	100
		50mm x 100mm		
6548	1mm	14mm	Pre Galv	500
3276	2mm	14mm	Pre Galv	300
6549	3mm	14mm	Pre Galv	200
6550	5mm	14mm	Pre Galv	100
6571	10mm	14mm	Hot Dip	50
		75mm x 100mm		
6551	1mm	22mm	Pre Galv	200
3277	2mm	22mm	Pre Galv	100
6552	3mm	22mm	Pre Galv	100
6553	5mm	22mm	Pre Galv	50
6572	10mm	22mm	Hot Dip	25

STOCK CODE	THICKNESS	SLOT HOLE	GALV TYPE	
		100mm x 100mm		
6554	1mm	25mm	Pre Galv	200
3278	2mm	25mm	Pre Galv	100
6555	3mm	25mm	Pre Galv	100
6556	5mm	25mm	Pre Galv	50
6573	10mm	25mm	Hot Dip	25
		100mm x 150mm		
6566	1mm	25mm	Pre Galv	200
3279	2mm	25mm	Pre Galv	100
6567	3mm	25mm	Pre Galv	50
6568	5mm	25mm	Pre Galv	25
6574	10mm	25mm	Hot Dip	10

HORSESHOE PLASTIC SHIM

LOAD BEARING
70mm x 70mm



STOCK CODE	THICKNESS	
HPS7002	2mm	250
HPS7003	3mm	150
HPS7005	5mm	100
HPS7007	7mm	250
HPS7009	9mm	50
HPS7010	10mm	50
HPS7020	20mm	24

PLASTIC SHIM

LOAD BEARING
70mm x 70mm




STOCK CODE	THICKNESS	
SPS7002	2mm	250
SPS7003	3mm	250
SPS7005	5mm	125
SPS7007	7mm	250
SPS7010	10mm	125
SPS7020	20mm	125

HORSESHOE PACKER

TYPE D
35mm x 45mm

STOCK CODE	THICKNESS	
35X45X1PS	1mm	1000
35X45X2PS	2mm	1000
35X45X3PS	3mm	1000
35X45X4PS	4mm	1000
35X45X5PS	5mm	1000
35X45X6PS	6mm	1000
35X45X10PS	10mm	1000
35X45MIXPS	Mixed	1300

STOCK CODE	THICKNESS	
100X50X1PS	1mm	1000
100X50X2PS	2mm	1000
100X50X3PS	3mm	1000
100X50X4PS	4mm	1000
100X50X5PS	5mm	1000
100X50X6PS	6mm	1000
100X50X10PS	10mm	1000
100X50MIXPS	Mixed	1300



PLASTIC PACKER



SMALL SIZE - 55mm x 43mm

Standard Pack

STOCK CODE	THICKNESS	COLOUR	
6486	1mm	Yellow	200
6487	2mm	Green	200
6488	3mm	Blue	200
6489	4mm	Red	200
6490	5mm	Brown	200
6491	6mm	Black	200
6492	10mm	Grey	200
6493	–	Assorted	200

Bulk Pack

STOCK CODE	THICKNESS	COLOUR	
6494	1mm	Yellow	1000
6495	2mm	Green	1000
6496	3mm	Blue	1000
6497	4mm	Red	1000
6498	5mm	Brown	1000
6499	6mm	Black	1000
6500	10mm	Grey	1000
6501	–	Assorted	1000

STANDARD SIZE - 101mm x 43mm

Standard Pack

STOCK CODE	THICKNESS	COLOUR	
6502	1mm	Yellow	200
6503	2mm	Green	200
6504	3mm	Blue	200
6505	4mm	Red	200
6506	5mm	Brown	200
6507	6mm	Black	200
6508	10mm	Grey	200
6509	–	Assorted	200

Bulk Pack

STOCK CODE	THICKNESS	COLOUR	
6510	1mm	Yellow	500
6511	2mm	Green	500
6512	3mm	Blue	500
6513	4mm	Red	500
6514	5mm	Brown	500
6515	6mm	Black	500
6516	10mm	Grey	500
6517	–	Assorted	500


FLAT GLAZING PACKER

100mm x 24mm

STOCK CODE	THICKNESS	COLOUR	
6518	1mm	Green	1000
6519	2mm	Black	1000
6520	3mm	White	1000
6521	4mm	Grey	1000
6522	5mm	Blue	1000
6523	6mm	Red	1000

100mm x 28mm

STOCK CODE	THICKNESS	COLOUR	
6524	1mm	Green	1000
6525	2mm	Black	1000
6526	3mm	White	1000
6527	4mm	Grey	1000
6528	5mm	Blue	1000
6529	6mm	Red	1000
6530	ASSORTED		1000



WINDOW GLAZING PACKER - CLEAR

100mm x 15mm


STOCK CODE	THICKNESS	
100x15x1SHIM	1mm	1000
100X15X2SHIM	2mm	1000
100X15X3SHIM	3mm	1000

STOCK CODE	THICKNESS	
100X15X4SHIM	4mm	1000
100X15X5SHIM	5mm	1000
100X15X6SHIM	6mm	1000



CLASS LEADING HIGH PERFORMANCE RESINS FOR 100% PEACE OF MIND

FULL TECHNICAL CHANGE MANAGEMENT PROCESS AVAILABLE



STRONG STRONGER STRONGEST






SELV400+

Seismic C1

Cracked and non-cracked concrete

HYBRID VINYLESTER RESIN

STOCK CODE	SIZE	
SELV400PLUS	400ml	10

Box of 10 includes 10 mixing nozzles.



APPLICATIONS AND USES

Curtain walling, balustrading, handrails, canopies, cable conduits and trays, fencing & gates manufacturing and installation, pipework/ductwork supports, platforms, pipelines systems, passenger lifts, safety barriers, formwork support systems, structural steelwork, street lamps, racking systems, barriers.

KEY BENEFITS

- Approved for use in cracked and non-cracked concrete (EAD 330499-01-0601), working life up to 100 years
- Suitable for use in dry or wet substrates and water filled holes
- For faster curing, winter version of the resin can be used
- No need for hole cleaning when using dustless drill bit
- Special nozzle with longer mixer for more comfortable and precise application
- Suitable for multiple use. Partly used product can be reused after fitting new nozzle
- Very high load capacity
- Tests in fire conditions confirm the fire resistance up to R120

GELLING AND CURING TIMES

SUBSTRATE TEMPERATURE C°	35	25	10	15	5	0
PROCESSING TIME (mins)	1.5	2	8	5	15	30
CURING TIME (mins)	30	45	60	60	90	180

APPROVALS AND CERTIFICATES

- ETA-21/0242
- ETA-17/0594

SUITABLE RESIN GUN



STOCK CODE	
6165	1

SEL-V400+ RESIN MIXER NOZZLE



STOCK CODE	
SELV400PLUSNOZ	10

SEL410 POL+

Non-cracked concrete for threaded rods.

May be used in a variety of solid substrates, masonry and hollow walls with nylon sleeves.

POLYESTER RESIN 10:1

STOCK CODE	SIZE	
SEL410POL	410ml	12

Box of 12 includes 12 mixing nozzles.

APPLICATIONS AND USES

SEL410POL is a two-part chemical anchoring resin designed to anchor threaded rods in concrete and hollow walls and also has the advantage of good chemical resistance and durability in outdoor situations. This sophisticated chemical anchoring product is a fast curing injection system, delivered through a mixing nozzle directly into the fixing hole. The cartridges are extruded using specially designed fixing tools.

KEY BENEFITS

- Ideal for hollow walls, brickwork and masonry
- Economical
- Medium duty load applications
- Also suitable as a filler for gap and crack repairs

GELLING AND CURING TIMES

BASE MATERIAL TEMPERATURE °C	35	25	15	5	-5*	-10*
TYPICAL GEL TIME (mins)	3	5	9	20	40	50*
MIN. LOAD TIME (mins)	20	30	60	90	180	240

* Cartridge should be 20°C



APPROVALS AND CERTIFICATES

VOC CLASSIFICATION A+

A+ A B C

WYRÓB BUDOWLANY

0973/W



SUITABLE RESIN GUN



STOCK CODE	
6165	1

MIXER NOZZLES



STOCK CODE	
6109	10

SEL410 EPA+

Non-cracked concrete for rebar and threaded rods.

May be used in a variety of solid substrates, masonry and hollow walls.

EPOXY ACRYLATE SF RESIN STYRENE FREE 10:1

STOCK CODE	SIZE	
SEL410EPA	410ml	12

Box of 12 includes 12 mixing nozzles.



APPLICATIONS AND USES

SEL410EPA is a two-part chemical anchoring resin based on Epoxy Acrylate and designed to anchor threaded rods and rebar into concrete and also has the advantage of a European Approval covering use in masonry blocks according to the ETAG 029. This is a fast curing injection system, delivered through a mixing nozzle directly into the fixing hole.
The cartridges are extruded using specially designed fixing tools.

KEY BENEFITS

- For use in wet or damp holes
- Good chemical resistance
- Medium and heavy duty load applications
- High durability
- Ideal for indoor and outdoor usage

GELLING AND CURING TIMES

BASE MATERIAL TEMPERATURE °C	35	25	15	5	-5*	-10*
TYPICAL GEL TIME (MINS)	3	5	9	20	40	50
MIN. LOAD TIME (MINS)	20	30	60	90	180	240

* Cartridge should be 20°C

APPROVALS AND CERTIFICATES

CE 1404 Chemfix Products Ltd 2019 — Chemfix EASF TOP ETA-18/0800 EAD 330499-00-0601 M8-M24 8mm - 24mm Option 7 Uncracked 1404-CPR-3054


CE 1404 Chemfix Products Ltd 2019 — Chemfix EASF TOP ETA-18/0799 EAD 330076-00-0604 M6 - M12 Masonry 1404-CPR-3053

CE 1404 Chemfix Products Ltd 2019 — Chemfix EASF TOP ETA-19/0102 EAD 330087-00-0601 8mm - 12mm + Fire Post Installed Rebar 1404-CPR-3134

VOC CLASSIFICATION A+

FIRE RATED

STYRENE FREE



SUITABLE RESIN GUN



STOCK CODE	
6165	1

MIXER NOZZLES



STOCK CODE	
6109	10

SEL585 PE+

Cracked and non-cracked concrete for rebar and threaded rods.

May be used in a variety of solid substrates.

PURE EPOXY RESIN 3:1

STOCK CODE	SIZE	
SEL585PE	585ml	12

Box of 12 includes 12 mixing nozzles.



APPLICATIONS AND USES

SEL585PE is a two-part pure epoxy chemical anchoring resin designed to anchor threaded rods and rebar in concrete.
This sophisticated chemical anchoring product is a relatively slow curing injection system, thus ideal for very large fixings, and is delivered through a mixing nozzle directly into the fixing hole.
The cartridges are extruded using specially designed fixing tools.

KEY BENEFITS

- Seismic approved
- Solvent free odourless resin, no shrinkage
- Ideal for rebar usage with large diameters and deep embedment
- High durability
- Used in wet holes and underwater
- Longer working times

GELLING AND CURING TIMES

BASE MATERIAL TEMPERATURE °C	40	35	25	15	5
TYPICAL GEL TIME (mins)	10	16	25	60	120
MIN. LOAD TIME (mins)	150	240	480	1200	3000

APPROVALS AND CERTIFICATES

Chemfix Products Ltd
14
1343-CPR-M-582-4
Chemfix 500
ETA-15/0130
ETAG 001-01 Option 1
M8 - M30 / rebar Ø 8 - 32mm
For use in cracked or uncracked concrete
C2 seismic performance

Chemfix Products Ltd
14
1343-CPR-M-582-1
Chemfix 500
ETA-14/0395
ETAG 01-05
Bonded anchor for diamond coring for use in uncracked concrete

Chemfix Products Ltd
13
1343-CPR-582-3
Chemfix 500
ETA-13/0470
ETAG 01-01 TR 023
Post-Installed
Rebar Ø 8 to 25mm

VOC CLASSIFICATION A+ (A+ A B C)

FIRE RATED

BS 6920

Approved for use with potable water

SUITABLE RESIN GUN



STOCK CODE	
6256	1

MIXER NOZZLES



STOCK CODE	
6109	10

fischer FIS V PLUS

Universal all-rounder for the highest requirements. The styrene-free vinylester hybrid mortar with its numerous fixing elements is approved for fixations in cracked and non-cracked concrete as well as in masonry.



STOCK CODE	SIZE	
6209	360ml	6

fischer FIS P 380 C

A polyester resin mortar for the economical fixing of gratings, cantilevers and handrails in masonry which do not require approval.



STOCK CODE	SIZE	
6214	380ml	6

fischer FISCHER FIS EM 390S RESIN

- FIS EM Plus with optimised formulation for improved load values in cracked and non-cracked concrete
- For rebar connections from diameter 8 to 40 mm
- Can be used with threaded rod FIS A or internal threaded anchor RG M I for temporary and removable fixing points
- FIS EM Plus is to be processed at temperatures down to -5°C
- More safety due to approvals for diamond drilled and water-filled drill holes as well as seismic applications of performance categories C1, C2



STOCK CODE	SIZE	
6811	390ml	6

fischer FISCHER FIS VL410 C VINYLESTER INJECTION RESIN

- The FIS VL 410 C is approved for use in cracked concrete and masonry, and achieves a high load-bearing capacity in these conditions
- The temperature resistance of the FIS VL injection mortar is -40 °C to +120 °C
- The FIS VL is a 2-component injection mortar based on vinylester
- Approved for water-filled holes with 410ml coaxial cartridges



STOCK CODE	SIZE	
6812	410ml	6

fischer FISCHER FIS SB 390 S RESIN

- Extremely high load level in cracked and non-cracked concrete ensures maximum safety
- Variable anchoring depths optimise installation time and materials required
- Installation from -15 °C to 40 °C
- ETA approval for cracked concrete and seismic loads
- Silane technology enables extremely high bond strength and therefore also an extremely high load level



STOCK CODE	SIZE	
6813	390ml	6

fischer FISCHER RESIN MIXER NOZZLE

- Ensures safe mixing of hardening agent and resin components during application
- With suitable screw connection for the cartridge
- Fischer static mixer FIS MR Plus is screwed onto Fischer injection cartridges and ensures safe, homogeneous mixing of both mortar components during extrusion from the cartridge
- Suitable for: Fischer cartridges: 100, 150, 300, 360, 390, 410 ml



STOCK CODE	
6814	10

RAWLPLUG R-KER SF VINYLESTER RESIN

WITH NOZZLE

High performance vinylester resin approved for use in cracked and non-cracked concrete.



STOCK CODE	SIZE	
6210	400ml	10

RAWLPLUG R-KER-II HYBRID RESIN

High resistance vinylester hybrid resin. ETA Option 1 cracked and non-cracked concrete, rebar.



STOCK CODE	SIZE	
6800	345ml	10
6806	400ml	10

RAWLPLUG R-KEX-II PURE EPOXY RESIN

Premium pure epoxy resin 3:1 approved for use in cracked and non-cracked concrete.



STOCK CODE	SIZE	
6222	385ml	10

RAWLPLUG R-KFX2 POLYESTER RESIN

WITH NOZZLE

General purpose. Suitable for use in non-cracked concrete, with relatively short curing time. Economical fixings resin for medium duty load applications. Can be used in damp condition and underwater applications.



STOCK CODE	SIZE	
6177	385ml	10

RAWLPLUG R-KEM II SF POLYESTER RESIN

BOX OF 10 TUBES

High performance vinylester resin approved for use in cracked and non-cracked concrete.



STOCK CODE	SIZE	
6223	300ml	10
6803	410ml	10

RAWLPLUG R-CAS-V

High performance resin bonded anchor system that is used for safety critical & structural applications.



STOCK CODE	SIZE	
6091	M8 x 75mm	10
6092	M10 x 75mm	10
6093	M12 x 100mm	10

STOCK CODE	SIZE	
6094	M16 x 125mm	10
6095	M20 x 150mm	10
6096	M24 x 150mm	5

RAWLPLUG SPARE NOZZLE FOR RAWLPLUG RESINS

PACK OF 10

STOCK CODE	
6801	1















EXCLUSIVE
Selkent Promo Code*
6807
*Terms & Conditions Apply

RAWLPLUG®

BONDED ANCHOR
R-KER II
HYBRID RESIN

NEW High Performance Resin
Hybrid Resin ETA Option 1 Approved
for cracked & non-cracked concrete

CE ETA







FREE
Gun & site box

BUY
10 R-KER-II 400ml
Vinylester Hybrid Cartridges
& 10 NOZZLES

GET
1 x FREE
Professional Dispenser Gun
+
1 x FREE
Rawlplug Site Box

Exclusive to Selkent Promo Code 6807

PLASTIC SLEEVE

For use when voids are encountered in the base material, used to keep resin around the stud.



STOCK CODE	SIZE	MIN. HOLE Ø	MIN. HOLE DEPTH	
6126	6-8	12mm	50mm	50
6127	10-12	15mm	85mm	20

WIRE MESH SLEEVE

Wire mesh is supplied 1 metre long and is cut to required length on site.



STOCK CODE	STUD SIZE	MIN. HOLE Ø	
6128	6mm - 8mm	12mm	1
6129	10mm - 12mm	16mm	1
6130	16mm	22mm	1

HAND DUST BLOW OUT PUMP

Efficient hole cleaning is crucial to obtain the full load values of any concrete anchor. Use this pump to clean any unwanted debris from the hole before injecting the resin or inserting the capsule.



STOCK CODE	
6166	1

HOLE CLEANING BRUSH



STOCK CODE	HOLE SIZE	
6168	8mm	1
6169	10mm	1
6170	12mm	1
6171	16mm	1
2218	20mm	1

EXTENSION NOZZLES

LENGTH 1M



STOCK CODE	
6752	10

RAWLPLUG R-KEX-II DISPENSING GUN



STOCK CODE	SIZE	
6224	385ml	1

RAWLPLUG HANDHELD RESIN DISPENSING GUN



STOCK CODE	SIZE	
RESG345	345ml	1

RESIN DISPENSING GUN



STOCK CODE	SIZE	
6165	410ml	1

RESIN DISPENSING GUN



STOCK CODE	SIZE	
6241	400ml (for PUR400)	1
6256	385ml / 585ml	1

HEAVY DUTY RESIN DISPENSING GUN



STOCK CODE	SUITABLE FOR	
6165HD	380ml / 410ml	1

FISCHER FISV HANDHELD RESIN DISPENSING GUN



STOCK CODE	SIZE	
6215	300ml / 390ml	1

EVERBUILD HEAVY DUTY DISPENSING GUN



STOCK CODE	SIZE	
DG310HD	310ml	1

JUMBO SEALANT GUN



STOCK CODE	SUITABLE FOR	
JSG	900ml	1

DISPENSING SILICONE GUN



STOCK CODE	SUITABLE FOR	
6243	300ml	1

FOAM APPLICATOR GUN

P65 HEAVY DUTY



STOCK CODE	
6585	1

PREMIUM QUALITY SIDE LEVER GREASE GUN

- 500cc for bulk fill or 400g cartridge



STOCK CODE	
GG500	1

DRAPER PROFESSIONAL PISTOL-TYPE GREASE GUN

Expert Quality, with diecast head and port for air bleeder/bulk loader for single handed operation.

- Supplied with coupler and 230mm high pressure hose to DIN1283e
- Safe working pressure 40MPa (5800 psi)
- Suitable for 400g cartridge or bulk fill



STOCK CODE	
GG500D	1

MODEL 2000 MEDIUM DUTY FIXING TESTERS

Enabling engineers to confirm the holding power of anchors in most construction materials.



KIT CONTENTS

- Model 2000 Medium Duty Tester with coupler
- 50mm Stroke Tester Body
- Two Gauges with quick release hydraulic couplers (Select from 5, 10, 15, 10 or 25kN)
- 150 Load Spreading Bridge with level bubbles
- Adjustable Legs
- Swivel Feet
- M12 Locking Adaptor
- Six threaded button Adaptors (M4, M5, M6, M8, M10, M12)
- 3mm Ball Driver
- Allan Key
- Spare screws
- Carry Case with Filler
- Operating Instructions
- Calibration Certificate
- Oil bottle with coupler
- Bolt Test Adaptor

New turning handle design incorporating operating nut and detachable handles allowing use in confined spaces.





TECHNICAL DATA

LOAD GAUGE

- 0-25kN (5,600 lbf)
- Accurate to +/-2.5% FSD
- Indication of pull-out load
- Calibration in kN
- Protective rubber cover
- Impact resistant glass
- Protections against sudden load relief i.e. sudden failure of fixing/connection





The kit is supplied in a foam filled carrying case with full operating instructions and a 1 year calibration certificate.

STOCK CODE	
PTKIT	1

2000 SCAFFOLD TIE TESTER KIT

The Hydrajaws M2000 Scaffold Tie Tester Kit is a specific kit allowing Scaffolders to test all common scaffold anchors and fixings in general use today in line with NASC Guidance Note TG4:19.


The three-legged load spreading bridge keeps reaction loads away from the fixing allowing results to be more consistent. The M2000 Scaffold Tie Tester Kit is an essential tool for any scaffolder wanting to comply with current health and safety practices.



- 0-25kN Dual Scale digital gauge compatible with the latest Hydrajaws App (detachable for calibration, reduces carrier return costs)
- 2020 Load spreading bridge featuring height adjustable legs with pin arrangement in four positions with swivel feet giving 15mm of fine adjustment.
- Turning Handle with 22mm (7/8") integrated nut (for use in confined spaces)
- Up to 50mm of stroke
- Hydrajaws gauge calibration certificate (valid for 12 months)

Kit includes the following adaptors:

- M12 Ringbolt adaptor clevis
- Bolt tester adaptor with M12 locking adaptor
- M16 Threaded stud adaptor
- M16 Hexagon Set Screw
- M16 Threaded Stud



STOCK CODE	
PTKITSCAFF	1

GYPROC SEALANT FOIL PACK

- Seals air gaps
- Maintains acoustic performance
- Standards conform to EN 15651-1



STOCK CODE	SIZE	
BGS600	600ml	12

BRICK MORTAR GUN



STOCK CODE	
BRIMORGUN	1

ACOUSTIC FIRE MASTIC FOIL

WHITE

- Fire rated up to 5 hours
- CE marked under ETAG 026 Part 3 European Technical Assessment 13/1058



STOCK CODE	SIZE	
ACO600ML	600ml	12

FOIL PACK APPLICATOR GUN

The foil pack applicator gun is designed for use with foil packs, the enclosed aluminium barrel can also be used for standard cartridges.



STOCK CODE	
FOILGUN	1

FIRE SEALANT 400 SILICONE

A neutral cure, elastic, acoustic rated silicone sealant which conforms to EN1366-4:2010 for fire retardancy and has a fire rating of up to 4 hours in certain joint configurations.





Foil Pack

STOCK CODE	SIZE	COLOUR	
6244	600ml	Black	20
6580	600ml	Grey	20

Tube

STOCK CODE	SIZE	COLOUR	
FIRE400WHI	360ml	White	20

LMA CONTRACTORS SILICONE



A cost effective acetoxy cure sealant that adheres to most smooth and non-porous materials. This product contains an anti-fungal compound to prevent mould growth in areas of high humidity. Mid to low modulus in nature.

BENEFITS

- Permanently flexible.
- Anti-fungal formula - prevents mould growth.
- Quick curing - low dirt pick up.
- Low viscosity for fast application.
- Certified under the harmonized European. standard EN15651 for façade and sanitary applications in compliance with the Construction Product Regulations.

AREAS OF USE

- Sealing aluminium and metal sealing.
- Sealing around baths, showers, basins and other sanitary ware.
- As an adhesive for fixing PVCu trims, cladding and panels.
- Sealing around worktops and laminates.
- Pointing and door frames.
- For aluminium gutter sealing.
- General draughtproofing.

STOCK CODE	COLOR	
6188	White	24
6189	Transparent	24

PREMIUM+ 450 BUILDERS SILICONE

A premium quality low modulus non-corrosive neutral cure silicone sealant that adheres to virtually all substrates, both porous and non-porous. Typically used for construction expansion joints and perimeter pointing of all types of door and window frames.



STOCK CODE	COLOUR	SIZE	
6192	Black	310ml	25
6196	Translucent	310ml	25
6193	Brown	310ml	25
6194	Grey	310ml	25

SILICONE 825

A low modulus, neutral curing silicone sealant based on a filled alkoxy curing system, specially formulated to provide extra tool down time on longer joints. Conforms to ISO11600 class F25LM and G25LM when tested to ISO11600.



STOCK CODE	COLOUR	
EVBSIL825BF	Buff	25
EVBSIL825DA	Dark Anthracite	25

LOW MODULUS PREMIUM FACADE SILICONE



STOCK CODE	COLOUR	SIZE	
LOWMODWH	White	300ml	25
LOWMODBL	Black	300ml	25
LOWMONANTH	Anthracite	300ml	25
LOWMODCLEAR	Translucent/Clear	300ml	25
LOWMODTEAK	Teak	300ml	25
LOWMODCARAM	Caramel	300ml	25
LOWMODBROWN	Brown	310ml	25
LOWMODGREY	Grey	380ml	25
LOWMODLIGGREY	Light Grey	380ml	25
LOWMODRUSRED	Rustic Red	380ml	25
LOWMODBUFF	Buff	380ml	25

CT1 SEALANT

Unique adhesion on virtually any material in most applications without the need for additional fixings. Scientifically proven to have excellent colour retention - white stays white and clear stays clear.
CT1 will successfully bond all metals (including lead),glass, mirrors, all woods, mdf, polystyrene, fibreglass, tiles, concrete, most stones (without staining), most synthetic materials, plastics (excluding PP, PE and PTFE).



STOCK CODE	CT1SCL290	CT1SBL290	CT1SWH290	CT1SGR290	CT1SBR290	
COLOUR	CLEAR	BLACK	WHITE	GREY	BROWN	12
SIZE	290ml	290ml	290ml	290ml	290ml	12

ARBOKOL 682H BALUSTRADE SEALANT



- Can also be used as a secondary seal for sealed units
- External use is possible with a suitable silicone cap
- Good adhesion to glass, concrete, stone, metals and many other common building substrates
- Unique sealant for a specific purpose
- Resistant to most dilute acids and alkalis, petrol, diesel, jet fuel, vegetable oils and many common solvents

STOCK CODE	COLOUR	SIZE	
ARBO682	Grey	1.2 ltr	1

EVERBUILD ROOF & GUTTER SEALANT

BLACK

Roof & Gutter Sealant is a premium quality butyl-based sealant and adhesive that provides instant, permanent weather-proofing to a wide variety of roofing applications.



STOCK CODE	SIZE	
BUTYLBLACKMAS	300ml	12

SCHTUK EXTREME

MS POLYMER SEALANT

- Permanently flexible adhesive and sealant
- Bonds and seals virtually everything to anything
- Will cure even in wet weather and on damp surfaces



STOCK CODE	COLOUR	SIZE	
XTREMWHITE	White	300ml	25
XTREMBLACK	Black	300ml	25
XTREMCLEAR	Clear	300ml	25

SANITARY SILICONE ANTI FUNGAL

- All internal sealing in areas of high humidity or subject to condensation
- Sealing around baths, showers, basins and sanitary ware
- Sealing around work tops and laminates
- Cap sealing to metal, timber and PVCu window frames
- As an adhesive for fixing PVCu trims and panels
- General weatherproofing applications



STOCK CODE	COLOUR	SIZE	
SANITCLR	Clear	280ml	12
SANITWHITE	Black	280ml	12

EVERBUILD EVERFLEX 145

BUTYL RUBBER SEALANT
GREY

A semi-setting jointing compound typically used for roofing, glazing, metal containers and sectional building applications. It forms a skin in approximately 24 hours but remains permanently plastic underneath.



STOCK CODE	SIZE	
BUTYLGREYMAS	300ml	12

POLYSULPHIDE MASTIC

BLACK

A low modulus building sealant based on polyurethane technology. Conforms ISO11600 25LM and is CE marked to EN15651-1: 2012 Type F EXT-INT CC. It is suitable for most construction expansion and dilation joints and adheres to most building surfaces such as concrete, ceramics, wood, metal, uPVC etc.



STOCK CODE	COLOUR	SIZE	
POLYSULPBLK	Black	300ml	12
POLYSULPBRN	Brown	300ml	12
POLYSULPBUF	Buff	300ml	12
POLYSULPGRE	Grey	300ml	12
POLYSULPWHI	White	300ml	12

GEOCEL 201 POLYSULPHIDE SEALANT

A one part, ready to use, flexible polymer sealant for expansion joints in building and construction and can be used for external perimeter pointing of door and window frames, and expansion joints in brickwork and blockwork etc.
Improved UV resistance
Conforms to ISO 11600 F 20HM



STOCK CODE	COLOUR	SIZE	
GEO201G	Grey	380ml	12

GALVA MATE SEALANT

A high performance solvent free adhesive and sealant specifically designed for sealing high velocity duct work in heating and ventilation systems.



STOCK CODE	SIZE	COLOUR	
6245	C3	Grey	25

ACOUSTIC MASTIC

- Provides up to 5 hours fire resistance
- Non flammable
- Acoustic rated to BS EN ISO 140/3
- Tested for air permeability to EN13141-1 Ventilation for buildings



STOCK CODE	SIZE	
ACOU900ML	900ml	12

FIREMATE INTUMESCENT SEALANT

An acrylic sealant that swells when exposed to temperatures in excess of 125°C to prevent the passage of fire and smoke and has a fire rating of up to 4 hours in certain joint configurations.

- Fire rated to EN1366-4 (2006). Acoustic rates to BS EN ISO 140/3
- Tested for air permeability to EN13141-1
- Overpaintable



STOCK CODE	COLOUR	SIZE	
INTUMASTWH	White	295ml	12
INTUMASTGR	Grey	295ml	12
INTUMASTBR	Brown	295ml	12

FR GRAPHITE SEALANT MASTIC

- A high specification formulation designed to prevent the spread of fire, smoke and gases through openings in fire rated walls and floors
- Designed to fire seal difficult services which traditional fire rated mastics do not achieve such as large plastic pipes

CE



STOCK CODE	SIZE	
GRAFR310ML	350ml	25

PINKGRIP

Its amazing grabbing strength not only removes the need to pin under the workpiece to prevent slumping, but its revolutionary initial 'Direct Bond' eliminates the need for double stick methods. Pinkgrip can be used inside and outside and adheres to just about every building substrate.
Suitable for use on both non porous and porous surfaces, excellent external weathering properties.



STOCK CODE	SIZE	
PINKGRIP	400ml	25

STRONG GRIP FAST ACTION GRAB PANEL ADHESIVE

- Enhanced slump resistance and good 'nip off' qualities
- Excellent adhesive strength
- Excellent gap filling properties



STOCK CODE	SIZE	
SG350	350ml	12

EVERBUILD INSTANT NAILS ADHESIVE

A high strength solvent free gap filling multi use adhesive that provides a quick grab and replaces mechanical fixings in many home improvement applications.
Dries white and may be overpainted if required.



STOCK CODE	SIZE	
6190	310ml	25

PLASTERBOARD ADHESIVE

Conforms to EN 13501-1 Class E for fire rating



STOCK CODE	SIZE	
PGDRYFIX	750ml	12

EVERBUILD STIXALL EXTREME POWER

- Solvent-free - provides good clarity, temperature resistance and a high humidity barrier
- Chemically curing - giving high strength and flexibility
- Biocide - prevents mould growth
- Non-staining - on surfaces like granite or marble



STOCK CODE	COLOUR	SIZE	
6200	Black	310ml	12
6201	Brown	310ml	12
6202	Crystal Clear	310ml	12
6203	White	310ml	12
6247	GREY	310ml	12

CT1 POWER GRAB 'N' BOND

A unique solvent free construction adhesive with an exceptionally high initial grab followed by an incredible structural bond. It can be applied to Concrete, Most Stones, Ceramic, Marble, Wood, Gypsum Board, Metals, Lead, Glass, Mirror, Plastics (excluding PP, PE and PTFE) and any combination of the above without any additional fixings.



STOCK CODE	SIZE ml	
CT1GNB290	290ml	12

FIRE FOAM B1*

HAND HELD



It expands on application to yield up to 50 times the can contents and meets the extremely stringent requirements of the test criteria BS476 Part 20; Class B1. Fire rated up to 4 hours in certain joint configurations.

STOCK CODE	SIZE	TYPE	
FFB1G	750ml	HAND HELD	12
FFB1	750ml	GUN GRADE	12

FIRE FOAM B2*

HAND HELD



Fire resistant for up to 2 hours in certain joint configurations. It expands on application to up to 50 times the can contents and meets the requirements of the test criteria for BS 476 Part 20.

STOCK CODE	SIZE	
FFB2	750ml	12

*Please note: FIRE FOAM SUPPLY MAY VARY, PLEASE ASK AT TIME OF ORDERING FOR CORRECT BRAND AND SPECIFICATION.

GUN GRADE EXPANDING FOAM

A quick setting polyurethane based foam which expands greatly on application and yields up to 50 time. Can be cut, sawn, plastered and sealed over after approximately one hour. Fills irregular gaps, fixes framework, insulates and sound deadens.



STOCK CODE	SIZE	
6584	750ml	12

EXPANDING FOAM B3

HAND HELD

An easy to use, one part PU Expanding Foam ideal for general construction and home improvement uses. It is designed for easy dispensing through the straw adapter included with each can. Higher yield with expansion up to 1.5 times, easy application and reusability.
Conforms to fire class B3 according to DIN 4102-1.
Mould proof, waterproof and overpaintable.



STOCK CODE	SIZE	
6582	750ml	12

FOAM CLEANER

Dual Purpose Foam Cleaner is used to remove wet and uncured foam.

Includes spray nozzle for use without applicator to remove wet foam from outside of the gun and from most building substrates.
Areas for Use

- Cleaning Pu foams from guns and nozzles.
- Cleaning spilt PU foam from surrounding areas.



STOCK CODE	SIZE	
FFCL500	500ml	12

BLUE 60 FIRE RATED PU FOAM

GUN GRADE

Blue 60 is a specially formulated expanding foam that achieves up to 60 minute fire protection for timber fire doorsets when used in conjunction with Blue 60 Fire Rated Packers.
Tested with softwood, MDF and hardwood frame sections.



STOCK CODE	SIZE	
FFB60GG	750ml	12

P65 FOAM APPLICATOR GUN



STOCK CODE	
6585	1

FOAM NOZZLE



STOCK CODE	
FOAMNOZ	1

CAULKING ROD FOAM POLY BACKING



- Quick and easy to apply
- Reduces sealant usage
- Improves sealant performance by obtaining the correct joint dimensions
- Flexible – won't bubble or blister

STOCK CODE	SIZE	
CALUKING10	10mm x 1100m	1
CAULKING12	12mm x 900m	1
CAULKING15	15mm x 500m	1
CAULKING20	20mm x 300m	1
CAULKING25	25mm x 200m	1

SPARE CARTRIDGE, PLUNGER & NOZZLE





STOCK CODE	DESCRIPTION	
EMPTCART	ARBOKOL EMPTY CARTRIDGE	1
CARTPLUNG	ARBOKOL END PLUNGER	1
CARTNOZZ	ARBOKOL NOZZLE	1

ORDER ACCURACY

99.67%

OF ORDERS ARE DELIVERED CORRECTLY

PVA ALL PURPOSE WEATHERPROOF WOOD ADHESIVE

- Excellent rate of bond strength development.
- High degree of water resistance to D3 Classification
- Joints may be subject to short term water contact or exposure to high humidity.
- Interior & exterior use
- Low timber staining characteristics.
- Creep Resistant
- Dries clear
- Water based.
- Environmentally friendly
- Easy clean up
- Suitable for radio frequency cure



STOCK CODE	SIZE	
PVA1L	1 ltr	12

D4 WOOD ADHESIVE

- Liquid PU adhesive
- Conforms to DIN EN 204 grade D4
- Foaming action to fill gaps
- 15 - 30 minute open time
- Pressing time - 6 hours



STOCK CODE	SIZE	
D4WOODADH	750ml	12

LUMBERJACK 5 MIN POLYURETHANE ADHESIVE

- Sets hard in 5 minutes
- Conforms to EN 204
- D4 strength



STOCK CODE	SIZE	
PU750ML	750g	25

MITRE FAST BONDING KIT

- Suitable for bonding of MDF, rubber, PVCu, metals etc.
- Available in an industrial shrink-wrapped pack
- Bonds within 10 seconds
- High viscosity adhesive – low soak in to give greater bond strength than conventional cyanoacrylates on porous surfaces
- Economical in use



STOCK CODE	SIZE	
MITREBOND	400ml	6

PRO 40 P EXPANDING WOOD GLUE

BOX OF 6

Water resistant timber adhesive
Professional quality, high strength and fast drying, PU liquid timber adhesive.

- Excellent water resistance: D4 (DIN EN 204)
- Easy application
- Foaming penetration action to fill uneven surfaces
- Can be used on damp/humid wood surfaces
- 15 minute open time



STOCK CODE	
P40PADH	1

For fast delivery
call our sales team on
020 8699 6777

or to order online visit
www.selkent.com

SCHTUK D3 PVA

All purpose weatherproof wood adhesive, high quality resin based adhesive for all wood to wood bonding. Internal and external use. Dries clear, easy water clean-up. Conforms to the international standard EN 204 (D3) BSEN 14256.



STOCK CODE	SIZE	
PVAWG1L	1 ltr	12
PVAWG5L	5 ltr	4

EVO BOND PVA GLUE

- For plastering, rendering, sealing and dust-proofing
- Excellent primer for most surfaces - improves adhesion
- Improves workability and adhesion when used as an admixture
- Seals concrete floors, plaster and rendering
- Standard and Waterproof PVA grades available



STOCK CODE	SIZE	
EVOEPVA5L	5 ltr	1

WOOD FILLER

Fast-drying exterior and interior wood filler easy to mix and apply and completely weatherproof.



STOCK CODE	COLOUR	SIZE	
2PARTFILMH	MAHOGANY	500G	6
2PARTFILNT	NATURAL	500G	6
2PARTFILWH	WHITE	500G	6

PVA BOND / SEALER

For use with:

- Plaster
- Cement
- Timber



STOCK CODE	SIZE	
PVA5L	5 ltr	1

ISOPON P38 EASY SANDING BODY FILLER TIN



U-POL P38 polyester filler is a two component chemical paste used for the filling of holes and imperfections in surfaces such as steel and GRP. Its special formula combines good filling and smooth spreading properties together with ease of sanding.

STOCK CODE	SIZE	
UPOP38S	250ml	1

ISOPON P40 BODY FILLER FOR HOLES



U-Pol Glass Fibre Repair Paste is a two-component bridging filler paste designed to repair damaged body panels on vehicles, steel and GRP.
It forms a very hard durable surface and can be sanded and shaped if required. It is easily covered with standard polyester filler or can be overpainted directly.

STOCK CODE	SIZE	
UPOP40S	250ml	1

ALL PURPOSE CONTACT ADHESIVE

A premium rubber-based contact adhesive, adheres to most common surfaces, exceptional bond strength.

Can be used for: bonding decorative laminates, all types of wood, rigid PVC, ABS, cork, linoleum, rubber, stone, metals and dense fabrics.

Excellent weathering and aging properties.



STOCK CODE	SIZE	
CONTADH1L	750ml	12

BOSTIK FAST TAK CONTACT ADHESIVE

- Repositionable aerosol adhesive
- Ideal for presentations, crafts and minor household repairs
- Good for bonding a variety of materials and mounting paper onto card



STOCK CODE	SIZE	
BST80215	500ml	6

CONTACT ADHESIVE SPRAY

Stick 2 Spray Contact Adhesive is a sprayable glue which bonds to most common materials including wood, concrete, stone, tiles, rubber, foam, metals, rigid plastics, canvas fabrics, cardboard, paper and cork.



STOCK CODE	SIZE	
CONAD500	500ml	12

MIRROR ADHESIVE

A one component solvent free adhesive based on Hybrid Polymer technology that is specially formulated for bonding mirrors to most common surfaces.
The totally neutral curing system will not attack the mirror backing.



STOCK CODE	SIZE	
MIRADH	290ml	12

THREAD LOCK GP BLUE

A medium strength, self curing, anaerobic adhesive for locking threads on most nuts, bolts and screws which may need to be disassembled. Can be used on "as received" and oil contaminated threads/nuts.

- Medium strength for easy disassembly if necessary
- Gap filling to 0.25mm
- Quick initial bond (5-10 minutes)



STOCK CODE	SIZE	
THL01	10ml	10

BOND-LOC THREAD LOCKER

An anaerobic formulation designed to be used on parts in an as received condition, such as those with protective films (oils) etc.

- Resin: Mod Methacrylate
- Cure speed: <15 mins @ 20°C
- Gap fill: 0.1mm
- Max. Operating Temp. -53°C to + 150°C
- Full Cure Time: 24 hours



STOCK CODE	SIZE	
THL02	10ml	10

PLASTER STOP BEAD

GALV



STOCK CODE	SIZE	
BEAD10S3.0	10mm x 3.0m	50
BEAD13S3.0	13mm x 3.0m	50

EXTERNAL RENDER STOP BELLCAST

GALV



STOCK CODE	SIZE	
BEADRS3.0	3.0m	50


CORNER PROFILE

30mm – 33mm – 150mm – 150mm – 33mm – 30mm
x 3 metres 3mm Aluminium 5251



STOCK CODE	
CAC-3-150	1

ANGLE FILLET WITH FLANGE



STOCK CODE	SIZE	
ANGFIL25	25mm	50

HAND NAIL PLATE



STOCK CODE	SIZE	
NAILPL5080	50mm x 80mm	50
NAILPL50150	50mm x 150mm	50
NAILPL80200	80mm x 200mm	50
NAILPL100150	100mm x 150mm	50
NAILPL150150	150mm x 150mm	50

British Gypsum THISTLE THIN COAT ANGLE BEAD



STOCK CODE	SIZE	
BGAB2.4	2.4m	50

FRAMING ANCHOR UNIVERSAL



STOCK CODE	SIZE	
FRAMANCH	125mm x 42mm x 42mm	200

GYPLINER BRACKET



STOCK CODE	SIZE	MAX.STAND OFF	
GL2BRACK	GL2 - 195mm	75mm	100
GL9BRACK	GL9 - 295mm	125mm	100
GL12BRACK	GL12 - 395mm	175mm	100

PERFORATED THIN COAT BEAD


GALV



STOCK CODE	LENGTH	
BEADTCA2.4	2.4m	50
BEADTCA2.7	2.7m	50
BEADTCA3.0	3.0m	50

ANGLE BEAD 43mm WING


GALV



STOCK CODE	SIZE	
BEADGA2.4	2.4m	50
BEADGA2.7	2.7m	50
BEADGA3.0	3.0m	50

PLASTERBOARD EDGE BEAD

GALV



STOCK CODE	SIZE	
BEADEDG9.5	9.5mm x 3.0m	50
BEADEDG12.5	12.5mm x 3.0m	50
BEADEDG15	15mm x 3.0m	50

DRYWALL ARCH STOP BEAD

THIN COAT

GALV




STOCK CODE	SIZE	
BEADTCS2.4	3mm x 2.4m	50
BEADTCS3.0	3mm x 3.0m	50

CEILING WIRE
GALV




STOCK CODE	SIZE	
CEILINGWIRE	0.9mm / 0.5kg	25

EXPANDED LATH



STOCK CODE	SIZE	
STAINLESS STEEL		
SSLATH	2440mm x 685mm	10
GALVANISED		
GVLATH	2440mm x 685mm	10

RIB LATH




STOCK CODE	SIZE	
STAINLESS STEEL		
SSRIBLATH	2440mm x 685mm	10
GALVANISED		
GVRIBLATH	2440mm x 685mm	10

PLASTIC THIN COAT BEAD COAT BEAD




STOCK CODE	SIZE	
PTC002F2500	2500mm	25

PLASTIC ANGLE BEAD
WHITE



STOCK CODE	SIZE	
PAB010F3000	3000mm x 10mm	25
PAB015F3000	3000mm x 15mm	25
PAB020F3000	3000mm x 18mm - 20mm	25

PLASTIC FLEXIBLE THIN COAT BEAD



STOCK CODE	SIZE	
PFB001F2500	2500mm	25
PFB001F3000	3000mm	25

WHITE PLASTIC BELL CAST BEAD



STOCK CODE	SIZE	
PBC010F3000	3000mm x 10mm	25
PBC015F3000	3000mm x 15mm	25
PBC020F3000	3000mm x 20mm	25


PLASTIC STOP BEAD

WHITE




STOCK CODE	SIZE	
PSB010F3000	3000mm x 10mm	25
PSB013F2500	2500mm x 10mm - 15mm	25
PSB015F3000	3000mm x 15mm	25
PSB020F3000	3000mm x 18mm - 20mm	25

WHITE PLASTIC MOVEMENT BEAD



STOCK CODE	SIZE	
PMB010F2500	2500mm x 10mm	25
PMB015F2500	2500mm x 15mm	25
PMB020F2500	2500mm x 20mm	25

PIGTAIL FIXING SCREW



STOCK CODE	SIZE	
PTAILSCR100	100mm	100

LIGHT DUTY BENT WINDOW BRACKET



STOCK CODE	SIZE	
RSLD150B	150mm x 25mm x 13mm	100

SCREW-IN FRAME TIE



STOCK CODE	SIZE	
OWLSCRFRTIE	145mm	50

HERRINGBONE JOIST STRUT



STOCK CODE	SIZE	
HERING400	400mm	100
HERING600	600mm	100

STOCK LEVELS

98.83%

FULFILMENT RATE

RESTRAINT STRAP



FLAT

STOCK CODE	SIZE	
HEAVY DUTY		
RSHD800F	800mm	20
RSHD1000F	1000mm	20
RSHD1200F	1200mm	20
RSHD1500F	1500mm	20
LIGHT DUTY		
RSLD800F	800mm	20
RSLD1000F	1000mm	20
RSLD1200F	1200mm	20
RSLD1500F	1500mm	20



TWIST

STOCK CODE	SIZE	
HEAVY DUTY		
RSHD800T	800mm x 100mm	20
RSHD1000T	1000mm x 100mm	20
RSHD1200T	1200mm x 100mm	20
RSHD1500T	1500mm x 100mm	20
LIGHT DUTY		
RSLD800T	800mm x 100mm	20
RSLD1000T	1000mm x 100mm	20
RSLD1200T	1200mm x 100mm	20
RSLD1500T	1500mm x 100mm	20



BEND

STOCK CODE	SIZE	
HEAVY DUTY		
RSHD800B	800mm x 150mm	20
RSHD1000B	1000mm x 150mm	20
RSHD1200B	1200mm x 150mm	20
RSHD1500B	1500mm x 150mm	20
LIGHT DUTY		
RSLD300B	300mm x 100mm	20
RSLD800B	800mm x 100mm	20
RSLD1000B	1000mm x 100mm	20
RSLD12000B	1200mm x 100mm	20
RSLD1500B	1500mm x 100mm	20

BESPOKE SIZES AVAILABLE ON REQUEST FOR THE WHOLE RANGE

MEDIUM DUTY LONG LEG HANGER

STOCK CODE	SIZE	
LLJIF47	47mm x 460mm	30
LLJIF50	50mm x 460mm	30
LLJIF63	63mm x 460mm	30
LLJIF75	75mm x 460mm	30
LLJIF88	88mm x 460mm	30
LLJIF100	100mm x 460mm	30
LLJIF125	125mm x 460mm	30
LLJIF150	150mm x 460mm	30



LIGHT DUTY STANDARD LEG HANGER

STOCK CODE	SIZE	
ST38	38mm x 270mm	50
ST47	47mm x 270mm	50
ST50	50mm x 270mm	50
ST63	63mm x 270mm	50
ST75	75mm x 270mm	50
ST100	100mm x 270mm	50
ST125	125mm x 270mm	50
ST150	150mm x 270mm	50



MASONRY HANGER

STOCK CODE	SIZE	
SMH38X100	38mm mm x 100mm	30
SMH38X125	38mm mm x 125mm	30
SMH38X150	38mm mm x 150mm	30
SMH38X175	38mm mm x 175mm	30
SMH38X200	38mm mm x 200mm	30

STOCK CODE	SIZE	
SMH38X225	38mm mm x 225mm	30
SMH38X250	38mm mm x 250mm	30
SMH38X275	38mm mm x 275mm	30
SMH44X100	44mm mm x 100mm	30
SMH44X125	44mm mm x 125mm	30



[cont.] ➞

MASONRY HANGER


STOCK CODE	SIZE	
SMH44X150	44mm x 150mm	30
SMH44X175	44mm x 175mm	30
SMH44X200	44mm x 200mm	30
SMH44X225	44mm x 225mm	30
SMH44X250	44mm x 250mm	30
SMH44X275	44mm x 275mm	30
SMH47X100	47mm x 100mm	30
SMH47X125	47mm x 125mm	30
SMH47X150	47mm x 150mm	30
SMH47X175	47mm x 175mm	30
SMH47X200	47mm x 200mm	30
SMH47X225	47mm x 225mm	30
SMH47X250	47mm x 250mm	30
SMH47X275	47mm x 275mm	30
SMH50X100	50mm x 100mm	30
SMH50X125	50mm x 125mm	30
SMH50X150	50mm x 150mm	30
SMH50X175	50mm x 175mm	30
SMH50X200	50mm x 200mm	30
SMH50X225	50mm x 225mm	30
SMH50X250	50mm x 250mm	30
SMH50X275	50mm x 275mm	30
SMH63X100	63mm x 100mm	30
SMH63X125	63mm x 125mm	30
SMH63X150	63mm x 150mm	30
SMH63X175	63mm x 175mm	30
SMH63X200	63mm x 200mm	30
SMH63X225	63mm x 225mm	30

STOCK CODE	SIZE	
SMH63X250	63mm x 250mm	30
SMH63X275	63mm x 275mm	30
SMH75X100	75mm x 100mm	30
SMH75X125	75mm x 125mm	30
SMH75X150	75mm x 150mm	30
SMH75X175	75mm x 175mm	30
SMH75X200	75mm x 200mm	30
SMH75X225	75mm x 225mm	30
SMH75X250	75mm x 250mm	30
SMH75X275	75mm x 275mm	30
SMH100X100	100mm x 100mm	30
SMH100X125	100mm x 125mm	30
SMH100X150	100mm x 150mm	30
SMH100X175	100mm x 175mm	30
SMH100X200	100mm x 200mm	30
SMH100X225	100mm x 225mm	30
SMH100X250	100mm x 250mm	30
SMH125X125	125mm x 125mm	30
SMH125X150	125mm x 150mm	30
SMH125X175	125mm x 175mm	30
SMH125X200	125mm x 200mm	30
SMH125X225	125mm x 225mm	30
SMH125X250	125mm x 250mm	30
SMH150X150	150mm x 150mm	30
SMH150X175	150mm x 175mm	30
SMH150X200	150mm x 200mm	30
SMH150X225	150mm x 225mm	30
SMH150X250	150mm x 250mm	30



MULTI TRUSS HANGER

STOCK CODE	SIZE	
FFH240/38	240mm x 38mm	30
FFH240/44	240mm x 44mm	30
FFH240/47	240mm x 47mm	30
FFH240/50	240mm x 50mm	30
FFH340/38	340mm x 38mm	30
FFH340/44	340mm x 44mm	30
FFH340/47	340mm x 47mm	30
FFH340/50	340mm x 50mm	30
FFH340/63	340mm x 63mm	30
FFH340/75	340mm x 75mm	30
FFH380/100	380mm x 100mm	30
FFH380/38	380mm x 38mm	30
FFH380/44	380mm x 44mm	30



[cont.] ➞

MULTI TRUSS HANGER



STOCK CODE	SIZE	
FFH380/47	380mm x 47mm	30
FFH380/50	380mm x 50mm	30
FFH380/63	380mm x 63mm	30
FFH380/75	380mm x 75mm	30
FFH380/88	380mm x 88mm	30
FFH440/38	440mm x 38mm	30
FFH440/47	440mm x 47mm	30
FFH440/50	440mm x 50mm	30
FFH440/63	440mm x 63mm	30
FFH440/75	440mm x 75mm	30
FFH440/100	440mm x 100mm	30
FFH440/125	440mm x 125mm	30
FFH440/150	440mm x 150mm	30
FFH500/38	500mm x 38mm	20
FFH500/44	500mm x 44mm	20
FFH500/47	500mm x 47mm	20
FFH500/50	500mm x 50mm	20
FFH500/63	500mm x 63mm	20
FFH500/75	500mm x 75mm	20
FFH500/88	500mm x 88mm	20
FFH500/91	500mm x 91mm	20
FFH500/100	500mm x 100mm	20
FFH500/125	500mm x 125mm	20
FFH500/150	500mm x 150mm	20
FFH560/38	560mm x 38mm	20
FFH560/44	560mm x 44mm	20
FFH560/47	560mm x 47mm	20
FFH560/50	560mm x 50mm	20
FFH560/63	560mm x 63mm	20
FFH560/75	560mm x 75mm	20
FFH560/88	560mm x 88mm	20
FFH560/100	560mm x 100mm	20
FFH560/125	560mm x 125mm	20
FFH560/150	560mm x 150mm	20
FFH560/200	560mm x 200mm	20
FFH620/38	620mm x 38mm	20
FFH620/44	620mm x 44mm	20
FFH620/47	620mm x 47mm	20
FFH620/50	620mm x 50mm	20
FFH620/63	620mm x 63mm	20
FFH620/75	620mm x 75mm	20
FFH620/88	620mm x 88mm	20
FFH620/91	620mm x 91mm	20
FFH620/100	620mm x 100mm	20
FFH620/125	620mm x 125mm	20
FFH620/150	620mm x 150mm	20
FFH620/200	620mm x 200mm	20
FFH620/225	620mm x 225mm	20

CORNER STRETCHER PLATE



STOCK CODE	SIZE	
STRETCHPL	38mm x 25mm x 25mm	100

CORNER BRACKET



STOCK CODE	SIZE	
75MMCORNBRAC	75mm x 75mm x 15mm	100
100MMCORNBRAC	100mm x 100mm x 18mm	100

TRUSS CLIP



STOCK CODE	SIZE	
TRUSSCL50	50mm	50

MENDING PLATE



STOCK CODE	SIZE	
MEND75	75mm	100
MEND100	100mm	100

ANGLE BRACKET



STOCK CODE	SIZE	
ANGBR606040	60mm x 60mm x 40mm	50
ANGBR909060	90mm x 90mm x 60mm	50
ANGBR505060	50mm x 50mm x 60mm	50
ANGBR1509060	150mm x 90mm x 60mm	50
ANGBR15015060	150mm x 150mm x 60mm	50

HELICAL STITCHING BAR

Helical bars are chemically bonded into horizontal slots, cut in bed joints, which stitch across the crack.



STOCK CODE	SIZE	FINISH	
HSB6X1000	6mm x 1000mm	Stainless	10

FIXING BAND



STOCK CODE	SIZE	FINISH	
FIXBANDSS	20mm x 10m	Stainless	1
FIXBG20X10M	20mm	Galv	1

TIMBER CONNECTOR



STOCK CODE	TYPE	SIZE	
SINGSIDTC	SINGLE SIDED	M12 x 50mm	100
3198	DOUBLE SIDED . BZP	M12 x 50mm	100

CORNER PLATE


BZP



STOCK CODE	SIZE	
CORBZP75	75mm	100
CORBZP100	100mm	100

BRICK REINFORCEMENT COIL


For internal and external plaster key applications and anti-crack control.
Galvanised materials are manufactured from steel to DX51.BSEN 10142 (g 275).
Stainless steel materials are manufactured from steel to EN 10088-2 grade 1.4301 standard supersedes BS1449 Part 2: 1983 grade 304 S15).



STOCK CODE	SIZE	
GALV		
GBR65MM	65mm x 20m	1
GBR100MM	100mm x 20m	1
GBR175MM	175mm x 20m	1
GBR225MM	225mm x 20m	1
GBR305MM	305mm x 20m	1
STAINLESS		
SBR65MM	65mm x 20m	1
SBR100MM	100mm x 20m	1
SBR175MM	175mm x 20m	1
SBR225MM	225mm x 20m	1


For fast delivery
call our sales team on
020 8699 6777
or to order online visit
www.selkent.com

SFJC JOIST CAP



STOCK CODE	SIZE	
8224	50mm x 225mm	1
8225	100mm x 225mm	1
8226	50mm x 305mm	1
8227	100mm x 305mm	1


SURFACE FIXED CHANNEL SYSTEM



STOCK CODE	SIZE	
25/14SSCHANN	2.7m	1

SLOTTED INTERNAL HEAD RESTRAINT

STAINLESS STEEL




STOCK CODE	
IHRHEADRES	1

STAINLESS STEEL STRUCTURAL BED JOINT REINFORCEMENT



STOCK CODE	SIZE	
LADREIN60	60mm x 3mm x 2.7m	20
LADREIN100	100mm x 3mm x 2.7m	20
LADREIN150	150mm x 3mm x 2.7m	20
LADREIN175	175mm x 3mm x 2.7m	20


2 PART HEAD RESTRAINT FHR



STOCK CODE	
FHRHEADRES	10

TWO PART CAVITY WALL TIE


ST/ ST



STOCK CODE	CAVITY	
2PTTIE150CAV	150mm	1
2PTTIE175CAV	175mm	1
2PTTIE200CAV	200mm	1
2PTTIE225CAV	225mm	1
2PTTIE250CAV	250mm	1
2PTTIE275CAV	275mm	1
2PTTIE300CAV	300mm	1

CHANNEL TIE


HADLEY ULTRA BRICK TIE 25/14 COLD ROLL-FORMED STEEL CHANNEL




STOCK CODE	OPEN CAVITY	TIE LENGTHS	
25/14-100MM	35mm - 59mm	100mm	250
25/14-125MM	60mm - 84mm	125mm	250
25/14-150MM	85mm - 109mm	150mm	250
25/14-175MM	110mm - 134mm	175mm	250
25/14-200MM	135mm - 159mm	200mm	250

STOCK CODE	OPEN CAVITY	TIE LENGTHS	
25/14-225MM	160mm - 184mm	225mm	250
25/14-250MM	185mm - 209mm	250mm	100
25/14-275MM	210mm - 234mm	275mm	100
25/14-300MM	235mm - 259mm	300mm	100

FRAME CRAMP




STOCK CODE	SIZE	
NO DRIP		
SAFCRAM75SS	75mm	250
SAFCRAM100SS	100mm	250
SAFCRAM125SS	125mm	250
SAFCRAM150SS	150mm	250
SAFCRAM175SS	175mm	250
SAFCRAM200SS	200mm	250
SAFCRAM225SS	225mm	250



STOCK CODE	SIZE	
WITH DRIP		
SAFCRAM75SSD	75mm	250
SAFCRAM100SSD	100mm	250
SAFCRAM125SSD	125mm	250
SAFCRAM150SSD	150mm	250
SAFCRAM175SSD	175mm	250
SAFCRAM200SSD	200mm	250
SAFCRAM225SSD	225mm	250


SAFETY CRAMP

GALV



STOCK CODE	SIZE	
SAFCRAM-100G	100mm	250
SAFCRAM-150G	150mm	250
SAFCRAM-200G	200mm	250


TIMBER FRAME TIE



STOCK CODE	SIZE	CAVITY	
TIMFRAMTIE125	125mm	50mm	250
TIMFRAMTIE150	150mm	75mm	250
TIMFRAMTIE175	175mm	100mm	250

CHANNEL END CAP BLACK

STOCK CODE	SIZE	
3224	41mm x 21mm	100
3225	41mm x 41mm	100




SLIDING ANCHOR STEM & TIES SYSTEM

ONE WAY


STOCK CODE	SIZE	
SATIE100	100mm	1
SATIE135	135mm	1
SATIE150	150mm	1
SATIE190	190mm	1

TWO WAY

STOCK CODE	SIZE	
SATIE200	200mm	1
SATIE230	230mm	1
SATIE300	300mm	1




STOCK CODE	SIZE	
SASTEM340	340mm	1
SASTEM400	400mm	1
SASTEM450	450mm	1
SASTEM500	500mm	1
SASTEM600	600mm	1



WALL TIE






STOCK CODE	SIZE	
TYPE 1		
TYPE1TIE-200	200mm	250
TYPE1TIE-225	225mm	250
TYPE1TIE-250	250mm	250
TYPE1TIE-275	275mm	250
TYPE1TIE-300	300mm	250

STOCK CODE	SIZE	
TYPE 2		
TYPE2TIE-200	200mm	250
TYPE2TIE-225	225mm	250
TYPE2TIE-250	250mm	250
TYPE2TIE-275	275mm	250
TYPE2TIE-300	300mm	250

STOCK CODE	SIZE	
TYPE 4		
TYPE4TIE-200	200mm	250
TYPE4TIE-225	225mm	250
TYPE4TIE-250	250mm	250
TYPE4TIE-275	275mm	250

DOUBLE TRIANGLE CAVITY WALL TIE

ST/ ST



STOCK CODE	SIZE	
DOUBTRI200	200mm	250
DOUBTRI225	225mm	250
DOUBTRI250	250mm	250
DOUBTRI300	300mm	250

QUICK ANSWERING
2 RINGS
AVERAGE PHONE CALL PICK-UP TIME

DE-BONDING SLEEVE

PACK OF 250



STOCK CODE	
DEBONDSL	250


WALL TIE INSULATION CLIP

UNIVERSAL - PACK OF 250



STOCK CODE	
TIEINSULCLIP	1

CAVITY CLOSER



STOCK CODE	SIZE	
CAVCLOSE100	100mm x 2.4m	20
CAVCLOSE150	150mm x 2.4m	20

TIE SAFETY PLAIN END

SLEEVE NOT INCLUDED




STOCK CODE	SIZE	
SPE150	150mm	250
SPE200	200mm	250
SPE225	225mm	250
SPE250	250mm	250
SPE300	300mm	250

EXPANSION JOINT FOAM


10 METRE ROLL

STOCK CODE	SIZE	
10X100EXPJOINT	10mm x 100mm	1
10X140EXPJOINT	10mm x 140mm	1



PLASTIC AIRBRICK


PACK OF 20



STOCK CODE	COLOUR	SIZE	
AIRBRICKBLUEBL	Blue/Black	215mm x 69mm x 60mm	1
AIRBRICKBLACK	Black	216mm x 69mm x 60mm	1
AIRBRICKBROWN	Brown	217mm x 69mm x 60mm	1
AIRBRICKBUFF	Buff	218mm x 69mm x 60mm	1
AIRBRICKGREY	Grey	219mm x 69mm x 60mm	1
AIRBRICKTERRAC	Terracotta	220mm x 69mm x 60mm	1
AIRBRICKWHITE	White	221mm x 69mm x 60mm	1

DUO CAVITY SOCKS

Thermal and acoustic 60 minute fire rated fire stops for installation within external cavity and timber frame walls to restrict the spread of smoke and flames and minimise the effect of flanking noise at wall junctions.
Lengths of low resin, non-combustible Rockfibre mineral wool, sleeved in 50 micron polythene for on-site weather protection. Designed to friction fit within the cavity and can be installed both vertically and horizontally during construction.



STOCK CODE	SIZE	CAVITY SIZE	
FIRESOCK100	1200mm	100mm	20
OTHER SIZES AVAILABLE UPON REQUEST			

PEEP/INVISI VENT

ULTRA CLEAR



STOCK CODE	SIZE	
PEEPULTCLR	L101mm x H66mm x W10mm	200

WALL STARTER KIT

- 2x1165mm profiles designed to be overlapped
- 10 twist and slide wall ties
- 5 Coach screws to secure profile to existing wall
- Wallplugs & Washers



STOCK CODE	SIZE	
WALLSTART	KIT x 2.4m	10


WEEP VENT

ULTRA CLEAR -PACK OF 50



STOCK CODE	SIZE	
WEEPULTCLR	L102 x H66 x W10mm	100

INVISIWEEP



STOCK CODE	SIZEmm	COLOUR	
PEEPBUF	H65mm x W10mm x L102mm	Buff	50
PEEPTERA	H65mm x W10mm x L102mm	Terracotta	50
PEEPCLR	H65mm x W10mm x L102mm	Clear	50
PEEPBLUE/BL	H65mm x W10mm x L102mm	Blue/Black	50
PEEPGREY	H65mm x W10mm x L102mm	Grey	50
PEEPBROWN	H65mm x W10mm x L102mm	Brown	50
PEEPWHITE	H65mm x W10mm x L102mm	White	50
PEEPBLACK	H65mm x W10mm x L102mm	Black	50

METAL FIRE RATED WEEP VENT



STOCK CODE	
PEEPMETAL	50

CAVITY WALL WEEP



H 65 x W 10 x L 100mm

STOCK CODE	COLOUR	
WEEPBUF	Buff	50
WEEPTERA	Terracotta	50
WEEPCLR	Clear	50
WEEPBLUE/BL	Blue/Black	50
WEEPGREY	Grey	50
WEEPBROWN	Brown	50
WEEPWHITE	White	50
WEEPBLACK	Black	50


CLEAR WEEP TUBE




STOCK CODE	SIZE	
WEEPTUBE	500mm LONG	1

TELESCOPIC UNDERFLOOR VENT

UP TO 5 COURSES





STOCK CODE	TYPE		
TUVUPTO5	Telescopic Underfloor Vent	Up to 5 Courses	20
TUV5-7C	Telescopic Underfloor Vent	5-7 Courses	20
UVH+115	Underfloor Vent Horizontal F	Front Extension +115mm	20
UVH+150	Underfloor Vent Vertical	Extension +150mm	20
UVDAUPTP110	Underfloor Vent Duct Adapter	to suit 110mm diameter	20
UVHREXT+100	Underfloor Vent Horizontal	Rear Extension +100mm	20

A1 FIRE-RATED METAL AIR BRICK AND DUCTING KIT



A must for multi-storey developments

- A1 fire-rated ducting kits in a range of sizes and finishes
- A1 fire-rated cavity weep hole duct
- Compliant to 18m Regulation 7(2) and Document B
- Compliant to 11m Building Standards Scotland 2.7

Custom sizing and bespoke design service available

APEX TRAY




STOCK CODE	
APEXTRAY	25

INTERMEDIATE TRAY



STOCK CODE	TYPE	
INTTRAYRH	RH	25
INTTRAYLH	LH	25

SHORT BLOCKWORK INTERMEDIATE TRAY



STOCK CODE	TYPE	
ITSBLOCKRH	RH	25
ITSBLOCKLH	LH	25

LONG BLOCKWORK INTERMEDIATE TRAY




STOCK CODE	TYPE	
ITLBLOCKRH	RH	25
ITLBLOCKLH	LH	25

BLOCKWORK CATCHMENT TRAY



STOCK CODE	TYPE	
BLCATCTRAYRH	RH	25
BLCATCTRAYLH	LH	25

BLOCKWORK CORNER CATCHMENT TRAY




STOCK CODE	TYPE	
BLCATCORNRH	RH	25
BLCATCORNLH	LH	25

CATCHMENT TRAY



STOCK CODE	
CATCHTRAY	25

CORNER CATCHMENT TRAY



STOCK CODE	TYPE	
CORNTRAYRH	RH	25
CORNTRAYLH	LH	25

REFURBISHMENT TRAY




STOCK CODE	
REFURBTRAY	25

HORIZONTAL TRAY




STOCK CODE	
HORIZTRAY	25

INTERNAL CORNER




STOCK CODE	
INTERNCORN	25

EXTERNAL CORNER



STOCK CODE	
EXTERNCORN	25

STOP END



STOCK CODE	TYPE	
STOPENDRH	RH	1
STOPENDLH	LH	1

COMPRESSION SLEEVES

ST/ST



STOCK CODE	SIZE	
COMSLEEV75SS	75mm	1
COMSLEEV100SS	100mm	1
COMSLEEV125SS	125mm	1
COMSLEEV150SS	150mm	1
COMSLEEV180SS	180mm	1

DOUBLE BRACKET

GRADE 316/A4SS STAINLESS



STOCK CODE	SIZE	
CSD-2-40	45x40x150x2	1
CSD-3-40	45x40x150x3	1
CSD-4-40	45x40x150x4	1
CSD-2-60	45x60x150x2	1
CSD-3-60	45x60x150x3	1
CSD-4-60	45x60x150x4	1
CSD-2-80	45x80x150x2	1
CSD-3-80	45x80x150x3	1
CSD-4-80	45x80x150x4	1
CSD-2-100	45x100x150x2	1
CSD-3-100	45x100x150x3	1
CSD-4-100	45x100x150x4	1
CSD-2-120	45x120x150x2	1
CSD-3-120	45x120x150x3	1
CSD-4-120	45x120x150x4	1
CSD-2-140	45x140x150x2	1
CSD-3-140	45x140x150x3	1
CSD-4-140	45x140x150x4	1
CSD-2-160	45x160x150x2	1
CSD-3-160	45x160x150x3	1
CSD-4-160	45x160x150x4	1
CSD-2-180	45x180x150x2	1
CSD-3-180	45x180x150x3	1
CSD-4-180	45x180x150x4	1
CSD-2-200	45x200x150x2	1
CSD-3-200	45x200x150x3	1
CSD-4-200	45x200x150x4	1
CSD-2-220	45x220x150x2	1
CSD-3-220	45x220x150x3	1
CSD-4-220	45x220x150x4	1
CSD-2-240	45x240x150x2	1
CSD-3-240	45x240x150x3	1
CSD-4-240	45x240x150x4	1
CSD-2-260	45x260x150x2	1
CSD-3-260	45x260x150x3	1
CSD-4-260	45x260x150x4	1
CSD-2-280	45x280x150x2	1
CSD-3-280	45x280x150x3	1
CSD-4-280	45x280x150x4	1
CSD-2-300	45x300x150x2	1
CSD-3-300	45x300x150x3	1
CSD-4-300	45x300x150x4	1
CSD-2-320	45x320x150x2	1

STOCK CODE	SIZE	
CSD-4-320	45x320x150x4	1
CSD-3-320	45x320x250x3	1
CSD-2-340	45x340x150x2	1
CSD-3-340	45x340x150x3	1
CSD-4-340	45x340x150x4	1
CSD-2-360	45x360x150x2	1
CSD-3-360	45x360x150x3	1
CSD-4-360	45x360x150x4	1
CSDD3-360	45x360x250x3	1
CSD-2-380	45x380x150x2	1
CSD-3-380	45x380x150x3	1
CSD-4-380	45x380x150x4	1
CSD-2-400	45x400x150x2	1
CSD-3-400	45x400x150x3	1
CSD-4-400	45x400x150x4	1
CSDD-3-40	45x40x250x3	1
CSDD-3-60	45x60x250x3	1
CSDD-3-80	45x80x250x3	1
CSDD-3-100	45x100x250x3	1
CSDD-3-120	45x120x250x3	1
CSDD-3-140	45x140x250x3	1
CSDD-3-160	45x160x250x3	1
CSDD-3-180	45x180x250x3	1
CSDD-3-200	45x200x250x3	1
CSDD-3-220	45x220x250x3	1
CSDD-3-240	45x240x250x3	1
CSDD-3-260	45x260x250x3	1
CSDD-3-280	45x280x250x3	1
CSDD-3-300	45x300x250x3	1
CSDD-3-340	45x340x250x3	1
CSDD-3-380	45x380x250x3	1
CSDD-3-400	45x400x250x3	1

SINGLE BRACKET

GRADE 316/A4SS STAINLESS

STOCK CODE	SIZE	
CSS-2-40	45x40x75x2	1
CSS-3-40	45x40x75x3	1
CSS-4-40	45x40x75x4	1
CSS-2-60	45x60x75x2	1
CSS-3-60	45x60x75x3	1
CSS-4-60	45x60x75x4	1
CSS-2-80	45x80x75x2	1
CSS-3-80	45x80x75x3	1
CSS-4-80	45x80x75x4	1
CSS-2-100	45x100x75x2	1
CSS-3-100	45x100x75x3	1
CSS-4-100	45x100x75x4	1
CSS-2-120	45x120x75x2	1
CSS-3-120	45x120x75x3	1
CSS-4-120	45x120x75x4	1
CSS-2-140	45x140x75x2	1
CSS-3-140	45x140x75x3	1
CSS-4-140	45x140x75x4	1
CSS-2-160	45x160x75x2	1
CSS-3-160	45x160x75x3	1
CSS-4-160	45x160x75x4	1
CSS-2-180	45x180x75x2	1
CSS-3-180	45x180x75x3	1
CSS-4-180	45x180x75x4	1
CSS-2-200	45x200x75x2	1
CSS-3-200	45x200x75x3	1
CSS-4-200	45x200x75x4	1
CSS-2-220	45x220x75x2	1
CSS-3-220	45x220x75x3	1
CSS-4-220	45x220x75x4	1
CSS-2-240	45x240x75x2	1
CSS-3-240	45x240x75x3	1
CSS-4-240	45x240x75x4	1
CSS-2-260	45x260x75x2	1



STOCK CODE	SIZE	
CSS-3-260	45x260x75x2	1
CSS-4-260	45x260x75x4	1
CSS-2-280	45x280x75x2	1
CSS-3-280	45x280x75x3	1
CSS-4-280	45x280x75x4	1
CSS-2-300	45x300x75x2	1
CSS-3-300	45x300x75x3	1
CSS-4-300	45x300x75x4	1
CSS-2-320	45x320x75x2	1
CSS-3-320	45x320x75x3	1
CSS-4-320	45x320x75x4	1
CSS-2-340	45x340x75x2	1
CSS-3-340	45x340x75x3	1
CSS-4-340	45x340x75x4	1
CSS-2-360	45x360x75x2	1
CSS-3-360	45x360x75x3	1
CSS-4-360	45x360x75x4	1
CSS-2-380	45x380x75x2	1
CSS-3-380	45x380x75x3	1
CSS-4-380	45x380x75x4	1
CSS-2-400	45x400x75x2	1
CSS-3-400	45x400x75x3	1
CSS-4-400	45x400x75x4	1

DOUBLE BRACKET

ALUMINIUM



STOCK CODE	SIZE	
CAD-3-40	45x40x150x3	1
CAD-4-40	45x40x150x4	1
CAD-5-40	45x40x150x5	1
CAD-3-60	45x60x150x3	1
CAD-4-60	45x60x150x4	1
CAD-5-60	45x60x150x5	1
CAD-3-80	45x80x150x3	1
CAD-4-80	45x80x150x4	1
CAD-5-80	45x80x150x5	1
CAD-3-100	45x100x150x3	1
CAD-4-100	45x100x150x4	1
CAD-5-100	45x100x150x5	1
CAD-3-120	45x120x150x3	1
CAD-4-120	45x120x150x4	1
CAD-5-120	45x120x150x5	1
CAD-3-140	45x140x150x3	1
CAD-4-140	45x140x150x4	1
CAD-5-140	45x140x150x5	1
CAD-3-160	45x160x150x3	1
CAD-4-160	45x160x150x4	1
CAD-5-160	45x160x150x5	1
CAD-3-180	45x180x150x3	1
CAD-4-180	45x180x150x4	1
CAD-5-180	45x180x150x5	1
CAD-3-200	45x200x150x3	1
CAD-4-200	45x200x150x4	1
CAD-5-200	45x200x150x5	1
CAD-3-220	45x220x150x3	1
CAD-4-220	45x220x150x4	1

STOCK CODE	SIZE	
CAD-5-220	45x220x150x5	1
CAD-3-240	45x240x150x3	1
CAD-4-240	45x240x150x4	1
CAD-5-240	45x240x150x5	1
CAD-3-260	45x260x150x3	1
CAD-4-260	45x260x150x4	1
CAD-5-260	45x260x150x5	1
CAD-3-280	45x280x150x3	1
CAD-4-280	45x280x150x4	1
CAD-5-280	45x280x150x5	1
CAD-3-300	45x300x150x3	1
CAD-4-300	45x300x150x4	1
CAD-5-300	45x300x150x5	1
CAD-3-320	45x320x150x3	1
CAD-4-320	45x320x150x4	1
CAD-5-320	45x320x150x5	1
CAD-3-340	45x340x150x3	1
CAD-4-340	45x340x150x4	1
CAD-5-340	45x340x150x5	1
CAD-3-360	45x360x150x3	1
CAD-4-360	45x360x150x4	1
CAD-5-360	45x360x150x5	1
CAD-3-380	45x380x150x3	1
CAD-4-380	45x380x150x4	1
CAD-5-380	45x380x150x5	1
CAD-3-400	45x400x150x3	1
CAD-4-400	45x400x150x4	1
CAD-5-400	45x400x150x5	1

SINGLE BRACKET


ALUMINIUM



STOCK CODE	SIZE	
CAS-3-40	45x40x75x3	1
CAS-4-40	45x40x75x4	1
CAS-5-40	45x40x75x5	1
CAS-3-60	45x60x75x3	1
CAS-4-60	45x60x75x4	1
CAS-5-60	45x60x75x5	1
CAS-3-80	45x80x75x3	1
CAS-4-80	45x80x75x4	1
CAS-5-80	45x80x75x5	1
CAS-3-100	45x100x75x3	1
CAS-4-100	45x100x75x4	1
CAS-5-100	45x100x75x5	1
CAS-3-120	45x120x75x3	1
CAS-4-120	45x120x75x4	1
CAS-5-120	45x120x75x5	1
CAS-3-140	45x140x75x3	1
CAS-4-140	45x140x75x4	1
CAS-5-140	45x140x75x5	1
CAS-3-160	45x160x75x3	1
CAS-4-160	45x160x75x4	1
CAS-5-160	45x160x75x5	1
CAS-3-180	45x180x75x3	1
CAS-4-180	45x180x75x4	1
CAS-5-180	45x180x75x5	1
CAS-3-200	45x200x75x3	1
CAS-4-200	45x200x75x4	1
CAS-5-200	45x200x75x5	1
CAS-3-220	45x220x75x3	1
CAS-4-220	45x220x75x4	1

STOCK CODE	SIZE	
CAS-5-220	45x220x75x5	1
CAS-3-240	45x240x75x3	1
CAS-4-240	45x240x75x4	1
CAS-5-240	45x240x75x5	1
CAS-3-260	45x260x75x3	1
CAS-4-260	45x260x75x4	1
CAS-5-260	45x260x75x5	1
CAS-3-280	45x280x75x3	1
CAS-4-280	45x280x75x4	1
CAS-5-280	45x280x75x5	1
CAS-3-300	45x300x75x3	1
CAS-4-300	45x300x75x4	1
CAS-5-300	45x300x75x5	1
CAS-3-320	45x320x75x3	1
CAS-4-320	45x320x75x4	1
CAS-5-320	45x320x75x5	1
CAS-3-340	45x340x75x3	1
CAS-4-340	45x340x75x4	1
CAS-5-340	45x340x75x5	1
CAS-3-360	45x360x75x3	1
CAS-4-360	45x360x75x4	1
CAS-5-360	45x360x75x5	1
CAS-3-380	45x380x75x3	1
CAS-4-380	45x380x75x4	1
CAS-5-380	45x380x75x5	1
CAS-3-400	45x400x75x3	1
CAS-4-400	45x400x75x4	1
CAS-5-400	45x400x75x5	1

SUB GRID



SIZE	DESCRIPTION	
SG6MTR60X40AN	60mm x 40mm x 2.2mm Aluminium T6 x 6m 6060 angle	1
SG3MTR100x40AN	100mm x 40mm x 2mm Aluminium angle 5251 x 3m S	1
SGTH3033100	Top hat/ 30-33-100-33-30 x 3m 3mm Aluminium 5251	1
SGTH3033185	Top hat/ 30-33-185-33-30 x 3m 3mm Aluminium 5251	1
SGALIT60X100X6M	60mm x 100mm x 2.2mm Aluminium 'T' 6063 T6 x 6m	1
SGALIT76x127x6M	76mm x 127mm x 4.8mm Aluminium 'T' 6063 T6 x 6m	1
CAL-2.2-60/40 6M	60mm x 40mm x 2.2mm 6060 T6 x 6m	1



WINDPOST ORDER FORM photocopy and send over to our team

CONTACT NAME.....

COMPANY NAME .....


SITE ADDRESS ..... POSTCODE.....

TEL.....EMAIL .....


ORDER NO. OR REF .....FURTHER INFORMATION.....

.....


Post Type - Please tick relevant box




SEL1 ☐



SEL2 ☐




SEL3 ☐




SEL4 ☐

Structural Opening ☐ mm



Qty Reqd = ☐ Section Size = ☐


Top Connection - Please tick required top connection type and confirm sizes / dimensions requested



☐ Steel Beam UB

UB Section = ☐


Offset "x" = ☐



☐ Steel Beam RHS

RHS Section = ☐


Offset "x" = ☐



☐ Concrete

Slab Type = ☐

Slab Depth "d" = ☐




☐ Timber

Wall Plate Size = ☐

Offset "x" = ☐


Base Connection - Please tick required base connection type and confirm sizes / dimensions requested



☐ Steel Beam UB

UB Section = ☐

Offset "x" = ☐



☐ Steel Beam RHS

RHS Section = ☐

Offset "x" = ☐



☐ Concrete


Slab Depth "d" = ☐



☐ Hollowcore

Slab Depth "d" = ☐

First Tie Position




mm

Masonry Construction Dimensions

Brick= ☐ mm

Cavity= ☐ mm

Block= ☐ mm



MASONRY ORDER FORM photocopy and send over to our team

CONTACT NAME.....


COMPANY NAME .....


SITE ADDRESS ..... POSTCODE.....


TEL.....EMAIL .....


ORDER NO. OR REF .....FURTHER INFORMATION.....

.....











SELKENT

CONSTRUCTION FIXINGS AND TOOLS

SURE SNAP
Fire Collars

SURE SNAP
Fire Collars




✔	EN 15882-3	✔	EN 13501-2	✔	EN 1366-3	✔	BS476:PART20:1987



FULL COMPLIANCE

Sure Snap Collars are the only smoke & fire collars. Smoke is the biggest cause of fatalities in high rise fires. **Most fire deaths are not caused by burns, but by smoke inhalation,** National Fire Protection Association.
Sure Snap collars meet the requirements of **BS EN 15882-3:2009** (tested under EN1366 Part 3:2009). **BRE Global** have issued independent compliance reports in relation to this testing.



INNOVATIVE SNAP OFF NAIL POINTS

The snap off nail points mean that when the formwork is struck, the nails come off with it, leaving a clean finish, with no exposed nails from the slab above.

◀ AVOIDS THIS SITUATION




PATENTED SPRING ACTIVATION TECHNOLOGY

In a fire, the patented fusible links melt and the loaded springs activate to compress the intumescent material around the penetrating pipe. As the pipe softens in the fire, the springs quickly force the pipe to collapse and the penetration is then immediately sealed with the intumescent plug that swells and protects the penetration for up to 4 hours.



PATENTED INTUMESH TECHNOLOGY

We use patented Intumesh™, a mesh-backed intumescent, to guarantee the intumescent plug remains intact and the penetration remains closed in the event of a fire.



SLAB THICKNESS

For use on slabs 150mm thickness and up. With a standard height of 250mm, Selkent offers custom cut down solutions, and collar extensions for slabs thicker than 250mm.



LOCATOR PLATE

This locator plate ensures accurate and effortless positioning of the collar during construction. The unique locator plate also ensures no slurry enters the inside of the collar during construction, ensuring correct collar performance.



INNOVATIVE CAP SYSTEM

A heavy duty reinforced removable cap, designed not to break during the construction process. A broken cap on site is a safety issue. The cap prevents any foreign materials and water from entering the collar.



STRONG HIGHLY VISIBLE CASING

Robust casing protects against the rigours of construction traffic and the pressure of concrete pours. The bright colour of the collar means it is highly visible onsite once installed.



SEALING RUBBER RING

The internal rubber ring is to seal against the pipe to prevent the ingress of foreign materials and water after the pipe is installed.



ROBUST EXTENSIONS

For larger concrete slabs like a transfer slab this is no issue when using Sure Snap, as we have stackable reinforced plastic sleeves which are 50mm high each.



RAPID CLOSING COLLAR

Our 3 minute rapid closing makes this the fastest closing collar in the world today.










65mm	110mm	150mm
SELFC-H65S	SELFC-H110S	SELFC-H150S

SELFC-H65S 65mm

LPS 1132: Issue 4 Cert/LPCB ref. C1457a/01












SELFC-H110S 110mm

LPS 1132: Issue 4 Cert/LPCB ref. C1457a/03






SELFC-H110S Connection Clips, the ingenious connection system that firmly joins collars neatly and safely, in no time at all.

SELFC-H150S 150mm

LPS 1132: Issue 4 Cert/LPCB ref. C1457a/04








SURE SNAP FIRE COLLARS

EXTENSIONS

50mm height stackable extension pieces

STOCK CODE	DESCRIPTION
SELFC-65EXT	suitable for SELFC-H65S
SELFC-110EXT	suitable for SELFC-H110S
SELFC-150EXT	suitable for SELFC-H150S



MANIFOLD RECESS FORMER

STOCK CODE	SIZE
SELFC-110MRF	110mm




COLLAR CAP

STOCK CODE	SIZE
SELFC-65CAP	65mm
SELFC-110CAP	110mm
SELFC-150CAP	150mm



LOCATOR PLATE

STOCK CODE	SIZE
SELFC-LP65	65mm
SELFC-LP110	110mm
SELFC-LP150	150mm



SELKENT OFFER A BESPOKE CUTTING DOWN SERVICE TO MATCH YOUR REQUIRED HEIGHT TO SUIT YOUR SLAB DEPTH.

Case Study 1

Project
Woodberry Down

Client
BERKELEY GROUP











Case Study 2

Project

Royal Winchester House

Client

COMER HOMES GROUP







Case Study 3

Project

Circle Square

Client

JOHN SISK & SON LTD













Case Study 4

Project
The Rushgroves

Client
L&Q









SELKENT

CONSTRUCTION FIXINGS AND TOOLS


HANDRAIL SYSTEMS

3 WAY TEE CONNECTOR GRP



STOCK CODE	COLOUR	
MH3W	YELLOW	1
MH3WG	GREY	1

LONG 4 WAY CONNECTOR GRP



STOCK CODE	COLOUR	
MH4W	YELLOW	1
MH4WG	GREY	1

UNIVERSAL 3 WAY GRP



STOCK CODE	COLOUR	
MH3WUY	YELLOW	1
MH3WUG	GREY	1

UNIVERSAL 4 WAY GRP



STOCK CODE	COLOUR	
MH4WUY	YELLOW	1
MH4WUG	GREY	1

90° ELBOW GRP



STOCK CODE	COLOUR	
MH90E	YELLOW	1
MH90EG	GREY	1

120° DEG ELBOW GRP



STOCK CODE	COLOUR	
MHA120E	YELLOW	1

60° 3 WAY TEE GRP



STOCK CODE	COLOUR	
MHA3E	YELLOW	1

60° 4 WAY TEE GRP



STOCK CODE	COLOUR	
MHA4W	YELLOW	1

TRIANGULAR BASE FOOT GRP



STOCK CODE	COLOUR	
MHABF	YELLOW	1

ROUND HOLE BASE FOOT GRP




STOCK CODE	COLOUR	
MHBF	YELLOW	1
MHBFG	GREY	1

BOLT SET GRP




STOCK CODE	
MHBOLT	1

3 WAY CORNER GRP



STOCK CODE	COLOUR	
MHCORNER3W	YELLOW	1
MHCORNER3WG	GREY	1

4 WAY CORNER GRP




STOCK CODE	COLOUR	
MHCORNER4W	YELLOW	1
MHCORNER4WG	GREY	1

BASE FOOT PAD GRP



STOCK CODE	SIZE	
MHFP5MM	5mm	1


3 WAY LONG TEE GRP



STOCK CODE	COLOUR	
MHL3WY	YELLOW	1
MHL3WG	GREY	1


P JOINT GRP

IN PAIR




STOCK CODE	COLOUR	
MHPJY	YELLOW	1
MHPJG	GREY	1

SPIGOT GRP



STOCK CODE	COLOUR	
SPIGOTY	YELLOW	1
SPIGOTG	GREY	1

HANDRAIL TUBE



STOCK CODE	COLOUR	LENGTH	
TU550IY	YELLOW	5m	1
TU550IG	GREY	5m	1

RIGHT ANGLE BEND GRP



STOCK CODE	COLOUR	
MHRABY	YELLOW	1
MHRABG	GREY	1

SIDE FIT BASE GRP




STOCK CODE	COLOUR	
MHSF	YELLOW	1
MHSFG	GREY	1

BLACK TUBE END CAP GRP



STOCK CODE	
MHTC	1

UNIVERSAL JOINT CONNECTOR GRP




STOCK CODE	COLOUR	
MHUJ	YELLOW	1 pair
MHUJG	GREY	1 pair

FastClamp®

The safe and simple solution to build many different types of lightweight tubular structures.


FastClamp fittings require no welding, drilling or special tools, simply use a hexagon key to tighten the special setscrews that embed into the tube. FastClamp fittings will support an axial load of up to 900 kg when tightened to a torque of 39Nm.




APPLICATIONS

- Handrailing
- Guardrailing
- Tyre Racks
- Car Ports
- Polytunnels
- Fruit Cages
- Garment Racks
- Greenhouses
- Barriers
- Disabled Ramps
- Sheds
- Roof Edge Protection
- Frames
- Canopies
- Market Stalls
- Storage Racks
- Work Benches
- Exhibition Stands
- Cattle Pens
- Cricket Screens
- Security Screens
- Stables
- Climbing Frames
- Goalposts


KEE CLAMP COMPATIBLE TUBE





STOCK CODE	TYPE	TUBE Ø	LENGTH	
5800	G25	33.7mm	3.2m	1
5801	G32	42.4mm	3.2m	1
5802	G40	48.3mm	3.2m	1
58026.4M	G40	48.3mm	6.4m	1


CA03 ADD ON SHORT TEE



It allows existing structures to be added to without the need for any dismantling. Tubes must not be jointed within this fitting.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5527	CA03G32	42.4	60	55	1
5528	CA03G40	48.3	68	60	1


CA40 ADD ON 90° CROSSOVER



It allows existing structures to be added to without the need for any dismantling. This fitting is designed to give a 90° offset crossover joint. Tubes must not be joined within this fitting.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5768	CA40G32	42.4	49	46	1
5769	CA40G40	48.3	55	50	1


C00 SLEEVE JOINT



It provides an in line joint between two tubes of the same diameter.

STOCK CODE	TYPE	TUBE Ø mm	A	
5770	C00G20	26.9	76	1
5771	C00G25	33.7	89	1
5772	C00G32	42.4	102	1
5773	C00G40	48.3	100	1
5774	C00G50	60.3	120	1


C01 EXPANDING CONNECTOR



Providing an in line joint between tubes of the same diameter, and a wall thickness of 3.2mm. It fits flush with the tube surface and can be located inside other fittings. It must not be used as a load-bearing joint, in these applications use a FastClamp type C00.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5529	C01G25	33.7	75	19	1
5530	C01G32	42.4	75	19	1
5531	C01G40	48.3	75	19	1

C02 90° ELBOW




It provides a joint between two tubes at right angles to each other. Often used for railing ends and corners.

STOCK CODE	TYPE	TUBE Ø mm	A	
5532	C02G20	26.9	40	1
5533	C02G25	33.7	48	1
5534	C02G32	42.4	60	1
5535	C02G40	48.3	67	1
5536	C02G50	60.3	86	1

C03 SHORT TEE






It provides a butt joint between two tubes at right angles to each other. Often used for railing ends and tops. If tubes need to be joined inside the fitting then a C04 type should be used.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5537	C03G20	26.9	40	38	1
5538	C03G25	33.7	48	45	1
5539	C03G32	42.4	60	54	1
5540	C03G40	48.3	67	60	1
5541	C03G50	60.3	86	71	1

C04 LONG TEE






Designed to provide a butt joint between two tubes at right angles to each other. Often used for railing ends and tops. It allows the through tube to be joined inside the fitting.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5542	C04G20	26.9	40	80	1
5543	C04G25	33.7	48	96	1
5544	C04G32	42.4	60	120	1
5545	C04G40	48.3	67	134	1
5546	C04G50	60.3	86	172	1

C05 VARIABLE ELBOW






The Variable Elbow is designed to make joints at an angle of between 15° and 60°.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	
5547	C05G25	33.7	65	60	13	50	1
5548	C05G32	42.4	80	66	16	55	1
5549	C05G40	48.3	95	75	17	55	1

C06 INTERNAL T JOINT






Designed to provide an angled joint between a tube and a FastClamp fitting when used in conjunction with C02 and C03 type fittings. Often used for railing tops and midrails to accommodate a slope as offset railing.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	
5550	C06G25	33.7	23	33	34	1
5551	C06G32	42.4	29	42	40	1
5552	C06G40	48.3	31	48	44	1

C07 45° TEE






The 45° Tee is used as a bracing and strut component for strengthening structures.

STOCK CODE	TYPE	TUBE Ø mm	A	
5553	C07G25	33.7	45	1
5554	C07G32	42.4	54	1
5555	C07G40	48.3	60	1

C10 SWIVEL BASE






The Swivel Base is designed to provide a base fixing. It is usually used in conjunction with a C36 type fitting to make a C46 type base swivel combination. This fitting does not provide sufficient rigidity to be used as a railing base without other means of support.

STOCK CODE	TYPE	A	B	C	D	E	Ø	
5556	C10G	50	40	50	81	111	10	1

C11 WALL FLANGE






Designed to provide a positional wall or base fixing. It is not recommended to use this fitting as a structural railing base.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	Ø	
5557	C11G20	26.9	86	42	57	4	9	1
5558	C11G25	33.7	89	45	64	6	9	1
5559	C11G32	42.4	102	50	76	6	9	1
5560	C11G40	48.3	114	57	89	6	9	1
5561	C11G50	60.3	127	64	95	6	9	1

C12 RAILING BASE FLANGE






It provides a positional wall or base fixing. It is not recommended to use this fitting as a structural railing base.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	E	Ø	
5562	C12G20	26.9	76	65	8	76	114	11	1
5563	C12G25	33.7	89	76	9	89	128	14	1
5564	C12G32	42.4	89	80	10	102	140	14	1
5565	C12G40	48.3	89	89	10	114	152	14	1
5566	C12G50	60.3	128	88	9	127	165	18	1

C13 RAILING VERTICAL SIDE SUPPORT






The Railing Vertical Side Support is designed to provide a base for railings and other structures that need a side mounted fixing.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	E	Ø	
5567	C13G25	33.7	45	96	67	28	104	14	1
5568	C13G32	42.4	50	109	78	30	114	14	1
5569	C13G40	48.3	60	123	86	34	120	14	1

C14 RAILING HORIZONTAL SIDE SUPPORT






It provides a base for railings and other structures that need a side mounted fixing.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	Ø	
5570	C14G25	33.7	90	30	12	18	1
5571	C14G32	42.4	90	35	12	18	1
5572	C14G40	48.3	90	41	15	18	1


C15 SIDE PALM FIXING



It provides a base for railings and other structures that need a side mounted fixing.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	E	Ø	
5573	C15G25	33.7	76	89	71	63	97	11	1
5574	C15G32	42.4	84	98	82	72	108	11	1
5575	C15G40	48.3	92	104	86	78	112	11	1


C16 HANDRAIL BRACKET



Designed to secure handrail tube to a wall. It can also be used on top of walls as a fixing for a low rail.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	Ø	
5576	C16G20	26.9	44	57	55	78	9	1
5577	C16G25	33.7	44	63	57	82	11	1
5578	C16G32	42.4	44	76	63	102	11	1
5579	C16G40	48.3	48	85	67	108	11	1


C17 GROUND SUPPORT



Designed to provide a base that can be cast into the ground to support a post.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	
5580	C17G25	33.7	60	140	130	4.5	1
5581	C17G32	42.4	60	140	130	4.5	1
5582	C17G40	48.3	60	140	130	4.5	1


C18 BASE FLANGE INTEGRATED TOEBOARD



Ideal for guardrailing and balustrading applications where the addition of a toeboard is required. The side plates have slotted holes to allow for a degree of sideways movement for ease of installation.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	E	Ø	
5583	C18G32	42.4	45	90	58	30	100	18	1
5584	C18G40	48.3	45	90	58	30	100	18	1

C20 3 WAY 90° ELBOW




Designed to provide a neat corner for the upper rail of guardrail or frames.

STOCK CODE	TYPE	TUBE Ø mm	A	
5585	C20G20	26.9	40	1
5586	C20G25	33.7	48	1
5587	C20G32	42.4	61	1
5588	C20G40	48.3	67	1
5589	C20G50	60.3	84	1

C21 CORNER C/W THROUGH TUBE






The Corner complete with through tube is designed to provide a 90° corner for the intermediate rail of guardrail or frames.

STOCK CODE	TYPE	TUBE Ø mm	A	L	
5590	C21G20	26.9	40	38	1
5591	C21G25	33.7	48	45	1
5592	C21G32	42.4	60	54	1
5593	C21G40	48.3	67	60	1
5594	C21G50	60.3	86	71	1

C22 TWO SOCKET CROSS






It provides the midrail joint for handrail and other structures. It is recommended that the handrail post is continuous through the fitting.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5595	C22G20	26.9	40	80	1
5596	C22G25	33.7	48	95	1
5597	C22G32	42.4	60	120	1
5598	C22G40	48.3	67	134	1
5599	C22G50	60.3	86	172	1

C23 SIDE OUTLET TEE 45°






It provides a three way midrail joint for handrail and other structures. It is recommended that the handrail post is continuous through the fitting..

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5600	C23G20	26.9	40	38	1
5601	C23G25	33.7	48	45	1
5602	C23G32	42.4	60	54	1
5603	C23G40	48.3	66	60	1
5604	C23G50	60.3	86	71	1

C24 4 WAY CROSS PLUS CENTRAL TUBE






It provides a four way midrail joint for handrail and other structures. It is recommended that the handrail post is continuous through the fitting. This fitting may also be used for the top rail with the centre post capped with a C65 Plastic Stop End.

STOCK CODE	TYPE	TUBE Ø mm	A	L	
5605	C24G20	26.9	41	59	1
5606	C24G25	33.7	48	65	1
5607	C24G32	42.4	60	80	1
5608	C24G40	48.3	67	85	1
5609	C24G50	60.3	86	90	1

C25 SHORT TEE SWIVEL


Short Tee Swivel fittings are normally used in pairs to facilitate corner angles of 90° to 180°. It is also used on staircases with a C02 and C03 fittings in conjunction with a short piece of tube and a C65 Plastic Stop End in landing areas.



STOCK CODE	TYPE	TUBE Ø mm	A	
5610	C25G20	26.9	65	1
5611	C25G25	33.7	66	1
5612	C25G32	42.4	73	1
5613	C25G40	48.3	81	1
5614	C25G50	60.3	110	1

C26 ANGLE CROSS UP TO 45°


Typically used for guardrail when connecting the mid or lower rails to uprights. The upright tube must remain continuous with the mid and lower rails cut to suit. The C26 is normally used in conjunction with a C27. Fittings are stocked as blanks and are machined to the customer's specified angle between 0° and 45°.



STOCK CODE	TYPE	TUBE Ø mm	A	
5615	C26G25	33.7	162	1
5616	C26G40	48.3	218	1

C27 ANGLE TEE UP TO 45°


Typically used for guardrail when connecting top rails to uprights. The C27 is normally used in conjunction with a C26.
Fittings are stocked as blanks and are machined to the customer's specified angle between 0° and 45°.



STOCK CODE	TYPE	TUBE Ø mm	A	
5617	C27G25	33.7	162	1
5618	C27G40	48.3	218	1

C28 ADJUSTABLE 2 SOCKET CROSS 30°-45°


The Adjustable 2 Socket Cross fitting will accommodate any rake angle from 30° to 45°. This fitting is not recommended as the top fitting on a guardrail or balustrade system, use the C29 Adjustable Short Tee.



STOCK CODE	TYPE	TUBE Ø mm	A	
5619	C28G25	33.7	162	1
5620	C28G32	42.4	190	1
5621	C28G40	48.3	218	1


C29 ADJUSTABLE SHORT TEE (30° TO 60°)

It will accommodate any rake angle from 30° to 60°. Commonly used for the top rail of handrail to accommodate the rake angle on slopes, it can also be used for any Tee Joint that needs to make at an angle of between 30° and 60° for lightweight structures.



STOCK CODE	TYPE	TUBE Ø mm	A	L	
5622	C29G25	33.7	74	54	1
5623	C29G32	42.4	85	63	1
5624	C29G40	48.3	102	68	1


C30 COLLAR



The Collar fitting can be used to support the C03 fitting when the latter is used as a hinge. It can also be used to increase the load capacity of another fitting when used together. This fitting can be used as a stop for a sliding tube.

STOCK CODE	TYPE	TUBE Ø mm	A	
5625	C30G20	26.9	22	1
5626	C30G25	33.7	25	1
5627	C30G32	42.4	25	1
5628	C30G40	48.3	25	1
5629	C30G50	60.3	40	1


C31 GATE EYE



This fitting is designed as a gate eye for lightweight gates. If a heavy gate is being used we recommend that C03 and C30 type fittings are used to support the gate.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	
5630	C31G20	26.9	25	30	15	1
5631	C31G25	33.7	25	33	15	1
5632	C31G32	42.4	25	38	15	1
5633	C31G40	48.3	25	41	15	1


C32 GATE HINGE



This fitting is designed as a gate hinge for lightweight gates. If a heavy gate is being used we recommend that C03 and C30 type fittings are used to support the gate.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	
5634	C32G20	26.9	30	25	13	38	1
5635	C32G25	33.7	33	25	13	38	1
5636	C32G32	42.4	38	25	13	38	1
5637	C32G40	48.3	41	25	13	38	1


C33 HOOK



The fitting is designed to provide an attachment for chain.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	
5638	C33G20	26.9	32	25	10	25	1
5639	C33G25	33.7	34	25	13	21	1
5640	C33G32	42.4	39	25	13	25	1
5641	C33G40	48.3	41	25	13	25	1


C34 FIXING PAD



The fitting is designed to provide an attachment for flat sheets or board. It may also be used as a gate stop. An alternative fitting for the attachment of boards is the C35 type.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	Ø	
5642	C34G25	26.9	45	25	5	6	1
5643	C34G32	33.7	53	40	5	11	1
5644	C34G40	42.4	56	40	5	11	1


C35 MALE SWIVEL



The Male Swivel can be used on its own for use with a shackle and chain or with the C36 female swivel to mount rails at any angle for slopes. It can also be used for attaching flat sheets or boards to a structure and is available assembled with the C36 fittings as a C45 single swivel combination.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	Ø	
5645	C35G20	26.9	32	38	5	6	1
5646	C35G25	33.7	32	42	5	6	1
5647	C35G32	42.4	32	47	5	6	1
5648	C35G40	48.3	32	50	5	6	1
5649	C35G50	60.3	48	60	5	6	1


C36F FEMALE SWIVEL



The Female Swivel is designed as part of the swivel combination group of fittings. It can be used with the C10, C35, C37, C38 or C39 male swivel fittings.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	
5650	C36G20F	26.9	39	35	53	10	1
5651	C36G25F	33.7	41	35	60	10	1
5652	C36G32F	42.4	44	35	63	10	1
5653	C36G40F	48.3	50	35	70	10	1
5654	C36G50F	60.3	70	40	95	10	1


C36M MALE SWIVEL



The Male Swivel is designed as part of the swivel combination group of fittings. It can be used with C36F fittings.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5655	C36G25M	33.7	30	60	1
5656	C36G32M	42.4	40	70	1
5657	C36G40M	48.3	45	75	1


C37 DOUBLE MALE SWIVEL



Designed as part of the swivel combination group of fittings. It can be used with two C36 female swivel fittings. The double swivel combination is also available assembled as a type C47 fitting.

STOCK CODE	TYPE	TUBE Ø mm	A	B	Ø	
5658	C37G20	26.9	40	32	10	1
5659	C37G25	33.7	44	32	10	1
5660	C37G32	42.4	49	32	10	1
5661	C37G40	48.3	52	32	10	1
5662	C37G50	60.3	63	50	10	1


C38 90° CORNER MALE SWIVEL



The 90° Corner Male Swivel is designed as part of the swivel combination group of fittings. It can be used with two C36 female swivel fittings to make a corner combination fitting which is also available assembled as a type C48 fitting.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	Ø	
5663	C38G20	26.9	40	39	8	10	1
5664	C38G25	33.7	44	38	8	10	1
5665	C38G32	42.4	49	48	8	10	1
5666	C38G40	48.3	53	48	8	10	1


C40 90° CROSSOVER



The 90° Crossover connects two rails at 90° to each other and is often used for the handrailing when continuous standard lengths of tube are used.
Please note that tube joints should use the C00 or C01 type fitting, and not the C40 type fitting.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5667	C40G20	26.9	36	35	1
5668	C40G25	33.7	40	40	1
5669	C40G32	42.4	45	50	1
5670	C40G40	48.3	51	56	1
5671	C40G50	60.3	61	64	1
5672	C40G25-32	33.7 / 42.4	45	45	1
5673	C40G25-40	33.7 / 48.3	51	48	1
5674	C40G32-40	42.2 / 48.3	51	52	1


C41 CLAMP ON TEE



The Clamp on Tee is designed to allow an new tube to be joined to an existing structure. Torque maximum 15Nm. This uses an M10 stainless steel bolt.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5675	C41G20	26.9	50	25	1
5676	C41G25	33.7	53	25	1
5677	C41G32	42.4	67	35	1
5678	C41G40	48.3	77	35	1
5679	C41G50	60.3	90	45	1


C42 CLAMP ON CROSSOVER



Designed to allow a new tube to be joined to an existing structure.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	
5680	C42G20	26.9	37	28	27	27	1
5681	C42G25	33.7	44	34	34	34	1
5682	C42G32	42.4	53	43	43	43	1
5683	C42G40	48.3	58	49	49	49	1
5684	C42G50	60.3	70	62	61	61	1

C43 COMBINATION SOCKET




The Combination Socket is designed for racking and similar systems to allow a crossover to be combined with a cross tie.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	
5685	C43G20	26.9	31	35	40	1
5686	C43G25	33.7	42	40	48	1
5687	C43G32	42.4	54	50	60	1
5688	C43G40	48.3	60	56	67	1
5689	C43G50	60.3	72	68	86	1

C45 SINGLE SWIVEL COMBINATION






The Single Swivel Combination is designed to provide an angled tee between two tubes. It can be used to construct sloping handrails and for providing bracing struts to structures.

STOCK CODE	TYPE	TUBE Ø mm	
5690	C45G20	26.9	1
5691	C45G25	33.7	1
5692	C45G32	42.4	1
5693	C45G40	48.3	1
5694	C45G50	60.3	1

C46 BASE SWIVEL COMBINATION






It is designed to provide an angled wall or floor mounting. This fitting should not be used as a railing base without suitable support.

STOCK CODE	TYPE	TUBE Ø mm	
5695	C46G20	26.9	1
5696	C46G25	33.7	1
5697	C46G32	42.4	1
5698	C46G40	48.3	1
5699	C46G50	60.3	1

C47 DOUBLE SWIVEL COMBINATION






The Double Swivel Combination is designed to provide an in-line angled joint as a post, this is suitable for the mid rail of a sloping handrail or to provide bracing to a structure.

STOCK CODE	TYPE	TUBE Ø mm	
5700	C47G20	26.9	1
5701	C47G25	33.7	1
5702	C47G32	42.4	1
5703	C47G40	48.3	1
5704	C47G50	60.3	1

C48 90° CORNER SWIVEL COMBINATION






Designed to provide an angled joint at a post, this is suitable for the mid rail of sloping handrail or to provide bracing to a structure.

STOCK CODE	TYPE	TUBE Ø mm	
5705	C48G20	26.9	1
5706	C48G25	33.7	1
5707	C48G32	42.4	1
5708	C48G40	48.3	1

C50 SLOPE ELBOW 0° TO 11°






Designed to provide an elbow for use on ramps. The variable angle allows the fitting to accommodate slopes up to 11°.

STOCK CODE	TYPE	TUBE Ø mm	A	
5709	C50G32	42.4	60	1
5710	C50G40	48.3	67	1

C51 SHORT SLOPE TEE 0° TO 11°

The Slope Short Tee is designed to provide a T joint between two tubes for use on ramps. The variable angle allows the fitting to accommodate slopes up to 11°.






STOCK CODE	TYPE	TUBE Ø mm	A	B	
5711	C51G32	42.4	68	60	1
5712	C51G40	48.3	72	68	1

C52 LONG SLOPE TEE 0° TO 11°

The Slope Long Tee is designed to provide a T joint between two tubes for use on ramps. The variable angle allows the fitting to accommodate slopes up to 11°.






STOCK CODE	TYPE	TUBE Ø mm	A	B	
5713	C52G32	42.2	144	60	1
5714	C52G40	48.3	159	67	1

C53 SLOPE BASE 0° TO 11°

Designed to provide a base for use on ramps. The variable angle allows the fitting to accommodate slopes up to 11°.






STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	E	Ø	
5715	C53G32	42.2	91	140	79	102	10	14	1
5716	C53G40	48.3	96	152	80	114	10	14	1

C54 SLOPE 2 SOCKET CROSS 0° TO 11°

Designed to provide a joint for the midrail for use on ramps. The variable angle allows the fitting to accommodate slopes up to 11°.






STOCK CODE	TYPE	TUBE Ø mm	A	B	
5717	C54G32	42.4	144	72	1
5718	C54G40	48.3	158	79	1

C55 27.5° RIDGE FITTING

A four way socket fitting used to construct the ridge of a roof structure.






STOCK CODE	TYPE	TUBE Ø mm	A	B	
5719	C55G40	48.3	67	89	1

C56 27.5° EAVES FITTING

A four way socket fitting used to construct the eaves of a roof structure.






STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	
5720	C56G40	48.3	67	89	83	51	1

C57 THREE SOCKET TEE 11° TO 30°






Similar to a type C27, it is used on safety railing with slopes between 11º-30º and fixes the top rail to a vertical intermediate upright. Unlike the type C27 these components are ex-stock and do not require machining.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5721	C57G32	42.4	180	35	1
5722	C57G40	48.3	216	40	1

C58 TWO SOCKET CROSS 11° TO 30°






Similar to a type C26, it is used on safety railing with slopes between 11º-30º and fixes the mid rail to a vertical intermediate upright. Unlike the type C26 these components are ex-stock and do not require machining.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5723	C58G32	42.4	180	55	1
5724	C58G40	48.3	216	60	1

C59 ANGLE BASE FLANGE 11° TO 30°





Similar to a type C53, it is used to set the upright at an angle between 11º-30º. This fitting should only be subjected to light loads which cannot be positioned at 90º to the applied load. For greater loads or other tube sizes, a type C12 flange should be used with the upright bent to the required angle.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	Ø	
5725	C59G32	42.4	76	114	85	146	14	1
5726	C59G40	48.3	89	124	95	164	14	1

C60 SPARE SCREWS



Spare screws come in two sizes, 1/4" BSP for the 20 and 25 NB range and 3/8" BSP for the 32, 40 and 50 NB ranges.

STOCK CODE	TYPE	TUBE Ø mm	
5727	C60S25	26.9 & 33.7	1
5728	C60S32/40	42.4, 48.3 & 60.3	1

C61 ALLEN KEYS




Allen keys are available in two sizes, the first is suitable for the 20 and 25 NB fitting and the other for the 32, 40 and 50 NB fittings.

STOCK CODE	TYPE	TUBE Ø mm	
5729	C61S25	26.9 & 33.7 & 42.4	1
5730	C61S32/40	48.3 & 60.3	1

C65P PLASTIC END CAP






Plastic End Caps are available for finishing plain end tubes. Available in grey plastic they will fit medium and heavy gauge tube.

STOCK CODE	TYPE	TUBE Ø mm	
5731	C65P20	26.9	1
5732	C65P25	33.7	1
5733	C65P32	42.4	1
5734	C65P40	48.3	1
5735	C65P50	60.3	1

C65G METAL END CAP






This metal plug is hard to remove once it has been driven in. Note this metal insert can only be used in conjunction with tube with a wall thickness of 3.2mm. There is an alternative plastic version, look at our C65P above.

STOCK CODE	TYPE	TUBE Ø mm	
5736	C65G20	26.9	1
5737	C65G25	33.7	1
5738	C65G32	42.4	1
5739	C65G40	48.3	1
5740	C65G50	60.3	1

C66 SINGLE MESH CLIP






The Single Mesh Clip is designed to provide a fixing for standard mesh panels. It is recommended that the clips be spaced at a maximum of 450mm apart.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	
5741	C66G20	26.9	27	26	58	1
5742	C66G25	33.7	30	26	61	1
5743	C66G32	42.4	33	26	64	1
5744	C66G40	48.3	38	26	68	1
5745	C66G50	60.3	44	26	75	1

C67 DOUBLE MESH CLIP






The Double Mesh Clip is designed to provide a fixing for standard mesh panels. It is recommended that the clips be spaced at a maximum of 450mm apart.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	
5746	C67G20	26.9	27	26	58	1
5747	C67G25	33.7	30	26	61	1
5748	C67G32	42.4	33	26	64	1
5749	C67G40	48.3	38	26	68	1
5750	C67G50	60.3	44	26	75	1

C68 WEATHER COWL






Designed to cover the railing base and provides a weatherproof seal when used with a suitable flexible sealant.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	
5751	C68G20	33.7	140	25	125	1
5752	C68G25	42.4	150	25	150	1
5753	C68G40	48.3	166	25	150	1

C69 SQUARE PLASTIC END CAP






Available for finishing plain end square tubes. Available in grey plastic. They will fit medium and heavy tube gauges.

STOCK CODE	TYPE	TUBE Ø mm	B	C	
5754	C69P40x40	40x40SHS	40	3.2	1
5755	C69P50x50	50x50SHS	50	3.2	1
5756	C69P70x70	70x70SHS	70	3.2	1


C70 FASTCLAMP CRIMP STRAIGHT



It provides a permanent in-line connection for 33.7mm diameter x 3.2mm thick tube. A crimping tool is necessary.

STOCK CODE	TYPE	AØ	B	
5757	C70G25	26.0	34.0	1


C71 FASTCLAMP CRIMP ELBOW



Crimp Elbow provides a permanent 90° connection for 33.7mm diameter x 3.2mm thick tube, a crimping tool is necessary.

STOCK CODE	TYPE	A	B	C	
5758	C71G25	26.0	38.0	34.0	1

FLAT ROOF COUNTERWEIGHT



FLAT ROOF COUNTERWEIGHT

FLAT ROOF RUN END COUNTERWEIGHT

STOCK CODE	DESCRIPTION	LENGTH	
CW1M	Flat Roof Counterweight	1m	1
CW2M	Flat Roof Counterweight	2m	1
CWRE2M	Flat Roof Run End Counterweight	2m	1

UPRIGHT & CURVED POST



STOCK CODE	DESCRIPTION	HEIGHT	
UP1100	Upright	1100mm	1
CP1100C	Curved	1100mm	1

The DDA Range
Designed to satisfy the requirements of Part 'M' of the Building Regulations 2004


ACCESSIBLE HANDRAILING

Under the terms of the Equality Act 2010 (previously the Disability Discrimination Act), reasonable adjustments need to be made to public and commercial buildings to overcome physical barriers which prevent disabled access. The Building Regulations recommend an outside diameter tube size for installations of between 40-45mm.
Our DDA Range has been designed to meet these requirements by providing a non-discriminatory handrail solution that complies with the Equality Act and Part "M" of the Building Regulations. The range allows construction of a smooth continuous handrail of 42.4mm Ø. DDA fittings are supplied hot dip galvanised as standard but can be supplied in a powder coated finish to RAL standard colours (subject to quantity and availability from the coaters). In cold temperatures a powder coated finish will give the impression of being warmer to the touch.

DDA01 UPRIGHT CONNECTOR

Connector for attaching the DDA04 intermediate bracket or the DDA02 handrail connector to the 48.3mm o/d upright.






STOCK CODE	TYPE	A	B	C	
5759	DDA01	55	60	50	1

DDA02 HANDRAIL CONNECTOR

Connector (made from ductile iron) for attaching the end of the 42.4mm o/d handrail tube at 90° to the 48.3mm o/d upright. This bracket is used in conjunction with DDA01 and DDA07.






STOCK CODE	TYPE	A	B	C	D	
5760	DDA02	51	86	30	38	1

DDA03 WALL BRACKET

Bracket (made from ductile iron) for supporting the 42.4mm o/d handrail tube to a wall. The 42.4mm o/d tube is fixed to the DDA03 using either 2 x self tapping screws or 2 x pop rivets.






STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	E	
5761	DDA03	42.4	88	82	90	8	84	1

DDA04 INTERMEDIATE BRACKET

Bracket (made from ductile iron) for supporting the top or middle rail tube at an upright in conjunction with a DDA01. The 42.4mm o/d tube is fixed to the DDA04 using either 2 x self tapping screws or 2 x pop rivets.






STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	E	
5762	DDA04	42.4	30	81	84	38	88	1

DDA05 END RETURN






Bracket (made from ductile iron) for terminating the 42.4mm o/d handrail tube back to a wall. This bracket is used in conjunction with a DDA07.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	E	
5763	DDA05	42.4	90	82	8	86	46	1

DDA06 90° BEND






Expanding elbow (made from ductile iron) for creating a smooth 90° bend in the 42.4mm o/d tube.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	
5764	DDA06	42.4	33.7	35	50	1

DDA07 EXPANDING CONNECTOR






Expanding internal connector for joining sections of 42.4mm o/d tube, or other DDA fittings as and when required.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5765	DDA07	42.4	42.4	75	1

DDA08 PLASTIC END CAP






48.3mm o/d plastic end cap for inserting into the open tube on the top of the upright. For a permanent fix, a suitable adhesive should be used.

STOCK CODE	TYPE	TUBE Ø mm	A	
5766	DDA08	42.4	42.4	1

DDA09 ADJUSTABLE BEND





Fitting (made from ductile iron) for creating an adjustable bend between the horizontal and the vertical.


STOCK CODE	TYPE	A	B	
5767	DDA09	31	86	1

SHALLOW CHANNEL

STANDARD GAUGE (2.5mm) 41X21mm

PRE GALV






STOCK CODE	LENGTH	DESCRIPTION	
1748	3m	Plain	1
1749	6m	Plain	1
1750	3m	Slotted back-to-back	1
1751	3m	Slotted	1
1752	6m	Slotted	1

DEEP CHANNEL

STANDARD GAUGE (2.5mm) 41x41mm

PRE GALV





STOCK CODE	LENGTH	DESCRIPTION	
1753	3m	Plain	1
1754	6m	Plain	1
1755	3m	Slotted back-to-back	1
1756	3m	Slotted	1
1757	6m	Back-to-back	1
1758	3m	Slotted back-to-back	1
1759	6m	Slotted	1
1760	6m	Slotted back-to-back	1

PLAIN

BZP



STOCK CODE	SIZE	
2168	M6	100
2169	M8	100
2170	M10	100
2171	M12	100

SHORT SPRING

BZP



STOCK CODE	SIZE	
2172	M6	100
2173	M8	100
2174	M10	100
2175	M12	100

LONG SPRING


BZP



STOCK CODE	SIZE	
2176	M6	100
2177	M8	100
2178	M10	100
2179	M12	100


SQUARE PLATE WASHER

GALV




STOCK CODE	HOLE Ø	SIZE	
P1019HG	9	M6/8 x 40mm x 40mm x 5mm	100
P1020HG	13	M10/12 x 40mm x 40mm x 5mm	100

FLAT TEE FITTING
GALV




STOCK CODE	HOLE Ø	SIZE	
P1031HG	14mm	138mm x 90mm	1

FLAT CORNER BRACE
GALV




STOCK CODE	HOLE Ø	SIZE	
P1036HG	14mm	90mm x 90mm	1

3 HOLE FLAT PLATE
GALV




STOCK CODE	HOLE Ø	SIZE	
P1066HG	14mm	120mm x 41mm	1

4 HOLE FLAT PLATE
GALV




STOCK CODE	HOLE Ø	SIZE	
P1067HG	14mm	160mm x 41mm	1

5 HOLE FLAT PLATE
GALV



STOCK CODE	HOLE Ø	SIZE	
P1941HG	14mm	232mm x 41mm	1


4 HOLE TEE BRACKET
GALV



STOCK CODE	HOLE Ø	SIZE	
P1358HG	14mm	136mm x 90mm x 41mm	1

P1026 2 HOLE 90° ANGLE BRACKET


GALV



STOCK CODE	
P1026HG	100

P1026 2 HOLE 3mm 90° ANGLE BRACKET


ZINC



STOCK CODE	
P1026S1	1

P1026 2 HOLE 90° ANGLE BRACKET


ST/ST



STOCK CODE	
P1026SS	1

P1033 4 HOLE 90° TEE BRACKET


GALV



STOCK CODE	
P1033HG	1

P1037 3 HOLE 90 °CORNER BRACKET


GALV



STOCK CODE	
P1037HG	1

P1038 3 HOLE 90° CORNER BRACKET


GALV



STOCK CODE	
P1038HG	1

P1043 DOUBLE CHANNEL U BRACKET


GALV



STOCK CODE	
P1043HG	1

P1044 4 HOLE DOUBLE CHANNEL BRACKET


GALV



STOCK CODE	
P1044HG	1

P1045 Z SHAPE 3 HOLE BRACKET


GALV



STOCK CODE	
P1045HG	1

P1047 SINGLE CHANNEL U BRACKET


GALV



STOCK CODE	
P1047HF	1

P1068 2 HOLE 90° CORNER BRACKET


GALV



STOCK CODE	
P1068HG	1

P1074 4 HOLE 45° ANGLE BRACKET


GALV



STOCK CODE	
P1074HG	1

P1186 2 HOLE 45° ANGLE BRACKET


GALV



STOCK CODE	
P1186HG	1

P1278 4 HOLE 90° CORNER BRACKET


GALV



STOCK CODE	
P1278HG	1

P1325 4 HOLE 90° CORNER BRACKET


GALV



STOCK CODE	
P1325HG	1

P1326 3 HOLE 90° CORNER BRACKET


GALV



STOCK CODE	
P1326HG	1

P1346 3 HOLE 90° CORNER BRACKET


GALV



STOCK CODE	
P1346HG	1

P1347 Z SHAPE 2 HOLE BRACKET


GALV



STOCK CODE	
P1347HG	1

P1359 4 HOLE 90° TEE BRACKET


GALV



STOCK CODE	
P1359HG	1

P1377 CHANNEL CONNECTOR EXTERNAL


GALV



STOCK CODE	
P1377HG	1

P1458 3 HOLE 90° ANGLE BRACKET


GALV



STOCK CODE	
P1458HG	1

P1354 4 HOLE ADJUSTABLE ANGLE BRACKET


GALV



STOCK CODE	
P1354HG	1

P1453 Z SHAPE 3 HOLE DOUBLE CHANNEL BRACKET


GALV



STOCK CODE	
P1453HG	1

P1546 2 HOLE 45° ANGLE BRACKET


GALV



STOCK CODE	
P1546HG	1

P1580 4 HOLE CROSS BRACKET


GALV



STOCK CODE	
P1580HG	1

P1727 5 HOLE 90° TEE BRACKET


GALV



STOCK CODE	
P1727HG	1

P1737 DOUBLE CHANNEL U BRACKET


GALV



STOCK CODE	
P1737HG	1

P1796 CHANNEL BEAM CLAMP WINDOW BRACKET


GALV



STOCK CODE	
P1796HG	1

P2072A CHANNEL BASE


GALV



STOCK CODE	
P2072AHG	1

P2072S1 CHANNEL BASE


GALV



STOCK CODE	
P2072S1HG	1

P2072S2 CHANNEL BASE


GALV



STOCK CODE	
P2072S2HG	1

P2072S3 CHANNEL BASE


GALV



STOCK CODE	
P2072S3HG	1

P2073A DOUBLE CHANNEL BASE


GALV



STOCK CODE	
P2073AHG	1

P2095 2 HOLE 75° ANGLE BRACKET


GALV



STOCK CODE	
P2095HG	1

P2097 2 HOLE 60° ANGLE BRACKET


GALV



STOCK CODE	
P2097HG	1

P2101 2 HOLE 30° ANGLE BRACKET


GALV



STOCK CODE	
P2101HG	1

P2103 2 HOLE 15° ANGLE BRACKET


GALV



STOCK CODE	
P2103HG	1

P2106 2 HOLE 75° ANGLE BRACKET


GALV



STOCK CODE	
P2106HG	1

P2108 2 HOLE 60° ANGLE BRACKET


GALV



STOCK CODE	
P2108HG	1

P2223 4 HOLE CORNER BRACKET


GALV



STOCK CODE	
P2223HG	1

P2322 3 HOLE ROUND ENDED FLAT FITTING


GALV



STOCK CODE	
P2322HG	1

P2341L 2 HOLE 90° CORNER BRACKET


GALV



STOCK CODE	
P2341LHG	1

P2341R 2 HOLE 90° CORNER BRACKET


GALV



STOCK CODE	
P2341RHG	1

P2346 8 HOLE TEE BRACKET


GALV



STOCK CODE	
P2346HG	1

P2348S1 GUSSETED CHANNEL BASE


GALV



STOCK CODE	
P2348S1HG	1

P2348S2 GUSSETED DOUBLE CHANNEL BASE


GALV



STOCK CODE	
P2348S2HG	1

P2484 7 HOLE GUSSETED CORNER BRACKET


GALV



STOCK CODE	
P2484HG	1

P2631T CANTILEVER ARM


GALV



STOCK CODE	SIZE	
P2631T/150HG	150mm	1
P2631T/300HG	300mm	1
P2631T/450HG	450mm	1
P2631T/600HG	600mm	1
P2631T/750HG	750mm	1

P2633T CANTILEVER ARM


GALV



STOCK CODE	SIZE	
P2633T/150HG	150mm	1
P2633T/300HG	300mm	1
P2633T/450HG	450mm	1

P2663 CANTILEVER ARM


GALV



STOCK CODE	SIZE	
P2663/150HG	150mm	1
P2663/300HG	300mm	1
P2663/450HG	450mm	1
P2663/600HG	600mm	1
P2663/750HG	750mm	1


P2665T DOUBLE CANTILEVER ARM

GALV



STOCK CODE	SIZE	
P2665T/450HG	450mm	1
P2665T/600HG	600mm	1


P3270 CAST IN CHANNEL



STOCK CODE	SIZE	FINISH	
P3270X6MHG	6m	HOT DIP GALV	1
P3270X6MPG	6m	PRE GALV	1

P4045 Z SHAPE 2 HOLE SHALLOW CHANNEL BRACKET


GALV



STOCK CODE	
P4045HG	1


P4047 SHALLOW SINGLE CHANNEL U BRACKET

GALV




STOCK CODE	
P4047HG	1

P3370 CAST IN CHANNEL



STOCK CODE	SIZE	FINISH	
P3370X6MHG	6m	HOT DIP GALV	1
P3370X6MPG	6m	PRE GALV	1

P5000T CAST IN CHANNEL



STOCK CODE	SIZE	FINISH	
P5000TX6HG	6m	HOT DIP GALV	1
P5000TX3PG	3m	PRE GALV	1
P5000TX6PG	6m	PRE GALV	1

SUPER FAST DELIVERY

Order before 10am for SAME DAY DELIVERY WITHIN M25

Order before 6pm for NEXT DAY AM DELIVERY UK NATIONWIDE

Call us today on 020 8699 6777
or visit www.selkent.com

SELKENT
CONSTRUCTION FIXINGS AND TOOLS




O'HALLORAN AND O'BRIEN
SELKENT
CONSTRUCTION FIXINGS AND TOOLS
www.selkent.com
020 8699 6777
NAILED IT!
SELKENT
GL21 YYB



HAND TOOLS, POWER TOOLS & ACCESSORIES

spectrum DIAMOND®

WORLD LEADING DIAMOND TECHNOLOGY

RECOMMENDATION GUIDE

For specific advice, refer to your supplier

HIGHLY RECOMMENDED	RECOMMENDED (not continuous use)	OCCASIONAL USE	NOT RECOMMENDED
● ● ●	● ●	●	▲

BLADE REFERENCE	METAL	VERY HARD	CONCRETE	GENERAL PURPOSE	ABRASIVE	ASPHALT
	Exposed steel, RSJs and sheet metal	Granite, engineering bricks and hard clay products, hard Indian stone	Limestone and flint aggregate reinforced concrete, hard, unabrasive concrete products	Kerbs and slabs, medium hard bricks, yorkstone, concrete paviors	Concrete roof tiles, sandstone, abrasive concrete paviors	Asphalt, green concrete, render, cement screed, lignacite blocks
DX10	●	● ● ●	● ●	● ● ●	●	▲
DCX	▲	●	● ●	● ● ●	● ●	▲
DCA	▲	▲	●	● ● ●	● ● ●	●
DA	▲	▲	▲	▲	●	● ● ●
TX10R	● ●	● ● ●	● ●	● ● ●	●	▲
MCX	▲	●	● ● ●	● ● ●	● ●	▲
MCA	▲	▲	● ●	● ● ●	● ● ●	● ●
MA	▲	▲	▲	▲	●	● ● ●
ZX15	●	● ● ●	● ●	● ● ●	●	▲
SF10X	▲	●	● ●	● ● ●	● ●	▲

PREMIUM DX10 TURBO

UNIVERSAL/HARD

Fast cutting universal blade, with 10mm segment.
Features super fast turbo segment and cooling holes.

Applications:
Concrete products, clay products, granite, engineering bricks, building products.

STOCK CODE	SIZE	BORE	
13730	105mm	16mm	1
13731	115mm	22.2mm	1
13732	125mm	22.2mm	1
13733	150mm	22.2mm	1
13734	180mm	22.2mm	1

STOCK CODE	SIZE	BORE	
13735	230mm	22.2mm	1
13736	300mm	20mm	1
13737	350mm	20mm	1
13738	350mm	25.4mm	1



PREMIUM DCX DOUBLE SIX

The general purpose blade with a 12mm segment. all round performance.

Applications:
Building products, general purpose, kerbs and slabs, concrete paviors and blocks, roof tiles.

STOCK CODE	SIZE	BORE	
13739	115mm	22.2mm	1
13740	125mm	22.2mm	1
13741	230mm	22.2mm	1

STOCK CODE	SIZE	BORE	
13742	300mm	20mm	1
13743	350mm	20mm	1
13744	350mm	25.4mm	1



PREMIUM DCA

ABRASIVE/GENERAL PURPOSE

Abrasive and general purpose blade with 10mm segment.

Applications:
General and abrasive building products, concrete paviors, concrete roof tiles, hard asphalt, breeze blocks.

STOCK CODE	SIZE	BORE	
13745	105mm	16mm	1
13746	115mm	22.2mm	1
13747	125mm	22.2mm	1
13748	150mm	22.2mm	1
13749	180mm	22.2mm	1

STOCK CODE	SIZE	BORE	
13750	230mm	22.2mm	1
13751	300mm	20mm	1
13752	350mm	20mm	1
13753	350mm	25.4mm	1



PREMIUM DA

ASPHALT

Asphalt blade with 10mm wedge segment undercut protection.

Applications:
Asphalt and extremely abrasive materials, render.

STOCK CODE	SIZE	BORE	
13754	300mm	20mm	1
13755	350mm	25.4mm	1



PRO TX10R SUPERFAST

MULTI-STEEL

Guaranteed to cut all construction products including metal. Excellent fast cut universal & hard materials. Reinforced flange. Cooling holes. Semi-transparent.

Applications:

Granite, natural stone, clay products, engineering bricks, metal, concrete products, all building materials. wear will increase on abrasive materials.



STOCK CODE	SIZE	BORE	
13756	105mm	16mm	1
13757	115mm	22.2mm	1
13758	125mm	22.2mm	1
13759	150mm	22.2mm	1
13760	180mm	22.2mm	1

STOCK CODE	SIZE	BORE	
13761	230mm	22.2mm	1
13762	300mm	20mm	1
13763	350mm	20mm	1
13764	350mm	25.4mm	1

PRO MCX SUPERCUT

CONCRETE

Durable "cuts it all" general purpose and concrete products blade with 15mm segment and cooling holes.

Applications:

Concrete kerbs and slabs, concrete paviors, roof tiles, bricks, general building materials.



STOCK CODE	SIZE	BORE	
13765	115mm	22.2mm	1
13766	125mm	22.2mm	1
13767	230mm	22.2mm	1

STOCK CODE	SIZE	BORE	
13768	300mm	20mm	1
13769	350mm	20mm	1
13770	350mm	25.4mm	1

PRO MCA ZEBRA

ABRASIVE

High performance dual purpose blade with 10mm segment and wedge undercut protection.

Applications:

Abrasive building materials, concrete products, roof tiles, blocks, floorsaw concrete & dual concrete/asphalt.



STOCK CODE	SIZE	BORE	
13771	105mm	16mm	1
13772	115mm	22.2mm	1
13773	125mm	22.2mm	1
13774	150mm	22.2mm	1
13775	180mm	22.2mm	1
13776	230mm	22.2mm	1

STOCK CODE	SIZE	BORE	
13777	300mm	20mm	1
13778	350mm	20mm	1
13779	350mm	25.4mm	1
13780	400mm	20mm	1
13781	400mm	25.4mm	1
13782	450mm	25.4mm	1

PRO MA SHARK

ASPHALT

Undercut protected blade with 10mm segment and wedge undercut protection.

Applications:

Asphalt and extremely abrasive products



STOCK CODE	SIZE	BORE	
13783	300mm	20mm	1
13784	350mm	20mm	1
13786	400mm	20mm	1
13787	400mm	25.4mm	1
13788	450 mm	25.4mm	1

SF10X

GENERAL PURPOSE FOR MOST SITE MATERIALS
10mm SEGMENT

POPULAR



STOCK CODE	SIZE	BORE	
13822	115mm	22.2mm	1
13823	125mm	22.2mm	1
13824	230mm	22.2mm	1
13825	300mm	20mm	1
13826	350mm	20mm	1

ULTIMATE ZX10 AUTO

UNIVERSAL/HARD



New auto-array technology allows the diamonds to be placed evenly to an exact specification.this produces exceptionally fast cutting speed and the ability to cut the hardest concrete and natural stone.

Applications:
Hard natural stone, hard concrete, clay products & general building materials.

STOCK CODE	SIZE	BORE	
13791	350mm	20mm	1
13792	350mm	25.4mm	1
13793	450mm	25.4mm	1

ULTIMATE ZCA ZEBRA DIAMOND BLADE

ABRASIVE / DUAL



Dual purpose blade with 10mm segment height. Featuring wedge segment, undercut protection, narrow gullet.

STOCK CODE	SIZE	BORE	
13834	500mm	25.4mm	1

MORTAR RAKE DIAMOND BLADE

6mm WIDE SEGMENT



STOCK CODE	SIZE	BORE	
MRDIA115	115mm	22.2mm	1

OX SPECTRUM MA450/25 PRO SHARK DIAMOND BLADE



- Undercut protected blade with 7mm segment.
- Applications include: asphalt and extremely abrasive products.

STOCK CODE	SIZE	BORE	
450/25DIAMBRICK	450mm	25mm	1
350/25DIAMBRICK	350mm	25mm	1

VITREX 10 3411 DIAMOND BLADE

STANDARD



Vitrex Standard Diamond Blade with a continuous rim for a cleaner cut. Suitable for cutting ceramic, terracotta and quarry tiles, slate, marble, masonry, concrete and stone.

STOCK CODE	SIZE	BORE	
VIT103411	200mm	22mm	1

SPECTRUM ULTIMATE DIAMOND BLADE



Applications include: ceramic tiles, natural stone, porcelain, granite, marble.

STOCK CODE	SIZE	BORE	
13850	200mm	25.4mm	1

DART RED TEN CUP GRINDER DOUBLE ROW

Ultimate turbo for superfast grinding and a smoother finish. Double row for fast and aggressive stock removal. Ideal for removal of roughness and ridges in concrete. Open layout designs reduces risk of clogging. 5mm segment height for long life.



STOCK CODE	SIZE	BORE	
DRCG100	100mm	22.2mm	1
DRCG115	115mm	22.2mm	1
DRCG125	125mm	22.2mm	1
DRCG180	180mm	22.2mm	1
DRCG230	230mm	22.2mm	1

MILD STEEL CUTTING 50T TCT CIRCULAR SAW BLADE

Faster than a band saw, less dust, heat & mess than abrasive discs, designed to deliver maximum cutting performance and precision to metalworkers and fabricators.



STOCK CODE	SIZE	BORE	TEETH	
10069	180mm / 7"	20mm	36	1
10072	230mm / 9"	25.4mm	44	1
10075	305mm / 12"	25.4mm	60	1
10076	355mm / 14"	25.4mm	80	1

eVOLUTION STAINLESS STEEL CUTTING BLADE

Designed to deliver maximum performance by using the highest grade carbide, hardened blade bodies & ultra high-grade brazing techniques. All offer premium quality to increase production & performance. Designed specifically to cut 302, 303 & 304 grades of Stainless Steel only.



STOCK CODE	SIZE	BORE	TEETH	
10071	180mm / 7"	20mm	48	1
10074	230mm / 9"	25.4mm	60	1
10078	355mm / 14"	25.4mm	90	1

DART GOLD PMC METAL BLADE

Quality TCT blades featuring a Triple Chip Ground (TCG) tooth configuration for fast and clean cuts in various metal sections. Featuring an anti-kick tooth for smooth action and increased safety during use and a hardened steel body with lock embedded tungsten tip giving a spark free cut. Reamed.

Applications:
Construction steel, aluminium, stainless steel, metal tube, U-steel, H-profiles and sheet metal cased insulation panels.



STOCK CODE	SIZE	BORE	TEETH	
136TCT32METAL	136mm	30mm	32	1
165TCT40METAL	165mm	20mm	40	1
305TCT60METAL	305mm	25.4mm	60	1
355TCT72METAL	355mm	25.4mm	72	1

TCT WOOD CIRCULAR SAW BLADES

FOR WOOD

Alternate Top Bevel (ATB) tooth configuration for the pro tradesperson, reamed bore to ensure precision fit to spindle expansion slots, embedded tungsten tip.
Supplied with reducing rings.

STOCK CODE	SIZE	BORE	TEETH	
13828	165mm	20mm	24	1
13835	180mm	30mm	40	1
13836	190mm	30mm	24	1
13829	230 mm	30mm	24	1
13830	230mm	30mm	40	1
13827	235mm	30mm	28	1
13832	235 mm	30mm	40	1

POPULAR



Makita B-47151 TCT SAW BLADE

For cutting pipe, angle iron, channel and more.
Modified triple chip grind for increased efficiency and life, ultra-thin kerf design provides smoother cuts with less drag on the motor and minimal material loss.
Fully hardened steel saw plates are individually hand-hammered for flatness and expertly tensioned for true cuts.

STOCK CODE	SIZE	BORE	TEETH	
MAKB46296	150mm	20mm	32	1



EVOLUTION TCT ALUMINIUM CUTTING CIRCULAR SAW BLADE

This blade uses the highest-grade Japanese sourced carbide, a hardened steel blade body and ultra-precise brazing to create a fast cutting, long-lasting and vibration free saw blade. Designed with a tooth count and profile designed to maximise cutting life this Aluminium Circular Saw blade is ideal for all grades of aluminium and suitable for Non-ferrous metals. It has a narrow Kerf design that keeps wasted material to a minimum and saves you money with every cut.

STOCK CODE	SIZE	BORE	TEETH	
10070	180mm / 7"	20mm	54	1
10073	230mm / 9"	25.4mm	80	1
10077	355mm / 14"	25.4mm	80	1



DART GOLD TCG ALUMINIUM SAW BLADE

Professional TCT blades featuring a Triple Chip Grind (TCG) tooth configuration for a professional finish and long cutting life. A unique 'gold' coating creates ultra low friction and wear resistance. The blades are body hardened and tempered to maintain trueness whilst cutting. A reamed bore

Applications:

Aluminium, plastic and wood laminates.

STOCK CODE	SIZE	BORE	TEETH	
216TCT60ALI	216mm	30mm	60	1
250TCT80ZALI	250mm	30mm	80	1
300TCT100ALI	300mm	30mm	100	1



TCT SAW BLADE



FOR WOOD

STOCK CODE	SIZE	BORE	TEETH	
190TCT28ZWOOD	190mm	30mm	28	1
190TCT40ZWOOD	190mm	30mm	40	1
210TCT28WOOD	210mm	30mm	28	1
250TCT60ZWOOD	250mm	30mm	60	1
300TCT60ZWOOD	300mm	30mm	60	1

FOR ALUMINIUM

STOCK CODE	SIZE	BORE	TEETH	
165TCT48ZMLT	165mm	20mm	48	1

TCT PLUNGE SAW BLADE

THIN KERF FOR WOOD



FOR WOOD

STOCK CODE	SIZE	BORE	TEETH	
165TCT40ZWOOD	165mm	20mm	40	1

DART PCD FIBRE CEMENT SAW BLADE

Quality Poly Crystalline Diamond (PCD) fibre cement saw blades with flat teeth configuration for use in specialist applications, providing durability and long life. Cutting is smoother, cleaner, and more accurate with an extra large gullet design minimises dust and improves removal of material.



STOCK CODE	SIZE	BORE	TEETH	
160PCD4ZFCB	160mm	20mm	4	1
165PCD4ZFCB	165mm	20mm	4	1
190PCD4ZFCB	190mm	30mm	4	1
250PCD6ZFCB	250mm	30mm	6	1

SEMI FLEXIBLE STONE GRINDING DISC

Designed for aggressive stock removal on stone applications & cast iron. Extremely durable and heavy duty silicon carbide grinding products are premium quality and have an exceptionally long service life. The contoured surface is designed to consistently remove high levels of stock over a wide range of applications.



STOCK CODE	SIZE	THICKNESS	BORE	
SFSD11536	115mm	22mm	36mm	10
SFSD11560	115mm	22mm	60mm	10

BACKING PAD

Medium flexibility grinder pads for fibre discs.



STOCK CODE	SIZE	THREAD	
13150	115mm	M10	10
13151	115mm	M14	10
13152	125mm	M14	10

METAL CUTTING DISC

STOCK CODE	SIZE	THICKNESS	BORE	
13700	100mm	2.5mm	16.0mm	50
13701	115mm	2.5mm	22.2mm	50
13702	125mm	2.5mm	22.2mm	50
13703	180mm	2.5mm	22.2mm	50
13704	230mm	2.5mm	22.2mm	50
13728	300mm	3.5mm	20.0mm	30
13729	300mm	3.5mm	22.2mm	30



METAL DPC GRINDING DISC

STOCK CODE	SIZE	THICKNESS	BORE	
13710	100mm	6.4mm	16.0mm	25
13711	115mm	6.4mm	22.2mm	25
13712	125mm	6.4mm	22.2mm	25
13713	180mm	6.5mm	22.2mm	25
13714	230mm	6.5mm	22.2mm	25

CHOP SAW WHEEL

STOCK CODE	SIZE	THICKNESS	BORE	
13724	350mm	3.0mm	25.4mm	5
13726	350mm	4.0mm	25.4mm	5

INOX SLITTING DISC

STOCK CODE	SIZE	THICKNESS	BORE	
13715	100mm	1.0mm	16.0mm	100
13716	100mm	1.6mm	16.0mm	100
13717	115mm	1.0mm	22.2mm	100
13718	115mm	1.6mm	22.2mm	100
13719	125mm	1.0mm	22.2mm	100
13720	125mm	1.6mm	22.2mm	100
13721	180mm	1.6mm	22.2mm	100
13722	230mm	1.9mm	22.2mm	50

METAL DPC CUTTING DISC


STOCK CODE	SIZE	THICKNESS	BORE	
13705	100mm	2.5mm	16.0mm	50
13706	115mm	2.5mm	22.2mm	50
13707	125mm	2.5mm	22.2mm	50
13708	180mm	2.5mm	22.2mm	50
13709	230mm	2.5mm	22.2mm	50

BLUE RIPPER FLAP DISC

Premium quality Zirconium grain flap discs are engineered for maximum performance stock removal, blending and finishing. The lightweight fibreglass backing absorbs vibration and makes this product incredibly strong and durable. Pro-line Zirconium flap discs are long life & suitable for a full range of metal applications including stainless steel.


STOCK CODE	SIZE	GRIT	
13650	100mm	40	10
13651	100mm	60	10
13652	100mm	80	10
13653	100mm	120	10
13654	115mm	40	20
13655	115mm	60	20
13656	115mm	80	20

STOCK CODE	SIZE	GRIT	
13657	115mm	120	20
13658	125mm	40	20
13659	125mm	60	20
13660	125mm	80	20
13661	125mm	120	20
13662	180mm	40	10
13664	180mm	80	10



HOOK & LOOP SANDING DISC PERFORATED


PACK OF 25



STOCK CODE	SIZE	GRIT	
FLEX125120	125mm	120	25
FLEX225100	225mm	100	25
FLEX225120	225mm	120	25
FLEX225150	225mm	150	25
FLEX225220	225mm	220	25
FLEX22540	225mm	40	25
FLEX22560	225mm	60	25
FLEX22580	225mm	80	25

ALUMINIUM OXIDE ABRASIVE SANDING DISC


Aluminium oxide abrasive on a flexible paper backing with the added convenience of the hook and loop quick change system. Pre-punched for use on random orbital sanders with integral dust extraction systems. Suitable for use on wood, metal, plastics and filler.



STOCK CODE	SIZE	GRIT	
FLEX12580	125mm	80	25

GOLD DRYWALL SANDING DISC


Durable, all-round sanding material,very well suited for high speed sanding in a multitude of applications.



STOCK CODE	SIZE	GRIT	
GOLDP40	225mm	40	25
GOLDP60	225mm	60	25
GOLDP80	225mm	80	25
GOLDP100	225mm	100	25
GOLDP120	225mm	120	25
GOLDP150	225mm	150	25
GOLDP180	225mm	180	25
GOLDP240	225mm	240	25

YELLOW ABRASIVE SOFT GRIP

Ideal for plaster sanding and compatible with the most common wall sanders.




STOCK CODE	SIZE	GRIT	
YELLOW40	225mm	40	25
YELLOW60	225mm	60	25
YELLOW80	225mm	80	25
YELLOW100	225mm	100	25
YELLOW120	225mm	120	25
YELLOW180	225mm	180	25
YELLOW240	225mm	240	25

BLUE RIPPER ZIRCONIUM SANDING DISC

Zirconium maximum performance Fibre Discs are premium quality and suitable for stainless steel. Abracs Zirconium Fibre discs have a unique resin bond that holds the grit to the disc surf ace with heavy-duty fibre backing for increased strength, durability and tear resistance.

STOCK CODE	SIZE	GRIT	
13003	100mm / 4"	36	25
13006	100mm / 4"	60	25
13007	100mm / 4"	80	25
13008	100mm / 4"	100	25
13009	100mm / 4"	120	25
13011	115mm / 4½"	24	25
13012	115mm / 4½"	36	25
13014	115mm / 4½"	50	25
13015	115mm / 4½"	60	25
13016	115mm / 4½"	80	25
13017	115mm / 4½"	100	25

STOCK CODE	SIZE	GRIT	
13018	115mm / 4½"	120	25
13020	125mm / 5"	24	25
13021	125mm / 5"	36	25
13022	125mm / 5"	40	25
13023	125mm / 5"	50	25
13024	125mm / 5"	60	25
13025	125mm / 5"	80	25
13026	125mm / 5"	100	25
13027	125mm / 5"	120	25



RUBBING BRICKS/ CARBORUNDUM STONE

RIBBED

For cleaning and dressing floor tiles and concrete floors.



STOCK CODE	SIZE	
FRB150	150mm x 50mm x 50mm	1

RUBBING BRICKS/ CARBORUNDUM STONE

FLUTED

Deep angled fluted base and comfortable D-handle. Cleans concrete and plaster splashes, mould marks and high spots.



STOCK CODE	SIZE	
FRB150H	155mm x 78mm x 25mm	1

ALUMINIUM OXIDE COMBINATION SHARPENING STONE



STOCK CODE	
PRB150	1

POLE SANDING SHEET



STOCK CODE	GRIT	
POLESS100	100	25
POLESS120	120	25

OXIDE ROLL SANDPAPER

Manufactured using a robust E-Weight paper, these Aluminium Oxide abrasive rolls are ideal for preparing surfaces before painting, and can be used on wood, metal or plastics.

The rolls are ideally suited for tradesmen and regular users. Coarse grades are extremely efficient for the quick removal of old paint or tackling rough surfaces. Fine grades are used for achieving smooth finishes.

The rolls are 115mm wide and can therefore be used on half sheet sanders when cut to the appropriate length.



STOCK CODE	WIDTH	LENGTH	GRIT	
SPR40G	115mm	50m	40	1
SPR60G	115mm	50m	60	1
SPR80G	115mm	50m	80	1
SPR100G	115mm	50m	100	1
SPR120G	115mm	50m	120	1

STOCK CODE	WIDTH	LENGTH	GRIT	
SPR180G	115mm	50m	180	1
SPR240G	115mm	50m	240	1
SPR320G	115mm	50m	320	1

TWIST KNOT CUP BRUSHES

High tensile steel wire, 0.5mm diameter, for rust and paint removal, descaling, deburring and preparation of welding seams. For metal and stone working, cleaning, surface preparation and fabrication tasks. Use with angle grinders.



STOCK CODE	SIZE	THREAD	MAX RPM	
14440	70mm	M10	12,500	1
14441	70mm	M14	12,500	1
14442	95mm	M14	8,500	1
14443	120mm	M14	6,500	1

CRIMP WIRE CUP BRUSHES

High tensile crimped brassed steel wire, 0.3mm diameter, for rust and paint removal, descaling, deburring and preparation of welding seams. For metal and stone working, cleaning, surface preparation and fabrication tasks. Use with angle grinders.



STOCK CODE	SIZE	THREAD	MAX RPM	
14444	70mm	M10	12,500	1
14445	70mm	M14	12,500	1
14446	95mm	M14	8,500	1
14447	120mm	M14	6,500	1

STEEL TWIST-KNOT BRUSH



High tensile steel wire, 0.5mm diameter, for rust and paint removal, descaling, deburring and preparation of welding seams. For metal and stone working, cleaning, surface preparation and fabrication tasks. Use with angle grinders.

STOCK CODE	SIZE	THREAD	MAX RPM	
14449	100mm	M14	12,500	1
14451	115mm	M14	12,500	1

STEEL END BRUSH

This product is made of high quality copper coated steel wire, surface treated with green rust, applicable to metal and non-metallic surface polishing, cleaning, polishing, electric drill, special equipment etc and other electric tools in use.



STOCK CODE	SIZE	
BROSE	24mm	1

RESIN BONDED CUP STONE

Designed for heavy duty flat surface grinding with an angle grinder. This products ultimate performance and consistent stock removal at an exceptional rate makes them ideal for coarse and aggressive grinding applications.



STOCK CODE	SIZE	THREAD	
CCG110M14	110mm x 55mm	M14	1

CRIMP WIRE BEVELED BRUSH



High tensile crimped steel wire, 0.3mm diameter, for rust and paint removal, descaling, deburring and preparation of welding seams. For metal and stone working, cleaning, surface preparation and fabrication tasks. Use with angle grinders.

STOCK CODE	SIZE	THREAD	MAX RPM	
14448	100mm	M14	12,500	1
14450	115mm	M14	12,500	1

CARBORUNDUM CUP WHEEL RESIN BONDED

FOR STONE C24R



STOCK CODE	SIZE	THREAD	
CCG110	110mm x 55mm	M14	1

STONE DPC GRINDING DISC

Heavy-duty abrasive grinding, professional performance and outstanding product life. Manufactured to European safety standards and marked with EN12413.



STOCK CODE	SIZE	THICKNESS	BORE	
13818	115mm	6.0mm	22.2mm	25
13820	230mm	6.0mm	22.2mm	25

STONE CUTTING DISC

Produced with premium quality raw materials that give significant increases in product lifespan, performance and quality.
Manufactured to European safety standards and marked with EN12413.



STOCK CODE	SIZE	THICKNESS	BORE	
13819	115mm	3.0mm	22.2mm	25
13821	230mm	3.0mm	22.2mm	25
138211	300mm	3.5mm	20mm	25

DART T118A JIGSAW BLADE FOR METAL CUT

Precision made jigsaw blade. Suitable for cutting: Mild steel, non-ferrous and aluminium 1.5mm - 4.0mm, acrylic to 3mm, HSS blade. Equivalent to Bosch T118A. 21 TPI, 50mm working length.



STOCK CODE	
JBDARM	5

DART T101B JIGSAW BLADE FOR WOOD CUT

Precision made Jigsaw Blades. Suitable for cutting: Wood to 30mm, plastics, finer cut. Equivalent to Bosch T101B. 10 TPI, 75mm working length.



STOCK CODE	
JBDARW	5

DART T101AO JIGSAW BLADE

Precision made jigsaw blade. Suitable for cutting: Wood and laminated chipboard to 25mm, plastics, curve cuts. Equivalent to Bosch T101AO. 20 TPI, 50mm working length.



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT101AO	Pointed ground teeth	58mm	1.35mm	5

T101B JIGSAW BLADE

Softwood, chipboard, woodcore plywood, fibreboards <30mm, plastics <30mm.

POPULAR



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT101B	Taper ground teeth	58mm	2.5mm	5

T101BIF JIGSAW BLADE

Plywood, laminated fibre wood board, plastics <30mm, blockboard & glass fibre reinforced plastic <15mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT101BIF	Taper ground teeth	58mm	2.5mm	5

T101BR JIGSAW BLADE

Splinter-free cuts (down cutting teeth). Hardwood, softwood, plywood, laminated chipboard, plastic



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT101BR	Taper ground teeth	75mm	2.5mm	5

T111C JIGSAW BLADE

Coarse cutting. Hardwood, softwood & plastic <60mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT111C	Side set & milled	75mm	3.0mm	5

T118A JIGSAW BLADE

Mild steel, aluminium, aluminium alloy 1.5mm - 4mm, acrylic glass 1.5mm - 3mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT118A	Wavy set & milled	67mm	1.2mm	5

T118AF JIGSAW BLADE

For curved cutting. Mild steel, non-ferrous metal, sheet metal 1.5mm - 3mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT118AF	Wavy set & milled	67mm	1.2mm	5

T118AHM JIGSAW BLADE

Stainless steel sheet 1.5mm - 4mm (reduce stroke rate without orbital action), mild steel 1.5mm - 4mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT118AHM	Tungsten carbide	58mm	1.06mm	5

T118B JIGSAW BLADE

Mild steel 3mm - 6mm, non-ferrous metal, aluminium, aluminium alloy 3mm - 10mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT118B	Wavy set & milled	67mm	2.0mm	5

T118EFS JIGSAW BLADE

Inox sheets, Inox perforated sheets 1.5mm - 4mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT118EFS	Wavy set & milled	58mm	1.4mm	5

T118EHM JIGSAW BLADE

Stainless steel. Straight cuts in steel, non-ferrous metals 2mm - 5mm, stainless steel 2mm - 4mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT118EHM	Tungsten carbide	58mm	1.4mm	5

T119B JIGSAW BLADE

Hardwood, softwood, plywood & chipboard <30mm. Plastic, perspex & insulating materials <20mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT119B	Wavy set & milled	67mm	2.0mm	5

T119BO JIGSAW BLADE

Tight curved cuts in hard & softwood, plywood chipboard 3mm - 20mm, plastic, perspex & insulating materials 2mm - 20mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT119BO	Wavy set & milled	58mm	2.0mm	5

T123X JIGSAW BLADE

Sheet metal: 1.5mm - 10mm, pipes, profiles (closed): <30mm, aluminium: <30mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT123X	Wavy set & milled	67mm	1.2mm - 2.6mm	5

T127D JIGSAW BLADE

Aluminium, aluminium alloy, non-ferrous metal 3mm - 15mm, mild steel 3mm - 6mm, lead & tin >20mm, plastic >30mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT127D	Side set & milled	75mm	3.0mm	5

T141HM JIGSAW BLADE

Glassfibre reinforced plastics 5mm - 50mm., plasterboard, fibre cement board <80mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT141HM	Side Set	75mm	4.3mm	5

T144D JIGSAW BLADE

Quick cutting. Hardwood, softwood & chipboard <60mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT144D	Side set & ground	75mm	4mm - 5.2mm	5

T301CD JIGSAW BLADE

Fast clean cutting. Hardwood, softwood, blockboard, plywood, chipboard & plastic >60mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT301CD	Taper ground teeth	92mm	3.0mm	5

T301CDF JIGSAW BLADE

Hardwood and softwood 4mm - 65 mm, laminated panels/hpl



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT301CDF	Taper ground teeth	92mm	3.0mm	5

T308B JIGSAW BLADE

Softwood and non-abrasive wooden materials



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT308B	Taper ground teeth	92mm	2.2mm x C	5

T318A JIGSAW BLADE

Mild steel, non-ferrous metal, aluminium, aluminium alloy 1.5mm - 4mm, acrylic glass 1.5mm - 3mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT318A	Wavy set & milled	107mm	1.2mm	5

T318AF JIGSAW BLADE

Thin sheet metals 1mm - 3mm, pipes + profiles, including aluminium Ø <65mm



STOCK CODE	BLADE TOOTH SET	LENGTH mm	PITCH	
JBT318AF	Wavy set, milled	132mm	1.1mm	5

T344D JIGSAW BLADE

Thick construction timber, softwood 5mm - 100mm, chipboard, wood core plywood, fibre board



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT344D	Ground edge	127mm	4.0mm	5

T344DP JIGSAW BLADE

Thick construction timber, softwood 5mm - 100 mm, chipboards, wood core plywood, fibre boards



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT344DP	Side set, ground	127mm	4.0mm	5

T345XF JIGSAW BLADE

For metal >10mm, wood with nails, chipboard, blockboard >90mm. Non-ferrous metals, plastics >30mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT345XF	Side set & milled	107mm	2.4mm - 5mm	5

T744D JIGSAW BLADE

Softwood/boards, thick construction timber, sandwich materials



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT744D	Side set, ground	155mm	4.0mm	5

S2345X SABRE SAW BLADES

Construction wood <150mm, boards: chipboard, MDF 6mm - 60mm, plywood, plastic <150mm, wooden wall <150mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
13815	Side set, ground	200mm	2.5mm - 4.3mm / 6mm - 10mm	5

S123XF SABRE SAW BLADES

Thin to thick sheet metals 1mm - 8mm, thin to thick profiles Ø <100mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
13816	Side set, milled	200mm	1.8mm - 3.2mm / 8mm - 14mm	5

S3456XF SABRE SAW BLADES


Wood with nails/metal, chipboard <150mm, sheet metals, aluminium profiles 3mm - 18mm, glass fibre reinforced plastic/epoxy <150mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
13817	Side set, milled	200	2.1mm - 4.3mm / 6mm - 12mm	5

SNIPERCUT METAL CUTTING RECIPROCATING SAW BLADES


Especially designed for dismantling, rescue and salvage



STOCK CODE	SIZE	
RSBSEL6P	150mm / 6" - 10 TPI	25
RSBSEL9P	225mm / 9" - 10 TPI	25

DART METAL CUTTING RECIPROCATING BLADE

Ideal for wood with nails. Flexible and shatter-proof, metals, non-ferrous metals, aluminium, sheet metal, pipes and profiling. Equivalent to Bosch S922HF.



POPULAR

150mm / 6"

STOCK CODE	EFFECTIVE LENGTH	PITCH	
RSBDAR6M	130mm	2.54mm	5

225mm / 9"

STOCK CODE	EFFECTIVE LENGTH	PITCH	
RSBDAR9M	205mm	2.54mm	5

DART WOOD CUTTING RECIPROCATING BLADE

High quaility HCS Reciprocating Saw blade. For straight and curved cuts. For fast, clean cuts in hardwoods, softwoods, chipboard, plywood and synthetics. Equivalent to Bosch S644D.



POPULAR

150mm / 6"

STOCK CODE	EFFECTIVE LENGTH	PITCH	
RSBDAR6W	130mm	4.2mm	5

225mm / 9"

STOCK CODE	EFFECTIVE LENGTH	PITCH	
RSBDAR9W	205mm	4.2mm	5

BOSCH S1122 BF FLEXIBLE RECIPROCATING SAW BLADE

FOR METAL

STOCK CODE	SIZE	
SS1122BF	225mm / 9"	5



BOSCH S922EF FLEXIBLE RECIPROCATING SAW BLADE

FOR METAL

STOCK CODE	SIZE	
RSB6MB	150mm / 6"	5



RECIPROCATING BI-METAL SAW BLADE

METAL

STOCK CODE	SIZE	
RSB12M	300mm / 12"	5

WOOD

STOCK CODE	SIZE	
RSB12W	300mm / 12"	5



Rotabroach® ELEMENT 30



Motor Specification	110V full load 8 amps 850W 230V full load 5 amps 850W
No Load rpm	600 rpm
Max. hole cutting capacity	32mm dia x 35mm deep
Overall dimensions	Height 406mm Width 170mm (with capstan) Length 265mm (with guard)
Machine weight	10kg
Magnetic adhesion	850kg
Safety features	Cutsmart2™ Technology / Fixed guard / Internal cable / Flush switches

STOCK CODE	POWER
MAGE30110V	110V
MAGE30240V	240V

Rotabroach® ELEMENT 40



Motor Specification	110V full load 12 amps 1200W 230V full load 6 amps 1200W
No Load rpm	Gear One: 600 rpm / Gear Two: 300rpm
Max. hole cutting capacity	40mm dia x 50mm deep
Overall dimensions	Height 510mm Width 170mm (with capstan) Length 265mm (with guard)
Machine weight	12.2kg
Magnetic adhesion	850kg
Safety features	Cutsmart2™ Technology / Fixed guard/ Internal cable / Flush switches / Mechanical clutch

STOCK CODE	POWER
MAGE40110V	110V
MAGE40240V	240V

JEI Solutions MINIBEAST



Weight	10kg
Cutter Capacity	35mm Ø x2inch depth of cut
Twist Drill Capacity	12mm with twist drill set
Motor	1010 watts
Overall dimensions	Height: Min 307 Max 377 Length 240mm Width 166mm
RPM	Single Speed 350 RPM
Magnetic Base Dimensions	80mm x 160mm
Magnet Deadlift	980kg (on 25mm plate)

STOCK CODE	POWER
MAGMINI110V	110V
MAGMINI240V	240V

Rotabroach® RAPTOR MAGNETIC CUTTERS

Rotabroach M2AL Raptor cutters have a unique and exclusive geometry that you will only find on genuine Rotabroach cutters.
Our M2AL Raptor cutters have been designed to ensure that they will last longer, cut faster and give a better and more accurate finished hole than any other annular cutter.
Manufactured from M2AL material. Heat treated to a higher temperature, ensuring a greater hardness of cutter.



Stage hardened allowing for greater flexibility than other hardening processes.



Unique tooth design to give less wear over time than other available geometries.



Weldon shank with low tolerances for increased stability.

Suitable for Drilling: Steel | Aluminium | Copper / Brass | Plastics

DEPTH OF CUT			
25mm	50mm		
STOCK CODE	STOCK CODE	SIZE	
12008	-	10mm	1
12007	-	11mm	1
12009	12049	12mm	1
12010	12050	13mm	1
12011	12051	14mm	1
12012	12052	15mm	1
12013	12053	16mm	1
12014	12054	17mm	1
12015	12055	18mm	1
12016	12056	19mm	1
12017	12057	20mm	1
12018	12058	21mm	1
12019	12059	22mm	1
12020	12060	23mm	1
12021	12061	24mm	1
12022	12062	25mm	1
12023	12063	26mm	1
12024	12064	27mm	1
12025	12065	28mm	1
12026	12066	29mm	1
12027	12067	30mm	1
12028	12068	31mm	1
12029	12069	32mm	1
12030	12070	33mm	1
12031	12071	34mm	1
12032	12072	35mm	1
12033	12073	36mm	1
12034	12074	37mm	1

DEPTH OF CUT			
25mm	50mm		
STOCK CODE	STOCK CODE	SIZE	
12035	12075	38mm	1
12036	12076	39mm	1
12037	12077	40mm	1
12038	12078	41mm	1
12039	12079	42mm	1
12040	12080	43mm	1
12041	12081	44mm	1
12042	12082	45mm	1
12043	12083	46mm	1
12044	12084	47mm	1
12045	12085	48mm	1
12046	12086	49mm	1
12047	12087	50mm	1
12100	12115	51mm	1
12101	12116	52mm	1
12102	12117	53mm	1
12103	12118	54mm	1
12104	12119	55mm	1
12105	12120	56mm	1
12106	12121	57mm	1
12108	12123	59mm	1
12109	12124	60mm	1
12110	12125	61mm	1
12111	12126	62mm	1
12112	12127	63mm	1
12113	12128	64mm	1
12114	12129	65mm	1

MAG DRILL COUNTERSINK BIT

90° COUNTERSINK BIT FOR MAGNETIC DRILLING MACHINES



STOCK CODE	SIZE	
12137	30mm	1
12090	50mm	1

HSS COUNTERSINK BIT

STEEL/PLASTIC/WOOD

The High Speed Steel Rosehead Chubby 90° included angle Countersink. For countersinking screw holes for flush fitting of screw heads in mild steel, plastics and non-ferrous metals. Also suitable for working in wood, plywood, MDF and other man made boards. Can be used in both hand tools and power drills.



STOCK CODE	SIZE	
13MMHSSCS	13mm	1

TREND SNAPPY TCT COUNTERSINK

5 PIECE SET

The Trend Countersink Set contains five heat treated tool steel countersinks with hex shafts. They are fitted with High Speed Steel drill bits to cover the full range of screw sizes and are self clearing.
They are adjustable for different length screws and will produce a 9.5mm / 3/8 inch or 12.7mm / 1/2 inch diameter counterbored hole to fit standard woodplugs.
Tungsten carbide tipped version, these tools can be used in abrasive materials such as laminated chipboard. The drills produce pilot holes only.

Contains:

- 1 x 2.0mm / 5/64 inch Drill and C/S Size No.4
- 1 x 2.4mm / 3/32 inch Drill and C/S Size No.6
- 1 x 2.8mm / 7/64 inch Drill and C/S Size No.8
- 1 x 3.2mm / 1/8 inch Drill and C/S Size No.10
- 1 x 3.6mm / 9/64 inch Drill and C/S Size No.12



STOCK CODE	
TRESNAPCSTCS	1

90° HSS COUNTERSINK BIT

Precision engineered, high speed ground steel countersink bits. Three 90° cutting edges for rapid swarf clearance. Suitable for use on metal, non-ferrous metals, aluminium, sheet metal, veneered wood, laminated chipboard and PVC



STOCK CODE	SIZE	
14209	6.3mm	1
14210	8.3mm	1
14211	10.4mm	1
14212	12.4mm	1

STOCK CODE	SIZE	
14213	16.5mm	1
14214	20.5mm	1
14215	25.0mm	1

PILOT PIN FOR MAG CUTTER



STOCK CODE	SIZE	
12092	Suits Short Cutters	1
12093	Suits Long Cutters	1

PILOT PINS

Short pin for short depth cutters.
Long pin for long depth cutters.



STOCK CODE	SIZE	
12088	Suits Short Cutters	1
12089	Suits Long Cutters	1

HSS STEP DRILL

Step drills are used for cutting varying hole sizes in material up to 4mm thick without changing the drill bit. Each drill cuts parallel holes within a specific size range, rising in 2mm increments.



STOCK CODE	SIZE	
STEPDR4X22	4mm - 22mm	1
FAISD630	6mm - 30mm	1

TORX BITS

Ideal for use with screws to reduce drive wear, offers more positive drive and prevent camming out.



STOCK CODE	SIZE	
9963	T10	10
9964	T15	10
9965	T25	10
9966	T30	10

STOCK CODE	SIZE	
9967	T40	10
9968	T45	10
9969	T50	10

HEX PIN INSERT BITS

FOR SECURITY SCREWS



STOCK CODE	SIZE	
8180	2.0mm	10
8181	2.5mm	10
8182	3.0mm	10
8183	4.0mm	10

STOCK CODE	SIZE	
8184	5.0mm	10
8185	6.0mm	10
8186	8.0mm	10

2 HOLE INSERT BITS

FOR SECURITY SCREWS

STOCK CODE	SIZE	
8194	T3	1
8195	T4	1
8196	T5	1
8197	T6	1



STOCK CODE	SIZE	
8198	T7	1
8199	T8	1

POZI BITS

Designed for general purpose and soft screwing application. 25mm long.



STOCK CODE	SIZE	
9955	PZ1	1
9473	PZ2	1
9957	PZ3	1
9958	PZ4	1

PHILLIPS BITS

Designed for general purpose and soft screwing application. 25mm long.



STOCK CODE	SIZE	
9959	PH1	1
9960	PH2	1
9961	PH3	1
9962	PH4	1

IMPACT DRIVER BITS

1/4" HEXAGON DRIVE 25mm

High quality impact resistant 25mm screwdriver bits for use in the most demanding applications for use with impact drivers. Tough, absorbing and magnesium phospate coated for excellent wear resistance.



STOCK CODE	TYPE	
PH2X25IMPBIT	PH2	10
PH3X25IMPBIT	PH3	10
PZ1X25IMPBIT	PZ1	10
PZ2X25IMPBIT	PZ2	10
PZ3X25IMPBIT	PZ3	10

STOCK CODE	TYPE	
T20X25IMPBIT	T20	10
T25X25IMPBIT	T25	10
T27X25IMPBIT	T27	10
T30X25IMPBIT	T30	10
T40X25IMPBIT	T40	10

33 PIECE SECURITY BIT SET

Manufactured from chrome vanadium for increased durability. Includes a handy carrying case for quick and convenient storage.

Contains:

- 4 x Flat Security Bits: 4mm, 6mm, 8mm and 10mm
- 4 x Tri-Wing Bits: 1, 2, 3 and 4
- 3 x TORX Bits: TX6, TX8 and TX10
- 6 x Tamper-Proof Metric Hex Bits: 2mm, 2.5,mm 3mm, 4mm, 5mm and 6mm
- 6 x Tamper-Proof Imperial Hex Bits: 5/64 inch, 3/32 inch, 7/64 inch, 1/8 inch, 9/64 inch and 5/32 inch
- 9 x Tamper-Proof TORX Bits: TTX8, TTX10, TTX15, TTX20, TTX25, TTX27, TTX30, TTX35 and TTX40
- 1 x 60mm Magnetic Bit Holder

STOCK CODE	
23004	1



15 PIECE INSERT BIT SET

- 2 x 25mm Phillips Bits: PH1 and PH2
- 2 x 25mm Pozidriv Bits: PZ1 and PZ2
- 3 x 25mm Hex Bits: H3, H4 and H5
- 2 x 25mm Slotted Bits: SL4 and SL6
- 5 x 25mm TORX Bits: TX10, TX15, TX20, TX25 and TX30
- 1 x Quick-Release Bit Holder

STOCK CODE	
9970	1



51 PIECE POWER TOOL ACCESSORY SET


- 6 x Flat Bits: 10mm, 13mm, 16mm, 19mm, 22mm & 25mm
- 6 x HSS Brad Point Wood Drill Bits: 3mm, 4mm, 5mm, 6mm, 8mm & 10mm
- 5 x TCT Masonry Drill Bits: 5mm, 5.5mm, 6mm, 6.5mm, & 7mm
- 13 x HSS Titanium Coated Drill Bits: 1.5mm, 2mm, 2.5mm, 3mm, 3.3mm, 3.5mm, 4mm, 4.2mm, 4.5,mm 5mm, 5.5mm, 6mm & 6.5mm
- 3 x 25mm Phillips Bits: PH1, PH2 & PH3
- 3 x 25mm Pozi Bits: PZ1, PZ2 & PZ3
- 2 x 25mm Slotted Bits: 4 & 6mm
- 2 x 25mm Torx Bits: T20 & T30.3 x 50mm
- 3 x 50mm Phillips Bits: PH1, PH2 & PH3
- 3 x 50mm Pozi Bits: PZ1, PZ2 & PZ3
- 2 x 50mm Slotted Bits: 4mm & 6mm
- 2 x 50mm Torx Bits: T20 & T30
- 1 x 1/4 inch Hex Drive Magnetic Adaptor

STOCK CODE	
FAIPTASET51	1



MAGNETIC BIT HOLDER

Secures screwdriver bits for accurate driving. Add a bit extension to access awkward and hard to reach screws.



STOCK CODE	SIZE	
1/4X57MMBIT	1/4" x 57mm	1

MAGNETIC IMPACT HOLDER

Impact grade bit holders featuring a versatile quick release chuck accepts all standard 1/4in hex shank bits of 25mm & 50mm length or double ended format.



STOCK CODE	SIZE	
MAGBHL	150mm x 1/4"	1

IMPACT BIT HOLDER

Specially designed towards the needs and practise of the tradesman. Tough and absorbing, ideal for difficult and general screw driving applications. Our magnetic bit holders are suitable for all 1/4 inch hexagon insert bits with quick change shank. Impact holder has quick release mechanism.



STOCK CODE	
IMPBITH	1

MAGNETIC BIT HOLDER SET

2 PIECE

High strength magnets for a secure hold. Suitable for use with all standard 1/4 inch hex driver bits. 150mm extension is ideal for accessing hard to reach areas.

Contains:
60mm & 150mm with 1/4 inch shank



STOCK CODE	SIZE	
MAGBHSET	1 x 60mm + 1 x 150mm	1

MAGNETIC BIT HOLDER QUICK RELEASE

For use in handheld drivers or power drills, this 1/4 inch female by 1/4 inch male magnetic bit holder has a hardened and tempered steel shaft with a quick-release chuck.
Length: 60mm.



STOCK CODE	SIZE	
MAGBHQR	60mm	1

LOCK-N-LOAD QUICK CHANGE EXTENSION BIT HOLDER



STOCK CODE	SIZE	
9988	150mm	1

MAGNETIC DRIVER BIT 5/16 INCH



STOCK CODE	
9432	1

MAGNETIC HAND DRIVER



STOCK CODE	
8179	1

FAITHFULL SCREWDRIVER BIT 61 PIECE SET

The Faithfull Security Bit Set contains just about every screwdriver bit most tradesmen will ever need. With sixty Chrome Vanadium steel bits covering all popular drive systems. Supplied in a sturdy plastic storage case.

Contains:

- 6 x Phillips Screwdriver Bits: PH0, PH1, PH2(3) & PH3
- 6 x Pozidrive Screwdriver Bits: PZ0, PZ1, PZ2(3) & PZ3
- 5 x Slotted Screwdriver Bits: 3, 4, 5, 6 & 7mm
- 12 x Hex Screwdriver Bits: 1.5mm, 2mm, 2.5mm, 3mm, 3.5mm, 4mm, 4.5mm, 5mm, 5.5mm, 6mm, 7mm & 8mm
- 13 x Star Screwdriver Bits: T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T35 & T40
- 7 x Tamperproof Star Screwdriver Bits: TT10, TT15, TT20, TT25, TT27, TT30 & TT35
- 6 x Hex Security Screwdriver Bits: 2, 2.5, 3, 4, 5 & 6mm
- 5 x Spanner Bits: 4mm (x 2), 6mm, 8mm & 10mm
- 1 x Magnetic Bit Holder 60mm

STOCK CODE	
BIT61SET	1



HEXAGON KEY WRENCH SHORT ARM



STOCK CODE	SIZE	
4369	1.5mm	1
4370	2.0mm	1
4371	2.5mm	1
4372	3.0mm	1
4373	4.0mm	1
4374	5.0mm	1
4375	6.0mm	1
4376	8.0mm	1
4377	10.0mm	1
4378	12.0mm	1
4379	14.0mm	1
4380	17.0mm	1
4381	19.0mm	1

HEXAGON KEY WRENCH

10 PIECE SET

Chrome vanadium steel. Hardened and tempered. 10 different sizes. Includes storage clip.

Sizes:

1 x 2mm
1 x 2.5mm
1 x 3mm
1 x 4mm
1 x 5mm
1 x 5.5mm
1 x 6mm
1 x 7mm
1 x 8mm
1 x 10mm



STOCK CODE	SIZE	
HEXKEYSET10	10mm	1

HEXAGON KEY WRENCH

8 PIECE FOLDING SET

Hardened chrome vanadium steel.

Sizes:

1 x 1.5mm
1 x 2mm
1 x 2.5mm
1 x 3mm
1 x 4mm
1 x 5mm
1 x 6mm
1 x 8mm

STOCK CODE	
HEXWRESETE	1



HEXAGON KEY WRENCH SHORT ARM SET

10 PIECE SET

A 10-piece set of standard hex keys in high tensile steel. All keys are stored in a size marked and colour coded plastic holder for easy selection.

Sizes:

1 x 1.5mm
1 x 2mm
1 x 2.5mm
1 x 3mm
1 x 4mm
1 x 5mm
1 x 5.5mm
1 x 6mm
1 x 8mm
1 x 10mm



STOCK CODE	SIZE	
23272	1.5mm - 10mm	12

FAITHFULL BALL HEXAGON KEY WRENCH LONG ARM SET

13 PIECE SET

This Faithfull Long Arm Hex Key Set contains a selection of professional quality keys made from fully hardened chrome vanadium steel. All keys from 4mm have chamfered edges to prevent damage to blade and fittings. Long arm design allows access to deep set screws or difficult to reach places. Ball end keys allow angle entry to 25º. Works in hard to reach areas. Faster insertion and removal.
Supplied in an ergonomic double layer, open out storage caddy which allows easy access to the smaller keys. Each key has a dedicated and clearly marked space for easy identification and is safely stored and ready for use.

Sizes:

1 x 1.3mm
1 x 1.5mm
1 x 2mm
1 x 2.5mm
1 x 3mm
1 x 3.5mm
1 x 4mm
1 x 4.5mm
1 x 5mm
1 x 5.5mm
1 x 6mm
1 x 8mm
1 x 10mm



STOCK CODE	SIZE	
23274	1.3mm - 10mm	6

METRIC & IMPERIAL HEXAGON KEY WRENCH LONG SERIES

25 PIECE SET

Metric and imperial long series hex keys. Includes 12 x long arm metric and 13 x long arm imperial wrenches.

Metric sizes:
1 x 1.27mm
1 x 1.5mm
1 x 2mm
1 x 2.5mm
1 x 3mm
1 x 3.5mm
1 x 4mm
1 x 4.5mm
1 x 5mm
1 x 5.5mm
1 x 6mm
1 x 8mm
1 x 10mm

Imperial AF sizes:
1 x 1/20"
1 x 1/16"
1 x 5/64"
1 x 3/32"
1 x 7/64"
1 x 1/8"
1 x 5/32"
1 x 3/16"
1 x 7/32"
1 x 1/4"
1 x 5/16"
1 x 3/8"



STOCK CODE	
HEXKEYSET	1

HSS JOBBER DRILL BIT

High Speed Steel drill bits for general purpose applications. They are right hand cutting at 30º. Suitable for drilling sheet metal, non-ferrous metal, hard and soft wood and PVC.



STOCK CODE	SIZE	
12200	1.0mm	1
12201	1.5mm	1
12202	2.0mm	1
12203	2.5mm	1
12204	3.0mm	1
12205	3.2mm	1
12206	3.5mm	1
12207	4.0mm	1
12208	4.2mm	1
12209	4.5mm	1
12210	4.8mm	1
12211	5.0mm	1
12271	5.2mm	1
12212	5.5mm	1
12213	6.0mm	1
12214	6.5mm	1

STOCK CODE	SIZE	
12215	6.8mm	1
12216	7.0mm	1
12217	7.5mm	1
12218	8.0mm	1
12219	8.5mm	1
12220	9.0mm	1
12221	9.5mm	1
12222	10.0mm	1
12223	10.2mm	1
12224	10.5mm	1
12225	11.0mm	1
12226	11.5mm	1
12227	12.0mm	1
12228	12.5mm	1
12229	13.0mm	1

HSS COBALT DRILL BIT

Precision engineered steel drill bits, with 5% cobalt shaft, for use on tough materials and hard steel, including stainless steel. Manufactured to DIN338 standards, with a 135° split point tip for drilling without pre-centring. The M35 Shaft with 5% Cobalt gives excellent resistance to heat.



STOCK CODE	SIZE	
12230	1.0mm	1
12231	1.5mm	1
12232	2.0mm	1
12233	2.5mm	1
12234	3.0mm	1

STOCK CODE	SIZE	
12235	3.2mm	1
12236	3.5mm	1
12237	4.0mm	1
12238	4.2mm	1
12239	4.5mm	1

HSS COBALT DRILL BIT



STOCK CODE	SIZE	
12240	4.8mm	1
12262	4.9mm	1
12241	5.0mm	1
12261	5.1mm	1
12242	5.5mm	1
12243	6.0mm	1
12244	6.5mm	1
12245	6.8mm	1
12246	7.0mm	1
12247	7.5mm	1
12248	8.0mm	1

STOCK CODE	SIZE	
12249	8.5mm	1
12250	9.0mm	1
12251	9.5mm	1
12252	10.0mm	1
12253	10.2mm	1
12254	10.5mm	1
12255	11.0mm	1
12256	11.5mm	1
12257	12.0mm	1
12258	12.5mm	1
12259	13.0mm	1

BLACKSMITH DRILL BIT

Precision engineered HSS-G twist drill bits with reduced shank and split point for drilling. Manfactured with a milled flute and 135 degree split point for spot drilling without pre-centring. Right hand cutting at 30 degrees. Suitable for drilling cast iron, non-ferrous metals, sheet metals, mild metals, steel, wood and PVC.



STOCK CODE	SIZE	
12400	14mm	1
12401	15mm	1
12402	16mm	1
12403	17mm	1
12404	18mm	1

STOCK CODE	SIZE	
12405	19mm	1
12406	20mm	1
12407	21mm	1
12408	22mm	1
12410	24mm	1

HSS LONG SERIES DRILL BIT



STOCK CODE	SIZE	LENGTH	
HSS2X85	2.0mm	85mm	1
HSS2.5X95	2.5mm	95mm	1
HSS3X100	3.0mm	100mm	1
HSS3.2X106	3.2mm	106mm	1
HSS3.5X112	3.5mm	112mm	1
HSS3.8X119	3.8mm	119mm	1
HSS4.2X119	4.2mm	119mm	1
HSS4.5X116	4.5mm	116mm	1
HSS4X119	4.0mm	119mm	1
HSS4.9X132	4.9mm	132mm	1
HSS5X132	5.0mm	132mm	1
HSS5.5X139	5.5mm	139mm	1

STOCK CODE	SIZE	LENGTH	
HSS6X139	6.0mm	139mm	1
HSS6.5X148	6.5mm	148mm	1
HSS7X156	7.0mm	156mm	1
HSS7.5X156	7.5mm	156mm	1
HSS8X165	8.0mm	165mm	1
HSS8.5X165	8.5mm	165mm	1
HSS9X170	9.0mm	170mm	1
HSS9.5X170	9.5mm	170mm	1
HSS10X184	10.0mm	184mm	1
HSS11X195	11.0mm	195mm	1
HSS12X205	12.0mm	205mm	1
HSS13X205	13.0mm	205mm	1

HSS EXTRA LONG SERIES DRILL BIT



High Speed Steel drill bits for general purpose applications. They are right hand cutting at 30 degrees. Suitable for drilling sheet metal, non-ferrous metal, hard and soft wood and PVC. Extra long for long reach applications.

STOCK CODE	SIZE	LENGTH	
HSSXL2MM	2.00mm	125mm	1
HSSXL2.5MM	2.50mm	140mm	1
HSSXL3MM	3.00mm	190mm	1
HSSXL3.5MM	3.50mm	210mm	1
HSSXL4MM	4.00mm	220mm	1
HSSXL4.2MM	4.20mm	220mm	1
HSSXL4.5MM	4.50mm	235mm	1
HSSXL4.8MM	4.80mm	195mm	1
HSSXL4.9MM	4.90mm	195mm	1
HSSXL5MM	5.00mm	245mm	1
HSSXL5.5MM	5.50mm	260mm	1
HSSXL5.8MM	5.80mm	205mm	1
HSSXL6MM	6.00mm	260mm	1
HSSXL6.5MM	6.50mm	275mm	1

STOCK CODE	SIZE	LENGTH	
HSSXL7MM	7.00mm	290mm	1
HSSXL7.5MM	7.50mm	290mm	1
HSSXL8MM	8.00mm	305mm	1
HSSXL8.5MM	8.50mm	305mm	1
HSSXL9MM	9.00mm	320mm	1
HSSXL9.5MM	9.50mm	320mm	1
HSSXL10MM	10.00mm	340mm	1
HSSXL10.5MM	10.50mm	340mm	1
HSSXL11MM	11.00mm	365mm	1
HSSXL11.5MM	11.50mm	365mm	1
HSSXL12MM	12.00mm	295mm	1
HSSXL12.5MM	12.50mm	375mm	1
HSSXL13MM	13.00mm	375mm	1

HSS DORMER A002 DRILL BIT



Premium performance drill bits. Suitable for steel, stainless steel, cast iron, titanium nickel, copper, brass, aluminium & thermoplastics.

STOCK CODE	Ø x LENGTH	
12602	1mm x 34mm	1
12603	1.5mm x 40mm	1
12604	2mm x 49mm	1
12605	2.5mm x 57mm	1
12606	3mm x 61mm	1
12607	3.2mm x 65mm	1
12608	3.5mm x 39mm	1
12609	4mm x 75mm	1
12610	4.2mm x 75mm	1
12611	4.5mm x 80mm	1
12612	4.8mm x 86mm	1
12613	5mm x 86mm	1
12614	5.1mm x 86mm	1
12615	5.2mm x 86mm	1
12616	5.5mm x 93mm	1
12617	6mm x 93mm	1
12618	6.5mm x 101mm	1

STOCK CODE	Ø x LENGTH	
12619	6.8mm x 109mm	1
12620	7mm x 109mm	1
12621	7.5mm x 109mm	1
12622	8mm x 117mm	1
12623	8.5mm x 117mm	1
12624	9mm x 125mm	1
12625	9.5mm x 125mm	1
12626	10mm x 133mm	1
12627	10.2mm x 133mm	1
12628	10.5mm x 133mm	1
12629	11mm x 142mm	1
12630	11.5mm x 142mm	1
12631	12mm x 151mm	1
12632	12.5mm x 151mm	1
12633	13mm x 151mm	1
12634	14mm x 160mm	1

FAITHFULL QUALITY TOOLS 25 PIECE HSS DRILL BIT SET

1-13 mm

Faithfull Professional high speed steel (HSS) drill bits are manufactured from high quality M2 grade tool steel, to meet the requirements of the DIN 338 standard.
Each bit has a fully ground flute and cutting tip, featuring a 135 degree point angle and split point providing easy non-slip starting and precision drilling. All these great features help you to achieve superior performance in most materials.
Suitable for use in: Alloy Steels, Carbon Steels, Cast Iron, Hardened Alloy Steels, Stainless Steels.
Supplied in heavy gauge metal storage case. Display packed.
No. of drills: 25
Sizes: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5 and 13mm



STOCK CODE	
HSSDRILLSET13	1

FAITHFULL QUALITY TOOLS 19 PIECE HSS DRILL BIT SET

M2 1 - 10mm & CASE

Faithfull Professional high speed steel (HSS) drill bits are manufactured from high quality M2 grade tool steel, to meet the requirements of the DIN 338 standard.
Each bit has a fully ground flute and cutting tip, featuring a 135 degree point angle and split point providing easy non-slip starting and precision drilling. All these great features help you to achieve superior performance in most materials.
Suitable for use in: Alloy Steels, Carbon Steels, Cast Iron, Hardened Alloy Steels, Stainless Steels.
Supplied in heavy gauge metal storage case. Display packed.
No. of drills: 19
Sizes: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, and 10mm



STOCK CODE	
HSSDRILSET19	1

AUGER DRILL BIT

Precision ground, hardened high carbon steel hex shank auger bit. Fine pitch spiral pulls auger into workpiece and single spur slices timber ahead of the cutting edge, for accurate holes.



STOCK CODE	Ø x LENGTH	
14148	6mm x 235mm	1
14149	6mm x 300mm	1
14151	8mm x 235mm	1
14152	8mm x 300mm	1
14153	8mm x 450mm	1
14154	8mm x 600mm	1
14156	10mm x 235mm	1
14157	10mm x 300mm	1
14158	10mm x 450mm	1
14159	10mm x 600mm	1
14161	12mm x 235mm	1

STOCK CODE	Ø x LENGTH	
14162	12mm x 300mm	1
14163	12mm x 450mm	1
14164	12mm x 600mm	1
14165	14mm x 235mm	1
14166	14mm x 300mm	1
14167	14mm x 450mm	1
14168	14mm x 600mm	1
14169	16mm x 100mm	1
14171	16mm x 235mm	1
14172	16mm x 300mm	1
14173	16mm x 450mm	1

AUGER DRILL BIT



STOCK CODE	Ø x LENGTH	
14174	16mm x 600mm	1
14175	18mm x 235mm	1
14176	18mm x 300mm	1
14177	18mm x 450mm	1
14178	18mm x 600mm	1
14179	19mm x 235mm	1
14180	20mm x 100mm	1
14182	20mm x 235mm	1
14183	20mm x 300mm	1
14184	20mm x 450mm	1
14185	20mm x 600mm	1
14187	22mm x 235mm	1
14188	22mm x 300mm	1
14189	22mm x 450mm	1
14190	22mm x 600mm	1
14191	24mm x 235mm	1
14192	24mm x 450mm	1

STOCK CODE	Ø x LENGTH	
14193	24mm x 600mm	1
14195	25mm x 235mm	1
14196	25mm x 400mm	1
2224	25mmx 450mm	1
14197	26mm x 235mm	1
14198	26mm x 450mm	1
14199	26mm x 600mm	1
14200	28mm x 235mm	1
14201	28mm x 450mm	1
14202	28mm x 600mm	1
14203	30mm x 235mm	1
14204	30mm x 450mm	1
14205	30mm x 600mm	1
14206	32mm x 235mm	1
14207	32mm x 450mm	1
14208	32mm x 600mm	1

SDS PLUS AUGER BIT

Precision ground, hardened high carbon steel. Fine pitch spiral pulls auger into workpiece and single spur slices timber ahead of the cutting edge, producing accurate holes.
Use in all SDS Plus with hammer set to "Stop"



STOCK CODE	Ø x LENGTH	
SDSAUG6230	6mm x 230mm	1
SDSAUG8230	8mm x 235mm	1
SDSAUG10235	10mm x 235mm	1
SDSAUG10400	10mm x 40mm	1
SDSAUG10450	10mm x 450mm	1
SDSAUG12235	12mm x 235mm	1
SDSAUG12400	12mm x 400mm	1
SDSAUG12450	12mm x 450mm	1
SDSAUG14235	14mm x 235mm	1
SDSAUG14400	14mm x 400mm	1
SDSAUG14450	14mm x 450mm	1
SDSAUG16235	16mm x 235mm	1
SDSAUG16400	16mm x 400mm	1
SDSAUG16450	16mm x 450mm	1
SDSAUG18235	18mm x 235mm	1
SDSAUG18400	18mm x 400mm	1
SDSAUG18450	18mm x 450mm	1
SDSAUG19235	19mm x 235mm	1

STOCK CODE	Ø x LENGTH	
SDSAUG20235	20mm x 235mm	1
SDSAUG20400	20mm x 400mm	1
SDSAUG20450	20mm x 450mm	1
SDSAUG22235	22mm x 235mm	1
SDSAUG22400	22mm x 400mm	1
SDSAUG22450	22mm x 450mm	1
SDSAUG24235	24mm x 235mm	1
SDSAUG24400	24mm x 400mm	1
SDSAUG24450	24mm x 450mm	1
SDSAUG25235	25mm x 235mm	1
SDSAUG25450	25mm x 450mm	1
SDSAUG26235	26mm x 235mm	1
SDSAUG26400	26mm x 400mm	1
SDSAUG26450	26mm x 450mm	1
SDSAUG28235	28mm x 235mm	1
SDSAUG28400	28mm x 400mm	1
SDSAUG32235	32mm x 235mm	1

FLAT WOOD DRILL BIT



Precision engineered flat bit for fast and exact cutting. Designed to ensure faster and easier drilling, with double side spurs providing cleaner holes and reduced vibration. Side scoops optimise removal of wood chippings. 1/4" Hex quick change shank. Suitable for general use in drilling wood, plastic and plasterboard.

STOCK CODE	Ø	
FWB06	6mm	1
FWB08	8mm	1
FWB10	10mm	1
FWB12	12mm	1
FWB13	13mm	1
FWB14	14mm	1
FWB16	16mm	1
FWB18	18mm	1
FWB19	19mm	1
FWB20	20mm	1
FWB22	22mm	1

STOCK CODE	Ø	
FWB24	24mm	1
FWB25	25mm	1
FWB26	26mm	1
FWB28	28mm	1
FWB30	30mm	1
FWB32	32mm	1
FWB34	34mm	1
FWB35	35mm	1
FWB36	36mm	1
FWB38	38mm	1
FWB40	40mm	1

MASONRY DRILL BIT



Precision engineered masonry drill bits for general purpose application. Excellent resistance to heat, a milled flute and 130 degree Carbide tipped point make these bits suitable for use on masonry, concrete, stone, natural stone and aerated concrete.

STOCK CODE	Ø x LENGTH	
MAS040100	4mm x 100mm	1
MAS04075	4mm x 75mm	1
MAS050100	5mm x 100mm	1
MAS050150	5mm x 150mm	1
MAS050200	5mm x 200mm	1
MAS05085	5mm x 85mm	1
MAS055150	5.5mm x 150mm	1
MAS055200	5.5mm x 200mm	1
MAS05585	5.5mm x 85mm	1
MAS060100	6mm x 100mm	1
MAS060150	6mm x 150mm	1
MAS060200	6mm x 200mm	1
MAS065100	6.5mm x 100mm	1

STOCK CODE	Ø x LENGTH	
MAS065150	6.5mm x 150mm	1
MAS065200	6.5mm x 200mm	1
MAS070100	7mm x 100mm	1
MAS070150	7mm x 150mm	1
MAS070200	7mm x 200mm	1
MAS080120	8mm x 120mm	1
MAS080150	8mm x 150mm	1
MAS080200	8mm x 200mm	1
MAS090120	9mm x 120mm	1
MAS100120	10mm x 120mm	1
MAS100150	10mm x 150mm	1
MAS120150	12mm x 150mm	1
MAS140150	14mm x 150mm	1

ULTIMATE SDS PLUS DRILL BIT



Hardened steel hammer masonry drill bits for general purpose applications. Hardened steel body for extra strength and reduced breakage. The Super Flute spiral aids consistent drilling speed and efficient debris removal. Tungsten carbide tipped for longer life. Suitable for Masonry, concrete and stone.

STOCK CODE	Ø x LENGTH	WORKING LENGTH	
SDSP4110	4mm x 110mm	50mm	1
SDSP4160	4mm x 160mm	100mm	1
SDSP5110	5mm x 110mm	50mm	1
SDSP5160	5mm x 160mm	100mm	1
SDSP5210	5mm x 210mm	150mm	1
SDSP5310	5mm x 310mm	250mm	1
SDSP5.5110	5.5mm x 110mm	50mm	1

STOCK CODE	Ø x LENGTH	WORKING LENGTH	
SDSP5.5160	5.5mm x 160mm	100mm	1
SDSP5.5260	5.5mm x 260mm	100mm	1
SDSP6110	6mm x 110mm	50mm	1
SDSP6160	6mm x 160mm	100mm	1
SDSP6210	6mm x 210mm	150mm	1
SDSP6260	6mm x 260mm	200mm	1
SDSP6310	6mm x 310mm	250mm	1

ULTIMATE SDS PLUS DRILL BITS



STOCK CODE	Ø x LENGTH	WORKING LENGTH	
SDSP6460	6mm x 460mm	400mm	1
SDSP6.5110	6.5mm x 110mm	50mm	1
SDSP6.5160	6.5mm x 160mm	100mm	1
SDSP6.5210	6.5mm x 210mm	150mm	1
SDSP6.5260	6.5mm x 260mm	200mm	1
SDSP7110	7mm x 110mm	50mm	1
SDSP7160	7mm x 160mm	100mm	1
SDSP7210	7mm x 210mm	150mm	1
SDSP7260	7mm x 260mm	200mm	1
SDSP7310	7mm x 310mm	250mm	1
SDSP81000	8mm x 1000mm	940mm	1
SDSP8110	8mm x 110mm	50mm	1
SDSP8160	8mm x 160mm	100mm	1
SDSP8210	8mm x 210mm	150mm	1
SDSP8260	8mm x 260mm	200mm	1
SDSP8310	8mm x 310mm	250mm	1
SDSP8460	8mm x 460mm	400mm	1
SDSP8610	8mm x 610mm	550mm	1
SDSP9160	9mm x 160mm	100mm	1
SDSP9210	9mm x 210mm	150mm	1
SDSP10110	10mm x 110mm	50mm	1
SDSP10160	10mm x 160mm	100mm	1
SDSP10210	10mm x 210mm	150mm	1
SDSP10260	10mm x 260mm	200mm	1
SDSP10310	10mm x 310mm	250mm	1
SDSP10460	10mm x 460mm	400mm	1
SDSP10610	10mm x 610mm	550mm	1
SDSP101000	10mm x 1000mm	940mm	1
SDSP11160	11mm x 160mm	100mm	1
SDSP11210	11mm x 210mm	150mm	1
SDSP11310	11mm x 310mm	250mm	1
SDSP12160	12mm x 160mm	100mm	1
SDSP12210	12mm x 210mm	150mm	1
SDSP12260	12mm x 260mm	200mm	1
SDSP12310	12mm x 310mm	250mm	1
SDSP12460	12mm x 460mm	400mm	1
SDSP12610	12mm x 610mm	550mm	1
SDSP121000	12mm x 1000mm	940mm	1
SDSP13160	13mm x 160mm	100mm	1
SDSP13210	13mm x 210mm	150mm	1
SDSP13260	13mm x 260mm	200mm	1
SDSP13310	13mm x 310mm	250mm	1
SDSP14160	14mm x 160mm	100mm	1
SDSP14210	14mm x 210mm	150mm	1
SDSP14260	14mm x 260mm	200mm	1
SDSP14310	14mm x 310mm	250mm	1

STOCK CODE	Ø x LENGTH	WORKING LENGTH	
SDSP14460	14mm x 460mm	400mm	1
SDSP14610	14mm x 610mm	550mm	1
SDSP141000	14mm x 1000mm	940mm	1
SDSP16160	16mm x 160mm	100mm	1
SDSP16210	16mm x 210mm	150mm	1
SDSP16260	16mm x 260mm	200mm	1
SDSP16310	16mm x 310mm	250mm	1
SDSP16460	16mm x 460mm	400mm	1
SDSP16610	16mm x 610mm	550mm	1
SDSP161000	16mm x 1000mm	940mm	1
SDSP17210	17mm x 210mm	150mm	1
SDSP18210	18mm x 210mm	150mm	1
SDSP18260	18mm x 260mm	200mm	1
SDSP18310	18mm x 310mm	250mm	1
SDSP18460	18mm x 460mm	400mm	1
SDSP18610	18mm x 610mm	550mm	1
SDSP181000	18mm x 1000mm	940mm	1
SDSP201000	20mm x 1000mm	940mm	1
SDSP20210	20mm x 210mm	150mm	1
SDSP20260	20mm x 260mm	200mm	1
SDSP20310	20mm x 310mm	250mm	1
SDSP20460	20mm x 460mm	400mm	1
SDSP20610	20mm x 610mm	550mm	1
SDSP221000	22mm x 1000mm	940mm	1
SDSP22210	22mm x 210mm	150mm	1
SDSP22260	22mm x 260mm	200mm	1
SDSP22310	22mm x 310mm	250mm	1
SDSP22460	22mm x 460mm	400mm	1
SDSP22610	22mm x 610mm	550mm	1
SDSP24210	24mm x 210mm	150mm	1
SDSP24260	24mm x 260mm	200mm	1
SDSP24310	24mm x 310mm	250mm	1
SDSP24460	24mm x 460mm	400mm	1
SDSP24610	24mm x 610mm	550mm	1
SDSP251000	25mm x 1000mm	940mm	1
SDSP25210	25mm x 210mm	150mm	1
SDSP25260	25mm x 260mm	200mm	1
SDSP25310	25mm x 310mm	250mm	1
SDSP25460	25mm x 460mm	400mm	1
SDSP25610	25mm x 610mm	550mm	1
SDSP26310	26mm x 310mm	250mm	1
SDSP26460	26mm x 460mm	400mm	1
SDSP26610	26mm x 610mm	550mm	1
SDSP28310	28mm x 310mm	250mm	1
SDSP28460	28mm x 460mm	400mm	1
SDSP30460	30mm x 460mm	400mm	1
SDSP32460	32mm x 460mm	400mm	1

BIONIC PRO SDS PLUS DRILL BIT



The Bionic Pro SDS-plus dual cutter is extremely robust and very powerful. The patented carbide drill tip guarantees a long service life and, in combination with the optimized carbide cutting edge, ensures especially fast drilling. Another advantage is the Twinmax 3D helix, which very effectively transports drilling dust away, and thus minimizes the risk of dust "blow back".

- Dual-cutter for concrete and reinforcement steel
- Extremely robust with long service lifes thanks to the patented drill head
- With recessed carbide tip for extreme resilience in reinforcement steel and powerful drilling progress
- Best drilling process thanks to the optimised carbide cutting edge
- Twinmax 3D helix for highly effective drilling dust transport and minimal dust explosion even in deep holes
- Low vibration reduces the load on the user
- Particularly easy positioning and avoids spalling even after drilling many holes thanks to double centring tip

STOCK CODE	Ø x LENGTH	WORKING LENGTH	
14053	5.5mm x 160mm	100mm	1
14054	6mm x 160mm	100mm	1
14051	6mm x 210mm	100mm	1
14052	7mm x 160mm	100mm	1
14055	7mm x 210mm	100mm	1
14056	8mm x 160mm	100mm	1
14057	8mm x 210mm	100mm	1
14058	10mm x 160mm	100mm	1
14059	10mm x 210mm	100mm	1
14060	10mm x 260mm	200mm	1
14061	12mm x 210mm	100mm	1
14062	12mm x 310mm	250mm	1
14063	12mm x 450mm	400mm	1
14064	14mm x 200mm	100mm	1
14065	14mm x 250mm	200mm	1
14066	14mm x 450mm	400mm	1


STOCK CODE	Ø x LENGTH	WORKING LENGTH	
14067	15mm x 250mm	200mm	1
14068	16mm x 200mm	100mm	1
14069	16mm x 300mm	250mm	1
14070	16mm x 450mm	400mm	1
14071	18mm x 200mm	100mm	1
14072	18mm x 300mm	250mm	1
14073	18mm x 450mm	400mm	1
14074	20mm x 200mm	100mm	1
14075	20mm x 300mm	250mm	1
14076	20mm x 450mm	400mm	1
14081	22mm x 250mm	200mm	1
14082	22mm x 450mm	400mm	1
14077	24mm x 250mm	200mm	1
14078	24mm x 450mm	400mm	1
14050	25mm x 450mm	400mm	1



AERATED CONCRETE


BRICKWORK


BRICK


CONCRETE


AERATED & POROUS CONCRETE


REINFORCED CONCRETE



SAND LIME BRICK

SDS PLUS TAPCON DRILL BIT

Hardened steel hammer masonry drill bits. Hardened steel body for extra strength and reduced breakage. Tungsten carbide tipped for longer life. Suitable for Masonry, concrete and stone.



STOCK CODE	Ø x LENGTH	
5.15X180SDS	5.15mm x 180mm	1
5.15X310SDS	5.15mm x 310mm	1



TRIJET SDS PLUS DRILL BIT




The Trijet SDS-plus is the most powerful hammer drill bit from Heller and has the longest service life for concrete and reinforcement steel rebar applications. On the one hand, the patented Trijet drill head is characterized by its extremely robust and powerful drilling progress. On the other hand, it ensures maximum effectiveness and speed as well as minimum vibration when drilling due to its optimized helix design. In comparison to the other hammer drill bits, the Trijet SDS-plus has the lowest cost per hole.

- Premium multi-cutter for concrete and reinforcement
- Highest service life and extremely resilient to wear
- Particularly powerful and rugged multi-cutter with patented Trijet tip
- With recessed carbide tip for extreme resilience in reinforcement steel and powerful drilling progress
- Lowest costs per hole
- Highest effectiveness and speed thanks to Trijet tip plus optimised helix design
- Best possible drill dust transport without risk of explosion thanks to large-volume, low-vibration triple helix, also in deep holes
- Lowest vibration thanks to computer-simulated helix reduces the load on the user
- Particularly easy positioning; avoids spalling even after drilling many holes thanks to double centring tip

STOCK CODE	Ø x LENGTH	WORKING LENGTH	
14481	5mm x 110mm	50mm	1
14483	5mm x 160mm	100mm	1
14484	5.5mm x 110mm	50mm	1
14485	5.5mm x 160mm	100mm	1
14486	6mm x 110mm	50mm	1
14488	6mm x 160mm	100mm	1
14490	6mm x 210mm	150mm	1
14491	6mm x 260mm	200mm	1
14492	6.5mm x 110mm	50mm	1
14493	6.5mm x 160mm	100mm	1
14494	6.5mm x 210mm	150mm	1
14495	7mm x 160mm	100mm	1
14496	7mm x 210mm	150mm	1
14497	8mm x 110mm	50mm	1
14499	8mm x 160mm	100mm	1
14501	8mm x 210mm	150mm	1
14502	8mm x 260mm	200mm	1
14503	8mm x 310mm	250mm	1
14504	8mm x 450mm	400mm	1
14505	10mm x 110mm	50mm	1
14506	10mm x 160mm	100mm	1
14508	10mm x 210mm	150mm	1
14509	10mm x 260mm	200mm	1
14510	10mm x 310mm	250mm	1

STOCK CODE	Ø x LENGTH	WORKING LENGTH	
14511	10mm x 450mm	400mm	1
14512	10mm x 600mm	550mm	1
14513	12mm x 160mm	100mm	1
14515	12mm x 210mm	150mm	1
14517	12mm x 260mm	200mm	1
14518	12mm x 310mm	250mm	1
14519	12mm x 450mm	400mm	1
14520	12mm x 600mm	550mm	1
14521	13mm x 160mm	100mm	1
14522	13mm x 250mm	200mm	1
14523	13mm x 300mm	250mm	1
14524	14mm x 160mm	100mm	1
14525	14mm x 200mm	150mm	1
14526	14mm x 260mm	200mm	1
14527	14mm x 300mm	250mm	1
14528	14mm x 450mm	400mm	1
14529	14mm x 600mm	550mm	1
14530	15mm x 160mm	100mm	1
14531	15mm x 250mm	200mm	1
14532	16mm x 200mm	150mm	1
14533	16mm x 260mm	200mm	1
14534	16mm x 300mm	250mm	1
14535	16mm x 450mm	400mm	1
14536	16mm x 600mm	550mm	1



BRICKWORK BRICK CONCRETE GRANITE MARBLE NATURAL STONE REINFORCED CONCRETE SAND LIME BRICK

ENDURO SDS MAX HAMMER DRILL BIT



The Enduro Trijet SDS-max hammer drill bit perfectly unites speed and robustness - even in reinforced concrete. The embedded carbide tip makes this drill bit extremely resilient. Users also benefit from very low vibration and especially easy positioning.

- With recessed carbide tip for extreme resilience in reinforcement steel and powerful drilling progress
- Maximum effectiveness and speed thanks to the stable tips plus optimised helix design
- Best possible drill dust transport without risk of explosion thanks to large-volume, low-vibration triple helix, also in deep holes
- Lowest vibration thanks to computer-simulated helix reduces the load on the user
- Particularly easy positioning and avoids spalling even after drilling many holes

STOCK CODE	Ø x LENGTH	WORKING LENGTH	
14079	12mm x 340mm	200mm	1
14083	12mm x 340mm	200mm	1
14084	12mm x 540mm	400mm	1
14085	12mm x 540mm	400mm	1
14086	12mm x 740mm	600mm	1
14087	13mm x 340mm	200mm	1
14088	13mm x 540mm	400mm	1
14089	14mm x 340mm	200mm	1
14090	14mm x 740mm	600mm	1
14091	15mm x 340mm	200mm	1
14092	15mm x 540mm	400mm	1
14080	16mm x 340mm	200mm	1
14093	16mm x 340mm	200mm	1
14094	16mm x 540mm	400mm	1
14095	16mm x 740mm	600mm	1
14096	16mm x 940mm	800mm	1
14097	16mm x 1340mm	1200mm	1
14098	18mm x 340mm	200mm	1
14099	18mm x 540mm	400mm	1
14100	18mm x 740mm	600mm	1
14101	18mm x 940mm	800mm	1
14104	20mm x 320mm	200mm	1
14105	20mm x 520mm	400mm	1
14672	20mm x 520mm	400mm	1
14106	20mm x 720mm	600mm	1
14107	20mm x 920mm	800mm	1
14108	22mm x 320mm	200mm	1
14109	22mm x 520mm	400mm	1
14110	22mm x 720mm	600mm	1
14111	22mm x 920mm	800mm	1
14112	22mm x 1320mm	1200mm	1
14113	24mm x 320mm	200mm	1
14114	24mm x 520mm	400mm	1
14115	25mm x 320mm	200mm	1

STOCK CODE	Ø x LENGTH	WORKING LENGTH	
14116	25mm x 520mm	400mm	1
14117	25mm x 720mm	600mm	1
14118	25mm x 920mm	800mm	1
14119	25mm x 1320mm	1200mm	1
14120	26mm x 320mm	200mm	1
14121	26mm x 520mm	400mm	1
14122	28mm x 320mm	200mm	1
14123	28mm x 520mm	400mm	1
14124	28mm x 740mm	600mm	1
14125	28mm x 920mm	800mm	1
14126	30mm x 320mm	200mm	1
14127	30mm x 520mm	400mm	1
14128	30mm x 720mm	600mm	1
14129	32mm x 320mm	200mm	1
14130	32mm x 520mm	400mm	1
14131	32mm x 720mm	600mm	1
14132	32mm x 920mm	800mm	1
14133	32mm x 1320mm	1200mm	1
14134	35mm x 320mm	200mmm	1
14135	35mm x 520mm	400mm	1
14136	35mm x 720mm	600mm	1
14137	38mm x 320mm	200mm	1
14138	38mm x 520mm	400mm	1
14139	38mm x 720mm	600mm	1
14140	40mm x 320mm	200mm	1
14141	40mm x 520mm	400mm	1
14142	40mm x 720mm	600mm	1
14143	40mm x 920mm	800mm	1
14144	40mm x 1320mm	1200mm	1
14145	45mm x 520mm	400mm	1
14146	50mm x 520mm	400mm	1



BRICKWORK | BRICK | CONCRETE | MARBLE | NATURAL STONE | REINFORCED CONCRETE | SAND LIME BRICK

SDS MAX CROSS TIP HAMMER DRILL BIT



Cross Head Hammer Drill bits for very heavy duty work that requires large diameters and deep hole drilling. Cross Head design ensures all 4 cutting edges work at the same time to provide an even drilling action for accurate, rounder holes. Suitable for use in reinforced concrete, concrete masonry and natural stone.

STOCK CODE	Ø x LENGTH	WORKING LENGTH	
SDSM120340	12mm x 340mm	200mm	1
SDSM120540	12mm x 540mm	400mm	1
SDSM140340	14mm x 340mm	200mm	1
SDSM140540	14mm x 540mm	400mm	1
SDSM160340	16mm x 340mm	200mm	1
SDSM160540	16mm x 540mm	400mm	1
SDSM160690	16mm x 690mm	550mm	1
SDSM180340	18mm x 340mm	200mm	1
SDSM180540	18mm x 540mm	400mm	1
SDSM180690	18mm x 690mm	550mm	1
SDSM180920	18mm x 920mm	780mm	1
SDSM200340	20mm x 340mm	200mm	1
SDSM200540	20mm x 540mm	400mm	1
SDSM200690	20mm x 690mm	550mm	1
SDSM200920	20mm x 920mm	780mm	1
SDSM201300	20mm x 1300mm	160mm	1
SDSM220340	22mm x 340mm	200mm	1
SDSM220540	22mm x 540mm	400mm	1
SDSM220690	22mm x 690mm	550mm	1
SDSM220920	22mm x 920mm	780mm	1
SDSM221300	22mm x 1300mm	1160mm	1
SDSM240340	24mm x 340mm	200mm	1
SDSM240540	24mm x 540mm	400mm	1
SDSM240690	24mm x 690mm	550mm	1
SDSM240920	24mm x 920mm	780mm	1
SDSM250340	25mm x 340mm	200mm	1
SDSM250540	25mm x 540mm	400mm	1
SDSM250690	25mm x 690mm	550mm	1
SDSM250920	25mm x 920mm	780mm	1
SDSM251300	25mm x 1300mm	1160mm	1
SDSM260340	26mm x 340mm	200mm	1
SDSM260540	26mm x 540mm	400mm	1
SDSM260690	26mm x 690mm	550mm	1
SDSM260920	26mm x 920mm	780mm	1
SDSM280340	28mm x 340mm	200mm	1
SDSM280540	28mm x 540mm	400mm	1
SDSM280690	28mm x 690mm	550mm	1
SDSM280920	28mm x 920mm	780mm	1

STOCK CODE	Ø x LENGTH	WORKING LENGTH	
SDSM281300	28mm x 1300mm	1160mm	1
SDSM300340	30mm x 340mm	200mm	1
SDSM300540	30mm x 540mm	400mm	1
SDSM300690	30mm x 690mm	550mm	1
SDSM300920	30mm x 920mm	780mm	1
SDSM320340	32mm x 340mm	200mm	1
SDSM320540	32mm x 540mm	400mm	1
SDSM320690	32mm x 690mm	550mm	1
SDSM320920	32mm x 920mm	800mm	1
SDSM321300	32mm x 1300mm	1160mm	1
SDSM350340	35mm x 340mm	200mm	1
SDSM350540	35mm x 540mm	400mm	1
SDSM350690	35mm x 690mm	550mm	1
SDSM350920	35mm x 920mm	780mm	1
SDSM351300	35mm x 1300mm	1160mm	1
SDSM360340	36mm x 340mm	200mm	1
SDSM360540	36mm x 540mm	400mm	1
SDSM360690	36mm x 690mm	550mm	1
SDSM360920	36mm x 920mm	780mm	1
SDSM361300	36mm x 1300mm	1160mm	1
SDSM380340	38mm x 340mm	200mm	1
SDSM380540	38mm x 540mm	400mm	1
SDSM380690	38mm x 690mm	550mm	1
SDSM380920	38mm x 920mm	780mm	1
SDSM400340	40mm x 340mm	200mm	1
SDSM400540	40mm x 540mm	400mm	1
SDSM400690	40mm x 690mm	550mm	1
SDSM400920	40mm x 920mm	780mm	1
SDSM420340	42mm x 340mm	200mm	1
SDSM420540	42mm x 540mm	400mm	1
SDSM420690	42mm x 690mm	550mm	1
SDSM420920	42mm x 920mm	780mm	1
SDSM421300	42mm x 1300mm	1160mm	1
SDSM450340	45mm x 340mm	200mm	1
SDSM450540	45mm x 540mm	400mm	1
SDSM450690	45mm x 690mm	550mm	1
SDSM450920	45mm x 920mm	780mm	1
SDSM451300	45mm x 1300mm	1160mm	1

SDS PLUS 4 CUTTING EDGES TUNGSTEN CARBIDE TIP



High performance drill bit with 4 tungsten carbide cutting edges and new progressive spiral design for problem-free drilling in reinforced concrete. Hammer Action due to vacuum hardening, robust due to high strength tungsten carbide tip, dowel length indicator for exact drilling depth.

STOCK CODE	Ø x LENGTH	
5X110REB4CUT	5mm x 110mm	1
5X160REB4CUT	5mm x 160mm	1
5X210REB4CUT	5mm x 210mm	1
5.5X110REB4CUT	5.5mm x 110mm	1
5.5X160REB4CUT	5.5mm x 160mm	1
6X110REB4CUT	6mm x 110mm	1
6X160REB4CUT	6mm x 160mm	1
6X210REB4CUT	6mm x 210mm	1
6X260REB4CUT	6mm x 260mm	1
6X310REB4CUT	6mm x 310mm	1
6.5X160REB4CUT	6.5mm x 160mm	1
6.5X210REB4CUT	6.5mm x 210mm	1
6.5X260REB4CUT	6.5mm x 260mm	1
6.5X310REB4CUT	6.5mm x 310mm	1
7X110REB4CUT	7mm x 110mm	1
7160REB4CUT	7mm x 160mm	1
8X110REB4CUT	8mm x 110mm	1
8X160REB4CUT	8mm x 160mm	1
8X210REB4CUT	8mm x 210mm	1
8X260REB4CUT	8mm x 260mm	1
8X310REB4CUT	8mm x 310mm	1
8X460REB4CUT	8mm x 460mm	1
9X160REB4CUT	9mm x 160mm	1
9X260REB4CUT	9mm x 260mm	1
10X110REB4CUT	10mm x 110mm	1
10X160REB4CUT	10mm x 160mm	1
10X210REB4CUT	10mm x 210mm	1
10X260REB4CUT	10mm x 260mm	1
10X310REB4CUT	10mm x 310mm	1
10X450REB4CUT	10mm x 450mm	1
10X600REB4CUT	10mm x 600mm	1
10X1000REB4CUT	10mm x 1000mm	1
12X160REB4CUT	12mm x 160mm	1
12X210REB4CUT	12mm x 210mm	1
12X260REB4CUT	12mm x 260mm	1
12X310REB4CUT	12mm x 310mm	1

STOCK CODE	Ø x LENGTH	
12X450REB4CUT	12mm x 450mm	1
12X600REB4CUT	12mm x 600mm	1
12X1000REB4CUT	12mm x 1000mm	1
14X160REB4CUT	14mm x 160mm	1
14X210REB4CUT	14mm x 210mm	1
14X260REB4CUT	14mm x 260mm	1
14X310REB4CUT	14mm x 310mm	1
14X450REB4CUT	14mm x 450mm	1
14X600REB4CUT	14mm x 600mm	1
14X1000REB4CUT	14mm x 1000mm	1
15X160REB4CUT	15mm x 160mm	1
15X260REB4CUT	15mm x 260mm	1
16X160REB4CUT	16mm x 160mm	1
16X210REB4CUT	16mm x 210mm	1
16X260REB4CUT	16mm x 260mm	1
16X310REB4CUT	16mm x 310mm	1
16X450REB4CUT	16mm x 450mm	1
16X600REB4CUT	16mm x 600mm	1
16X1000REB4CUT	16mm x 1000mm	1
18X250REB4CUT	18mm x 250mm	1
18X450REB4CUT	18mm x 450mm	1
18X600REB4CUT	18mm x 600mm	1
20X250REB4CUT	20mm x 250mm	1
20X450REB4CUT	20mm x 450mm	1
20X600REB4CUT	20mm x 600mm	1
22X250REB4CUT	22mm x 250mm	1
22X450REB4CUT	22mm x 450mm	1
22X600REB4CUT	22mm x 600mm	1
24X250REB4CUT	24mm x 250mm	1
24X450REB4CUT	24mm x 450mm	1
25X250REB4CUT	25mm x 250mm	1
25X450REB4CUT	25mm x 450mm	1
28X450REB4CUT	28mm x 450mm	1
30X450REB4CUT	30mm x 450mm	1
32X450REB4CUT	32mm x 450mm	1

SDS PLUS DRILL BITS REBAR DRILL

HIGH-QUALITY SDS PLUS DRILL BITS FOR DRILLING IN REINFORCED CONCRETE



- Monolithic carbide tip increases the life of the drill bit
- Centre point for quick commencement of drilling without the drill slipping
- 3 symmetrically arranged cutting edges allow for perfectly straight and axial drilling
- Angle tip 135° allows drilling in reinforced concrete
- Very deep seating of carbide plate significantly improves connection with the drill core, which affects quality
- 3 material extraction surfaces and special shape of the drill facilitate the removal of dust
- Steel with specification 34CrNiMo6 provides high strength and durability
- Heat treated, which increases the hardness of the steel to 52 HRC for optimal resistance during operation
- Drilling without damaging the surface, even at the edges
- Extremely high quality, cylindricity and axial alignment of drilled holes, confirmed by international Sicher Safe certificate

STOCK CODE	SIZE	
REBAR5X160	5mm x 160mm	1
REBAR5X210	5mm x 210mm	1
REBAR6X160	6mm x 160mm	1
REBAR6X210	6mm x 210mm	1
REBAR7X160	7mm x 160mm	1
REBAR8X160	8mm x 160mm	1
REBAR8X260	8mm x 260mm	1
REBAR10X210	10mm x 210mm	1
REBAR10X460	10mm x 460mm	1

STOCK CODE	SIZE	
REBAR12X210	12mm x 210mm	1
REBAR12X460	12mm x 460mm	1
REBAR14X260	14mm x 260mm	1
REBAR15X210	15mm x 210mm	1
REBAR16X210	16mm x 210mm	1
REBAR16X460	16mm x 460mm	1
REBAR18X310	18mm x 310mm	1
REBAR20X310	20mm x 310mm	1
REBAR20X460	20mm x 460mm	1

POINTED CHISEL



Hardened steel hammer masonry chisel bits for general purpose applications. Hardened steel body for extra strength and reduced breakage. Suitable for masonry, concrete and stone.

STOCK CODE	WIDTH	LENGTH	
SDS PLUS			
14416	11	250mm	1
14417	14	250mm	1
SDS MAX			
14425	18	280mm	1
14426	18	400mm	1
14427	18	600mm	1

FLAT CHISEL



Hardened steel hammer masonry flat chisel bits for general purpose applications. Hardened steel body for extra strength and reduced breakage. Suitable for masonry, concrete and stone.

STOCK CODE	WIDTH	LENGTH	
SDS PLUS			
14418	20mm	250mm	1
14542	20mm	400mm	1
SDS MAX			
14428	25mm	280mm	1
14429	25mm	400mm	1
14430	25mm	600mm	1

SPADE CHISEL



Hardened steel hammer masonry spade chisel bits for general purpose applications. Hardened steel body for extra strength and reduced breakage. Suitable for masonry, concrete and stone.

SDS PLUS

STOCK CODE	WIDTH	LENGTH	
14419	40mm	250mm	1

SDS MAX

STOCK CODE	WIDTH	LENGTH	
14431	40mm	250mm	1
14432	80mm	300mm	1
14433	115mm	350mm	1

SDS MAX CLAY SPADE



STOCK CODE	
14465	1

TE1000 CHISEL



STOCK CODE	
TE1000C	1

TE1000 POINT



STOCK CODE	
TE1000P	1

SK12/FL22 ROUND SHANK POINT

25mm Diameter x 75mm above the collar, 320mm below the collar.



STOCK CODE	
SK12	1

SDS PLUS TILE CHISEL



Ideal for light chipping and chiselling of tile, mortar, glazing compounds and other masonry products with hammers with a rotation stop feature.


STOCK CODE	LENGTH	
14421	40mm x 250mm	1

TE1000 CHISEL WIDE



STOCK CODE	SIZE	
TE1000CW	75mm x 360mm	1

3 PIECE SDS PLUS CHISEL SET



This 3 Piece SDS Plus Chisel Set has been designed for SDS Plus drills with a roto-stop function. They have been heat treated for increased strength and durability. Ideal for chasing out, cleaning bricks or breaking.

Contains: 2 x Flat Chisels 20 and 40mm- 1 x Point Chisel

STOCK CODE	
SDSPCHISEL	1

SK12/FL22 ROUND SHANK CHISEL

25mm Diameter x 75mm above the collar, 330mm below the collar.



STOCK CODE	
SK12C	1

CHUCK, KEY AND SDS PLUS ADAPTOR SET



Heavy-Duty keyed chuck for use on both Rotary and Impact drills. Fitted with an anti-thrust bearing to increase the amount of grip and to prevent slipping when under load.

Comes complete with key and adaptor for use with SDS and SDS Plus machines. When used with SDS machines, the drill MUST NOT be used in hammer mode

½ x 20 UNF thread. Capacity 13mm. Complete with chuck key

STOCK CODE	SIZE	
SDSPCAS	13mm	1

SDS PLUS KEYLESS CHUCK



It allows you to convert your SDS Plus Chuck into a 13mm Keyless Chuck.

For use with SDS Plus Drill to allow you to use conventional drill bits.

STOCK CODE	SIZE	
SDSPCKL	13mm	1


SDS MAX - PLUS ADAPTOR



The SDS Max to SDS Plus Adaptor has a 225mm overall length. It enables the use of SDS Plus shanked drill accessories with an SDS Max machine.

STOCK CODE	
SDSMPA	1

M14 SDS PLUS DRIVER ADAPTER



Designed to convert M14 paddles for use with SDS+ drills.

STOCK CODE	
PAIM14SDS	1

SDS MAX BUSH SCABBLER TOOL HOLDER



STOCK CODE	
14463	1

BUSH HAMMER HEAD SCABBLER



STOCK CODE	
14462	1

HSS BOTTOMING TAP

High speed steel (HSS) ground thread engineering threading taps. Suitable for general purposes. ISO 529.



STOCK CODE	SIZE	
14648	M3 x 0.5mm	1
14650	M4 x 0.7mm	1
14651	M5 x 0.8mm	1
14652	M6 x 1.0mm	1
14653	M8 x 1.25mm	1
14654	M10 x 1.5mm	1

STOCK CODE	SIZE	
14655	M12 x 1.75mm	1
14656	M16 x 2.0mm	1
14657	M20 x 2.5mm	1
14658	M22 x 2.5mm	1
14659	M24 x 3.0mm	1

HSS 2ND STAGE TAP

High speed steel (HSS) ground thread engineering threading taps. Suitable for general purposes. ISO 529.



STOCK CODE	SIZE	
14636	M3 x 0.5mm	1
14638	M4 x 0.7mm	1
14639	M5 x 0.8mm	1
14640	M6 x 1.0mm	1
14641	M8 x 1.25mm	1
14642	M10 x 1.5mm	1

STOCK CODE	SIZE	
14643	M12 x 1.75mm	1
14644	M16 x 2.0mm	1
14645	M20 x 2.5mm	1
14646	M22 x 2.5mm	1
14647	M24 x 3.0mm	1

HEX ARBOR

fit all DART holesaws and will also fit most other holesaws available. Supplied with our standard 90mm long pilot drill, which can also be interchanged with the other holesaw pilot drills available from our range. This arbor has a 9.5mm Hex shank, and can be used on holesaws from 14 to 30mm.



STOCK CODE	CHUCK	SIZE	
12192	3/8" HEX	14mm - 30mm	1
12193	3/8"HEX	32mm - 152mm	1

SDS PLUS HOLESAW ARBOR

fit all DART holesaws and will also fit most other holesaws available. Supplied with our standard 90mm long pilot drill, which can also be interchanged with the other holesaw pilot drills available from our range. This arbor has a 9.5mm Hex shank, and can be used on holesaws from 14 to 30mm.



STOCK CODE	CHUCK	SIZE	
SDSDPA1	SDS plus	14mm - 30mm	1
SDSDPA2	SDS plus	32mm - 210mm	1

DART COBALT COBALT HOLESAW

Variable pitched premium cobalt holesaw suitable for professional use. This cobalt holesaw offers a smooth and fast cutting action. The cobalt holesaw has a 38mm cutting depth and precision set teeth for aggressive material penetration and swarf clearance. The cobalt holesaw can be used to cut a wide range of thin and thick gauge materials including Steel, Aluminium, Sheet Metals, Mild Metals, Non-ferrous Metals, Cast Iron, Hard and Soft Wood and PVC.



STOCK CODE	Ø	
12138	14mm	1
12139	16mm	1
12140	17mm	1
12141	19mm	1
12142	20mm	1
12143	21mm	1
12144	22mm	1
12145	24mm	1
12146	25mm	1
12147	27mm	1
12148	29mm	1
12149	30mm	1
12150	32mm	1
12151	33mm	1
12152	35mm	1
12153	37mm	1
12154	38mm	1
12156	40mm	1
12157	41mm	1
12158	43mm	1
12159	44mm	1
12160	46mm	1
12161	48mm	1
12162	51mm	1
12163	52mm	1
12164	54mm	1
12165	55mm	1
12166	57mm	1
12167	59mm	1

STOCK CODE	Ø	
12168	60mm	1
12169	64mm	1
12170	65mm	1
12171	67mm	1
12172	68mm	1
12173	70mm	1
12174	73mm	1
12175	76mm	1
12176	79mm	1
12177	83mm	1
12178	86mm	1
12179	89mm	1
12180	92mm	1
12181	95mm	1
12182	98mm	1
12183	102mm	1
12184	105mm	1
12185	108mm	1
12186	111mm	1
12187	114mm	1
12188	121mm	1
12189	127mm	1
12190	140mm	1
12191	152mm	1
12196	168mm	1
12195	177mm	1
12197	200mm	1

DART HSS MULTI-TOOL BLADE

Precision engineered multi-tool oscillating blades designed for excellent cutting and efficiency for fo soft plastic, fibreglass, plasterboard, interior linings, non-ferrous metals and thin metals.



STOCK CODE	SIZE	
90MULTIHSS	90mm	1

DART TUNGSTEN CARBIDE MULTI-TOOL BLADE

Precision engineered multi-tool oscillating blades designed for quick and effective grout removal from between tiles.



STOCK CODE	SIZE	
90MULTIGROUT	90mm	1

DART MULTI-TOOL SAWBLADE

Precision engineered multi-tool oscillating blades designed for excellent cutting and efficiency for detailed cutting in timber and plastics.



FINE

STOCK CODE	SIZE	
63MULTIFINE	63mm	1

COARSE

STOCK CODE	SIZE	
68MULTICOARSE	68mm	1

DART BI-METAL MULTI-TOOL SAWBLADE

WOOD & NAILS

Precision engineered multi-tool oscillating blades. Designed for excellent cutting and efficiency for general purpose cutting in wood, wood with nails, soft plastic and non-ferrous metals.



STOCK CODE	SIZE	
32MULTIWM	32mm	1
44MULTIWM	44mm	1

TREND WOODEN BISCUIT

PACK OF 100

Trend biscuits are made of die cut beech. Beechwood biscuits which expand when in contact with a woodworking adhesive such as PVA glue. They are ideal for strong, fast, and accurate jointing of hard and soft woods, plywood and composition board.
Compared to doweling, biscuit jointing is faster and more precise.



STOCK CODE	TYPE	SIZE	
TREBISC0	0	47.5mm x 15.5mm x 4mm	1
TREBISC10	10	53mm x 19mm x 4mm	1
TREBISC20	20	60mm x 23mm x 4mm	1


ASSORTED

STOCK CODE	QUANTITY	TYPE	SIZE	
TREBISCMIX	30	0	47.5mm x 15.5m x 4mm	1
	30	10	53mm x 19mm x 4mm	1
	40	20	60mm x 23mm x 4mm	1

C005X1/4TC TWO FLUTE Ø 6mm x 16mm

SHANK Ø 1/4 INCH






STOCK CODE	TRC005X1/4TC
D	15/64 inch - 6 mm
C	5/8 inch - 16 mm
Overall length	60 mm

1

C008X1/4TC TWO FLUTE Ø 6.3mm x 25.4mm

SHANK Ø 1/4 INCH






STOCK CODE	TRC008X1/4TC
D	1/4 inch - 6.3 mm
C	1 inch -25.4 mm
Overall length	68.5 mm

1

C012AX1/4TC TWO FLUTE Ø 8.0mm x 25.0mm

SHANK Ø 1/4 INCH







STOCK CODE	TRC012AX1/4TC
D	8 mm
C	25 mm
Overall length	68.5 mm

1

C016X1/4TC TWO FLUTE CUT Ø 10mm x 19.1mm

SHANK Ø 1/4 INCH






STOCK CODE	TRC016X1/4TC
D	25/64 inch - 10mm
C	19.1mm
Overall length	59.5mm

1

C019AX1/4TC TWO FLUTE CUT Ø 12mm x 19mm

SHANK Ø 1/4 INCH






STOCK CODE	TRC019AX1/4TC
D	15/32 inch - 12 mm
C	3/4 inch - 19 mm
Overall length	71 mm

1

C019X1/4TC TWO FLUTE CUT Ø 12mm x 19.1mm

SHANK Ø 1/4 INCH






STOCK CODE	TRC019X1/4TC
D	15/32 inch - 12 mm
C	3/4 inch - 19.1 mm

1

C022X1/4TC TWO FLUTE CUT Ø 12.7mm x 31.8mm

SHANK Ø 1/4 INCH







STOCK CODE	TRC022X1/4TC
D	1/2 inch - 12.7 mm
C	1 ¼ inch - 31.8 mm
Overall length	72.5 mm

1

C024AX1/4TC TWO FLUTE Ø 15.0mm x 25mm

SHANK Ø 1/4 INCH







STOCK CODE	TRC024AX1/4TC
D	19/32 inch - 15 mm
C	63/64 inch - 25 mm
Overall length	65.5 mm

1

C030AX1/4TC TWO FLUTE CUT Ø 20.0mm x 20mm

SHANK Ø 1/4 INCH






STOCK CODE	TRC030AX1/4TC
D	20 mm
C	20 mm
Overall length	60.5 mm

1

C041AX1/4TC DOVETAIL CUT ANGLE 104º Ø 12.7mm

SHANK Ø 1/4 INCH






STOCK CODE	TRC041AX1/4TC
D	19/32 inch - 15 mm
C	63/64 inch - 25 mm
Overall length	65.5 mm

1

C049X1/4TC SELF GUIDED CHAMFER ANGLE 45° x 12.7mm

SHANK Ø 1/4 INCH






STOCK CODE	TRC049X1/4TC
D	32 mm
C	1/2 inch - 12.7 mm
B	9.5 mm
Overall length	62 mm

1

C076X1/4TC ROUNDING OVER 6.3mm RADIUS x 12.7mm

SHANK Ø 1/4 INCH






STOCK CODE	TRC076X1/4TC
D	1 inch - 25.4 mm
C	1/2 inch - 12.7 mm
B	9.5 mm
B2	12.7 mm
R	1/4 inch - 6.3 mm
Overall length	64 mm

1

C078X1/4TC ROUNDING OVER 9.5mm RADIUS x 15.9mm

SHANK Ø 1/4 INCH






STOCK CODE	TRC078X1/4TC
D	31.7 mm
C	5/8 inch = 15.9 mm
B	9.5 mm
B2	12.7 mm
R	1/4 inch - 6.3 mm

1

C116X1/4TC SELF GUIDED TRIMMER 12.7mm x 25.4mm

SHANK Ø 1/4 INCH






STOCK CODE	TRC116X1/4TC
D	1/2 inch - 12.7 mm
C	1 inch - 25.4 mm
B	12.7 mm
A	90 degrees

1

C0121BX1/4TC TEMPLATE PROFILE 12.7mm x 25mm

SHANK Ø 1/4 INCH






STOCK CODE	TRC121BX1/4TC
D	1/2 inch - 12.7 mm
C	3/8 inch - 9.5mm

1

C121X1/4TC TEMPLATE PROFILE 12.7mm x 25mm

SHANK Ø 1/4 INCH






STOCK CODE	TRC121X1/4TC
D	1/2 inch - 12.7 mm
C	1 inch - 25.4 mm
Overall length	71 mm

1

C152X1/4TC BISCUIT JOINTER SET Ø 37.2mm

SHANK Ø 1/4 INCH






STOCK CODE	TRC152X1/4TC
D	37.2 mm
C	4 mm
B	12.7 mm
B2	16.0 mm
B3	19.0 mm
OL	63.5 mm
Groove depths	9.05, 10.6 , 12.25 mm
For biscuit sizes	No.0, 10 & 20

1

C168X1/4TC GUIDE TRIMMER Ø 6.35mm x 25.4mm

SHANK Ø 1/4 INCH






STOCK CODE	TRC168X1/4TC
D	1/4 inch - 6.35 mm
C	1 inch - 25.4 mm
Overall length	2 7/8 inch - 74 mm
B	6.35 mm
A	90 degrees

1

C209X1/4TC INTUMESCENT CUTTER 10mm x 24mm

SHANK Ø 1/4 INCH







STOCK CODE	TRC209X1/4TC
D	24 mm
C	10 mm
B	16 mm
E	4 mm
Fire check	30 min.

1

C220X1/4TC INTUMESCENT CUTTER 15mm x 24mm

SHANK Ø 1/4 INCH







STOCK CODE	TRC220X1/4TC
D	24 mm
C	15 mm
B	16 mm
E	4 mm
Fire check	45 min.

1

C005X1/2TC TWO FLUTE Ø 6mm x 16mm

SHANK Ø 1/2 INCH






STOCK CODE	TRC005X1/2TC
D	15/64 inch - 6 mm
C	5/8 inch - 16 mm
Overall length	2 7/16 inch - 61.5 mm

1

C008X1/2TC TWO FLUTE CUT Ø 6.3mm x 25.4mm

SHANK Ø 1/2 INCH






STOCK CODE	TRC008X1/2TC
D	1/4 inch - 6.3 mm
C	1 inch - 25.4 mm
Overall length	76 mm

1

C016X1/2TC TWO FLUTE CUT Ø 10mm x 19.1mm

SHANK Ø 1/2 INCH





STOCK CODE	TRC016X1/2TC
D	25/64 inch - 10mm
C	3/4 inch - 19.1mm
Overall length	63mm

1

C019BX1/2TC TWO FLUTE CUT Ø 12mm x 25mm

SHANK Ø 1/2 INCH






STOCK CODE	TRC019BX1/2TC
D	15/32 inch - 12 mm
C	25mm
Overall length	68.5mm

1

C019X1/2TC TWO FLUTE CUT Ø 12mm x 19.1mm

SHANK Ø 1/2 INCH






STOCK CODE	TRC019X1/2TC
D	15/32 inch - 12 mm
C	3/4 inch - 19.1mm
Overall length	61.5mm

1

C022X1/2TC TWO FLUTE Ø 12.7mm x 31.8mm

SHANK Ø 1/2 INCH







STOCK CODE	TRC022X1/2TC
D	1/2 inch- 12.7mm
C	1 ¼ inch - 31.8mm
Overall length	74.5mm

1

C024AX1/2TC TWO FLUTE Ø 15mm x 25mm

SHANK Ø 1/2 INCH






STOCK CODE	TRC024AX1/2TC
D	19/32 inch- 15mm
C	1 inch - 25mm
Overall length	67.5mm

1

C024BX1/2TC TWO FLUTE Ø 15mm x 35mm

SHANK Ø 1/2 INCH






STOCK CODE	TRC024BX1/2TC
D	19/32 inch- 15mm
C	35mm
Overall length	76.5mm

1

C024CX1/2TC TWO FLUTE Ø 15mm x 50mm

SHANK Ø 1/2 INCH







STOCK CODE	TRC024CX1/2TC
D	15mm
C	2 inch - 50mm
Overall length	89mm

1

C030BX1/2TC TWO FLUTE Ø 19.1mm x 50mm

SHANK Ø 1/2 INCH







STOCK CODE	TRC030BX1/2TC
D	19.1 mm
C	2 inch - 50mm
Overall length	3 ⅝ inch - 92.5 mm

1

C030CX1/2TC TWO FLUTE Ø 20mm x 25mm

SHANK Ø 1/2 INCH






STOCK CODE	TRC030CX1/2TC
D	20 mm
C	25mm
Overall length	66.5 mm

1

C030EX1/2TC TWO FLUTE Ø 19.1mm x 37mm

SHANK Ø 1/2 INCH







STOCK CODE	TRC030EX1/2TC
D	3/4 inch - 19.1 mm
C	37 mm
Overall length	79 mm

1

C030X1/2TC TWO FLUTE Ø 19.1mm x 25.4mm

SHANK Ø 1/2 INCH






STOCK CODE	TRC030X1/2TC
D	3/4 inch - 19.1 mm
C	1 inch - 25.4mm
Overall length	64 mm

1

C049X1/2TC SELF GUIDED CHAMFER ANGLE 45° x 12.7mm

SHANK Ø 1/2 INCH







STOCK CODE	TRC049X1/2TC
D	32 mm
C	1/2 inch - 12.7 mm
B	9.5 mm
Overall length	60 mm

1

C076X1/2TC ROUNDING OVER 6.3mm RADIUS x 12.7mm

SHANK Ø 1/2 INCH






STOCK CODE	TRC076X1/2TC
D	1 inch - 25.4 mm
C	1/2 inch - 12.7 mm
B	9.5 mm
B2	12.7 mm
R	1/4 inch - 6.3 mm

1

C078X1/2TC ROUNDING OVER 9.5mm RADIUS x 15.9mm

SHANK Ø 1/2 INCH





STOCK CODE	TRC078X1/2TC
D	31.7 mm
C	5/8 inch C= 15.9 mm
B	9.5 mm
B2	12.7 mm
R	3/8 inch - 9.5 mm

1

C116X1/2TC SELF GUIDED TRIMMER Ø 12.7mm x 25.4mm

SHANK Ø 1/2 INCH






STOCK CODE	TRC116X1/2TC
D	1/2 inch - 12.7 mm
C	1 inch - 25.4 mm
B	12.7 mm
A	90 degrees

1

C152X1/2TC BISCUIT JOINTER SET Ø 37.2mm

SHANK Ø 1/2 INCH






STOCK CODE	TRC152X1/2TC
D	37.2 mm
C	4 mm
B	12.7 mm
B2	16.0 mm
B3	19.0 mm
OL	64 mm
Groove depths	9.05, 10.6 , 12.25 mm
For biscuit sizes	No.0, 10 & 20

1

C153DX1/2TC TWO FLUTE Ø 12.7mm x 50mm

SHANK Ø 1/2 INCH






STOCK CODE	TRC153DX1/2TC
D	1/2 inch- 12.7mm
C	50mm
Overall length	93.5mm

1

C153X1/2TC TWO FLUTE Ø 12.7mm x 50mm

SHANK Ø 1/2 INCH






STOCK CODE	TRC153X1/2TC
D	15/64 inch - 6 mm
C	5/8 inch - 16 mm

1

C164X1/2TC TWO FLUTE Ø 12.7mm x 63mm

SHANK Ø 1/2 INCH







STOCK CODE	TRC164X1/2TC
D	1/2 inch- 12.7mm
C	2 ½ inch - 63mm
Overall length	4 9/64 inch - 105mm

1

T420/35X8MMTC HINGE SINK Ø 35mm x 8mm SHANK

SHANK Ø 8mm





STOCK CODE	TRT420/35X8MMTC
D	35 mm
Overall length	57 mm

1

STANDARD CDC5 - DRY CORE CASE

38, 52, 65, 117, 127 MM HEX & SDS ADAPTERS AND EXTENSIONS

The new CDC5 contractor core case provides exceptional value for money and considerably outperforms other manufacturers 'mainstream' products.



STOCK CODE	
14216	1

ADAPTORS – 1/2" BSP (M)

With ½" BSP male fitting to suit BD, BX10 and BLU cores

STOCK CODE	TYPE	DESCRIPTION		
14220	JX01	HEX ADAPTOR ONLY		1
14221	JX31	HEX 250mm LONG ADAPTOR		1
14222	JS01	SDS PLUS ADAPTOR ONLY		1
14223	JS25	SDS PLUS 250mm LONG ADAPTOR		1
14224	JM01	SDS MAX ADAPTOR ONLY		1

PILOTS & DRIFTS

STOCK CODE	TYPE	DESCRIPTION		
14233	JB09	GUIDE ROD x 210mm		1
14234	JB13	13mm A TAPER DRILL x 210mm		1
14235	JB05	DRIFT KEY 4.67		1

EXTENSIONS

STOCK CODE	TYPE	DESCRIPTION		
14238	JB26	½" BSP 250mm SOLID EXTENSION + A TAPER		1
14239	JB25	½" BSP 250mm HOLLOW EXTENSION		1

TRADE BD - DRY CORE DRILL

Universal dry diamond core drill in all popular plumbers sizes up to 182mm. ½" BSP female thread takes Spectrum dry core accessories. Slotted barrel provides efficient dust clearance and ease of removing drilled core. For brick and blockwork.



- Precision engineering
- Core diameter visually shown
- Slotted core design: efficient dust clearance and core removal
- Highest grade steel construction
- Distinctive barrel colour
- Laser welded - for ultimate strength. No segment loss GUARANTEED!
- High concentration self sharpening segment

STOCK CODE	Ø	LENGTH	BACK END	
14246	22mm	300mm	HEX	1
14247	28mm	300mm	HEX	1
14248	32mm	150mm	1/2" BSP (F)	1
14249	38mm	150mm	1/2" BSP (F)	1
14250	48mm	150mm	1/2" BSP (F)	1
14251	52mm	150mm	1/2" BSP (F)	1
14252	65mm	150mm	1/2" BSP (F)	1
14253	78mm	150mm	1/2" BSP (F)	1
14254	91mm	150mm	1/2" BSP (F)	1
14255	102mm	150mm	1/2" BSP (F)	1
14256	107mm	150mm	1/2" BSP (F)	1
14257	117mm	150mm	1/2" BSP (F)	1
14258	127mm	150mm	1/2" BSP (F)	1
14259	142mm	150mm	1/2" BSP (F)	1
14260	152mm	150mm	1/2" BSP (F)	1
14261	162mm	150mm	1/2" BSP (F)	1
14262	172mm	150mm	1/2" BSP (F)	1
14263	182mm	150mm	1/2" BSP (F)	1

ULTIMATE BX10 - DRY DIAMOND CORE

Universal dry core for long life in most building materials including semi-engineering bricks, clay products, and limestone aggregate concrete.



- Precision engineering
- Angled slots extend through back end to expel dust
- Unique Helix barrel design draws dust down the barrel
- Immediate 100% surface cutting
- 10mm segment height. High diamond concentration
- Laser welded - for ultimate strength. No segment loss GUARANTEED!
- Friction reduced

STOCK CODE	Ø	LENGTH	BACK END	
14264	22mm	300mm	HEX	1
14265	22mm	300mm	1/2" BSP (F)	1
14266	28mm	300mm	HEX	1
14267	28mm	300mm	1/2" BSP (F)	1
14268	32mm	150mm	1/2" BSP (F)	1
14269	38mm	150mm	1/2" BSP (F)	1
14270	48mm	150mm	1/2" BSP (F)	1
14271	52mm	150mm	1/2" BSP (F)	1
14272	65mm	150mm	1/2" BSP (F)	1
14273	78mm	150mm	1/2" BSP (F)	1
14274	91mm	150mm	1/2" BSP (F)	1
14275	102mm	150mm	1/2" BSP (F)	1
14276	107mm	150mm	1/2" BSP (F)	1
14277	117mm	150mm	1/2" BSP (F)	1
14278	127mm	150mm	1/2" BSP (F)	1
14279	142mm	150mm	1/2" BSP (F)	1
14280	152mm	150mm	1/2" BSP (F)	1
14281	162mm	150mm	1/2" BSP (F)	1
14282	172mm	150mm	1/2" BSP (F)	1
14283	182mm	150mm	1/2" BSP (F)	1

ULTIMATE PCX-N - 1¼" UNC WET CORE

Ultimate wet diamond core drill for professional rig mounted use. 1¼" UNC (female) back end. 450mm drilling length. 10mm segment height. Universal/all concrete.

APPLICATIONS: flint and limestone aggregate concrete; light to medium reinforced concrete; universal building products.



LASER WELDED
'ROOFTOP' SEGMENT

STOCK CODE	Ø	
14387	56mm	1
14388	62mm	1
14389	65mm	1
14390	72mm	1
14391	76mm	1
14392	82mm	1
14393	87mm	1
14394	92mm	1
14395	102mm	1
14396	107mm	1
14397	112mm	1
14398	117mm	1
14399	122mm	1
14400	127mm	1
14401	132mm	1
14402	142mm	1
14403	152mm	1
14404	162mm	1
14405	172mm	1
14406	182mm	1
14407	200mm	1

PCX-S ULTIMATE ½" BSP WET CORE

Ultimate wet diamond core drill for professional hand held and rig mounted use. ½" BSP (male) back end. 300mm drilling length. 10mm segment height. Universal/all concrete.



APPLICATIONS: flint and limestone aggregate concrete; reinforced concrete; universal building products.



LASER WELDED
'ROOFTOP' SEGMENT

STOCK CODE	Ø	
14373	14mm	1
14374	16mm	1
14375	18mm	1
14376	20mm	1
14377	22mm	1
14378	24mm	1
14379	25mm	1
14380	28mm	1
14381	30mm	1
14382	32mm	1
14383	36mm	1
14384	40mm	1
14385	45mm	1
14386	52mm	1

JN - WET CORE ACCESSORIES

STOCK CODE	TYPE	DESCRIPTION		
14413	JN25	1/2" BSP 250mm HOLLOW EXTENSION		1
14408	JN55	½" BSP(M) - ½" BSP(M) ADAPTOR		1
14409	JN56	½" BSP(F) - ½" BSP(F) ADAPTOR		1
14410	JN65	½" BSP(M) - 1¼" UNC(M) ADAPTOR		1
14411	JN66	½" BSP(F) - 1 ¼" UNC(F) ADAPTOR		1

TRADE EPX - DIAMOND HOLESAW

Fast, fine cutting of marble, ceramics and stone. Low cost for the occasional user. Straight shank for use in 3 jaw chuck. Recommended for use with water feed and guide.





STOCK CODE	Ø	
14302	6mm	1
14303	8mm	1
14304	10mm	1
14305	15mm	1
14306	20mm	1
14307	25mm	1
14308	30mm	1
14309	35mm	1
14310	40mm	1
14311	45mm	1
14312	50mm	1
14313	55mm	1
14314	60mm	1
14315	65mm	1
14316	70mm	1
14317	75mm	1
14318	80mm	1

PRO XT1 - DIAMOND DRILL

Fast drilling, long life diamond drills supplied with unique water container for accurate positioning and cooling of the diamond tip. Superfast drilling and core ejection, quick change 6.3 standard hex shank, precision drilling.
GUARANTEED TO DRILL ALL TILES, porcelain, ceramics, granite, glass, quarry, everything!



STOCK CODE	SIZE	
14321	5.5mm	1
14322	6mm	1
14323	7mm	1
14324	8mm	1
14325	10mm	1
14326	12mm	1

STOCK CODE	SIZE	
14327	15mm	1
14328	20mm	1
14329	25mm	1
14330	30mm	1
14331	35mm	1

XT2 ULTIMATE DIAMOND DRILL

Superfast drilling for all tiles however hard.
Guaranteed to drill porcelain, marble, granite and ceramic without the need to use water.
Fits almost any drill motor including a cordless with long life use.





STOCK CODE	Ø	
14334	6mm	1
14335	7mm	1
14336	8mm	1
14337	10mm	1
14338	14mm	1

TILE/GLASS DRILL

Tungsten carbide bit heads, suitable for drilling through glass, tiles, mirror and ceramics



STOCK CODE	SIZE	
5MMT&GBIT	5mm	1
6MMT&GBIT	6mm	1
7MMT&GBIT	7mm	1

STOCK CODE	SIZE	
8MMT&GBIT	8mm	1
10MMT&GBIT	10mm	1

TAPE MEASURE

The Broad Buddy Pocket Tape has an extra wide steel blade with easy-to-read metric and imperial graduations. With a rubberised, impact resistant case for increased comfort. Its rubber casing improves strength and durability, and it has a strong belt clip to keep it conveniently to hand. A powerful lock holds the blade in position.

STOCK CODE	SIZE	
TM5M	5m / 16'	1
TM8M	8m / 26'	1
TM10M	10m / 32'	1



STANLEY POWERLOCK TAPE MEASURE

The Stanley PowerLock® Classic Pocket Tape has a Mylar® coated steel blade that is up to 10 times more resistant to abrasion than normal lacquered blades. Tipped by a super-strong 3 rivet, automatically adjustable, tru-zero end hook. Supplied in a high-impact, chrome plated ABS plastic case with a smooth, quick-grab autolocking mechanism and a conventional steel belt clip.
This Stanley PowerLock® Classic Pocket Tape has metric and imperial graduations.

STOCK CODE	SIZE	
TMSTA3MPL	3m / 10'	1
TMSTA5MPL	5m / 16'	1
TMSTA8MPL	8m / 26'	1
TMSTA10MPL	10m / 33'	1



STANLEY TYLON TAPE MEASURE

The Stanley Tylon™ Pocket Tape has a corrosion resistant, long-life Tylon™ coated blade with positive blade lock for accurate measurements. Shows both metric and imperial graduations. Fitted with a Tru-zero hook, that compensates accurately for internal and external measurements, with triple rivet construction for improved strength and durability.
The impact resistant ABS plastic case is fitted with an ergonomic overmould for all day comfort.

STOCK CODE	SIZE	
TMSTA5MTY	5m / 16'	1
TMSTA8MTY	8m / 26'	1



STANLEY FATMAX TAPE MEASURE

The Stanley FatMax® Pro Pocket Tape has a Mylar® coated steel blade with large markings and BladeArmor® coating on the first 150mm for extended blade life. This coating makes it 10 times more impervious to damage from wear and tear than your average lacquer coated blade. The 32mm wide blade offers a stand-out of 4m.
The exceptionally tough bi-material case has incorporated cushion grip areas that provide sturdy, slip-resistant hold. Fitted with a 3-rivet, corrosion resistant, Tru-zero hook that is 150% larger than traditional end hooks. Its shape enables overhead, to the side, as well as the more regular type of measurements.

STOCK CODE	SIZE	
STA533886	5m / 16'	1
STA533891	8m / 26'	1
STA033892	8m - metric only	1



STANLEY FIBREGLASS CLOSED TAPE MEASURE



Fully enclosed fibreglass tape measure with a 15mm wide blade clearly marked in both metric and imperial measurements. The fibreglass blade is resistant to stretching, impervious to moisture and resistant to scuffs and fitted with an ABS end loop.
The large clear measurement increments are easy to read in most conditions and the tape is also easy to wipe clean after use. The tape is stored in a tough closed ABS, soft grip case, with a fold flat rewind handle and rotating winding knob with 3:1 gearing that allows the tape to be quickly rewound after use. Accuracy: EC Class III.

STOCK CODE	SIZE	
STA034296	20m / 66'	1
TMSTA30MFC	30m / 100'	1

FAITHFULL FIBREGLASS CLOSED TAPE MEASURE



The Faithfull Fibreglass Long Tape features a 13mm wide blade clearly marked in both metric and imperial measurements.
The fibreglass tape is resistant to stretching, impervious to moisture and resistant to scuffs and fitted with a folding metal end claw for a firm grip. The large clear measurement increments are easy to read in most conditions and the tape is also easy to wipe clean after use. The tape is stored in a tough closed ABS case with a hand strap and a folding metal rewind handle, with a rotating winding knob that allows the tape to be quickly rewound after use.
The Tape 50m/165ft Fibreglass Long Tape has both metric and imperial measurements. Accuracy: EC Class III.

STOCK CODE	SIZE	
TM50MCFG	50m / 165'	1

Hultafors CLOSED STEEL TAPE MEASURE



The Hultafors CC Steel Long Tape has a unique one-hand grip which allows for optimal handling. Features both metric and imperial measurements on a white steel blade that has been graduated using highly accurate inkjet printing and is protected by a matt polyester lacquer that also helps to reduce glare. It is resistant to corrosion and can withstand contact with moisture and the majority of solvents.
The tapes have a solid high-impact case made from ABS plastic with a unique loop, a mouthpiece with anti-wear and a hole hanger for working at heights.
Made in Britain.
The Hultafors CX30ME Steel Long Tape has both metric and imperial measurements.

- Blade Width: 13mm
- Accuracy: EC Class I

STOCK CODE	SIZE	
TM30MCS	30m / 100'	1
TM50MCS	50m / 165'	1

KOMELON STEEL OPEN REEL TAPE MEASURE



The Komelon Unigrip Long Steel Tape has a heavy-duty ABS open frame with a built-in wire guard for added protection. The 3x high speed gear mechanism and dual rollers, guide the blade and prevent twisting. It has a Dura NY nylon coated steel blade, with metric measurements on the front and imperial measurements on the back. The coating helps it to last up to 15x longer than standard tapes. It also features a true zero claw end hook.
Accuracy: Class II
This Komelon Unigrip Long Steel Tape has metric measurements on the front and imperial measurements on the back.
Blade Width: 13mm
Accuracy: Class II.

STOCK CODE	SIZE	
TM30MOS	30m / 100'	1
TM50MOS	50m / 165'	1
TM100MOS	100m / 325'	1

Hultafors OPEN REEL FIBREGLASS TAPE MEASURE



The Hultafors Ranger Tape is a heavy-duty, open frame surveyor's tape with a spade handle grip, which is ultrasonically welded for added strength. It has a PVC overcoated, fibreglass blade that is electronically non-conductive when dry, corrosion-resistant and resistant to breakage. Features both metric and imperial measurements. The twin mouth rollers, low friction centre bearing, long winding lever and easy-grip winding handle, all ensure that a smooth and effective rewind is achieved. Its long winding lever and easy grip knob make rewinding easier and faster. There is also a corrosion-resistant end-piece.
Made in Britain.
This Hultafors RN30/79 Ranger Tape has both metric and imperial measurements.

- Blade Width: 13mm
- Accuracy: EC Class II

STOCK CODE	SIZE	
TM30MOFG	30m / 100'	1
TM50MOFG	50m / 165'	1

FOLDING SQUARE

90º AND 45º MARKINGS



A heavy-duty aluminium construction folding square with 90° and 45° angles for greater versatility. Ideal for use when laying floors, patios and for other similar building work where measuring accuracy is a major consideration. Quick and easy to fold and comes complete with a carry case.
Supplied with carry case.

STOCK CODE	SIZE	
FSQ600	600mm / 24"	1
FSQ1200	1200mm / 48"	1

Richter STEEL OPEN REEL TAPE MEASURE



- White enamelled steel - with abrasion-resistant coating.
- EC Class II accuracy
- 13mm blade width. 0.2mm thickness
- Graduated in mm, figured in cm

STOCK CODE	SIZE	
RICH100	100m / 325'	1

FOLDABLE HANDLE DISTANCE MEASURING WHEEL



Ideal for the precision measurement of roads, pavements or land, in addition for surveyors, builders, farmers etc.
Simply reset the counter to zero and then start to walk over the area that you want to measure and it will automatically record measurements as you walk.
Counter adds when moving forward and subtracts when reversing. Super clear and easy to read display with light facility for use in low light conditions.

STOCK CODE	
MSRWHL	1

COMBI SQUARE



Combination square with metal body with three machined faces. The steel blade is stamped with metric and imperial sizes and is easy to read. Fitted with a 360° vial for all-round visibility and a scriber for convenience and marking out. Can be used as a try and mitre square, depth or height gauge and spirit level.

STOCK CODE	SIZE	
CSQ12	300mm / 12"	1

DEWALT DW088K 2 WAY SELF LEVELLING LINE LASER



The DEWALT DW088K 2-Way Self-Levelling Line Laser is accurate to ±0.3mm/m in levelling applications. Self-levelling up to 4° surface angle with automatic out of level indication. It uses a simple 2 button operation with a low battery indication for ease of use.
The built-in magnetic pivot bracket mounts easily on metal surfaces, whilst the overmoulded housing and thick glass protects the tool and helps maintain calibration under jobsite conditions. The included kit box helps to protect the unit and helps maintain calibration when stored in the gang box. Supplied with: 1 x Wall Mount Bracket, 1 x Heavy-Duty Carry Case and 3 x AA Batteries.

- Laser Class: 2, Level Accuracy: ±0.3mm/m
- Self-Levelling Range: 4°
- Visibility Indoor: 15m (50m with Detector)
- Power: 3 x AA batteries (supplied)
- Thread: 1/4inch
- Weight: 0.46kg

STOCK CODE	
DEW088K	1

BOX SPIRIT LEVEL



Extruded aluminium construction (1.1mm thick). Milled V-groove bottom face for accuracy and pipework applications. Ribbed sides, protective end caps and hanging hole. Highly visible, UV-resistant 45°, 90° and 180° vials. Accurate to 1mm/m.

STOCK CODE	SIZE	
BSL18CE	450mm / 18"	1
BSL24CE	600mm / 24"	1
BSL36CE	900mm / 36"	1
BSL40CE	1000mm / 40"	1
BSL48CE	1200mm / 48"	1
BSL72CE	1800mm / 72"	1

STANLEY CLASSIC BOX SPIRIT LEVEL

ACCURACY: ±0.5MM/M




The Stanley Classic Box Levels have a strong construction to withstand demands of the worksite. Their soft end caps add durability and resistance to shock. The levels have a block magnified central vial to make reading easier. In addition, they have a large tubular side vial for vertical measurements.

STOCK CODE	SIZE	
BSLSTA24C	600mm / 24"	1
BSLSTA48C	1200mm / 48"	1
BSLSTA72C	1800mm / 72"	1

TORPEDO LEVEL

Magnetic Torpedo Level with a sturdy plastic body and aluminium frame for increased durability. Ideal for small building projects. Magnetic base allows for hands-free operation. Features three spirit level vials set at horizontal, vertical and 45° angles. Includes mini level with a magnetic base and horizontal spirit level vial.



STOCK CODE	SIZE	
BL230MM	230mm / 9"	1

STANLEY FATMAX PRO TORPEDO LEVEL

A die-cast aluminum body for long lasting durability. The solid block vial provides accuracy of 0.5mm/m (0.0005in/in), and a 180° rotating vial is designed to duplicate angles. It includes a magnified centre vial for improved visibility. Its magnetic base features a pipe groove for use on rounded surfaces. Ideal for scaffolders, plus it is also perfect for installing machinery, air conditioning ducting or shelving.



STOCK CODE	SIZE	
MLSTA250MMFX	250mm / 10"	1

IRWIN WORKSHOP VICE



The IRWIN® Record® Pro Entry Mechanic's Vice is fully machined on all load bearing surfaces for smooth and trouble free operation. It features a safety stop to prevent the slide being separated from body and a fused handle, Acme twin start thread for smooth and fast operation and replaceable hardened steel jaws (55 HRC).

- Clamping Force: up to 1.5 tons
- Jaw Width: 100mm
- Jaw Capacity: 83mm

STOCK CODE	
RECPEV1	1

G-CLAMP



The G-Clamp is made from malleable SG iron, making it suitable for a wide variety of metalworking and woodworking applications. Accurately machined spindles provide a smooth operation and maximum clamping pressure. The frames have a powder coated finish for increased resistance to corrosion.

STOCK CODE	SIZE	
GC3	75mm / 3"	1
GC4	100mm / 4"	1
GC6	150mm / 6"	1
GC8	200mm / 8"	1
GC10	250mm / 10"	1
GC12	300mm / 12"	1

FAITHFULL QUALITY TOOLS BAR CLAMP & SPREADER

The Bar Clamp & Spreader is made from heavy-duty ABS plastic with a high-tensile steel bar. Easy-to-use, single handed operation. Cushion gripped jaw pads help to protect the workpiece from damage. Tool-free head release allows the clamp to be quickly turned into a spreader, with a trigger operation to release the force, freeing it for adjustment.

Clamping force

- Heavy Duty 230kg
- Standard 70kg



STANDARD

STOCK CODE	SIZE	
BCL150	150mm / 6"	1
BCL300	300mm / 12"	1

HEAVY DUTY

STOCK CODE	SIZE	
BCLHD150	150mm / 6"	1
BCLHD300	300mm / 12"	1
BCLHD450	450mm / 18"	1
BCLHD600	600mm / 24"	1

IRWIN QUICK-GRIP BAR CLAMP

IRWIN QUICK-GRIP® Quick-Change™ Medium-Duty Bar Clamps can be converted from a clamp to a spreader in seconds, with a clamping hold load of 136kg. The lockable swivel jaw enables uneven surfaces to be clamped and it is fitted with square XP-style protective pads to protect the work surface from damage.
Enhance your clamps with a wide range of QUICK-GRIP® Clamp Accessories.



STOCK CODE	SIZE	
Q/G524QCN	600mm / 24"	1

Estwing CURVED CLAW HAMMER

VINYL GRIP

The Estwing E3 Series Curved Claw Hammers have a vinyl grip made from liquid vinyl bonded on to the shaft during production, which offers the utmost in both comfort and durability, while reducing vibrations caused by impact.

The conventional carpenter's curved claw hammer offers unsurpassed balance and temper.

Made in the USA from high-quality steel.



STOCK CODE	WEIGHT	
CLHEST16OZ	16oz	1
CLHEST20OZ	20oz	1
CLHEST24OZ	24oz	1

STANLEY BLUE STRIKE CLAW HAMMER

VINYL GRIP

The curved claw head is made from forged, heat-treated steel and the oval tubular steel shaft combines strength with a lightweight feel. The flock filled vinyl grips are impervious to heat, oil and most solvents.



STOCK CODE	WEIGHT	
CLHSTA16OZ	16oz	1
CLHSTA20OZ	20oz	1

FIBREGLASS CLAW HAMMER



Forged steel head and shock-absorbing, high-strength fibreglass shaft with nylon surround.
Polished and lacquered head and claw.
High-grip handle is resistant to oil and chemicals.
For fixing and removing nails.

STOCK CODE	WEIGHT	
CLH16OZF	16oz	1
CLH20OZF	20oz	1

STEEL SHAFT CLAW HAMMER



Forged steel head and chrome-plated tubular steel shaft.
Polished and lacquered head and claw.
High-grip handle is resistant to oil and chemicals.
For fixing and removing nails.

STOCK CODE	WEIGHT	
CLH16OZSS	16oz	1
CLH20OZSS	20oz	1

HICKORY HANDLE CLUB HAMMER



Forged steel head and hickory shaft.
Powder-coated head with polished striking faces. Varnished handle for water and dirt-resistance. For demolition and striking of cold chisels and brick bolsters.

STOCK CODE	WEIGHT	
CBU2LBH	2.1/2 lb	1
CBU4LBH	4 lb	1

FIBREGLASS CLUB HAMMER



Forged steel head and shock-absorbing, high-strength fibreglass shaft with nylon surround. Powder-coated head with polished striking faces. High-grip handle is resistant to oil and chemicals. For demolition and striking of cold chisels and brick bolsters.

STOCK CODE	WEIGHT	
CBU2LBF	1.13kg / 2½ lb	1
CBU4LBF	1.81kg / 4 lb	1

THOR COPPER/HIDE HAMMER



General-purpose, soft-faced hammer for automotive and general engineering applications in assembly, repair and maintenance operations.
The malleable iron head is fitted with one hide and one copper face on a polished wooden handle.
No.4 size hammer has a slip-on handle - all other sizes have the usual wedge type handle fitted.
Ideal for use where a heavy blow is required in a relatively small striking area. One face is made from pure copper, the other from highly compressed buffalo hide and are both designed to wear and be replaced - spare faces are available.

STOCK CODE	SIZE	
THO212	Size 2 38mm	1
THO216	Size 4 50mm	1

FAITHFULL QUALITY TOOLS FIBRE GLASS BALL PEIN HAMMER



Faithfull Ball Pein Hammers are a universal engineers metal working hammer, precision ground with hardened striking faces to withstand the rigours of all metal working applications. Fitted with a fibreglass handle which is lightweight, extremely strong and resistant to moisture.

STOCK CODE	WEIGHT	
BPH16OZF	16oz	1
BPH24OZF	24oz	1
BPH32OZF	32oz	1

ROUGHNECK® FIBREGLASS BALL PEIN HAMMER

Roughneck Ball Pein Hammer manufactured from hardened and tempered drop forged alloy steel and with a fully polished head, epoxy bonded for added strength. It has a solid core fibreglass handle with polypropylene jacket.
Unique treble injected TPR ergonomically designed soft grip handle for comfort during use and for reducing fatigue.



STOCK CODE	WEIGHT	
ROU61470	8oz	1
ROU61474	16oz	1
ROU61478	24oz	1

BLACK RUBBER MALLET

Solid rubber head and hardwood shaft.
Head secured with glue and pin.
For soft striking of woodworking chisels, forming sheet metal, and easing components.



STOCK CODE	WEIGHT	
RM16OZB	16oz	1
RM24OZB	24oz	1
RM40OZB	40oz	1

WHITE RUBBER MALLET

All-purpose rubber mallet, used by professional tradesmen in the automotive industry and in maintenance workshops. Featuring self-locking handles to deliver a gentle but firm blow with little rebound. The wooden handle is contoured to provide a comfortable grip during use.
Size : 57mm (2.1/4in).
Face : 57mm



STOCK CODE	WEIGHT	
FAIRMW214	567g / 20oz	1

OX PRO WHITE RUBBER MALLET

Quality, durable rubber mallet.



STOCK CODE	WEIGHT	
23129	24oz	1
23130	30oz	1

ROUGHNECK® NON MARKING WHITE RUBBER MALLET

Single piece rubber head with a steel and soft grip handle. For general industrial use, these semi-hard rubber mallets give a gentle but firm blow with little rebound, ideal for use under damp conditions or outdoors.
These rubber mallets will not discolour or leave marks on work surfaces. Used as a general-purpose mallet in automotive, industrial, brewery, DIY and camping, garden landscape or work site application when hard materials need to be installed like concrete slabs, patios etc.
Medium hard rubber head, soft grip handle and a strong steel shaft, that is moulded together to make a one piece tool.



STOCK CODE	WEIGHT	
RM24OZSH	680g / 24oz	1

DOUBLE HEAD SCUTCH HAMMER

- Scutch Hammer Tubular
- Forged steel head and chrome-plated tubular steel shaft
- Powder-coated head
- High-grip handle is resistant to oil and chemicals.
- For cutting and shaping masonry



STOCK CODE	WEIGHT	
SCH25OZSS	25oz	1

FAITHFULL QUALITY TOOLS SINGLE ENDED HICKORY SCUTCH HAMMER



The Faithfull Bricklayer's Single End Scutch Hammer has a hardened square striking face at one end with a single comb slot at the opposite end to fit replaceable one inch scutch combs or chisel bits (droves). Fitted with a traditional hickory handle.
These specialist hammers are the most commonly used tools for dressing and cleaning bricks.

STOCK CODE	
SCH38MMSH	1

BRICK CHIPPING HAMMER

- Forged steel head with polished striking face
- Hardwood shaft



STOCK CODE	SIZE	
BH20OZH	24oz	1

FAITHFULL QUALITY TOOLS DOUBLE ENDED HICKORY SCUTCH HAMMER



Faithfull Double Ended Scutch Hammer specifically designed for dressing bricks and masonry.
Fitted with a traditional hickory handle.

STOCK CODE	
SCH38MMDH	1

SCUTCH COMBS



Scutch Combs are designed to fit into a scutch comb holder when preparing stone and masonry etc. The size of the scutch comb must be the same width as the comb holder being used. Can also be used in scutch hammers.

STOCK CODE	SIZE		
SCC25MM	25mm	Pack 5	1
SCC38MM	38mm	Pack 5	1
SCC25MM3	25mm	Set of 3: 1 Plain & 2 Comb	1

WELDERS CHIPPING HAMMER



The Welders Chipping Hammer has an all steel construction that makes it both solid and strong. It features a striking head with a sharp conical point and a flat chisel bevelled end. The unique helical barrel spring handle helps to prevent kickback and reduces resonance, helping to avoid fatigue during long periods of use.
The hammer is fitted with an integral hanging hook for easy storage.

STOCK CODE	
WCH01	1

FAITHFULL QUALITY TOOLS HEAVY DUTY CHIPPING/SCALING HAMMER



The Faithfull Boiler Scaling Hammer, specially designed for removing deposits and scale from metalwork. The head is ground to a chisel shape, one end vertical and the other horizontal to the handle. Fitted with a hickory handle.

STOCK CODE	SIZE	
SCAH16OZH	16oz	1

SLEDGE HAMMER

Powder-coated head with polished striking faces. Varnished handle for water and dirt resistance. For general demolition and the driving of posts and stakes.



FORGED STEEL HEAD AND HICKORY SHAFT

STOCK CODE	SIZE	
SLH7LBH	7 lb	1
SLH14LBH	14 lb	1

FORGED STEEL HEAD AND PREMIUM ASH SHAFT

SLH7LBW	7 lb	1
SLH10LBW	10 lb	1
SLH14LBW	14 lb	1

PAVING MAUL

Solid rubber head and hardwood shaft. Face diameter 130mm. Head length 325mm. For easing and tapping down slabs, kerbs and flagstones.



STOCK CODE	SIZE	
PAVMAUL	15 lb	1

SPEAR & JACKSON INSULATED SLEDGE HAMMER

A heavy duty hammer for maximising the strength of each blow when working near live cables.



STOCK CODE	SIZE	
SLH7LBSJ	7 lb	1
SLH14LBSJ	14 lb	1

FIBREGLASS SLEDGE HAMMER

Forged steel head and shock-absorbing, high-strength fibreglass shaft with nylon surround. Powder-coated head with polished striking faces. High-grip handle is resistant to oil and chemicals. For general demolition and the driving of posts and stakes.



STOCK CODE	WEIGHT	
SLH7LBF	7 lb	1
SLH10LBF	10 lb	1
SLH14LBF	14 lb	1

STANLEY SHARPCUT™ HANDSAW

A heavy-duty saw with hardened teeth ground on 3 edges for faster, easier cutting and a longer working life. It will cut on push and pull strokes and is fitted with a bi-material handle that is welded and screwed for comfort and security. The soft grip handle is for improved comfort and control.

STOCK CODE	SIZE	TEETH	
23291	550mm / 22"	11 TPI	1



BAHCO HARDPOINT HANDSAW

Universal tooth set with high frequency hardened teeth giving up to 5 times the life of conventional teeth. Particularly effective for cross cut and rip performance on chipboard, hardboard and hardwood. The plastic handle incorporates 45º and 90º marking guides and is securely screwed to the blade.

STOCK CODE	SIZE	TEETH	
SAWBAH22	550mm / 22"	8 TPI	1



HARDPOINT HANDSAW

Hardened and tempered steel blade and cross-ground, induction-hardened teeth for faster cutting and longer-lasting sharpness compared to conventional handsaws.

STOCK CODE	SIZE	TEETH	
SAWBAH22E	550mm / 22"	7 TPI	1



BAHCO PRIZE CUT HANDSAW

The Bahco BAHSE22 PrizeCut Hardpoint Handsaw is a professional handsaw for cutting all types of wood.
Universal toothing with hard point teeth for long lasting sharpness.
The handsaw has a screwed one-piece plastic handle.

STOCK CODE	SIZE	TEETH	
SAWBAH22PC	550mm / 22"	7 TPI	1



IRWIN JACK UNIVERSAL HANDSAW

IRWIN Jack Universal Handsaw offering all round cutting performance, ideally suited for softwoods and board material. The 1mm thick rigid nose blade is designed to offer maximum blade stability and features triple ground teeth 8 TPI for ultimate cutting performance. The soft grip handle with finger guide is designed to offer maximum comfort during prolonged use and is securely fixed to the blade for added safety.
Suitable for cutting: Hardwood, Softwood, Rough Timber, Board Sheet, Worktop, Floorboard, Melamine.

STOCK CODE	SIZE	TEETH	
JAK10505538	380mm / 15"	8 TPI	1



OX PRO JAB SAW

Professional metal heavy duty jab saw with ergonomic soft grip handle. Hardened & tempered blade for aggressive cutting, triple ground teeth, sharp point for piercing board. Fast cutting for drywall, wood & plastic. Supplied with heavy duty holster for safe storage when not in use.

STOCK CODE	SIZE	TEETH	
23147	165mm / 6.5"	8TPI	1



BAHCO 317 HACKSAW FRAME

The Bahco 317 Hacksaw is suitable for all-round use. It has a slim, comfortable frame design to improve access in confined spaces and to allow easier storage. The special grip at the front of the frame provides good support for the guiding hand to ensure superb performance. The hacksaw frame has an alternative 90° blade mounting for flush cutting. It is supplied complete with a 300mm / 12 inch 24 TPI reliable and shatterproof Sandflex® bi-metal blade
for excellent cutting performance. Weight: 470g, Frame Length 432mm

STOCK CODE	BLADE SIZE	TEETH	
HACBAH12	300mm / 12"	24TPI	1



BAHCO 239 JUNIOR HACKSAW

Bahco 239 Junior Saw is a wire framed junior hacksaw with an orange lacquered finish.

STOCK CODE	BLADE SIZE	TEETH	
HACBAH6	150mm / 6"	32TPI	1



HACKSAW

Square section carbon steel frame with wing-nut blade tensioner. Size 425 x 143 x 21mm. Hi-vis polypropylene handle. Compatible with 300mm blade.

STOCK CODE	SIZE	TEETH	
HACFRAMEE	300mm / 12"	24 TPI	1



FAITHFULL PROFESSIONAL HACKSAW

The Faithfull Professional Hacksaw with a rectangular section frame to ensure a combination of rigidity and balance. Features include a comfort grip handle, easy blade changing system and a secondary blade position for flush cutting.

STOCK CODE	SIZE	TEETH	
HACFRAMEPRO	300mm / 12"	24 TPI	1



Starrett HACKSAW BLADE

STRBS1232P2 Bi-Metal Unique Safe-Flex Hacksaw Blades 300mm / 12 inch Pack 2.
Precision ground, super-efficient bi-metal blade that is faster and lasts longer on tough materials. The high-speed steel cutting edge is welded to a tough alloy steel back that provides optimum tool life together with a high resistance to breakage. Blade cross section 13 x 0.65mm / 1/2 inch x 0.025 inch.

STOCK CODE	BLADE SIZE	TEETH	
HAC18TPIB	300mm / 12"	18TPI	2
HAC24TPIB	300mm / 12"	24TPI	2
HAC32TPIB	300mm / 12"	32TPI	2



RETRACTABLE KNIFE

Strong aluminium body and heavy duty 0.5mm blade. Integral blade storage and hanging hole.

POPULAR



STOCK CODE	
KNISTA99E	1

STANLEY SNAP OFF BLADE KNIFE

Impact resistant, high-quality ABS plastic body. The rear body removes for access to blade carrier and snapping slot.
Secure, multi-position slide button. Pocket clip. Blade size 18mm.



STOCK CODE	
KNISTA18	1

STANLEY 99E RETRACTABLE KNIFE

The Stanley 99E Original Retractable Blade Knife is made from grey painted die-cast metal body, which is ergonomically shaped for a good, comfortable grip. The blade extension can be controlled by the blade shifter, and 5 blade position allows a wider usage for a variety of cutting applications. The interlock nose firmly secures the blade into knife. For safety, the blade can be fully retracted into the body. Supplied with 3 blades, stored in the handle for safety and convenience.
Size 155mm

STOCK CODE	
KNISTA99	1



AUTO RETRACTABLE KNIFE

Lightweight knife with strong, zinc alloy body and extra-safe, automatically retracting blade. Interlock nose for blade security. Internal blade storage. Includes 3 x hardened steel blades.



STOCK CODE	
AUTKNI	1

STANLEY. FATMAX® RETRACTABLE FOLDING UTILITY KNIFE

This Stanley 010825 FatMax retractable folding knife has an ergonomic grip and is rugged in design. It is suitable for all job applications from carpet fitting, model making and craft design to electrical instillation - the list is endless.
It offers safety and convenience. With instant blade change, it will take seconds to change the blade on this knife.
Blades can be stored in the handle for safe keeping.
Length 140mm.



STOCK CODE	
STA010825	1

IRWIN. FOLDING RETRACTING KNIFE

It features a spring return shuttle that ensures the blade automatically retracts at the end of a cutting action. It is made of strong diecast Aluminium with a 19° angled nose for more comfortable cutting and to reduce strain. The knifes multi-functional design gives it two blade settings that include normal use and use as a box cutter. The blade holder is magnetic and prevents the blade from falling out and has built in storage for up to three blades.
Includes 1 shatterproof Bi-Metal safety blade with 3 times longer life.



STOCK CODE	
KNIIRWRSL	1

FOLDING RETRACTABLE UTILITY KNIFE

Ergonomic grip and rugged construction. Locking action secures blade in open position. Quick-change blade mechanism and blade retractor. Cuts a wide range of material. Features internal storage for up to 3 blades.



STOCK CODE	
KNIFR	1

STANLEY. WINDOW SCRAPER

This Stanley 028590 Window Scraper is ideal for removing excess paint, glue, stickers etc from windows. It has a strong yellow plastic handle for a long life.
Supplied with 1 x heavy duty knife blade.



STOCK CODE	SIZE	
SCRSTAW	Length 170mm - Blade 60mm	1

HEAVY DUTY KNIFE BLADE



STANLEY. *10 BLADES DISPENSER.*

Heavy-duty, general-purpose which fit all standard Stanley knives. Highly resistant and reversible, deal for carpet, vinyl and any other material requiring a stiffer and stronger blade.

STOCK CODE	SIZE	
BLASTA	62mm x 19mm x 0.65mm	1



100 PACK

Hardened steel utility blades in plastic safety dispenser. Use with general or fixed knives for cutting and trimming. Compatible with Retractable Knives.

STOCK CODE	SIZE	
23150	62mm x 19mm x 0.65mm	1

UTILITY KNIFE BLADE

10 PACK

Hardened steel utility blades in plastic safety dispenser. Use with general or fixed knives for cutting and trimming.



STOCK CODE	SIZE	
BLASTAE	62mm x 19mm x 0.65mm	1

HEAVY DUTY FLOOR SCRAPER

FIXED WOODEN HANDLE


Heavy duty scraper with steel blade and lacquered, profiled wooden handle for comfort. Ideal for removing adhesives, paint, tiles and flooring. Head weight 0.45kg.



STOCK CODE	LENGTH	BLADE	
FLO200WH	1320mm	90mm x 180mm	1

FLOOR SCRAPER

Heavy duty scraper with sprung steel blade. Strong fibreglass handle with grip and alloy frame. Re-sharpenable blade. For the removal of grout, adhesives, grease, dirt and grime.



STOCK CODE	SIZE	
FLO200SSC	200mm / 8"	1

FLOOR SCRAPER BLADE

Sprung steel blade. Pre-drilled. Re-sharpenable. For the removal of grout, adhesives, grease, dirt and grime.



STOCK CODE	SIZE	
FLO200BSC	200mm / 8"	1

HEAVY DUTY FLOOR SCRAPER

The Floor Scraper is used for removing grease and dirt from workshop floors, preparation areas and shopping arcades etc. The steel blade is designed not to damage tiled flooring or laminates and is fitted with fibreglass handles for strength and easy sterilisation.



STOCK CODE	SIZE	
FLO200S	200mm / 8"	1
FLO300S	300mm /12"	1
FLO400S	400mm / 16"	1

HEAVY DUTY FLOOR SCRAPER BLADE

This Spare Blade is manufactured from stainless steel, which is tough, durable and resistant to corrosion.




STOCK CODE	SIZE	
FLO200B	200mm / 8"	1
FLO300B	300mm / 12"	1
FLO400B	400mm / 16"	1

HEAVY DUTY SCRAPER BLADE

PACK 5 IN PLASTIC STORAGE TUBE

High-carbon steel replacement blades are designed to fit Heavy-Duty Long Handle Scrapers.



STOCK CODE	SIZE	
SCRBLAD100MM	100mm / 4"	1

HEAVY DUTY HAND SCRAPER

Heavy duty scraper with tubular steel shaft and rubber grip. Sharp 100mm blade mounted on angled head for effective scraping. Lightweight for comfortable use. Removes wallpaper, coverings, tiles, paint and adhesives.



STOCK CODE	SIZE	
HDS100M	100mm	1

WINDOW SQUEEGEE

Window-cleaning squeegee with durable rubber blade.



STOCK CODE	SIZE	
SQU12W	300mm / 12"	1

FAITHFULL SOFT-GRIP HAND SCRAPER

A stainless steel blade for long-life and resistance to corrosion. The soft grip handle provides greater comfort. It is fitted with a metal end cap that can be used to knock back protruding nails. The stiff blade is ideal for removing old paint and wallpaper.



STOCK CODE	SIZE	
HSSG50	500mm	1

Bulldog TAPER MOUTH SHOVEL

SOLID FORGED HEAD

Sometimes preferred to the square mouth for shovelling out or backfilling trenches, concrete mixing and working tarmac



STOCK CODE	
23185	1

Bulldog TRENCHING SHOVEL

HD ALL-STEEL SOLID FORGED NO.2 HEAD

Ideal for digging narrow trenches when laying cables or pipes. It has a metal YD handle with a wooden cross dowel for comfort.



STOCK CODE	BLADE	
23186	190mm x 280mm	1

Bulldog SQUARE MOUTH SHOVEL

SOLID FORGED NO.2 HEAD

Used for trench work, concrete mixing, tarmac & shovelling.



STOCK CODE	
23187	1

Bulldog CABLE LAYING SHOVEL

SOLID FORGED HEAD

Slightly dished blade and round cutting. Ideal for breaking up stubborn ground when digging clay or stone.



STOCK CODE	
23188	1

OX TRADE SOLID FORGED DRAINING SHOVEL

All steel draining shovel, solid forged blade.



STOCK CODE	
23189	1

DRAIN SPADE

Pressed steel head with corrosion-resistant finish, tubular steel handle and PY D-handle. Treaded head for extra force. Long narrow blade suitable for digging drains and fence post holes.



STOCK CODE	BLADE	
GRODS01	440mm x 160mm (top), 120mm (bottom)	1

SOLID DIGGING SPADE

Epoxy-coated hammer-finished head. Hardened and tempered for long life. Polypropylene-coated steel shaft with PY D-handle. For digging, soil preparation and planting.



STOCK CODE	BLADE	
FSK1003456	230mm x 140mm	1

FAITHFULL QUALITY TOOLS OPEN SOCKET ROUND MOUTH SHOVEL

T HANDLE, NO.2 HEAD

Pressed from high-quality manganese steel and fitted with an FSC European Ash shaft and T hilt. Socket polished for comfort in use. 700mm / 28 inch shaft.



STOCK CODE	BLADE	
FAIOSR2T	300mm x 240mm / 12" x 9.½"	1

POST HOLE DIGGER

Hardened and stamped oval-shaped steel blades are parallel-riveted to reduce backfill. 220mm deep powder-coated blades suitable for digging 6 inch diameter post holes. 1200mm hardwood shaft with soft-grip handle. Weight 5kg.



STOCK CODE	
POSTDIG	1

DIGGING SPADE

This Digging Spade has a head manufactured from heat-treated, hardened carbon steel to provide both strength and durability.



STOCK CODE	
GRODS02	1

Bulldog INSULATED NEWCASTLE DRAINER

Manufactured to BS8020, individually tested and guaranteed to 1,000 Volts. This tool is designed with a narrow blade allowing you to dig cable trenches without taking too much material. The 72 inch insulated handle allows extra leverage and makes it easier to dig deeper without putting as much strain on your back.

- One piece heavy duty fibreglass handle
- Tempered for strength & rigidity
- Epoxy paint coated



STOCK CODE	
BUL5TM2IN	1

Bulldog INSULATED TAPER MOUTH SHOVEL

Manufactured to BS8020, individually tested and guaranteed to 1,000 Volts. The perfect tool for any contractor in need of a reliable and heavy duty shovel. Its round cornered blade dramatically reduces penetration damage to underground pipes and cable. The treads on this tool enables you to use more force and also acts as boot protection.

- One piece heavy duty fibreglass YD handle
- One piece solid forged blade
- Tempered for strength & rigidity
- Epoxy paint coated
- The collar incorporates a protective wear sleeve



STOCK CODE	
SHOI01	1

INSULATED SPADE

Integrated tread design.Head forged from carbon manganese steel.
Solid-forged, fully-insulated, doubly protected by twin layers of polymer sheathing moulded over a rigid fibreglass core. Polyfibre shocksafe insulated.
700mm / 28 inch shaft.



STOCK CODE	BLADE	
SPAI01	150mm x 300mm / 6" x 12"	1

Bulldog STEEL GRAFTING SHOVEL

Dished blade and a curved cutting edge makes it ideal for clay digging and heavy ground breaking work.
Forged blade, steel shaft and metal YD grip with wooden cross piece. Metal construction, metal 'D' grip.
700mm / 28 inch shaft.



STOCK CODE	BLADE	
SGSHO01	320mm x 165mm / 12.5" x 6.5"	1

PREMIER INSULATED TAPER MOUTH SHOVEL



STOCK CODE	
SHOI02	1

IRISH SHOVEL

Hammer-finished, heat-treated, pressed steel head and lacquered hardwood handle with dome end. V-shaped head and pointed blade for improved penetration. Long handle for greater leverage.



STOCK CODE	BLADE	HEAD WEIGHT	
GROIS01	350mm x 240mm	1.28 kg	1

INSULATED CABLE LAYING SHOVEL



STOCK CODE	
BUL5CLIN	1

INSULATED GRAFTING SHOVEL



STOCK CODE	
GSHI001	1

SQUARE MOUTH SHOVEL INSULATED



STOCK CODE	
SHOI03	1

ROUND MOUTH SPADE

Pressed steel head with corrosion-resistant finish. Lacquered wooden shaft with T-handle. Round-mouth blade suitable for moving rubble, concrete and gravel.



STOCK CODE	BLADE	HEAD WEIGHT	
GRORM01	270mm x 270mm	1.3kg	1

SWAN NECK SHOVEL

Pressed, hardened steel head with corrosion-resistant finish. Profiled wooden handle. Ideal for general building and gardening tasks including moving sand, gravel and loose materials.



STOCK CODE	BLADE	HEAD WEIGHT	
GROSNS01	270mm x 270mm	1.3kg	1

ALL STEEL FENCING SPADE

Made from carbon manganese steel for added strength. Its long handle makes it ideal for digging postholes. The tubular steel shaft is welded to the socket to create a strong joint. High quality welds, with no open points to allow water to enter preventing internal rust and a solid forged blade correctly tempered for a long working life.
1.4m / 55 inch shaft.



STOCK CODE	BLADE	
SHOF01	275mm x 140mm / 11" x 5.5"	1

WOODEN SHAFT STANDARD SHOVEL

Pressed steel head with corrosion-resistant finish, polished wooden shaft and PYD handle. Suitable for shovelling, mixing and backfilling trenches.



STOCK CODE	
SHO960	1

DIGGING FORK

All-steel fork with painted, hammer finished tines, tubular steel shaft and varnished MYD handle. Heat treated for strength and durability. For gardening and light general building work.
720mm shaft, 2.2kg weight.



STOCK CODE	TINES	
GRODF01	4mm x 280mm x 180mm	1

Bulldog PREMIER INSULATED TRENCH FORK

Solid forged managanese steel head and socket. It has a solid fibreglass shaft and a rubber collar to protect and insulate your hand. It is the ideal tool for breaking up hard and compacted lumps and hard ground. Each tool is tested to 10,000 volts and guaranteed to 1,000 volts. Individually Certificated. Forged in Britain. 700mm / 28 inch shaft.



STOCK CODE	TINES	
BUL5TFIN	310mm x 210mm / 12¼" x 8¼"	1

ROUNDED TARMAC RAKE

Heavy duty forged steel rake with long, heavy-gauge tubular handle. Suitable for even spreading of tarmac over paths, driveways and roads. Head width 435mm. 16 rounded teeth.



STOCK CODE	SIZE	
GROR16	435mm	1

DIGGING HOE

Heavy duty, solid-forged steel head with corrosion-resistant finish and long hardwood handle. Well-balanced tool will break ground, turn over soil and remove weeds with minimal effort.



STOCK CODE	HEAD SIZE	HEAD WEIGHT	
GRODH01	230mm x 170mm	1.2 kg	1

INSULATED PICK AXE

Solid-forged, fully-insulated digging tool doubly protected by twin layers of polymer sheathing moulded over a rigid fibreglass core.



STOCK CODE	SIZE	
PICKAIN	7 lb	1

ROUGHNECK® FIBREGLASS HANDLE MATTOCK PICK

Head made from roll forged alloy steel, hardened and tempered and with a black painted finish. Pointed pick at one end and mattock on the other, ideal for cutting roots and breaking up soil. The fibreglass handle has a solid core and polypropylene cover. Supplied in a handy carry box.



STOCK CODE	WEIGHT	
MAT5LBF	5 lb	1

FAITHFULL® QUALITY TOOLS FIBREGLASS HANDLE PICKAXE

A high quality solid eye navy pick head with chisel and point for the breaking of concrete. This tool is virtually unbreakable and incorporates a soft-grip, non-slip fibreglass handle.



STOCK CODE	WEIGHT	
PICK7LBFH	15 lb	1

GRUBBING MATTOCK

HEAD ONLY


Forged steel head with horizontal and vertical chisel ends. For grubbing-out tree roots and breaking heavy earth and clay.



STOCK CODE	WEIGHT	
GROGM01	5 lb	1

PICKAXE HEAD

Forged steel. 1 x chisel end and 1 x pick end. 70 x 50mm socket fits standard pick handle. Suitable for breaking concrete, lifting flags and general ground work.



STOCK CODE	WEIGHT	
GROPH02	7 lb	1

PICK MATTOCK

Forged steel head with horizontal chisel and pick ends. Suitable for breaking hard ground and levering stones and flags.
70mm x 50mm socket fits standard pick handle. Compatible with Beech and Fibreglass Pick Handles.



STOCK CODE	WEIGHT	
GROPM01	5lb	1

WOOD PICK HANDLE

Solid beech handle with smooth finish.
Suitable for use with mattocks or pick axes with 70mm x 50mm socket.



STOCK CODE	LENGTH	
GROPH01	900mm	1

FIBREGLASS PICK HANDLE

High density polypropylene-covered fibreglass core. Lightweight and moisture-resistant with excellent shock-absorbing qualities. Can be used with either pick or mattock heads. Fits 70mm x 50mm socket.



STOCK CODE	LENGTH	
GROPHF	900mm	1

HICKORY PICK HANDLE

Replacement Pick Handle to fit standard pick axe or mattock eye. Made from straight grained hickory with a clear varnished finish. Made to BS 3823 BW/BR British Standard specification which governs density, moisture content, grain, twist, knotting, finish, and staining.



STOCK CODE	LENGTH	
GROPH03	900mm	1

FORGED TAMPER

Solid steel head with heavy duty tubular steel handle and 130mm base for access into corners. Strong and lightweight. For compacting areas of earth, tarmac, asphalt and hardcore.
Weight 5kg.



STOCK CODE	SIZE	
GROFT01	1500mm	1

CHISEL & POINT CROW BAR

Forged, hardened, tempered and ground steel hex bar with 50mm flat chisel end for cutting roots, digging and prying. Square point end for breaking hard materials and prying. Ideal for general demolition work.



STOCK CODE	SIZE	
CRB1200	1200mm x 25mm	1
CRB1525	1525mm x 28mm	1
CRB1830	1830mm x 28mm	1

FAITHFULL QUALITY TOOLS DIGGING BAR

Manufactured from high grade heat treated steel bar with a hexagonal shank. It has a pencil point at one end and a 50mm / 2 inch flat chisel edge at the other. Used for breaking rock or concrete and for levering heavy objects.



STOCK CODE	SIZE	
FAIDIGBAR60	25mm x 1.5m / 6.4kg	1

ROUGHNECK GORILLA BAR

The Roughneck Gorilla Bar® has a low profile claw that fits further under the workpiece for increased prying power and the wider claw surface offers better control whilst resisting sinking into the support surface.
Made from drop-forged alloy steel hardened and tempered, with polished tips, and oval shaped for better control and strength.



STOCK CODE	SIZE	
ROU64407	60cm / 24"	1
ROU64409	90cm / 36"	1
ROU64410	1220cm / 48"	1

FAITHFULL QUALITY TOOLS INSULATED CROW BAR

Fully insulated crow bar is made to BS8020 standards. With a pencil point at one end and a flat chisel edge at the other. The insulated shaft is manufactured using a solid fibreglass core which is coated with an abrasive resistant orange polymer coating. These insulated tools conform to BS8020:2002 for working on or near live cables. They are individually tested to 10,000 volts, and guaranteed to 1,000 volts.



STOCK CODE	SIZE	
CRBINS	155mm x 32mm	1

WRECKING BAR

Solid forged, hardened and tempered from hexagonal steel. Powder-coated with ground claw and chisel. For general wrecking and demolition work. Angled chisel end for leverage and claw with integrated nail puller.



STOCK CODE	SIZE	
WB12	300mm / 12"	1
WB18	450mm / 18"	1
WB24	600mm / 24"	1
WB30	750mm / 30"	1
WB36	915mm / 36"	1

STANLEY PRY BAR

The Stanley Wonder Bar® is manufactured from heat-treated, forged, high-carbon steel with a powder-coated finish and polished tips. One end has a high-visibility powder-coated finish. It has bevelled nail slots and the contoured bar makes pulling, prying and lifting easier.



STOCK CODE	SIZE	
PRYBAR	340mm / 13.3/8"	1

FAITHFULL QUALITY TOOLS COLD CHISEL

Made from high-quality grade steel which is hardened and ground to maximise safety and to ensure longer lasting cutting edges. For cutting brick, concrete and paving slabs. The cutting edge has an angle of approximately 60°.
Manufactured to BS 3066.



STOCK CODE	SIZE	
CCH15006	150mm x 6mm / 6" x 1/4"	1
CCH15013	150mm x 13mm / 6" x 1/2"	1
CCH20013	200mm x 13mm / 8" x 1/2"	1
CCH20020	200mm x 20mm / 8" x 3/4"	1
CCH20025	200mm x 25mm / 8" x 1"	1
CCH25020	250mm x 20mm / 10" x 3/4"	1
CCH25025	250mm x 25mm / 10" x 1"	1
CCH30013	300mm x 13mm / 12" x 1/2"	1
CCH30020	300mm x 20mm / 12" x 3/4"	1
CCH30025	300mm x 25mm / 12" x 1"	1
CCH45720	457mm x 20mm / 18" x 3/4"	1
CCH45725	457mm x 25mm / 18" x 1"	1

BEVEL EDGE WOOD CHISEL

The Stanley DYNAGRIP™ Wood Chisel is fitted with a steel striking cap handle which can be used with a steel hammer. with a longer, soft grip handle for improved grip and control, forged high carbon steel blades for reassurance of strength and durability. The pre-sharpened blade is ready for immediate use.



STOCK CODE	SIZE	
BEC06	6mm / 1/4"	1
BEC08	8mm / 5/16"	1
BEC10	10mm / 3/8"	1
BEC12	12mm / 1/2"	1
BEC16	16mm / 5/8"	1
BEC18	18mm / 3/4"	1
BEC20	20mm / 3/4"	1
BEC22	22mm / 7/8"	1
BEC25	25mm / 1"	1
BEC32	32mm / 1.1/4"	1
BEC38	38mm / 1.1/2"	1

STANLEY. BEVEL EDGE WOOD CHISEL

INCLUDING STRIKECAP

The Stanley DYNAGRIP™ Wood Chisel is fitted with a steel striking cap handle which can be used with a steel hammer. with a longer, soft grip handle for improved grip and control, forged high carbon steel blades for reassurance of strength and durability.
The pre-sharpened blade is ready for immediate use.

SET OF 3

- 1 x DYNAGRIP™ Bevel Edge Chisel 12mm (1/2in)
- 1 x DYNAGRIP™ Bevel Edge Chisel 18mm (11/16in)
- 1 x DYNAGRIP™ Bevel Edge Chisel 25mm (1in)



STOCK CODE	
BECSET3	1

SET OF 5

- 1 x DYNAGRIP™ Bevel Edge Chisel 6mm (1/4in)
- 1 x DYNAGRIP™ Bevel Edge Chisel 12mm (1/2in)
- 1 x DYNAGRIP™ Bevel Edge Chisel 18mm (11/16in)
- 1 x DYNAGRIP™ Bevel Edge Chisel 25mm (1in)
- 1 x DYNAGRIP™ Bevel Edge Chisel 32mm (1.1/4in)



STOCK CODE	
BECSET5	1

BRICK BOLSTER

Forged, single-piece solid steel with a ground, hardened and tempered cutting edge. Octagonal shaft. Powder coated for corrosion resistance. For demolition, cutting and shaping of bricks and blocks.



STOCK CODE	SIZE	
BB4E	100mm / 4"	1

BRICK BOLSTER WITH GUARD

Suited to cutting bricks during building work. This chisel has a suitably hardened cutting edge, but should not be used on concrete containing reinforcing bars. Fitted with plastic safety grip.



STOCK CODE	SIZE	
BB3HG	75mm x 225mm / 3" x 9"	1
BB4HG	100mm x 225mm / 4" x 9"	1

ROUGHNECK® BOLSTER AND CHISEL SET

3 PIECE SET

Made from drop-forged steel, heat-treated and tempered. Each piece has a black powder-coated finish and a dual-component soft grip with safety guard.

Set contains:

- 1 x Cold Chisel 25mm x 254mm (1 inch x 10inch)
- 1 x Brick Bolster 70mm x 216mm (2.3/4 inch x 8.1/2inch)
- 1 x Electrician's Bolster 76mm x 254mm (3 inch x 10inch)



STOCK CODE	
ROU31993	1

DOUBLE TOOL AND NAIL POUCH

WITH 10 POCKETS

Double Tool & Nail Pouch made from heavy-duty leather this tool pouch is double stitched for strength and riveted at stress points. It has a webbing belt and 10 pockets for tools and nails, tape clip and two hammer loops.



STOCK CODE	SIZE	
TOOLBELT	Fits waists sizes: 29" - 46"	1

STANLEY FATMAX TOOL BAG

The Stanley FatMax® Tool Bag is made with heavy-duty 600 denier fabric with leather reinforcements for long lasting durability.

It offers maximum tool protection thanks to its rigid and waterproof plastic bottom.

An ergonomic rubber grip carry handle and heavy-duty shoulder strap make lifting more comfortable. The open structure makes for quick and easy tool access and there is a removable divider with belt clip.

The interior tool loops keep everything in place.



STOCK CODE	
23335	1

MONUMENT PRO GAS TORCH AND BOTTLE

FAITHFULL QUALITY TOOLS

Quick Pro Auto Power Torch is a powerful, high performance gas torch designed for the professional user and packed with all the features expected from a top of the range product.
Features of this torch include automatic piezo ignition, an advanced gas control system that offers both a 'Dead Man's Handle' function and a fine flame adjustment valve with an instant FLARESAFE function, making the torch safe to use at any angle immediately after start up.
The burner head creates a swirl effect flame to help ensure that the flame is evenly distributed around a pipe when carrying out plumbing work. This ergonomic designed Swirl torch is ideally suited to skilled plumbing, soldering and brazing work.

Specifications:

Max. operating temperature	1,610°C
Optimum power output	1,900 Watt
Gas consumption	136 g/h.
Connection	CGA600
Gas category	MAP/PRO



STOCK CODE	
GASTORCH	1

A robust steel cylinder fitted with a standard CGA600 cylinder connection. MAPP gas is manufactured from a stable mixture of different proprietary gases and is the hottest commercially available gas and will provide a working temperature of up to 1600°C in conditions down to minus 20 degrees C.

Can be used with torches that use CGA600 valves.

Ideal for use when brazing or soldering large diameter copper pipes.

Size: 400g

PROPANE GAS CYLINDER 400G CGA600 FITTING

Propane Gas Cylinder has a robust steel cylinder fitted with a standard CGA600 connection. Higher pressure and hotter flame than mixed gas cartridges.



STOCK CODE	SIZE	
GASPNE400	400g	1

FAITHFULL QUALITY TOOLS AUTO START BLOW TORCH

The Faithfull Auto Start Blow Torch is a high temperature, all-purpose gas torch designed for home use. The blow torch has an automatic piezo ignition, fine flame adjustment valve and a rapid one minute warm up. It also has a highly ergonomic, shock-resistant polypropylene handle, making it comfortable to use.
Suitable for use with Butane Propane Mix Gas Cartridges, not included.
Supplied with a stability base.

Applications:

- Soft Soldering
- Aluminium Welding
- Paint Stripping
- Pipe Bending
- Loosening Bolts
- Defrosting Pipes
- Brazing.
- Lighting Barbecues

STOCK CODE	
GASTCHAS	1



Specifications:

Max. operating temperature	1600°C
Optimum power output	1,230 Watts
Gas consumption	88 g/h
Connection	EN417

IRWIN STRAIGHT TIN SNIPS

These IRWIN Gilbow straight cutting snips have accurately ground edges that ensure the material being cut does not slip out of the jaws and become damaged. The hollow ground jaw faces provide a longer life to the cutting edge.

Gilbow tin snips are jointed with a nut and bolt design essential in ensuring the longest possible life of the joint, whilst keeping a good easy smooth cutting movement. Irwin Gilbow snips and shears have a great cutting capability which is much greater than the strength of the user and will provide a good, clean, easy cut edge to any workpiece.

The original Gilbow cutting snips were first designed many years ago, and have dominated the sheet metal cutting industry to such an extent that today, snips and shears are referred to as 'Gilbows'.

STOCK CODE	SIZE	
TS8GILS	200mm / 8"	1
TS10GILS	250mm / 10"	1
TS12GILS	300mm / 12"	1
TS14GILS	350mm / 14"	1



IRWIN STRAIGHT HANDLE TIN METAL CUTTING SHEARS

The IRWIN Gilbow G950 is a straight shear with no crank to the handle and slightly longer jaws. As with the entire Gilbow range, the blades are hardened and tempered ensuring a keen long lasting cutting edge.

These Irwin Gilbow G950 12 inch straight cutting shears have no crank to the handle and accurately ground edges that ensure the material being cut does not slip out of the jaws and become damaged. The jaw faces are hollow ground to preserve the life of the cutting edge. Gilbow G950 are jointed with a nut and bolt design essential in ensuring the longest possible life of the joint, whilst keeping a good easy smooth cutting movement. Irwin Gilbow snips and shears have a great cutting capability which is much greater than the strength of the user and will provide a good, clean and easy cut edge to any workpiece.

STOCK CODE	SIZE	
TS12GILCS	300mm / 12"	1



AVIATION SNIPS STRAIGHT CUT

Faithfull Lightweight Aviation Tinsnips manufactured to a high specification which includes a safety locking latch, strong opening spring and slip guards for protection on each handle.

Designed to cut up to 1. 2mm sheet steel, non-ferrous material, vinyls, plastic and rubber. Formed blades in satin finish are serrated to prevent sheet metal slipping.

Cutting Capacity Sheet Steel: 1.2mm.

STOCK CODE	SIZE	
AS250	250mm / 10"	1



AVIATION SNIPS RIGHT CUT

Faithfull Lightweight Aviation Tinsnips manufactured to a high specification which includes a safety locking latch, strong opening spring and slip guards for protection on each handle. Designed to cut up to 1. 2mm sheet steel, non-ferrous material, vinyls, plastic and rubber. Formed blades in satin finish are serrated to prevent sheet metal slipping.

Cutting Capacity: Sheet Steel: 1.2mm.

STOCK CODE	SIZE	
AS250RFF	250mm / 10"	1



IRWIN AVIATION SNIPS RIGHT CUT

Irwin Aviation Snips have precision-formed blades that are cold formed meaning that the blades are stronger for an extended cutting life, require less cutting force, and provide a longer cut per stroke.
The optimised torsion spring gives a consistent and smooth operation with increased reliability and durability. The safety latch is comfortable to reach from handle position with an easy push-up and release and one-handed opening and closing.
The lower blade is serrated, providing more grip and a smoother, consistent cut with no double marked edges. The high-strength alloy steel spines can sustain greater pressure for cutting tougher materials and give increased life.
The compound cutting action, reduces force needed to cut and decreases hand fatigue. The solid over-moulded soft-grips give superior comfort and performance.
These Irwin Aviation Snips have the following specification:
Cutting Type: Right.
Length: 250mm (10in).
Cutting Capacity: 1.19mm Sheet Metal.



STOCK CODE	SIZE	
AS250RIR	250mm / 10"	1

FAITHFULL BOLT CROPPER

The Faithfull Centre Cut High-Tensile Bolt Cutters with cutting blades forged entirely from heavily alloyed steel which produces a thoroughly hardened blade with a sound structure. The ground edges of the cutting blades are subjected to a second hardening process which ensures maximum hardness of the cutting surface. The cutter head may be adjusted to compensate for blade wear.
Suitable for cutting High-Tensile steel bars, bolts, chain and metal sections.
These Faithfull Centre Cut High Tensile Bolt Cutters have the following specification:
Length: 1060mm (42in).
Capacity: Mild Steel: 16mm, High Tensile: 13mm.



STOCK CODE	SIZE	
BC1060	1060mm / 42"	1

BOLT CUTTERS/CROPPERS

The light-duty Bolt Cutters, tubular shafted with soft handles for comfort. Suitable for cutting low tensile material. Bolt Cutters with heat treated, high carbon steel compound action blades. Tubular steel handles with non-slip rubber grips. Ideal for cutting wire, chain, and bolts. Heat treated alloy jaws - fully adjustable and replaceable rated to cut hrc40.



STOCK CODE	SIZE	
BC450	450mm / 18"	1
BC600	600mm / 24"	1
BC750	750mm / 30"	1
BC915	915mm / 36"	1

BOLT CUTTER

Olympia Tools Centre Cut Bolt Cutters with heat treated, high carbon steel compound action blades. Tubular steel handles with non-slip rubber grips. Ideal for cutting wire, chain, and bolts.
These Olympia Centre Cut Bolt Cutters have the following specification:
Capacity: Soft: 7mm, Medium: 5mm



STOCK CODE	SIZE	
BC350	350mm / 14"	1

SIDE CUT PLIERS

Faithfull Diagonal Cutting Pliers are ideal for cutting medium and medium-hard wire close to the surface. Manufactured from chrome vanadium steel with a rustproof, satin nickel finish. The cutting edges on the jaws are induction hardened for maximum performance. With a tapered head profile, ideal for accessing confined spaces. Fitted with cushion grip sleeves for user comfort.
Tested and certified to the GS standard. ROHS compliant.
Cutting Capacity: 1.6mm.



STOCK CODE	SIZE	
PLI140D	140mm / 5"	1

FAITHFULL QUALITY TOOLS COMBINATION PLIERS

Faithfull Combination Pliers are designed to grip and cut. Manufactured from chrome vanadium steel with a rustproof, satin nickel finish. Induction hardened jaws are suitable for cutting a wide range of materials including medium and medium-hard wire. The front section of the serrated jaws is ideal for gripping flat surfaces and the serrated section matches the profiles of rods, pipes and tubing. Fitted with cushion grip sleeves for user comfort. Tested and certified to the GS standard. ROHS compliant

STOCK CODE	SIZE	
PLI160C	160mm / 6"	1
PLI180C	180mm / 7"	1
PLI200C	200mm / 8"	1



FAITHFULL QUALITY TOOLS LONG NOSE PLIERS

Faithfull Long Nose Pliers feature long serrated jaws to maximise grip. They are tapered to a fine end for accessing and manoeuvering small objects in confined spaces.
Manufactured from chrome-vanadium steel with a rustproof satin nickel finish and fitted with cushion-grip sleeves for user comfort. Tested and certified to the GS standard. ROHS compliant.

STOCK CODE	SIZE	
PLI160N	160mm / 6"	1
PLI200N	200mm / 8"	1



FAITHFULL QUALITY TOOLS GROOVE JOINT PLIERS

These Faithfull Water Pump Pliers are made from chrome vanadium steel with a rustproof, satin nickel finish and fitted with cushion grip sleeves for user comfort. Ideal for gripping pipes, nuts and bolts. A quick-action, sliding pivot provides a wide range of jaw settings. The offset jaws are angled to ensure a positive action with extra power when leverage and grip are applied.
These Faithfull Soft Grip Water Pump Pliers have the following specification:
Capacity: 44mm.

STOCK CODE	SIZE	
PLI250G	250mm / 10"	1



END CUTTING NIPPERS/PLIERS

Hardened and tempered steel jaws with induction-hardened cutting edges. Moulded plastic handles with slip guards.

STOCK CODE	SIZE	
PLI200KE	200mm / 8"	1



FAITHFULL QUALITY TOOLS END CUTTING PLIERS

Faithfull End Cutting Pliers are ideally suited for cutting soft, medium and medium-hard wire extrusions close to the surface. Manufactured from chrome vanadium steel with a rustproof, satin nickel finish. The hardened cutting jaws are set at 90° to the handle for cutting wire in otherwise inaccessible areas. Fitted with cushion grip sleeves for user comfort.
Tested and certified to the GS standard. ROHS compliant.

STOCK CODE	SIZE	
FAIPLEC8	170mm	1



KNIPEX CONCRETE NIPPERS

- To twist and cut wire in one operation: fast, reliable and economical
- Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC
- High-grade special tool steel, forged, multi stage oil-hardened
- Cutting capacities medium hard wire (diameter) Ø 2.8mm
- Cutting capacities hard wire (diameter) Ø 1.8mm



STOCK CODE	SIZE	
KPX9900280SB	280mm / 11"	1

KNIPEX HIGH LEVERAGE COMBINATION PLIERS

The Knipex 02 01 range of combination pliers have high leverage with the added eccentric joint for powerful gripping and seizing. With 50% easier cutting ability on all work applications, the 02 01 come in 180 and 200mm versions with soft cushion grip handles for added comfort and a better grip. The 02 01 series are ideal for soft, hard and even piano wire cutting. The strong durable edges will make an easy and clean cut, with long lasting results even under the toughest conditions.
Like most the Knipex range of nippers and cutters the 02 01 range are oil hardened and tempered for longer life, with cutting edges separately induction-hardened to approx. 64hrc.



STOCK CODE	SIZE	
KPX180	180mm / 7"	1
KPX200	200mm / 8"	1
KPX225	225mm / 9"	1

KNIPEX END CUTTING NIPPERS

The Knipex 6801200 Plier is suited to cutting and twisting wire for reinforced concrete work or binding wire. Manufactured from high quality hardened tool steel with plastic coated handles. The head shape provides optimised movement when tightening steel mesh knots during reinforced concrete work.
With cutting edges for soft and hard wire, also suitable for twisting and cutting binding wire. Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC. High-grade special tool steel, forged, multi stage oil-hardened.



STOCK CODE	SIZE	
PLI200K	200mm / 8"	1
KPX280ECN	280 mm / 11"	1

KNIPEX END CUTTERS LONG HANDLED

To twist and cut wire in one operation, then the Knipex 99 01 250 Concreter's nippers are the ones for you. They are fast, reliable and economical and will make light work of the toughest of job applications.
The 99 01 250 nippers are precision made to give a long service life, making these the most widely purchased Concreter's Nippers in the world. The cutting edges, with hardness to approx 61 HRC, will help make light work on soft and annealed tie wire used on reinforced rods or large braided reinforced concrete mesh.
Knipex 99 01 250 Concreter's nippers are made up from high-grade special tool steel, forged and then oil-hardened for reliability and durability. They have plastic moulded handles for added grip and user comfort.
KPX9901250 Concreter's Nipping Pliers.



STOCK CODE	SIZE	
PLI250K	250mm / 10"	1

STANLEY. CURVED JAW LOCKING PLIERS

The Stanley Curved Jaw Mole Grips are ideal for gripping pipes or hexagon nuts. The forged and machined jaws offer maximum durability and there is also a built-in wire cutter.
The body is chrome plated to resist corrosion and the knurled screw at the base of the handle adjusts the clamping pressure and the non-pinching pull jaw release lever improves safety and ease of opening.

STOCK CODE	SIZE	
PLIMOL230	230mm / 9"	1



ELECTRICIANS WIRE CUTTING SCISSORS

A high-quality traditional scissor manufactured from stainless steel with precision ground blades for accurate cutting. All Faithfull scissors feature a centre adjustment screw, allowing the blades to be tightened or taken apart for sharpening. The Electricians Scissors can be used for cutting thin section wire, small diameter cable, fibre optic cable, insulation, string, cord and thread.

STOCK CODE	SIZE	
FAISCWC5	125mm / 5"	1





ADJUSTABLE WRENCH

Drop-forged chrome plated. Polished jaw face. Smooth jaw adjustment. Adjustable wrench, manufactured from drop forged carbon steel with heat treated offset jaws, chrome plated.



STOCK CODE	SIZE	
WR150A	150mm / 6"	1
WR200A	200mm / 8"	1
WR250A	250mm / 10"	1
WR300A	300mm / 12"	1
WR380A	380mm / 15"	1
WR450A	450mm / 18"	1
WR600A	600mm / 24"	1
WR600A	600mm / 24"	1
SET OF 3 ADJUSTABLE WRENCHES		
STOCK CODE	SIZES	
ADJSPASET3	150mm & 200mm & 300mm	1

FAITHFULL QUALITY TOOLS RATCHETING COMBINATION SPANNER

These Faithfull Chrome Vanadium spanners have flexible ratchet heads, which can turn through 180°, allowing them to be used in more awkward to reach places at any angle.
Each spanner has a 72 fine-tooth mechanism. A useful arrow illustration is etched in the spanner to indicate the direction of torque.
180° head for access into tight places.
5° Fine Ratchet Mechanism.



STOCK CODE	SIZE	
SPA8RAT	8mm	1
SPA9RAT	9mm	1
SPA10RAT	10mm	1
SPA11RAT	11mm	1
SPA12RAT	12mm	1
SPA13RAT	13mm	1
SPA14RAT	14mm	1
SPA15RAT	15mm	1
SPA16RAT	16mm	1
SPA17RAT	17mm	1
SPA18RAT	18mm	1
SPA19RAT	19mm	1
SPA22RAT	22mm	1
SPA24RAT	24mm	1
SPA27RAT	27mm	1

FAITHFULL QUALITY TOOLS COMBINATION SPANNER

These Faithfull professional, high quality Combination Spanners are forged from chrome vanadium steel, which is hardened, tempered and satin chrome plated for corrosion protection. Manufactured to DIN 3113 standards.
The broached jaws and rings ensure a consistent tolerance and a guaranteed accurate fit. Both the jaw and ring end are set at a 15 degree offset for ease of use in awkward positions.



STOCK CODE	SIZE	
SPA8C	8mm	1
SPA10C	10 mm	1
SPA13C	13mm	1
SPA14C	14mm	1
SPA15C	15mm	1
SPA16C	16mm	1
SPA17C	17mm	1
SPA18C	18mm	1
SPA19C	19mm	1
SPA22C	22mm	1
SPA23C	23mm	1
SPA24C	24mm	1
SPA26C	26mm	1
SPA30C	30mm	1
SPA32C	32mm	1
SPA36C	36mm	1
SPA41C	41mm	1
SPA46C	46mm	1
SPA51C	51mm	1
SPA55C	55mm	1

RATCHET SPANNER SCAFFOLD

Discover the Box Type Steel Scaffolding Ratchet, one of the most popular scaffolding ratchets available.
A lot of effort has gone in to ensuring this ratchet is engineered to the very highest standard. It'll help you get the job done.



STOCK CODE	SIZE	
SPA1921RAT	19mm - 21mm	1

RING SLOGGING SPANNER



STOCK CODE	SIZE	
SPA24S	24mm	1
SPA27S	27mm	1
SPA30S	30mm	1
SPA32S	32mm	1
SPA36S	36mm	1
SPA41S	41mm	1
SPA46S	46mm	1
SPA50S	50mm	1
SPA55S	55mm	1
SPA60S	60mm	1

BAHCO BLACK ADJUSTABLE SPANNER

Bahco 80 Series Adjustable Wrench with a phosphated finish and tapered jaws that feature a measurement scale on the fixed jaw. They have a 16° head angle with no protruding shank when fully open and a strong I-section handle with a spring-loaded square section, and a knurled adjusting nut.



STOCK CODE	SIZE	
BAH8070	150mm / 6"	1
BAH8071	200mm / 8"	1
BAH8072	250mm / 10"	1
BAH8073	300mm / 12"	1
BAH8074	375mm / 15"	1
BAH8075	450mm / 18"	1

RING PODGER SPANNER

- Industrial Quality Podger Spanners.
- Perfect for tough applications.
- Manufactured to DIN 475.



STOCK CODE	SIZE	
SPA17RING	17mm	1
SPA19RING	19mm	1
SPA22RING	22mm	1
SPA24RING	24mm	1
SPA27RING	27mm	1
SPA32RING	32mm	1
SPA36RING	36mm	1
SPA41RING	41mm	1
SPA46RING	46mm	1

OPEN ENDED PODGER SPANNER

- Industrial Quality Podger Spanners.
- Perfect for tough applications.
- Manufactured to DIN 475.



STOCK CODE	SIZE	
SPA24OE	24mm	1
SPA27OE	27mm	1
SPA30OE	30mm	1
SPA32OE	32mm	1
SPA36OE	36mm	1
SPA41OE	41mm	1
SPA46OE	46mm	1

BAHCO RATCHET COMBINATION SPANNER

STOCK CODE	SIZE	
BAH22CSR	22mm	1
BAH24CSR	24mm	1
BAH27CSR	27mm	1
BAH30CSR	30mm	1



FAITHFULL QUALITY TOOLS FLEXI HEAD RATCHET SPANNER

6 PIECE SET

The Faithfull Ratchet Combination Spanner Set contains a selection of chrome vanadium spanners with flexible ratchet heads, which can turn through 180°. Allowing them to be used in more awkward to reach places at any angle. Each spanner has a 72 fine-tooth mechanism that only needs a 5° turning space. A useful arrow illustration is etched in the spanner to indicate the direction of torque. Supplied in a handy carry case

Sizes: 8mm
10mm
13mm
15mm
17mm
19mm



STOCK CODE	
RATSPANSET	1

FAITHFULL QUALITY TOOLS COMBINATION SPANNER

18 PIECE SET

Professional high-quality combination spanners, forged from chrome vanadium steel, hardened, tempered and satin chrome plated for corrosion protection.
Manufactured to DIN 3113 .
Broached jaws and rings to ensure a consistent tolerance and a guaranteed accurate fit. Both the jaw and ring end are set at a 15° offset for ease of use in awkward positions.

Sizes: 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 24mm



STOCK CODE	
COMBISET	1

COMBINATION SPANNER

25 PIECE SET

Metric chrome vanadium plated combination spanner sets with hardened and tempered mirror polished heads. Nickel chrome plated. Supplied in a durable plastic carrying/storage case and arranged in size order.

Contents:

- 1 each - 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30 and 32mm
- Supplied in a handy storage wallet.



STOCK CODE	
COMBISET25	1

TORQUE WRENCH

This Torque Wrench is manufactured from chrome vanadium for increased durability. Designed to be utilised where fixings are required to be tightened to a predetermined torque load. Comes complete with a useful storage case.
Warning: All torque wrenches must be stored on the lowest torque setting to avoid a set in the spring. Failure to do so can result in a loss of accuracy over time.



STOCK CODE	SIZE	
WRETHD210	1/2" 40-210Nm M8-M16	1
WRETHD350	1/2" 70-350Nm M10-M18	1
WRETHD450	3/4" 90-450Nm M12-M18	1
WRETHD700	3/4" 140-700Nm M16-M24	1

FLAT SMOOTH CUT FILE



Faithfull Engineer's Hand files fitted with a comfortable handle, for professional and frequent DIY use. They are parallel in width, slightly tapered in thickness and have a double cut with safe edge.
Blade width 23mm / 15/16 inch.

STOCK CODE	SIZE	
FIL10SC	250mm / 10"	1

FAITHFULL QUALITY TOOLS FLAT WOOD RASP



The Faithfull flat wood rasp is for use on wood or soft metals, for professional or frequent DIY use.
This range of rasps has coarse bastard teeth with single cut edges and is fitted with a comfortable handle. Blade width 27mm

STOCK CODE	SIZE	
FAIFIWR12	300mm / 12"	1

FAITHFULL QUALITY TOOLS HEAVY DUTY PIPE WRENCH

Faithfull Stillsons have been designed to cope with the exacting needs of today's trades person. The handle and moving jaw of each Stillson is forged from high-quality steel which has been heat-treated to ensure maximum strength. The steel adjustment nut has been both hardened and tempered to promote longer life. The dual coil springs on Faithfull Stillsons ensure that an instant grip of the pipe and a ratcheting action is achieved.



STOCK CODE	SIZE	
WRES8	200mm / 8"	1
WRES10	250mm / 10"	1
WRES12	300mm / 12"	1
WRES14	350mm / 14"	1
WRES18	450mm / 18"	1
WRES24	600mm / 24"	1
WRES36	900mm / 36"	1
WRES48	1200mm / 48"	1


SECOND CUT FLAT FILE



Case hardened steel. Soft-grip handle with hanging hole

STOCK CODE	SIZE	
FIL10SDC	250mm / 10"	1

10 INCH BASTARD CUT





STOCK CODE	TYPE	
FIL10BH	Flat	1
FIL10BHR	Half Round	1
FIL10BR	Round	1

STANLEY. WOOD RASPS

3 PIECE SET



For woodwork applications. High carbon steel blade for strength and durability. Fitted with a bi-material handle with a hang hole for convenient storage. These rasps will give a good professional finish to any work piece.

- 1 x Round Rasp 200mm/8 inch
- 1 x Half-Round Rasp 200mm/8 inch
- 1 x Flat Rasp 200mm/8 inch

STOCK CODE	
FIL3PRS	1

FILES

3 PIECE SET



Soft-grip handles with hanging hole

- 1 x Flat File second cut file
- 1 x Round Feel second cut file
- 1 x Half-Round second cut file


STOCK CODE	
FIL3PFS	1

ENGINEERS HANDLED FILES

5 PIECE SET

A selection of Engineer's Files manufactured from carbon steel for durability. Soft grip handles for increased comfort. Set contains:

- 1 x Round File 200mm / 8 inch
- 1 x Half-Round File 200mm / 8 inch
- 1 x Triangular File 200mm / 8 inch
- 1 x Flat File 200mm / 8 inch
- 1 x Square File 200mm / 8 inch




STOCK CODE	
FIL6SET	1

LINE PINS

PAIRS

The Footprint 620 Line Pins are made from drop-forged, hardened steel with a chrome plated finish. Designed for use when building a wall. Use in conjunction with a length of nylon cord or builder's string to make sure that a course of bricks is straight and true.



STOCK CODE	SIZE	
BRLP	155mm	1

SPOOLED BRICK LINE

Orange polyethylene ranging line is heavier gauge than the brick line and is commonly used for marking out ground on building sites.



STOCK CODE	SIZE	
STL30	30m	1

SPOOLED BRICK LINE

DISPLAY BOX 24 PIECE

Strong, high-visibility, stretch-resistant line with integrated spinning storage spool and line pin. For marking out and bricklaying applications. Use the pin in soft mortar and earth. Breaking strain 10kg.



STOCK CODE	SIZE	
BNCL100REEL	100m	1

FAITHFULL QUALITY TOOLS BRAIDED NYLON CHALK LINE

For use with powdered chalk for marking between two points to give a straight line. Braided line resists fraying, and is also useful for a plumb line as it does not spin round as conventional twisted cord. Braided nylon has less stretch than other lines and is also the strongest.



STOCK CODE	SIZE	
BNCL100	100m	6

MARSHALLTOWN HI-VIS STRING LINE

FLUORESCENT YELLOW

This Marshalltown Mason's Line is made from twisted nylon that has been heat set after winding to increase stability. Not affected by mortar, oil or mildew and will not absorb water.
Suitable for staking out sites, concrete and landscaping layout and brick/block laying.
Made in the U.S.A



STOCK CODE	SIZE	
HSTRINGL	76.2m / 250ft	1

POLYETHYLENE BRICK LINE

These lines are normally used for giving a straight edge for laying bricks etc.



STOCK CODE	SIZE	
BRI100ML	100m	1

FAITHFULL QUALITY TOOLS STRING LINE NYLON BRAIDED

Ideal for most applications in the building trade and can be used as chalk or brick lines.



STOCK CODE	SIZE	
STL18	18m	1

FAITHFULL QUALITY TOOLS HI-VIS STRING LINE REEL

PINK

Ideal for general bricklaying and marking out. Braided nylon line is strong and flexible with less stretch than other types of line. It resists fraying and is also useful for a plumb line as it does not spin around like conventional twisted cord. Rot proof, waterproof, and resistant to mildew, dryness and heat.



STOCK CODE	SIZE	
STL105HV	105m	1

CHALK LINE METAL CASING



STOCK CODE	SIZE	
CLK30ME	30m	1

CHALK LINE PLASTIC CASING

3 PIECE SET

Set contains 50ft chalk line,
chalk and line level.

STOCK CODE	SIZE	
CLK16M	15m	1



CHALK LINE KIT

CHALK LINE AND LEVEL

This chalk line has an ergonomic design, with a high impact ABS case for durability. It has an on-board hook storage, a crank which folds into case for storage and a sliding door which allows for quick and easy refill (30g. Chalk Capacity). It has a stainless steel end hook for added durability and rust prevention and can hold 30m of string.
Supplied with 113g blue chalk and line level.

STOCK CODE	SIZE	
CLK30M	30m	1



CHALK REFILL

High-grade chalk designed to be used with chalk line reels. It is specifically packaged in a square bottle which is designed to not roll off work surfaces. The bottle features an easy-pouring, twist-to-open spout.

STOCK CODE	COLOUR	SIZE	
CHA4B	Blue	4oz	1
CHA4R	Red	4oz	1
CHA4W	White	4oz	1



BRICK JOINTER

For a professional finish to joints between bricks

- Heavy duty design
- High quality steel



STOCK CODE	SIZE	
BRI34J	3/4" x 7/8"	1

PRO TUCK POINTER

- One piece high quality carbon steel blade
- Duragrip handle with finger protection
- Soft grip handle for extreme comfort



STOCK CODE	SIZE	
23097	6¾" x 3/8"	1

PHILADELPHIA BRICK TROWEL

A DIY Philadelphia pattern brick trowel with a polished steel ferrule, metal tang, hardened and tempered blade and a wooden handle. This shape trowel is better suited to laying blocks allowing more mortar to be placed on the blade.



STOCK CODE	SIZE	
TRO10PB	250mm / 10"	1
TRO11PB	280mm / 11"	1

BRICK TROWEL

Hardened and tempered carbon steel blade. Features profiled wooden handle with crimped ferrule. Fully lacquered finish. Long service life when regularly maintained. For laying bricks and blocks.



STOCK CODE	SIZE	
TRO10PBE	200mm	1

PHILADELPHIA BRICK TROWEL

RTR101 DIY Philadelphia pattern pointing trowels with a hardened and tempered steel blade and soft touch handle.



STOCK CODE	SIZE	
TRO6B	180mm / 6"	1

GAUGING TROWEL

R.S.T. gauging trowel with a carbon steel blade and soft touch handle. Used primarily for mixing and applying small quantities of cement.



STOCK CODE	SIZE	
TRO7G	180mm / 7"	1

PLASTERING TROWEL

Hardened and tempered carbon steel blade. Features profiled wooden handle and 5 rivet fixing for stability and flexibility. Long service life when regularly maintained. For levelling, smoothing and finishing large flat areas.



STOCK CODE	SIZE	
TRO11PFE	280mm / 11"	1

PLASTERERS FINISHING TROWEL

This 280mm Anti-Slip Plastering Trowel is manufactured from hardened and tempered steel for increased durability. Features anti-slip plastic handle for increased grip.



STOCK CODE	SIZE	
TRO11PF	280mm x 114mm / 11" x 4½"	1

STAINLESS STEEL PLASTERERS TROWEL

The R.S.T. Soft-Touch Finishing Trowel has a stainless steel blade, offering resistance to corrosion, with invisible rivets. Its handle is ergonomically shaped with soft-grip for comfort.



STOCK CODE	SIZE	
TRO11SS	114mm x 280mm / 4½" x 11"	1
TRO14SS	120mm x 360mm / 4¾" x 14"	1
TRO16SS	114mm x 457mm / 4½" x 16"	1

CARBON STEEL PLASTERERS TROWEL

Constructed with a moulded plastic handle in dark blue this is an ideal D.I.Y. product and excellent value for money.



STOCK CODE	SIZE	
TRO11CS	114mm x 280mm / 4½" x 11"	1
TRO14CS	120mm x 360mm / 4¾" x 14"	1

SOFT GRIP BUCKET TROWEL

This Welded Bucket Trowel has a tapered blade that has been cut square and is designed for removing mortar from the sides and bottom of buckets. The handle is made of a soft grip material which provides a better hold and increased comfort.



STOCK CODE	SIZE	
TROFB7	7"	1

STANLEY WINDOW MARGIN TROWEL

The Stanley 0-05-897 Margin / Window Trowel with stainless steel blade to prevent rust and provide durability. It has a bi-material handle for comfort and protection and a smooth zinc alloy cap for durability. A hang hole in the handle provides easy storage.



STOCK CODE	SIZE	
STA005897	82mm x 101mm / 3.1/4" x 4"	1

SOFT TOUCH HANDLE FLOORING TROWEL

Hardened and tempered carbon steel blade. Comfortable, soft-grip handle for prolonged use. Pointed for corner finishing. Pistol grip for controlled use. For rendering, levelling, smoothing and finishing large, flat areas.



STOCK CODE	SIZE	
TRO16ST	114mm x 457mm / 4½" x 16"	1

RST FLOORING TROWEL

The R.S.T flooring trowel has a steel blade with banana shaped soft touch handle with ten rivet fixing for greater strength. Hardened and tempered carbon steel blade. Comfortable, soft-grip handle for prolonged use. Pointed for corner finishing. Pistol grip for controlled use. For rendering, levelling, smoothing and finishing large, flat areas.



STOCK CODE	SIZE	
RST201S	400mm / 16"	1

WOOD HANDLE FLOORING TROWEL

Hardened and tempered carbon steel blade. Features profiled wooden handle and 5-rivet fixing for stability and flexibility. Long service life when regularly maintained. For rendering, levelling, smoothing and finishing large, flat areas.



STOCK CODE	SIZE	
TRO16WH	114mm x 457mm / 4½" x 16"	1

MARSHALLTOWN FINISHING TROWEL

Aluminium alloy mounting and are very light, but as strong as steel. The flexible blade is of the highest grade spring steel, tempered, ground and polished and the blade is fastened to the mounting with ten hard steel rivets. The curved DuraSoft® handle is held firmly by a nut and washer.



STOCK CODE	SIZE	
TROMARMXS1D	275mm / 11"	1

PLASTERERS FINISHING TROWEL SOFT GRIP

This R.S.T. Plasterers finishing trowel has a strong and durable carbon steel blade, which is fixed with invisible rivets.
Finishing trowels are used in smoothing and finishing the surface of plaster. They help to compact the surface and add to the quality and durability of the work.



STOCK CODE	SIZE	
TRO11PSG	275mm x 114mm / 11" x 4½"	1

PLASTERERS FINISHING TROWEL

This R.S.T. Finishing Trowel has a strong, durable carbon steel blade and invisible rivets. For user comfort it has an ergonomically shaped, soft touch handle.
Finishing trowels are used in smoothing and finishing the surface of plaster. They help to compact the surface and add to the quality and durability of the work.



STOCK CODE	SIZE	
RST16S	455mm x 115mm / 18" x 4½"	1

EDGING TROWEL SOFT GRIP

Edging trowels are commonly use to apply a rounded finished edge to concrete and render. The carbon steel blade with one long curved edge is fitted with a full sized soft grip handle for user comfort.



STOCK CODE	SIZE	
TROFE11	275mm x 120mm / 11" x 4¾"	1

EDGING TROWEL

Hardened and tempered carbon steel blade. Profiled wooden handle with double hang shank. Long service life when regularly maintained. For forming curved edges.



STOCK CODE	SIZE	
TROE	250mm x 100mm / 10" x 4"	1

PLASTIC PLASTERERS FLOAT


This sturdy float is a lightweight one piece polyurethane moulding. The pattern face is non-absorbent and is used for applying plaster, cement and other building materials.



STOCK CODE	SIZE	
FLOP01	140mm x 280mm / 5.5" x 11"	1
FLOP02	180mm x 320mm / 7" x 12½"	1
FLOP03	150mm x 350mm / 6" x 14"	1

FAITHFULL QUALITY TOOLS PLASTERERS HAWK


The Faithfull extremely lightweight hawk in moulded polyurethane with a smooth surface finish. A hawk is a useful tray from which to apply plaster or cement quickly to a wall by using a trowel.



STOCK CODE	SIZE	
PLAH01	330mm x 330mm / 13" x 13"	1

MARSHALLTOWN WOODEN FLOAT

This Marshalltown 44 wood hand float is ¾ inch thick and made of seasoned redwood. It is ideal for skimming and to give a sandy surface finish to rendering concrete or plaster.



STOCK CODE	SIZE	
FLOW01	300mm x 125mm / 12" x 5"	1

5 PIECE SOFT GRIP TROWEL SET

- Brick jointer 12mm x 15mm (1/2in x 5/8in)
- -Pointing trowel 150mm (6in)
- -Gauging trowel 175mm (7in)
- -Brick trowel 275mm (11in)
- -Plastering trowel 275mm (11in)



STOCK CODE	
TRO5SET	1

POINTING TROWEL

Hardened, tempered carbon steel blade. Features profiled hardwood handle with crimped ferrule. Fully lacquered finish. Long service life when regularly maintained. For pointing brick, block, paving and stonework.



STOCK CODE	SIZE	
23111	150mm / 6"	1

SOFT GRIP POINTING TROWEL

The Pointing Trowel is manufactured from hardened and tempered steel for increased durability. Ideal for DIY. For comfort, it has a soft grip rubber handle.



STOCK CODE	SIZE	
TROFPT6E	150mm / 6"	1

POINTING TROWEL LONDON

Hardened and tempered carbon steel blade. Comfortable, soft-grip handle for prolonged use. Taper-ground from heel to toe for flexibility. Finger guard, thumb support and high lift for good knuckle clearance. For pointing brick, block, paving and stonework.



STOCK CODE	SIZE	
23087	127mm / 5"	1

MIXING PADDLE

ZINC PLATED

For mixing paint, cement slurries and textured coatings. For use with most powered mixers. M14 thread.



STOCK CODE	SIZE	
PAIMP14	M14 - 115mm x 600mm	1

UNIVERSAL MIXING PADDLE

For use with electric drills. To mix paint, plaster, cement slurries and textured coatings. Requires 10mm or larger chuck. Max. 600rpm.



STOCK CODE	SIZE	
PAIMPU	100mm x 600mm	1

STANLEY FATMAX POZI SCREWDRIVER



STOCK CODE	SIZE	
SCR75P	75mm	1
SCR100P	100mm	1
SCR125P	125mm	1
SCR150P	150mm	1
SCR200P	200mm	1
SCR250P	250mm	1

STANLEY FATMAX FLARED SCREWDRIVER



STOCK CODE	SIZE	
SCR55F	5.5mm x 125mm	1
SCR75F	3.0mm x 75mm	1
SCR125F	4.0 mm x 125mm	1
SCR150F	6.5mm x 150mm	1
SCR175F	8.0mm x 175mm	1
SCR200F	10.0mm x 200mm	1
SCR250F	12.0mm x 250mm	1

SOFT GRIP SCREWDRIVER

6 PIECE SET

Chrome vanadium screwdriver set with hardened, blackened tips and soft-grip handles.

- **Slotted Flared** 3 x 75mm
  5 x 100mm
  6 x 100mm
- **Pozidriv** PZ0 x 75mm
  PZ1 x 100mm
  PZ2 x 100mm

STOCK CODE	
SCR6SET	1



STANLEY. FATMAX SCREWDRIVER

12 PIECE SET

The Stanley FatMax® Screwdriver sets have a chrome vanadium steel bar allows high torque and reduces the risk of tip breakage and the handle is moulded directly to shaft for a virtually unbreakable bond - gives long life and durability. The soft grip handle gives a perfect combination of great grip and reduced fatigue in use and is colour coded for easy identification of the right tip type for the application. The smooth domed end offers fast, comfortable spinning action and the large diameter handle offers higher torque when driving wood screws.



- **Parallel**: 2.5 x 50mm
  4.0 x 100mm
  5.5 x 150mm
  6.5 x 30mm (stubby).
- **Flared**: 5.5 x 100mm
  8.0 x 150mm
- **Phillips**: PH0 x 75mm
  PH1 x 100mm
  PH2 x 125mm
- **Pozidriv**: PZ0 x 75mm
  PZ1 x 100mm
  PZ2 x 125mm

STOCK CODE	
SCR12SET	1

SOFT GRIP SCREWDRIVER

19 PIECE SET

Chrome vanadium satin chrome plated steel blades hardened and tempered with sand blasted tips. Soft grip handles with inserts.

- 8 x plain slot
- 6 x cross slot
- 2 x PZ TYPE screwdrivers
- 2 x Draper TX-STAR® drivers and angle screwdriver



STOCK CODE	
SCR19SET	1

STANLEY. FATMAX INSULATED SCREWDRIVER

10 PIECE SET

The Stanley FatMax® VDE Insulated Screwdrivers have a VDE insulated screwdriver tip, that is individually tested to 10,000 volts and guaranteed to 1,000 volts. The soft grip handle gives the perfect combination of great grip plus reduced fatigue and its large diameter offers greater torque needed for driving wood screws. The handle is moulded directly to the bar giving a virtually unbreakable bond. A heavy-duty plastic sheath running the length of the bar protects the user from live current.



- **3 x Parallel**: 2.5mm x 50mm
  3.5mm x 75mm
  5.5mm x 150mm
- **3 x Phillips**: PH0 x 75mm
  PH1 x 100mm
  PH2 x 125mm
- **3 x Pozidriv**: PZ0 x 75mm
  PZ1 x 100mm
  PZ2 x 125mm
- 1 x Voltage Tester

STOCK CODE	
SCR10SET	1

1/2 INCH IMPACT SOCKET SET

10 PIECE

This Teng Impact Socket set is manufactured from top grade chrome molybdenum alloy steel in accordance with GGG-W-660A to give top quality, professional sockets. The set contains 10 regular metric ½ inch drive 6-point impact sockets supplied on a clip rail.These sockets are ANSI standard and are suitable for automotive use.

Contents:

10, 11, 12, 13, 14, 17, 19, 21, 22 and 24mm.



STOCK CODE	SIZE	
ISSET10	10mm - 24mm	1

1/2 INCH DRIVE IMPACT SOCKET

STOCK CODE	SIZE	
ISHD10	10mm	1
ISHD11	11mm	1
ISHD12	12mm	1
ISHD13	13mm	1
ISHD14	14mm	1
ISHD15	15mm	1
ISHD16	16mm	1
ISHD17	17mm	1
ISHD18	18mm	1
ISHD19	19mm	1
ISHD19M	19 Fixed Magnet	1
ISHD20	20mm	1
ISHD21	21mm	1
ISHD22	22mm	1
ISHD23	23mm	1



STOCK CODE	SIZE	
ISHD24	24mm	1
ISHD24M	24 Fixed Magnet	1
ISHD26	26mm	1
ISHD27	27mm	1
ISHD28	28mm	1
ISHD30	30mm	1
ISHD32	32mm	1
ISHD34	34mm	1
ISHD36	36mm	1
ISHD40	40mm	1
ISHD41	41mm	1
ISHD46	46mm	1

1/2 INCH DRIVE DEEP IMPACT SOCKET

STOCK CODE	SIZE	
ISHDD7	7mm	1
ISHDD8	8mm	1
ISHDD9	9mm	1
ISHDD10	10mm	1
ISHDD11	11mm	1
ISHDD12	12mm	1
ISHDD13	13mm	1
ISHDD14	14mm	1
ISHDD15	15mm	1
ISHDD16	16mm	1
ISHDD17	17mm	1
ISHDD18	18mm	1
ISHDD19	19mm	1
ISHDD21	21mm	1
ISHDD22	22mm	1
ISHDD23	23mm	1



STOCK CODE	SIZE	
ISHDD24	24mm	1
ISHDD25	25mm	1
ISHDD26	26mm	1
ISHDD27	27mm	1
ISHDD28	28mm	1
ISHDD30	30mm	1
ISHDD32	32mm	1
ISHDD35	35mm	1
ISHDD36	36mm	1
ISHDD40	40mm	1
ISHDD41	41mm	1
ISHDD46	46mm	1
ISHDD50	50mm	1

3/4 INCH DRIVE IMPACT SOCKET



STOCK CODE	SIZE	
ISTD13	13mm	1
ISTD14	14mm	1
ISTD15	15mm	1
ISTD16	16mm	1
ISTD17	17mm	1
ISTD18	18mm	1
ISTD19	19mm	1
ISTD20	20mm	1
ISTD21	21mm	1
ISTD22	22mm	1
ISTD24	24mm	1
ISTD25	25mm	1
ISTD26	26mm	1
ISTD27	27mm	1
ISTD28	28mm	1
ISTD30	30mm	1
ISTD32	32mm	1

STOCK CODE	SIZE	
ISTD33	33mm	1
ISTD34	34mm	1
ISTD35	35mm	1
ISTD36	36mm	1
ISTD38	38mm	1
ISTD39	39mm	1
ISTD40	40mm	1
ISTD41	41mm	1
ISTD45	45mm	1
ISTD46	46mm	1
ISTD47	47mm	1
ISTD50	50mm	1
ISTD55	55mm	1
ISTD60	60mm	1
ISTD65	65mm	1
ISTD70	70mm	1
ISTD75	75mm	1

3/4 INCH DRIVE DEEP IMPACT SOCKET



STOCK CODE	SIZE	
ISTDD16	16mm	1
ISTDD17	17mm	1
ISTDD18	18mm	1
ISTDD19	19mm	1
ISTDD20	20mm	1
ISTDD21	21mm	1
ISTDD22	22mm	1
ISTDD24	24mm	1
ISTDD25	25mm	1
ISTDD26	26mm	1
ISTDD27	27mm	1
ISTDD28	28mm	1
ISTDD30	30mm	1
ISTDD32	32mm	1
ISTDD33	33mm	1

STOCK CODE	SIZE	
ISTDD34	34mm	1
ISTDD35	35mm	1
ISTDD36	36mm	1
ISTDD38	38mm	1
ISTDD40	40mm	1
ISTDD41	41mm	1
ISTDD43	43mm	1
ISTDD45	45mm	1
ISTDD46	46mm	1
ISTDD48	48mm	1
ISTDD50	50mm	1
ISTDD55	55mm	1
ISTDD65	65mm	1
ISTDD70	70mm	1
ISTDD75	75mm	1

1 INCH DRIVE IMPACT SOCKET



STOCK CODE	SIZE	
ISOD19	19mm	1
ISOD20	20mm	1
ISOD21	21mm	1
ISOD22	22mm	1
ISOD24	24mm	1
ISOD25	25mm	1
ISOD30	30mm	1
ISOD32	32mm	1
ISOD33	33mm	1
ISOD36	36mm	1
ISOD40	40mm	1
ISOD50	50mm	1
ISOD52	52mm	1
ISOD55	55mm	1
ISOD60	60mm	1
ISOD65	65mm	1
ISOD70	70mm	1
ISOD75	75mm	1
ISOD100	100mm	1
ISOD105	105mm	1
ISOD140	140mm	1
ISOD80	80mm	1
ISOD85	85mm	1
ISOD90	90mm	1

HEXAGON DRIVE ADAPTOR



STOCK CODE	SIZE	
10HEXDRIVE14	1/4" x 10mm	1

1 INCH DRIVE DEEP IMPACT SOCKET



STOCK CODE	SIZE	
ISODD30	30mm	1
ISODD46	46mm	1
ISODD50	50mm	1
ISODD52	52mm	1
ISODD55	55mm	1
ISODD60	60mm	1
ISODD62	62mm	1
ISODD65	65mm	1
ISODD70	70mm	1
ISODD75	75mm	1
ISODD80	80mm	1
ISODD85	85mm	1

HEXAGON TO SQUARE DRIVE ADAPTOR

The Adaptor is for use with standard and impact sockets, etc. on electric and rechargeable screwdrivers (not impact tools). Designed for use with the most common machine fittings.



STOCK CODE	SIZE	
1/4-1/2SQDR	1/4" Hexagon to 1/2" Square	1

DRIVE IMPACT EXTENSION BAR



STOCK CODE	SIZE	
1/2 INCH		
IEBHD75	75mm	1
IEHD100	100mm	1
IEHD125	125mm	1
IEHD250	250mm	1
IEHD600	600mm	1

STOCK CODE	SIZE	
3/4 INCH		
IEBTD100	100mm	1
IEBTD150	150mm	1
IEBTD175	175mm	1
IEBTD250	250mm	1
IEBTD300	300mm	1

STOCK CODE	SIZE	
1 INCH		
IEBOD175	175mm	1
IEBOD250	250mm	1

IMPACT ADAPTOR



STOCK CODE	SIZE	
IAF12M34	1/2" Female 3/4" Male	1
IAF34M12	3/4" Female 1/2" Male	1
IAF1M34	1" Female 3/4" Male	1

UNIVERSAL IMPACT JOINT 1/2 INCH



STOCK CODE	
IMPACTJOINT	1

5/16 INCH IMPACT TEK ADAPTOR

1/4 inch hex quick change shank is designed to work with impact drivers and reduces slipping in standard drill chucks. Rare earth magnets hold fasteners securely with four times the hold of standard magnets. Lobular design drives fastener on the side instead of the corner for less stripping and longer life.



STOCK CODE	SIZE	
IMPTEKAD	5/16" Tek Adaptor	1

FAITHFULL QUALITY TOOLS 1/2 INCH SQUARE DRIVE HEX SOCKET

These Faithfull Hexagon Sockets are professional, high quality metric sockets, forged from chrome vanadium steel which is hardened, tempered and satin chrome plated for corrosion protection.
1/2in Square Drive is the most popular drive size used in the UK and Ireland, due to its strength and durability. Faithfull sockets have a hexagon design that gives an accurate fit on both nuts and bolts and the chamfered end allows easy nut location and entry.

STOCK CODE	SIZE	
HSHD10	10mm x M6	1
HSHD13	13mm x M8	1
HSHD14	14mm x M18	1
HSHD17	17mm x M10	1
HSHD19	19mm x M12	1

STOCK CODE	SIZE	
HSHD22	22mm x M14	1
HSHD24	24mm x M16	1
HSHD27	27mm x M18	1
HSHD30	30mm x M20	1
HSHD32	32mm x M22	1

1/2 INCH DEEP DRIVE 12 POINT SOCKET



STOCK CODE	SIZE	
HSHD1210	10mm	1
HSHD1213	13mm	1
HSHD1217	17mm	1
HSHD1219	19mm	1
HSHD1221	21mm	1
HSHD1222	22mm	1
HSHD1224	24mm	1
HSHD1227	27mm	1
HSHD1230	30mm	1
HSHD1232	32mm	1

3/4 INCH SQUARE DRIVE HEX SOCKET



STOCK CODE	SIZE	
HSTD22	22mm x M14	1
HSTD24	24mm x M16	1
HSTD27	27mm x M18	1
HSTD30	30mm x M20	1
HSTD32	32mm x M20	1
HSTD36	36mm x M24	1
HSTD41	41mm x M27	1
HSTD46	46mm x M30	1
HSTD50	50mm x M33	1

REVERSIBLE RATCHET

Slim, ergonomic, hardened and tempered chrome vanadium handle. Single-handed reversible ratchet mechanism and positive socket locking mechanism with single-handed push-to-release. Features tough Cro-Mo gears for high torque application and 72 teeth for fine, 5° ratchet action. Manufactured to DIN 3122.



STOCK CODE	SIZE	
23270	1/2"	1
RATTD500	3/4"	1

1 INCH SLIDING TEE HANDLE



STOCK CODE	SIZE	
STHOD560	560mm	1

1/2 INCH EXTENSION BAR

1/2in Square Drive standard and wobble extension bars made from chrome vanadium steel in a satin finish.



STOCK CODE	SIZE	
EBHD75	75mm	1
EBHD125	125mm	1
EBHD250	250mm	1

RETAINING RING AND PIN



STOCK CODE	SIZE	
RETRP1/2	For 1/2" Socket	1
RETRP3/4	For 3/4" Socket	1

1/2 INCH SQUARE DRIVE SOCKET

25 PIECE SET

Includes:

- 13 x bi - hexagon metric socket: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm
- 6 x bi - hexagon imperial socket: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- 2 x spark plug socket: 10, 14mm
- 1 x reversible ratchet
- 1 x sliding 'T' bar
- 2 x extension bars: 7 5, 250mm



STOCK CODE	
SOC12SQ25	1

1/2 INCH SQUARE DRIVE SOCKET

42 PIECE SET

- 2 x spark plug sockets reversible ratchet
- speed brace
- sliding T-bar
- universal joint
- 2 x extension bars (125mm and 250mm)
- 2 x adaptors (1/2 inch female - 3/8 inch male and 3/8 inch female - 1/4 inch male),
- 17 x metric sockets (10 - 27mm)
- 15 x AF sockets (3/8 inch, 7/16 inch, 15/32 inch, 1/2 inch, 9/16 inch, 19/32 inch, 5/8 inch, 11/16 inch, 3/4 inch, 25/32 inch, 13/16 inch, 7/8 inch, 15/16 inch, 1 inch, 1-1/8 inch)



STOCK CODE	
SOC12SQ42	1

BAHCO 3/4 INCH SOCKET

17 PIECE SET

Contains:

- 11 x 3/4in Hex Sockets: 22, 24, 30, 32, 33, 34, 36, 38, 41, 46 & 50mm.
- 2 x 3/4in Extension Bars: 200 & 400mm.
- 1 x 3/4in Reversible Ratchet Head.
- 1 x 3/4in Ratchet Handle 500mm (20in).
- 1 x 3/4in to 1/2in Adaptor.
- 1 x Impact & Oil Resistant Case.

STOCK CODE	
SOCBAH17S	1



BAHCO 1/2 INCH SOCKET

24 PIECE SET

The Bahco S240 1/2in Drive Socket Set contains sockets made from high performance alloy steel. With a Dynamic Drive™ profile to protect the sockets from wear and damage. Supplied in an oil and temperature resistant polypropylene case. Conforms to DIN 3120 / ISO 1174. Contains:

- 18 x 1/2in Hex Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30 & 32mm
- 2 x 1/2in Extension Bars: 125mm (5in) and 250mm (10in)
- 1 x 1/2in Universal Joint
- 1 x 1/2in T-Adaptor
- 1 x 1/2in Flexible Handle 250mm (10in)
- 1 x 1/2in Ratchet Handle 54-Teeth

STOCK CODE	
SOCBAH24S	1



BAHCO 1/4 INCH & 3/8 INCH SOCKET

34 PIECE SET

The Bahco S330 Socket Set contains sockets made from high performance alloy steel. With a Dynamic Drive™ profile to protect the sockets from wear and damage. Supplied in an oil and temperature resistant polypropylene case. Conforms to DIN 3120 / ISO 1174. Contains:

- 12 x 3/8in Hex Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 & 22mm
- 1 x 3/8in 60 Teeth Quick Release Ratchet
- 2 x 3/8in Extension Bars: 75mm (3in) & 150mm (6in).
- 1 x 3/8in Universal Joint
- 1 x 3/8in x 1/4in Bit Holder
- 2 x 3/8in Spark Plug Sockets Hex: 16mm (5/8in) & 21mm (13/16in)
- 1 x 1/4in Spinner Handle, 2-Component Handle
- 1 x 1/4in x 1/4in Bit Holder
- 3 x 1/4in Slotted Bits: 4, 5.5 & 7mm
- 4 x 1/4in Phillips Bits: PH1, PH2, PH3 & PH4
- 6 x 1/4in Hex Bits: 3, 4, 5, 6, 7 & 8mm

STOCK CODE	
BAHS330	1



BAHCO 1/2 INCH SOCKET & SPANNER

40 PIECE SET

Bahco S400 1/2in Drive 40 piece metric socket and spanner set supplied in an impact and oil resistant case.

Contains:

- 21 x 1/2in Hex Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30 & 32mm.
- 2 x 1/2in Extension Bars: 125mm & 250mm.
- 1 x 1/2in Universal Joint, 1 x 1/2in T Adaptor.
- 1 x 1/2in 250mm Breaker Bar.
- 1 x 1/2in Reversible Ratchet.
- 13 x Metric Combination Spanners 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm.

STOCK CODE	
BAHS400	1



BAHCO 1/4 INCH, 3/8 INCH & 1/2 INCH SOCKET

138 PIECE SET

Bahco 1/4in, 3/8in, and 1/2in Drive 138 Piece metric and imperial socket set supplied in a high density polythene case:

Contains:

- 12 x 1/4in Hexagon Sockets: 4, 4,5, 5, 5,5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 10 x 1/4in Hexagon Deep Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 1 x 1/4in 150mm Reversible Ratchet 60 Teeth
- 1 x 1/4in 150mm Spinner
- 1 x 1/4in 106mm Sliding T-Bar
- 2 x 1/4in Extension Bars: 50 & 100mm
- 1 x 1/4in Universal Joint
- 1 x 1/4in Bit Holder
- 1 x 1/4in 150mm Flexible Extension Bar
- 16 x 3/8in Hexagon Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm
- 1 x 3/8in 200mm Reversible Ratchet 60 Teeth
- 3 x 3/8in Spark Plug Sockets: 16 (5/8in), 18 & 21mm (13/16in)
- 1 x 3/8in Universal Joint
- 2 x 3/8in Extension Bars:75 & 150mm
- 18 x 1/2in Metric Hexagon Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 32, 34mm
- 9 x 1/2in Imperial Hexagon Sockets: 3/8, 7/16, 1/2 , 9/16, 11/16, 3/4, 13/16, 7/8, 1.3/16in
- 1 x 1/2in 250mm Reversible Ratchet 60 Teeth
- 1 x 1/2in Sliding T-Bar, 1/2in Head 3/8F-1/2in Male Adaptor
- 2 x 1/2in 125mm Extension Bars: 125 & 250mm
- 1 x 1/2in Universal Joint
- 1 x 1/4in Square Drive Bit Adaptor
- 4 x Pozidriv Bits: PZ0, PZ1, PZ2, PZ3
- 5 x Phillips Bits: PH0, PH1, PH2, PH3, PH4
- 3 x Flat Bits: 4, 5,5, 7mm
- 6 x Insert Bits: 3, 4, 5, 6, 8, 10mm
- 9 x TORX Bits: 8, T10, T15, T20, T25, T27, T30, T40, T45
- 1 x Bit Ratchet
- 3 x Hexagon Keys: 1.5, 2, 2.5mm
- 8 x Crow Foot Wrenches: 0, 11, 13, 14, 15, 17, 18, 19mm
- 13 x Combination Spanners: 7, 8, 9, 10, 11, 12, 13, 14, 15,16, 17, 18, 19mm



STOCK CODE	
SOCBAH138	1

Makita

DGA452RTJ 4½ INCH ANGLE GRINDER

18 V



- Lithium-ion batteries have greater life spans than their Ni-MH or Ni-Cad counterparts giving 430% greater run time
- Lithium-ion's 40% weight saving means 18 volt power can be obtained by a battery that weighs the same as a 12 volt Ni-MH battery
- 4 pole motor.
- Anti-restart function with warning lamp
- Capable of using wheels or discs for mains grinders
- Easy grip body
- Electronic current limiter with warning lamp
- High comfort grips

STOCK CODE	
MAKAG41/218V	1

GA4530R 4½ INCH ANGLE GRINDER

110 V



- Small gear housing for easy handling and manoeuvrability
- Anti-restart function
- Machined bevel gears
- Powerful 720W motor with excellent heat-resistance
- Soft start feature
- Ergonomic 20 degree side grip angle
- Lock-on switch to reduce user fatigue

STOCK CODE	
MAKAG41/201	1

9557NBR 4 ½ INCH ANGLE GRINDER

110 V



- Compact & lightweight
- Ideal for general grinding & cutting applications
- Anti-restart function
- Soft start feature
- Side handle for operator control
- Higher motor power
- Lock-on switch to reduce user fatigue

STOCK CODE	
MAKAG41/202	1

GA 9020 9 INCH ANGLE GRINDER

110 V



- Large trigger switch
- Double Insulation
- Machined bevel gear.
- Gear housing can be positioned at every 90 degrees

STOCK CODE	
MAKAG901	1

ADJUSTABLE PIN KEY FOR ANGLE GRINDERS

Fully adjustable pin wrench from 15-52mm. Stepped handle can be used as a spanner to undo nuts from 10-19mm. Can also be used as wrench to replace pins in angle grinders, bench grinders, mitre saws and circular saws.



STOCK CODE	
PINKEY	1

HM0870C DEMOLITION HAMMER
SDS MAX



110 V

- Double Insulation
- Variable speed
- Constant speed under load
- Soft start
- One touch sliding chuck for easy bit installation and removal
- LED lamp indicates when to replace carbon brush.

STOCK CODE	
MAKSDSMB01	1

HR3210C ROTARY HAMMER
SDS PLUS



110 V

- Torque limiter: The drill stops when the bit hits against reinforcements
- Triple operation mode: Rotary only, hammer only and rotary hammer
- Soft start
- Constant speed under load
- Built-in job light
- Anti vibration technology

STOCK CODE	
MAKSDSPHM03	1

HR2630 ROTARY HAMMER
SDS PLUS



110 V

- Modified operation-mode change lever enables switch from 'Rotation' to 'Hammering' mode and vice-versa without rotating the chuck
- 3 mode operation: Rotation only / Rotation with hammering / Hammering only
- One touch sliding chuck for easy bit installation and removal.
- Variable speed control by trigger
- Forward / reverse rotation
- Torque limiter
- Double Insulation
- 40 different bit angle settings
- Depth stop
- Ergonomically designed handle with rubberised soft grip fits your hand perfectly to provide maximum control and comfort

STOCK CODE	
MAKSDSPHM02	1

DHR202RTJ ROTARY HAMMER
SDS PLUS



18 V Li-ion

- Lithium-ion's 40% weight saving means 18 volt power can be obtained by a battery that weighs the same as a 12 volt Ni-MH battery
- Lithium-ion batteries have greater life spans than their Ni-MH or Ni-Cad counterparts giving 430% greater run time
- Conveniently located push button for forward and reverse
- High comfort grips
- LED job light with afterglow
- One-touch sliding chuck for easy bit changes
- Triple operation mode: Rotary only, hammer only and rotary hammer
- Rotation mode: The chisel can rotate a full 360 degrees with 40 different locking positions

STOCK CODE	
MAKSDSPHD18V	1

Makita

HR4013C ROTARY HAMMER
SDS MAX



110 V

- One touch sliding chuck for easy bit installation and removal
- Easy to operate operation-mode change lever
- Located on the top of the motor housing for reduced possibility of breakage
- "Soft no load" function automatically reduces the motor speed during idling to suppress the vibration of the machine body
- Unrivalled low level of vibration aided by vibration absorbing housing
- LED service light indicates when to replace carbon brush
- In hammering mode, on/off switch is switchable between two switches to meet your application: for continous or intermittent chiseling applications

STOCK CODE	
MAKSDSMHD02	1

HR2811F ROTARY HAMMER
SDS PLUS



110 V

- Double Insulation
- Variable speed
- With reversing function
- Torque limiter: The drill stops when the bit hits against reinforcements
- Improved dust collection
- LED job light for improved work visibility

STOCK CODE	
MAKSDSPHM04	1

HM1317C HEX AVT DEMOLITION HAMMER

110 V



- LED lamp indicates when to replace carbon brush
- Double Insulation
- Variable speed
- Constant speed under load
- Soft start
- Includes carry case

STOCK CODE	
MAKSDSMB02	1

JR3070CT AVT RECIPROCATING SAW

110 V



- Tool-less blade change
- Variable speed
- Anti vibration technology
- Constant speed under load
- Double Insulation

STOCK CODE	
MAKRS	1

HP2050 2 SPEED PERCUSSION DRILL
WITH KEYLESS DRILL CHUCK

- Forward / reverse rotation
- 2 mechanical gears
- Torque limiter: the drill stops when the bit hits against reinforcements
- Variable speed - ideal for various materials
- Anti Vibration System
- Double Insulation



110 V

STOCK CODE	
MAKPD03	1

TW0200 1/2 INCH IMPACT WRENCH

- Forward / reverse rotation
- Variable speed
- Double Insulation



110 V

STOCK CODE	
MAKIW1/201	1

TW0350 1/2 INCH DRIVE IMPACT WRENCH

- Forward / reverse rotation
- Double Insulation



110 V

STOCK CODE	
MAKIW1/202	1

DTD154RTJ 1/4 INCH IMPACT DRIVER

- T-mode: Tightening mode for self-drilling screw
- Electronic 3-stage impact power selection (Hard/
- Medium/Soft)
- Brushless motor
- LED job light
- Ergonomic soft grip
- Electric brake
- Variable speed control by trigger
- Forward / reverse rotation
- Compact overall length



18 V Li-ion

STOCK CODE	
MAKID18V5AH	1

TW0250 1/2 INCH DRIVE IMPACT WRENCH

- Forward / reverse rotation
- Variable speed
- Double Insulation



110 V

STOCK CODE	
MAKIW1/203	1

DTW1002RTJ 1/2 INCH DRIVE IMPACT WRENCH

- Extra-high max tightening torque
- Brushless motor
- Electric brake
- Variable speed control by trigger
- Forward / reverse rotation
- Twin LED job light
- Electronic 3-stage impact power selection (Hard/Medium/Soft)
- Compact and lightweight design
- Ergonomic soft grip



18 V Li-ion

STOCK CODE	
MAKIW1/204	1

Makita

6906 3/4 INCH IMPACT WRENCH

- Heavy duty construction
- High torque capacity
- Ideal for industrial applications
- Reversible

110 V



STOCK CODE	
MAKIW3/4	1

DDF459Z DRILL DRIVER

BODY ONLY

- Developed specially for light to medium duty drilling and fastening applications
- Equipped with a basic BLDC motor (BrushLess DC motor) specially designed to provide, above all, more work amount on a single full battery charge

18 V Li-ion



STOCK CODE	
MAKDD18VZ	1

DTW251RTJ 1/2 INCH DRIVE IMPACT WRENCH

- 4 pole motor
- Lithium-ion batteries have greater life spans than their Ni-MH or Ni-Cad counterparts giving 430% greater run time
- Lithium-ion's 40% weight saving means 18 volt power can be obtained by a battery that weighs the same as a 12 volt Ni-MH battery
- Conveniently located push button for forward and reverse
- High comfort grips
- LED job light with afterglow



18 V Li-ion

STOCK CODE	
MAKIW1/218V	1

DHP482RTJ COMBI DRILL

- Electric brake
- 2 mechanical gears
- Variable speed control by trigger
- Forward / reverse rotation
- Twin LED job light
- Ergonomic soft grip
- Keyless Chuck
- Compact and lightweight design
- Equipped with Battery protection circuit: designed to protect the battery from damages due to overdischarge, high temperature or overload current
- Metal gears



18 V Li-ion

STOCK CODE	
MAKCD18V	1

DDF453RFE DRILL DRIVER

- 22 minute charge time with the air cooled Makstar Optimum Charging System
- Keyless chuck
- Lithium-ion batteries have greater life spans than their Ni-MH or Ni-Cad counterparts giving 430% greater run time
- Lithium-ion's 40% weight saving means 18 volt power can be obtained by a battery that weighs the same as a 12 volt Ni-MH battery
- Two speed gear box

18 V Li-ion



STOCK CODE	
MAKDD18V	1

DLX2145TJ 18V LXT 2 PIECE COMBO KIT



- Stacking cases with conecting clips, compatible with other makes of case systainer
- 3.0Ah-22 min.|4.0Ah-36 min.|5.0Ah-45 min.|6.0Ah-55 min.
- Enhanced dust and drip-proof performance for use in outdoor applications or harsh environments
- Single sleeve keyless chuck allows for easy bit installation/ removal by one hand
- Twin LED Job light with pre-glow and afterglow functions
- Battery fuel gauge The power remaining in the battery can be indicated in 3 stages simply by pushing a button; 3 lights on: more than 50% of full battery capacity. 2 lights on: 20% to 50% of full battery capacity. 1 light on: less than 20% of full battery capacity
- Electric brake
- Variable speed control by trigger
- Forward / reverse rotation
- Twin LED job light
- Ergonomic soft grip
- Compact and lightweight design
- Equipped with Battery protection circuit: designed to protect the battery from damages due to overdischarge, high temperature or overload current.
- High rotation speed

STOCK CODE	
MAKCK18V	1

4350FCT ORBITAL ACTION JIGSAW

- Quick release tool-less blade change
- Sturdy adjustable base for accurate cutting
- Variable electronic speed control
- Built-in job light



STOCK CODE	
MAKJIG	1

DJV180RTJ JIGSAW



- Tool-less blade change
- Lithium-ion batteries have greater life spans than their Ni-MH or Ni-Cad counterparts giving 430% greater run time
- Lithium-ion's 40% weight saving means 18 volt power can be obtained by a battery that weighs the same as a 12 volt Ni-MH battery
- High comfort grips
- LED job light that creates and easy to trace cutting line
- Smooth and powerful cutting at the high stroke speed of 2,600spm

STOCK CODE	
MAKJIG18V	1

GST 150 BCE JIGSAW BOSCH



- High power reserves, even in hard and thick beams, due to powerful and overload-capable 780W motor
- High cutting precision due to new saw blade clamping system.
- Tool-free saw blade clamping system for easy and fast saw blade changes
- Ergonomic grip area with softgrip surfaces for a high level of work comfort
- 4-stage pendulum action for fine through to coarse cuts.
- Electronic speed preselection for applications requiring material specific speed
- Click & Clean System: 3 great benefits - A clear view of the work surface: You work more precisely and faster - Harmful dust is extracted immediately: Protects your health - Less dust: Longer lifetime of tool and accessories
- Dust extraction directly into the integral dust bag on the tool and/or using an all purpose dust extractor

STOCK CODE	
23311	1

Makita

5903R CIRCULAR SAW



110 V

- Dust extraction facility
- Ideal for general timber cutting
- Powerful motor
- Quick release height adjustment

STOCK CODE	
MAKCS23501	1

DSS611RTJ CIRCULAR SAW



18 V Li-ion

- Lithium-ion batteries have greater life spans than their Ni-MH or Ni-Cad counterparts giving 430% greater run time
- Lithium-ion's 40% weight saving means 18 volt power can be obtained by a battery that weighs the same as a 12 volt Ni-MH battery
- Double safety trigger
- High comfort grips
- Removable dust nozzle

STOCK CODE	
MAKCS16518V	1

VC3012M M CLASS DUST EXTRACTOR



- Push and clean system: takes just seconds to clean the filter
- Washable PET cartridge filter protects turbine by holding back fine dust and debris
- Robust plastic container with 2 wheels and 2 castors for excellent stability and mobility
- The motor head design integrates an area for tool storage during use and transportation
- Innovative hose storage solution with two clamps on the backside of the tool box
- Power cable storage with 3 fixation points on the motor head and tool box
- Floor nozzles and extension tubes can be fixed onto the body for convenient storage
- Automatic On/Off function: machine activates when a connected power tool is used. 240V only
- Lightweight plastic container
- Air flow sensor beeps when air flow is reduced by clogged filter, full tank etc
- Approved for Dust Classes M in accordance with the EU standard

STOCK CODE	CAPACITY	
MAKVC3012M	30 L	1

UT1400 PADDDLE MIXER

- Double Insulation
- Compact and lightweight



110 V

STOCK CODE	
MAKUT1400	1

BL1850B 18V LI-ION 5.0AH BATTERY

- Integrated L.E.D. battery charge level indicator allows user to monitor battery charge
- Battery delivers consistent power and run time in extreme temperatures, even in winter (-4°F/-20°C)
- Equipped with a battery Protection circuit to protect against overloading, over-discharging and overheating
- Impact-resistant outer case and shock-absorbing inner-liner are engineered to protect the battery
- Multi-Contact Slide-type terminal maintains a constant connection with the tool to help prevent power loss or fluctuation, even during high-vibration applications
- Battery resists self-discharge and remains ready for use even after long periods of storage
- Battery resists self-discharge and remains ready for use even after long periods of storage



STOCK CODE	
MAK18VBAT	1

DC18RC COMPACT CHARGER

TO SUIT 18V AND 14.4V LXT SLIDE BATTERIES

- The DC18RC will charge 18v and 14.4v LXT slide batteries in the below times:

3.0Ah/22 min.
4.0Ah/36 min.
5.0Ah/45 min.
6.0Ah/55 min.



STOCK CODE	
MATDC18RC	1

DUST BAG 122852-0



STOCK CODE	
MAKCSDB	1

DART PLANER BLADES PB82

PACK OF 2

High quality, solid tungsten carbide reversible blades. Precision ground with two cutting edges and reversible for extended life. Suitable for most makes of portable electric planers.



STOCK CODE	SIZE	
PLANBLADE	82mm	1



SELKENT

CONSTRUCTION FIXINGS AND TOOLS

SAFETY & PPE

EVOLITE VENTED STANDARD PEAK SAFETY HELMETS

ONE TOUCH™ SLIP RATCHET

- Conforms to EN 397 industrial helmet standard
- Lightweight industrial safety helmet; Weighs as little as 300g (Model dependent)
- Tough ABS shell
- Precision fit with unique 1-2-3 point harness depth adjustment
- Revolution® Wheel Ratchet





COLOUR	White	Black	Blue	Red	Orange	Green	Yellow	
STOCK CODE	107214	107215	107216	107217	107218	107219	107220	10

6 POINT HARNESS SAFETY HELMETS

- EN 397 CE, EN 50365 CE
- Material: HDPE
- Head harness: Slip Ratchet
- Points harness: 6
- Class: 0
- Electrical protection: Up to 1000V AC and 1500V DC (low voltage installations)
- Sweatband included



COLOUR	Yellow	White	Orange	Red	Blue	Grey	Black	
STOCK CODE	HELYL01	HELWH01	HELOR01	HELRE01	HELBL01	HELGY01	HELBK01	10

SNOOD BLACK

Snood is fully washable, reducing the need to keep buying disposable masks. Although these face coverings are not medical masks, they offer a physical barrier and protection from inhaling bacteria.



STOCK CODE	
SNOODB	1

WINTER HELMET LINER

- 2-Layer Poly/Fleece: Shell 100% polyester with PU coating, lining 100% poly fleece
- Hook and loop chin strap
- Regular length



STOCK CODE	
107339	12

HELMET LANYARD

- Prevents dropped and falling objects
- Constructed using high grade elasticated webbing
- Lightweight and comfortable
- Ergonomic and versatile
- Quick and easy installation
- Retail box which aids presentation for retail sales
- Pack of 10



STOCK CODE	
HLAN01	10

4 POINT TYPE CHIN STRAP

- Easy to connect to helmet
- Chin cup



STOCK CODE	
4CSTRAP	10

CENTURION CHIN STRAP

- Adjustable elasticated chinstrap
- Plastic chin cup
- Easy to connect
- Fits all centurion safety helmets excluding vulcan



STOCK CODE	
CENCSTRAP	10

VENTED HELMET CHIN STRAP

- Comfortable and easy to adjust



STOCK CODE	
VENCSTRAP	10

HELMET MOUNT POLYCARBONATE VISOR & CARRIER

- EN166:2001
- EN1731



STOCK CODE	SIZE	
HMVIS	20cm	1

FOLDING EAR DEFENDER

- Folding headband
- SNR 30db
- Conforms to CE EN352-1



STOCK CODE	
107197	10

COMFORT EAR DEFENDER

- SNR 25db
- CE EN352-1



STOCK CODE	
107196	1

EAR DEFENDER

- Conforms EN352-1 : 2002, (DIN EN 352 : 2003)
- CE Certified
- Individually packed in a polybag with header card



STOCK CODE	
107195E	10

HELMET MOUNT EAR DEFENDERS

- Alienor-Certification, 21 Rue Albert Einstein, 86100 Châtellerault, France
- Notified Body No. 2754
- EN352-1:2002



STOCK CODE	
HMED	10

JSP SONIS 1 HELMET MOUNT EAR DEFENDERS

- 26dB SNR
- Conforms to EN 352-3
- Adjustable steel arms



STOCK CODE	
JSPHMEDS1	1

EARPLUG DISPENSER & REFILL

DISPENSER

- Free standing or wall mounted
- Robust design
- Easy twist action dispenser
- Bottle rotates and unscrews easily for refilling
- Contains 500 pairs of distinctive hi-vis foam disposable ear plugs

REFILLS

- Foam disposable ear plugs
- Conforms to EN352-2:2002
- SNR 39db, H=38, M=37, L=34

STOCK CODE	DESCRIPTION	
107198	Dispenser 500 pairs	1
107199	Refill 500 pairs	1



CORDED EARPLUGS

- Extreme SNR 34dB rating
- Sold in boxes of 200, individually packed pairs
- Corded option allows for easy storage when not in use
- EN352-2:2002



STOCK CODE	
107200	1

PREMIUM EAR PLUGS

- Orange Soft Foam PU Earplugs
- Extreme SNR 39dB rating
- Individually packed pairs - 200 pairs
- EN352-2:2002



STOCK CODE	
107018P	1

DURABLE PU FOAM EARPLUGS

- Suitable for all frequencies
- Conforms to EN352-2:2002
- SNR rating 33dB
- Pack of 200



STOCK CODE	
107018	1

EYE WASH SALINE PODS

- Sodium Chloride 0.9%w/v Ph.Eur.
- For minor eye injuries
- Sterile, safe, and non-toxic
- 20 ml
- Box of 25

STOCK CODE	
EWS20ML	1



EYE WASH POD STATION

- 8 X 20ml pods
- 2 X no 16 eye pad dressings
- With mirror

STOCK CODE	
EWSM	1



EYE WASH STATION AND REFILL

MOUNTABLE EYE WASH STATION

- 2 x 500ml eye wash solution
- 2 x eye bandages
- Clear plastic carry case
- Wall mountable bracket

REFILL EYE WASH BOTTLE

- Sterile emergency eye wash solution
- 500ml bottle
- Sodium chloride BP 0.9%w/v
- For irrigation only

STOCK CODE	DESCRIPTION	
EWS500	KIT BOX	10
EW500	EYE WASH REFILL 500ml	10



UVEX COMPLETE CLEANING STATION
FOR EYEWEAR

- Ideal for workplaces where there are multiple workers
- Dimensions: W 340mm x L 480mm x H 165mm
- Cleaning tissues (4 boxes of 450) - non-abrasive & highly absorbing
- 1 x 16oz bottle of cleaning fluid (specially designed for anti-fog & scratch-resistant coatings)
- Mirror

STOCK CODE	
UVECS01	1



DIRECT VENT GOGGLES

- Soft PVC frame with polycarbonate lens
- Direct ventilation
- Approved to CE EN166



STOCK CODE	COLOUR	
107204	Clear	10

UVEX ULTRASONIC GOGGLES

- Lightweight sporty ski goggle design
- Permanent anti-fog coating on the inside of the lens
- Scratch-resistant coating on the outside for increased durability
- Soft seal adapts to wearer's face
- Soft material aids compatibility with respirators and other items of PPE
- Wide fully adjustable head strap
- Can be worn over most prescription spectacles
- Conforms to EN166 1B 349 KN



STOCK CODE	COLOUR	
UVEGC02	Clear	4

UVEX ULTRAVISION GOGGLES

- Full vision goggle
- Permanent anti-fog coating on inside of lens
- Scratch-resistant coating on the outside for increased durability
- Wide fully adjustable head strap
- Can be worn over most prescription spectacles
- Conforms to EN166 1B 349 KN



STOCK CODE	COLOUR	
UVEGC01	Clear	10

B-BRAND PREMIUM GOGGLES

- Wide vision lens
- Unvented
- Soft and flexible for extra comfort
- Adjustable wide headband
- Conform to EN166
- Optical Class:1
- B - (Medium impact energy)
- 2-1.2 - UV Filter
- Fields of use: 9 Molten metal and hot solids



STOCK CODE	COLOUR	
BBPGAF	Amber	50

RILEY FABRI CLEAR GLASSES

- Lightweight safety glasses with single wraparound polycarbonate lens for panoramic vision
- Integral nose bridge to fit most face shapes
- Flexible temple tips for working comfort
- Clear lenses suitable for working in a variety of environments
- Low-energy impact protection
- Suitable for use in extreme temperatures between -5°C and +55°C
- EN 166:2001 1FT
- Anti-scratch
- Single wraparound polycarbonate lens
- Universal nose bridge
- Flexible temple tips
- UV400 protection
- Weight 22g
- 9.75 - base lens
- Exceptional value in a lightweight frame
- Frameless design with self-adjusting TEMPFLEX temple tips



STOCK CODE	COLOUR	
107372	Clear	10

JAVA™ SAFETY SPECTACLES

- Modern wrap around design
- Anti-scratch lenses
- EN166:2001
- EN166:2001 (frame)
- EN170:2002



STOCK CODE	COLOUR	
107201	Clear	12
107202	Smoke	12
107203	Yellow	12

SAFETY VISITORS OVER-SPECTACLES

Designed with a moulded-in brow guard and vented side shields, the PW30 offers excellent protection and comfort. Manufactured using tough impact resistant polycarbonate. Metal free.

FEATURES

- Single panoramic lens glasses
- Excellent side protection
- Transparent colour for better side visibility
- Suitable for wearing over most prescription glasses
- Moulded side shield and browguard for optimised protection against impacts
- Anti-scratch coating for added durability
- 99% UV protection
- CE certified
- Individually packed for vending machines
- Retail bag which aids presentation for retail sales



STOCK CODE	COLOUR	
OVERSPEC	Clear	10

CONTOURED SAFETY GLASSES

- For great comfort and excellent protection, take a look at our essential E10 safety glasses
- With a choice of two lenses, you're sure to find a product to suit the task at hand
- Scratch-resistant polycarbonate lenses
- Lightweight design
- Conforms to EN 166
- Conforms to EN 172 (Smoke only)



STOCK CODE	COLOUR	
107020	Clear	12
107019	Smoke	12

BOLLÉ CONTOUR SAFETY GLASSES

- Ultra-lightweight
- Non-slip bridge
- Thin TIPGRIP temples for better support
- Anti-scratch
- Anti-fog
- Lens marking 2C-1,21 FT KN CE
- Frame marking EN166 FT
- Supplied with microfibre pouch



STOCK CODE	COLOUR	
107208	Clear	10
107209	Smoke	10

UVEX SPORTS STYLE SAFETY SPECTACLES

- Close fitting athletic design
- Low weight - 23g incredible comfort
- Permanent anti-fog coating on inside of lens
- Scratch resistant coating on outside
- Contoured lens fits all facial shapes including narrow faces
- Soft grip side arms, nose bridge and brow - non slip comfort
- Adjustable nose bridge
- Conforms to EN166 1F KN CE



STOCK CODE	COLOUR	
UVESSS01	Clear	5
UVESS02	Tinted	5

BETAFIT MONTANA SAFETY SPECTACLES

- Offers comfortable all-round protection
- Optical Class 1, highest quality clear vision polycarbonate lens
- Mechanical Strength F - low energy impact protection from high speed particles.
- Anti-Scratch coated, single-piece lens
- Soft-grip bi-polymer arms for optimum comfort and grip
- Eye-wear retainer cord included as standard
- Tested and CE Approved to BS EN166 1 F:2002



STOCK CODE	COLOUR	
107370	Clear	12
107371	Tinted	12

UVEX PHEOS SAFETY SPECTACLES

- Permanent UVEX anti-fog coating on inside of lens
- Scratch resistant coating on outside
- Excellent field of vision
- Integral brow guard provides additional coverage
- Low profile side arms aid compatibility with other items of PPE
- Soft temple ends - non-slip fit
- Enhanced ventilation for improved eye climate
- Conforms to EN166 1F KN CE



STOCK CODE	COLOUR	
UVESC01	Clear	10
UVESS01	Smoke	10
UVESA01	Amber	10

BOLLÉ BL10 SAFETY GLASSES

- Safety glasses with clear lenses are essential indoors
- Bollé Safety clear lenses provide 90% light transmission
- Compatible with the PLATINUM anti-fog coating

STOCK CODE	COLOUR	
BL10SC	Clear	10



BOLLÉ BANDIDO SAFETY GLASSES

- Safety glasses with clear lenses are essential indoors
- Bollé Safety clear lenses provide 90% light transmission
- Compatible with the PLATINUM anti-fog coating

STOCK CODE	COLOUR	
BOLBANCI	Clear	10



BOLLÉ BAXTER SAFETY GLASSES

- Safety glasses with clear lenses are essential indoors
- Bollé Safety clear lenses provide 90% light transmission
- Compatible with the PLATINUM anti-fog coating

STOCK CODE	COLOUR	
BOLBAXPSI	Clear	10



GLASSES NECK CORD

STOCK CODE	
107210	10



LENS CLEANING TISSUES

- Highly absorbent, non abrasive low lint tissues
- Pack of 450 tissues
- Formulated specifically for uvex lens coatings
- Recyclable cardboard pack



STOCK CODE	
UVECT01	36

LENS CLEANING SOLUTION

- Uvex lens cleaning fluid 16oz
- Specifically designed for polycarbonate lenses



STOCK CODE	
UVECF01	9

DISPOSABLE GLOVES



POWDER FREE BLUE NITRILE

STOCK CODE	SIZE	
BNG7S	7S	1000
BNG8M	8M	1000
BNG9L	9L	1000
BNG10XL	10XL	1000

LATEX POWDERED

STOCK CODE	SIZE	
LATG8M	8M	1000
LATG9L	9L	1000
LATG10XL	10XL	1000

RIGGER GLOVES

- Standard rigger glove
- Leather
- Ideal for low risk applications



STOCK CODE	SIZE	
107011	10XL	120

GRIP GLOVES

- EN ISO 21420:2020
- EN388:2016+A1:2018 (2121A)



STOCK CODE	SIZE	
GG8M	8M	120
GG9L	9L	120
GG10XL	10XL	120

SUPERIOR QUALITY RIGGER GLOVES

- Superior rigger
- Leather
- Soft fleece lining for added comfort
- Colour coded
- Oil repellent and oil grip
- EN388:2003 (3142)
- EN388:2016 (3142X)
- EN420:2003+A1:2016



STOCK CODE	SIZE	
RSG10XL	10XL	100

NITRILE GLOVES

- 100% Polyester seamless shell .
- Nitrile coated palm and fingers.
- Ventilated back.
- Lightweight for maximum dexterity and comfort with sensitivity
- EN ISO 21420:2020
- EN388:2016+A1:2018 (4122A)



STOCK CODE	SIZE	
NITG8M	8M	120
NITG9L	9L	120
NITG10XL	10XL	120
NITG11XXL	11XXL	120

MICRODEX ULTRA NITRILE SAFETY GLOVES

CUT LEVEL A

A high performing cut A close-fitting and flexible glove with a MicroDex Nitrile foam palm dipped coating. Provides excellent grip in wet, dry and oily conditions.

- Fine assembly work
- Automotive
- Construction and utility
- Engineering and manufacturing
- Warehousing and logistics
- Waste, recycling and local authority



STOCK CODE	SIZE	
TG11408M	8M	120
TG11409L	9L	120
TG114010XL	10XL	120

ST NITROTOUCH GLOVES

Nitrotouch® Gloves offer fantastic durability and comfort, which is ideal for a host of tough handling tasks including warehousing and construction activities.

- Nitrile palm dip
- High dexterity
- Enhanced abrasion resistance
- Elasticated knitted cuff
- Washable
- Conforms to EN 388 levels 4-1-2-1-X



STOCK CODE	SIZE	
NITG7S	7S	120
NITG8MS	8M	120
NITG9LS	9L	120
NITG10XLS	10XL	120
NITG11XXLS	11XXL	120

FULLY COATED BLACK LATEX POLY GLOVES

- 35% polyester +65% Latex
- Multi-purpose fully coated latex glove
- Polyester knitted seamless shell for comfort
- Excellent protection, comfort and grip with minimal perspiration
- EN388: 2016
- Level 2 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



STOCK CODE	SIZE	
BLPG8	8M	100
BLPG9	9L	100
BLPG10	10XL	100

ANSELL SOLVEX 37-675 NITRILE GAUNTLETS

- High comfort, chemical resistant glove for safe handling in a wide range of work environments where harsh chemicals are present
- Cotton flock liner to the glove with nitrile film, to offer exceptional comfort to the wearer
- Unequalled abrasion resistance
- Reversed lozenge finish to enhance levels of grip
- Sand patch finish for a smooth surface
- Length 330mm and thickness 0.38mm



STOCK CODE	SIZE	
NITGAU09L	9L	144
NITGAU10XL	10XL	144

PU COATED CUT RESISTANT GLOVES

CUT LEVEL A

- 35% polyester + 65% PU
- Polyurethane coated palm
- Machine knitted
- Integrated elasticated wrist
- EN388: 2016
- Level 4 - Abrasion
- Level X - Cut Resistance
- Level 2 - Tear Resistance
- Level 1 - Puncture
- Level A - ISO 13997 Cut Resistance



CUT LEVEL 1

STOCK CODE	SIZE	
PUG8M	8M	100
PUG9L	9L	100
PUG10XL	10XL	100

CUT LEVEL B

- Level B cut resistance
- 13 gauge liner for a perfect fit
- Smooth PU coating for increased abrasion resistance
- Palm dipped to increase dexterity and ventilation
- Low risk cut protection
- Breathable seamless liner
- CE certified
- Retail tag which aids presentation for retail sales
- ANSI cut level A2



LEVEL B (CUT 3)

STOCK CODE	SIZE	
PUGC38M	8M	120
PUGC39L	9L	120
PUGC310XL	10XL	120

CUT LEVEL C

- Level C cut resistant liner with PU coating
- Seamless fibreglass, nylon and spandex liner
- Excellent economical value whilst providing great protection
- Smooth PU coating provides top levels of abrasion and tear resistance
- Cut level C (Cut 5) resistance provides protection against cuts and sharp objects
- EN388:2016 Rating 4.X.4.3.C



CUT LEVEL C (CUT 5)

STOCK CODE	SIZE	
PUGC57S	7S	100
PUGC58M	8M	100
PUGC59L	9L	100
PUGC510XL	10XL	100

FINGERLESS PU GLOVES

Partially fingerless glove with black PU palm coating on red Nylon shell.

- EN388:2003 (4121)
- EN388:2016 (3131X)
- EN420:2003+A1:2016



STOCK CODE	SIZE	
FLPUG9L	9L	120
FLPUG10XL	10XL	120

ANTI VIBRATION GLOVES

- Foam latex coated soft padded palm. Closely knitted for breathability. Reduced effects of vibration when working
- EN ISO 10819:2013
- EN388:2003 (4242)
- EN388:2016 (4142X)
- EN420:2003+A1:2016



STOCK CODE	SIZE	
AVG9L	9L	50
AVG10XL	10XL	50

LATEX THERMAL GLOVES

- Polyco Matrix Hi Viz Thermal Work Gloves
- EN388:2016 Protection against mechanical hazards
- Resistance to Abrasion (0-4): Level 2
- Coup Cut Resistance (optional test) (0-5): Level 1
- Tear Resistance (0-4): Level 4
- Puncture Resistance (0-4): Level 1
- Straight Blade Cut Resistance (A-F): X
- Impact Resistance (optional test)
- EN511 Protection against cold
- Convective Cold Resistance: N/A
- Contact Cold Resistance: Level 1
- Water Permeability: N/A
- Seamless thermal hi-vis liner with flexible latex palm coating
- Specially designed for use in the cold
- Fleecy lining offers great warmth and cold protection
- Crinkle finish on palm and fingers for excellent grip in wet and dry conditions
- Breathable liner for greater comfort and warmth
- Elasticated knitted wrist provides a secure fit and keeps hands free from debris
- Mechanical Hazards EN388 2.2.4.1



STOCK CODE	SIZE	
THG9L	9L	120
THG10XL	10XL	120

LATEX COATED PALM CUT

- Polyester liner with a tough nitrile coating.
- Lightweight
- Excellent dexterity
- Great for grip in dry applications
- Oil and grease resistant
- EN388:2003 (4121)
- EN388:2016 (4121X)
- EN420:2003+A1:2016



STOCK CODE	SIZE	
CUT1R9L	9L	120
CUT1R10XL	10XL	120

KUTLASS PU300-OR

- High cut resistant orange HPPE with PU coated palm.
- ISO Cut B (EN388:2003 = Cut 3)
- Orange Colour Coded
- Premium HPPE Plaited Liner
- Dextrous and soft PU palm coating
- EN388:2003 (4343)
- EN388:2016 (4343B)
- EN420:2003+A1:2016
- Sanitized



STOCK CODE	SIZE	
CUT3O9L	9L	120
CUT3O10XL	10XL	120

KUTLASS PU500G

- High cut resistant green liner with flexible PU palm coating.
- ISO Cut C (EN388:2003 = Cut 5)
- Green Colour Coded
- Premium HPPE Plaited Liner
- Dextrous and soft PU palm coating
- EN388:2003 (4543)
- EN388:2016 (4X42C)
- EN420:2003+A1:2016
- Sanitized



STOCK CODE	SIZE	
CUT5G8M	8M	50
CUT5G9L	9L	50
CUT5G10XL	10XL	50

CRISS CROSS GLOVES

- Yellow/gold knitted base
- PVC criss cross coating
- Multi purpose glove offering excellent grip
- EN388: 2016
- Level 2 - Abrasion
- Level X - Cut Resistance
- Level 3 - Tear Resistance
- Level 1 - Puncture
- Level B - ISO 13997 Cut Resistance



STOCK CODE	SIZE	
CCG9L	9L	120
CCG10XL	10XL	120

RED PVC GLOVES

- EN ISO 21420:2020
- EN 388:2016+A12018
- 3121A



STOCK CODE	SIZE	
RPG8M	8M	120
RPG9L	9L	120
RPG10XL	10XL	120

ADEPT NITRILE GLOVES

- Soft, breathable and extremely durable NFT® palm coated nylon & lycra blended glove
- Soft and stretchy Nylon & Lycra blended liner
- Patented NFT® coating achieves over 25,000 abrasion cycles
- Certified Oeko-Tex® Standard 100 for environmentally friendly textiles
- Excellent all-round breathability
- Sanitized® hygiene function
- Achieves 90% viral reduction efficacy according to ISO18184:2019
- EN388:2016 4131X
- EN388:2003 4131
- EN407:2004



STOCK CODE	SIZE	
NITG9LA	9L	120

WATERSAFE BALTIC GLOVES

CUT LEVEL GLOVE 2

- 15 gauge, orange polyester outer liner, with a 7 gauge arylic-loop thermal inner liner
- Dual latex coating
- Waterproof to the wrist
- Superb wet or dry suction grip
- Thermal properties
- Knit wrist
- Confirms to EN388:2016 – 2242X & EN511:2006 – X21



STOCK CODE	SIZE	
WSBG10XL	10XL	120
WSBG9L	9L	120

WATERSAFE ATLANTIC GLOVES

CUT LEVEL GLOVE 1

- 15 gauge, red nylon liner
- Dual latex coating
- Waterproof to the wrist
- Superb wet or dry suction grip
- Knit wrist
- Conforms to EN388:2016 – 2141X



STOCK CODE	SIZE	
WSAG10XL	10XL	120
WSAG9L	9L	120

KEVLAR YELLOW WRIST PROTECTOR

- Level D cut resistance
- 13 gauge liner for a perfect fit
- Superior cut and heat resistance
- Machine washable
- 14 inch (35cm) cut resistant protective tubular sleeve
- ANSI cut level A4
- CE foodsafe
- CE certified
- UKCA marked
- Wash at 40°C using non-biological detergent, re-shape after wash. Do not tumble dry.



STOCK CODE	SIZE	
KWP14L	14"	1

Traffi®
THE HAND PROTECTION SPECIALISTS

X-DURA METRIC PU

YOUR CARBON NEUTRAL HAND PROTECTION PARTNER

***CUT LEVEL A** SAFETY GLOVE*

A lightweight PU glove with a good level of abrasion resistance, for use in dry conditions. The close fitting design and good grip makes it an ideal choice for general handling tasks.

KEY FEATURES
- Close fitting and breathable PU glove
- Good durability and dry grip
- Available with 3 exposed fingertips, if further dexterity required

IDEAL FOR
- Automotive
- Construction and utility
- Engineering and manufacturing
- Warehousing and logistics

STOCK CODE	SIZE	
CUTAMET9L	9L	200
CUTAMET10XL	10XL	200



EN 388:2016
3X21A

ASTM ANSI CUT LEVEL A1

Dry

X-DURA METRIC PU

YOUR CARBON NEUTRAL HAND PROTECTION PARTNER

***CUT LEVEL C** SAFETY GLOVE*

A lightweight cut index C glove compliant to EN388:2016. The PU coating offers excellent grip in dry conditions. Close fit and high tear and abrasion resistance makes this glove a good choice for general handling tasks with a cut risk.

KEY FEATURES
- Close fitting and breathable PU glove
- Good durability and dry grip
- Available with 3 exposed fingertips, if further dexterity required

IDEAL FOR
- Automotive
- Construction and utility
- Engineering and manufacturing
- Warehousing and logistics

STOCK CODE	SIZE	
CUTCMET9L	9L	200
CUTCMET10XL	10XL	200



EN 388:2016
4X43C

ASTM ANSI CUT LEVEL A3

Dry

The LXT® FAMILY



CARBON NEUTRAL LIFE EXTENDING TECHNOLOGY

MICRODEX NITRILE LXT

CUT LEVEL A SAFETY GLOVE

TG1240 is a high performing 15gg cut level A glove with a high tenacity nylon liner and a palm dipped MicroDex Ultra coating, providing excellent grip in wet, dry and oily conditions. Treated with our Life Extending Technology for extra longevity and enhanced resistance to oil, dirt and water. Also features a thumb crotch to extend the wear life of the glove. The LXT range is certified as carbon neutral. This means that at no extra cost, your LXT glove has zero negative impact on the environment, to the point of delivery.

IDEAL FOR

- Automotive
- Construction and utility
- Engineering and manufacturing
- Mechanical and electrical
- Oil and gas
- Waste, recycling and local authority

STOCK CODE	SIZE	
CUTALXT9L	9L	100
CUTALXT10XL	10XL	100



EN 388:2016 4142A | ASTM ANSI CUT LEVEL A1 | EN 407:2020 X1XXX X

Wet
Heat
Oily
Cold

MICRODEX NITRILE LXT

CUT LEVEL B SAFETY GLOVE

TG3240 is an extremely dexterous 15gg cut level B glove featuring Life Extending Technology (LXT) and a palm dipped MicroDex Ultra coating, ensuring excellent grip in wet, dry and oily conditions. Coated & bonded with our LXT treatment for extra longevity and an enhanced resistance to oil, dirt & water. The TG3240 features a thumb crotch to further extend the wear life of the glove. The LXT range is certified as carbon neutral. This means that at no extra cost, your LXT glove has zero negative impact on the environment, to the point of delivery.

IDEAL FOR

- Automotive
- Construction and utility
- Engineering and manufacturing
- Mechanical and electrical
- Oil and gas
- Waste, recycling and local authority

STOCK CODE	SIZE	
CUTBLXT9L	9L	100
CUTBLXT10XL	10XL	100



EN 388:2016 4X43B | ASTM ANSI CUT LEVEL A2 | EN 407:2020 X1XXXX

Dry
Wet
Heat
Oily

SAFETY & PPE

MICRODEX NITRILE LXT

CUT LEVEL C SAFETY GLOVE

TG5240 is a cut level C glove with a luxurious 15gg liner, perfect for high cut risk tasks that require dexterity and grip in wet, dry and oily conditions. Features a reinforced thumb crotch and engineered with Life Extending Technology (LXT) to guard against general wear and tear, as well as keeping the glove cleaner for longer. The LXT range is certified as carbon neutral. This means that at no extra cost, your LXT glove has zero negative impact on the environment, to the point of delivery

IDEAL FOR
- Automotive
- Construction and utility
- Engineering and manufacturing
- Mechanical and electrical
- Oil and gas
- Waste, recycling and local authority

STOCK CODE	SIZE	
CUTCLXT9L	9L	100
CUTCLXT10XL	10XL	100

EN 388:2016 4 X 4 3 C | ASTM ANSI CUT LEVEL A3 | EN 407:2020 X 1 X X X X



Dry | Wet | Heat | Oily

MICRODEX NITRILE LXT

CUT LEVEL E SAFETY GLOVE

Conforming to cut level E under the new EN388:2016 standard, TG6240 has unrivalled levels of dexterity and comfort and is designed to last for long periods of time. The MicroDex Ultra coating and new Life Extending Technology makes the TG6240 perfect for high cut risk tasks in wet, dry and oily conditions. Also features a thumb crotch to further extend the wear life of the glove. The LXT range is certified as carbon neutral. This means that at no extra cost, your LXT glove has zero negative impact on the environment, to the point of delivery.

IDEAL FOR
- Automotive
- Construction and utility
- Engineering and manufacturing
- Oil and gas
- Rail
- Mechanical and electrical
- Waste, recycling and local authority

STOCK CODE	SIZE	
CUTELXT9L	9L	100
CUTELXT10XL	10XL	100

EN 388:2016 4 X 4 4 E | ASTM ANSI CUT LEVEL A5 | EN 407:2020 X 1 X X X X



Dry | Wet | Heat | Oily

WATERPROOF NITRILE

YOUR CARBON NEUTRAL HAND PROTECTION PARTNER

CUT LEVEL C SAFETY GLOVE

A flexible, highly dextrous double dip X-Dura nitrile waterproof glove with an extended cuff providing additional cut protection. Ideal for outdoor construction and civil engineering offering oil and water resistance.

KEY FEATURES
- Full dip waterproof glove with extra nitrile foam palm for enhanced grip in wet and oily conditions
- Generous knit wrist for comfort and to ensure a secure fit and protects hand from dirt and debris
- Excellent abrasion and tear resistance

IDEAL FOR
- Construction and utility
- Engineering and manufacturing
- Oil and gas
- Waste, recycling and local authority
- Warehousing and logistics

STOCK CODE	SIZE	
CUTCWAT9L	9L	100
CUTCWAT10XL	10XL	100

EN 388:2016 4 X 4 3 C | ASTM ANSI CUT LEVEL A3 | EN 407:2020 X 1 X X X X



Dry | Wet | Oily

RED PVC GAUNTLET GLOVES

A tough, flexible red PVC coating on a soft interlock lining. The flared cut of the gauntlet eases removal while the gauntlet style provides added protection to the wrist and lower arm areas. Overall length is 35cm / 14 inch. Economical multi-purpose glove for general handling in wet or oily conditions. Fully REACH compliant and Phthalate free formulation.

- Standard red PVC, 14 inch gauntlet.
- Designed for easy removal
- Extra wrist protection
- Ideal in wet and oily conditions
- Sanitized® hygiene function
- Phthalate free
- EN388:2003 4111, EN388:2016 4111X, EN420:2003+A1:2016



STOCK CODE	
RPGG14	72

WELDING GAUNTLETS

- EN12477 Type A welding protection
- Premium quality leather welding gauntlet
- Reinforced palm and thumb area
- Para-Aramid stitching throughout for extra durability
- Superb abrasion and tear resistance
- Ideal for welding and metal handling
- CE certified
- ANSI abrasion level 4
- UKCA marked



STOCK CODE	
GAUW14	120

HOUSEHOLD RUBBER GLOVES

YELLOW



STOCK CODE	SIZE	
HRYGG8M	8M	100
HRYGG10XL	10XL	100

MARIGOLD GLOVES

- Roll Top Cuffs - To make sure your gloves stay up!
- Extra Protection - Triple-layered to keep your hands safe



STOCK CODE	SIZE	
MARIGOLD	Medium	12

GOODYEAR WELT SAFETY BOOTS

Tansteel toecap and midsole plus nubuck light tan leather upper, the toe is 200 joule steel toe cap, steel midsole protection, heat resistant to 300°C and slip resistant, six eyelet lace construction with padded boot rim, the boot conforms to EN ISO 20345;2011 SBP SRA.



SIZE		6	7	8	9	10	11	12
STOCK CODE	TAN	107146	107147	107148	107149	107150	107151	107152
STOCK CODE	BLACK	107146BK	107147BK	107148BK	107149BK	107150BK	107151BK	107152BK

4 D-RING SAFETY BOOTS

Steel toe cap, protective steel midsole, leather upper with padded collar, double density PU shock absorbent sole, fully moulded and removable insole, wide fitting, safety rating EN20345 SB-P SRA.



SIZE	6	7	8	9	10	11	12
STOCK CODE	107153	107154	107155	107156	107157	107158	107159

DEALER SAFETY BOOTS

Steel toe cap, protective steel midsole, leather upper, double density PU shock absorbent sole, fully moulded and removable insole, wide fitting, safety rating EN20345 SB-P SRC.



SIZE	6	7	8	9	10	11
STOCK CODE	107167	107168	107169	107170	107171	107172

FUR LINED RIGGER SAFETY BOOTS

TAN

- Dual Density PU
- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole
- Slip resistant
- Acrylic fur lined.
- Apollo leather upper
- Conforms to EN ISO 20345: 2011 S1P SRC



SIZE	6	7	8	9	10	11	12
STOCK CODE	107173	107174	107175	107176	107177	107178	107179

SAFETY WELLINGTON BOOTS

Steel toe cap, protective steel midsole, kick spur for easy removal, reinforced toe cap area for added durability, pvc nitrile construction, washable nylon lining, safety rating EN20345 S5 SRC.



SIZE	6	7	8	9	10	11	12
STOCK CODE	107180	107181	107182	107183	107184	107185	107186

ULTIMATE SAFETY BOOTS

Steel toe cap, protective steel midsole, water resistant leather with padded collar, double density PU shock absorbent sole, fully moulded and removable insole, wide fitting, safety rating EN20345 S3 SRA.



SIZE	6	7	8	9	10	11	12
STOCK CODE	107139	107140	107141	107142	107143	107144	107145

BOOT LACES

The DeWalt Polyester/Cotton 150cm Boot Laces are a suitable replacement for use with all DeWalt safety footwear.



STOCK CODE	SIZE	
DEWLACESPAIR	150cm	5

BOOT SOCKS

PACK OF 3 PAIRS

- Designed to give a combination of warmth and comfort with maximum moisture absorption
- 85% acrylic, 15% polyester



STOCK CODE	SIZE	
107194	UK 6 - 12	5

DISPOSABLE OVERSHOES

- High quality overshoes
- Elasticated for extra grip around shoes
- Anti-slip textured surface at the bottom
- Tear resistant
- Waterproof
- Ideal for decorating to protect carpets and flooring
- Lightweight polyethylene shoe covers



STOCK CODE	
OVE100B	100
OVE1000B	1000
OVE1000	2000

LARGE KINETIC DISPENSER

The kinetic automatic large bootcover dispenser is designed for moderate to high volume areas where safety, speed and compliance are essential. Its unique, sturdy design allows workers to put on boot covers quickly, easily and safely.

FEATURES & BENEFITS
- High volume capacity (110 pairs/220 covers)
- Hands free operation
- Reduced application time
- Increased worker safety & compliance
- Reduced contamination and errors
- Easy to clean
- Requires no electricity
- Portable

APPLICATIONS
- Construction
- Manufacturing
- Clean Rooms
- Food Processing
- Healthcare
- Pharmaceuticals
- Energy

SIZE ASSEMBLED
- Height: 890mm
- Length: 750mm
- Width: 320mm
- Weight: 23kg

POPULAR



STOCK CODE	
OVEBTDIS	1

REFILL FOR LARGE KINETIC DISPENSER

CPE COVER

Constructed of a durable spunbound polypropylene base-layer and coated with a heavy-duty layer of CPE. The waterproof CPE layer, extra deep design and durable CPE coating make this cover an ideal solution for users who require non-skid and anti-static covers for the larger work boot.
- Material: Base: Spunbound polypropylene, Bottom: CPE, Seams: Heat sealed
- Colour: White with Blue coating at base
- Other: Waterproof, non-skid, anti-static





STOCK CODE	
OVE2000	700

AUTOMATIC OVERSHOE DISPENSER

The automatic shoe covers design is to improve hygiene by automatically fitting a sleeve over your footwear to reduce germs and infections.
This easy to load and stylish shoe cover dispenser comes complete with 100 covers and refills are available to purchase.

Fits up to shoe size 13 - or boots up to size 12

L=4020mm, W=220mm, H=130mm

Simply push your foot into the dispenser and a sleeve will automatically be placed on your shoe.



STOCK CODE	
OVEDIS	1

CONTRACTORS KNEE PADS

- Our most economical knee pads
- Protects against basic mechanical risks
- Adjustable knee straps
- For minimal risks only

STOCK CODE	
107212	30



PREMIUM GEL KNEE PADS

Shock absorbing gel provides superior comfort and protection than traditional polythene knee pads. Gives excellent protection to the kneecap against impact and hard surfaces. PE moulded elevated turtleback shell for improved stability and movement, two sets of adjustable straps with rotary 35 degree high density PE press button clip.

STOCK CODE	
107211	8



HARD CAP KNEE PADS

Knee pads with hard plastic pre-shaped caps for extra protection and mobility. EVA foam inner for comfort. Heavy duty polyester body for durability. Convenient elasticated hook and loop fastening. Conforms to EN14404 Level 0.

STOCK CODE	
HCKP	1



TROUSER KNEEPADS

100% polythene kneepads provide ergonomic protection and comfort.

STOCK CODE	
107213	10



HI-VIS SHORT SLEEVED POLO T SHIRT

- Knitted polyester birds eye fabric
- 2 band & brace retro reflective tape
- Conforms to EN20471 Class 2 (short sleeved)



SIZE	Colour	S	M	L	XL	XXL	
STOCK CODE	Yellow	107281	107282	107283	107284	107285	1

HI-VIS VESTS

- Hi visibility waistcoat
- 100% polyester
- Hook and loop fastening
- Retro-reflective tape
- 2 x body bands
- 2 x braces
- EN ISO 20471
- Class 2 high visibility



SIZE	Colour	S	M	L	XL	XXL	
STOCK CODE	Yellow	107221	107222	107223	107224	107225	1
	Orange	107226	107227	107228	107229	107230	1

HI-VIS EXECUTIVE ZIPPED WAISTCOATS

- Saturn yellow Hi Vis executive waistcoat
- 100% Polyester
- Front zip fastening
- Two large front pockets with flaps
- Mobile phone pocket with hook and loop fastening flap
- Radio loop
- Pen & pencil pockets
- Transparent ID pouch pocket
- Retro-reflective tape
- Covered mesh back panel
- EN ISO 20471
- Class 2 high visibility



SIZE	Colour	S	M	L	XL	XXL	
STOCK CODE	Yellow	107236	107237	107238	107239	107240	1

HI-VIS BOMBER JACKET

- 300D polyester PU coated fabric
- 170g polyester quilt lining
- Fleece collar and concealed hood
- Full length storm flap
- 2 lower pockets
- 1 internal pocket & mobile pocket
- Conforms to EN20471 class 3 EN343 3:1



SIZE	Colour	S	M	L	XL	XXL	
STOCK CODE	Yellow	107022	107023	107024	107025	107026	1

HI-VIS BOMBER JACKETS

- Heavyweight polyester oxford outer shell with PU coating
- Fleece lining, including fleece collar
- Press stud flap
- Fully taped seams
- 2 lower front pockets with flaps
- Internal breast pocket plus separate phone pocket
- Concealed hood/drawcord in collar
- EN ISO20471 Class 3 high visibility
- EN 343
- Class 3 resistance to water penetration
- Class 1 air permeability



SIZE	Colour	S	M	L	XL	XXL	
STOCK CODE	Yellow	107251	107252	107253	107254	107255	1
	Orange	107256	107257	107258	107259	107260	1

HI-VIS 2-TONE YELLOW & NAVY COAT

- 300D polyester PU coated fabric
- 200g polyester quilt lining
- Concealed hood
- Elasticated storm cuffs
- Anti-wicking strips
- Conforms to EN471 class 3



SIZE	Colour	S	M	L	XL	XXL	
STOCK CODE	Yellow/ Navy	107261	107262	107263	107264	107265	1

HI-VIS 2-TONE SOFTSHELL JACKET

- 265gsm soft shell fabric in yellow with contrasting black fabric
- Three zipped pockets to the outside
- Adjustable shock cord hem
- Conforms to EN471 class 3



SIZE	Colour	S	M	L	XL	XXL	
STOCK CODE	Yellow/ Black	107266	107267	107268	107269	107270	1

HI-VIS COAT

- 300D polyester PU coated fabric
- 170g polyester quilt lining
- Concealed hood
- Full length storm flap
- 2 lower pockets
- Internal pocket & mobile pocket
- Conforms to EN20471 Class 3



SIZE	Colour	S	M	L	XL	XXL	
STOCK CODE	Yellow	107241	107242	107243	107244	107245	1
	Orange	107246	107247	107248	107249	107250	1

HI-VIS OVER TROUSERS

- Premium Class 2 cargo trousers
- Hardwearing polycotton fabric
- External kneepad pockets two side pockets, two multi-pocket cargo pockets and a button fasten rear pocket
- Stain resistant
- Orange version tested to RIS-3279-TOM: ISSUE 1



SIZE	Colour	S	M	L	XL	XXL	
STOCK CODE	Orange	107355RS	107356RS	107357RS	107358RS	107359RS	1

HI-VIS OVER TROUSERS

- 300D polyester PU coated fabric
- Waterproof taped seams
- Elasticated waist
- Confirms to EN471 class 1



SIZE	Colour	S	M	L	XL	XXL	
STOCK CODE	Yellow	107301	107302	107303	107304	107305	1
	Orange	107306	107307	107308	107309	107310	1

HD WET SUIT JACKET & TROUSER

Manufactured in lightweight nylon with PVC waterproof coating to the inside surface, fully taped seams. Jacket with full zip front opening with attached hood/drawcord fully retractable into 'mandarin' collar, two lower front pockets concealed under wide flap, hip drawcord.

Trousers with elasticated waist, through access pockets and adjustable stud fastening at ankle.

JACKET

- Lightweight nylon with PVC coating to the inside
- Zip front
- Concealed Hood
- lower front pocket with flaps
- Studded cuffs
- Hip drawcord
- Fully taped seams

TROUSERS

- Elasticated waist
- Access to pockets
- Stud fastening to ankles
- Fully taped seams



SIZE	Colour	S	M	L	XL	XXL	
STOCK CODE	Yellow	HDWSS	HDWSM	HDWSL	HDWSXL	HDWSXXL	20
	Orange	HDWSORGS	HDWSORGM	HDWSORGL	HDWSORGXL	HDWSORGXXL	20

BOILER SUIT

- 65% polyester 35% cotton
- Lay down collar
- Yoke back
- Concealed stud front
- 2 breast pockets with stud flap
- 2 lower welted pockets
- 2" / 5cm waistband with side elastication



SIZE	Colour	S	M	L	XL	XXL	
STOCK CODE	Blue	BSS	BSM	BSL	BSXL	BSXXL	1

DISPOSABLE COVERALLS

Designed for minimal risk environments, these coveralls feature an elasticated hood, wrists, waist and ankles, ensuring a snug and comfortable fit. The polypropylene construction provides a shield from dirt, paint, and other non-hazardous materials, making these coveralls suitable for farms, factory floors or decorating. Each coverall is individually wrapped in plastic for hygienic and easy use. Manufactured in accordance with European PPE directive 89/686/EEC

- 40 GSM Non-Woven Polypropylene Coverall with Hood
- Elasticated hood, cuffs and ankles and waist for extra comfort and protection
- Zip fastening for secure fit
- Individually packed



SIZE	Colour	M	L	XL	XXL	
STOCK CODE	White	107311	107312	107313	107314	50

PREMIUM DISPOSABLE COVERALLS

This SMS coverall is generous fitting and easy to put on over work clothes. Offers excellent protection to Type 5 & 6. High tear and abrasion resistance make it highly durable. Features include elasticated hood, wrists, waist and ankles.

- Highly breathable SMS fabric
- Provides an effective barrier against particulates, aerosols and light sprays
- Anti-static
- Two-way zip for quick and easy access
- Sealable zip storm flap for extra protection
- Elasticated hood, ankles, cuffs and waist
- CE-CAT III
- Ergonomically shaped hood for a perfect fit
- CE certified
- Retail bag which aids presentation for retail sales
- Shell Fabric : BizTex SMS 55g



SIZE	Colour	M	L	XL	XXL	
STOCK CODE	White	107315	107316	107317	107318	50
	Blue	107311BL	107312BL	107313BL	107314BL	50

FIRE RETARDANT DISPOSABLE COVERALL



- White, hooded coverall 3 piece hood
- Elasticated face, wrist and ankles
- Protection against particles and liquid splash
- Must be worn over the top of a primary FR garment
- Stitched external orange seams
- Suitable for petrochemical, railway, welding and many other applications
- Conforms to:
  CAT III
  Type 5,6
  EN 1073-2
  EN 1149-5
  EN 14116 Index 1

SIZE	Colour	L	
STOCK CODE	White	107312FR	50

COVERALL WITH REFLECTIVE STRIPS



ORANGE

This SMS coverall features Hi-Vis reflective tape for enhanced visibility at night or in dim lighting conditions. This trilaminate constructed fabric offers a high tensile strength and toughness. It provides a fluid and particulate barrier to protect the worker without hindering mobility and comfort.

- Provides an effective barrier against particulates, aerosols and light sprays
- Anti-static
- Reflective tape for increased visibility
- Designed with a comfort fit
- Elasticated cuffs for a secure fit
- Ergonomically shaped hood for a perfect fit
- Two-way zip for quick and easy access
- CE certified, CE-CAT III
- Shell Fabric : BizTex SMS 55g

STOCK CODE	SIZE	
107342	M	50
107343	L	50
107344	XL	50

FLAME RETARDANT REFLECTIVE TAPE COVERALLS



ORANGE

- 300 gram 100% cotton drill fabric with flame retardant treatment
- FR reflective tape. (Nordic Pattern)
- Concealed stud front to neck
- One left breast pocket with flap
- Two front hip pockets
- Knee pad pockets
- Plain back and hips
- ISO11611: 2007 Class 1 A1 - Protective clothing for use in welding
- ISO11612: 2008 A1, B1, C1 - Protection against heat and flame

STOCK CODE	SIZE	
FRRCOVOR48	48"	10
FRRCOVOR50	50"	10

FALL ARREST INERTIA REEL



- G-Force Retractable Type Fall Arrester
- For vertical and horizontal use
- IMPORTANT - When using horizontally it should be used in conjunction with G-Force AZ800 wire lanyard
- Maximum load 140kg
- Length 2.4 mtrs
- Fitted with, AZ 011 carabiner for connecting to a suitable anchor point
- Safety hook with auto locking trigger and swivel for connecting direct to the safety harness
- The WR 025 consists of a compact shock absorber, top swivel for flexible movement , webbing retractor with brake inside a tough plastic case and 17mm wide heavy duty webbing
- Conforms to EN 360 2002
- 12 Months warranty
- Made in the EU

STOCK CODE	SIZE	
FALLA06	2.4m	1

KRATOS TOGGLE ANCHOR

- Designed to be installed quickly on horizontal steel surface very quickly thanks to pressure button thats selects the function open or lock
- A hole of 21 to 30 mm is needed for the installation
- Minimum breaking strength: 23 kN
- Material: Steel & stainless steel
- Total dimension: 50cm
- Weight: 1.25kg
- Conforms to : EN795:2012 Type B



STOCK CODE	SIZE	
1600	50cm	1

COIL TOOL LANYARD



- Coiled tool lanyard with single carabiner securely tethers hand tools, hard hats and other small gear to prevent them from becoming dangerous dropped objects when working at heights. With a manual locking screw gate aluminum carabiner on one end and a flexible tethering loop on the other, this versatile coil lanyard provides a variety of options for secure connection to anchor points as well as captive holes or retrofitted attachment points on tools. The low-profile coil design stays out of the way to reduce snag or tangle hazards. Tested and approved to ANSI/ISEA 121 for dropped object prevention.
- This coiled lanyard is ideal for construction, telecom, oil and gas, power generation, utilities, wind, manufacturing, municipalities and scaffolding
- TESTED TO BE TRUSTED
- Rigorously tested and approved to the ANSI/ISEA 121-2018 standard and third-party certified to 2 lb / 0.9kg maximum capacity with a 2:1 safety factor to prevent falling objects
- All tool lanyards are built to withstand defined weight limits and are easy to use by any worker to avoid accidental dropped objects that could cause damage, injuries or possibly death. Safety lanyards are a part of an overall fall protection plan to reduce the risk of falling objects and increase workplace safety
- MEETS ANSI/ISEA 121-2018 – Third-party certified to 2 lb / 0.9kg maximum working capacity with a 2:1 safety factor
- SECURELY TETHER TOOLS& HARD HATS– Flexible loop end connects to captive holes or retrofit attachment points on tools and accessory slots on hard hats to prevent drops
- MANUAL LOCKING SCREW GATE ALUMINUM CARABINER – For easy, secure attachment to tools and anchor points (belts, d-rings, etc.)
- LOW-PROFILE COIL LANYARD – Reduces snag or tangle hazards
- DURABLE – Plastic coil and aluminum carabiner are built to withstand harsh conditions
- LANYARD DIMENSIONS: 12-48 inch / 30-122cm

STOCK CODE	SAFE WORKING CAPACITY	
CTLAN	2 lb / 0.9kg	6

D-RING TETHER

- MEETS ANSI/ISEA 121-2018 – Third party certified to an 2 lb / 0.9kg maximum working capacity with a 2:1 safety factor
- RETROFIT ATTACHMENT POINT FOR TOOL TETHERING – Affix to small hand tools or anchor points to create an attachment point for tethering tool lanyards
- BUILT TO LAST – Heavy-duty nylon webbing, high tensile strength nylon thread and double stitched web catch for durability in harsh conditions
- DURABLE D-RING – Captive hole for attaching tool lanyards



STOCK CODE	
DRINGTETHER	5

WRIST TOOL LANYARD

- Adjustable wrist lanyard tethers tools limiting the distance of a dropped tool and reduces snag hazards.
- Approved to the ANSI/ISEA 121-2018 standard
- Polyester webbing cuff secures to wrist
- Energy absorbing ribbed pull cord
- Adjustable loop with barrel lock for tool attachment
- Short length improves the drop clearence needed
- Wrist Measurement: S/M 5 inch /13cm - 7 inch / 18cm
- Tether length 7.5 inch / 19cm
- Maximum safe working capacity: 2 lb / 0.9kg
- Third-party certified to a 2:1 safety factor



STOCK CODE	SIZE	
TLAN02	S/M	1
TLAN03	L/XL	1

TOOL LANYARD

- The bungee tool lanyard is manufactured from heavy duty elasticized webbing for maximum safety, providing excellent tool height safety and protect tools from falling during work at height
- Light weight, full anodised aluminium carabiner
- Extended product life with high strength wear resistant webbing, strong and durable
- Unique serial number for easy identification and tracking
- 2.5cm width nylon webbing is with reflective line
- Dimension: Standard: 35"-45" / 89cm-107cm Extended: 42"-54" / 106cm-137cm
- Max load: 8kg



STOCK CODE	SIZE	
TLAN01	Standard: 35"-45" / 89cm-107cm Extended: 42"-54" / 106cm-137cm	1

COILED LANYARD WITH HOOK

- The Coil Lanyard is multipurpose and the elastic cord easily stretches to facilitate any normal cutting motions.
- It can also be attached to a work station to keep the tool close at hand.
- Attaches to, utility knives and holsters
- Helps increase retention rates and prevent tool loss
- Stretches to 48 inch / 120cm
- Elastomeric coil cord



STOCK CODE	
TLAN04	5

STEEL CARABINER

- Steel screw-locking carabiner
- Material/Composition: Alloy Steel
- Gate opening: 17mm
- Minimum breaking strength: 25kN
- Conforms to EN362:2004 Class B



STOCK CODE	
KAR01	10

RESTRAINT LANYARDS



- 12mm Kernmantle rope with snap hook at one end and scaffold hook at the other end
- Loops protected by abrasion resistant thimbles
- Stitching protected by strong transparent sleeve
- Minimum breaking strength 22 kN
- Conforms to: EN 355

STOCK CODE	SIZE	
FALLA01	1.5m	1

SHOCK ABSORBING WEBBING LANYARD



- 30mm wide webbing lanyard
- 35mm webbing shock absorber
- Karabiner at one end and scaffold hook at the other end
- Loops protected by abrasion resistant tubular webbing
- Conforms to EN 355:2002 and tested as per VG 11 of PPE Directive 89/686/EEC

STOCK CODE	SIZE	
FALLA02	1.8m	1

TWIN ELASTICATED LANYARD WITH CARABINER SCAFFOLD HOOKS

- Very popular elasticated webbing lanyard for the scaffolders, construction industry, plant maintenance, roof maintenance. Twin legs ensure the worker is always attached at all times whilst moving from anchor to anchor. Includes a carabiner at the harness end and scaffold hooks at the anchorage end. Stay safe at all times with a double lanyard for continuous attachment to anchor points, providing a fool proof fall arrest system
- Total extended length is 1.5m/1.8m
- The shock absorber will tear to absorb the energy in the event of a fall
- Carabiner and scaffold hooks rated to 20kN
- Webbing Breaking strength 25KN
- Static Strength 22KN



STOCK CODE	SIZE	
FALLA03	1.5m/1.8m	1

SINGLE ELASTICATED LANYARD WITH CARABINER AND SCAFFOLD HOOK

- An essential item for any height safety kit. Elasticated webbing lanyard with 50mm Scaff hook and carabiner. Includes shock absorber. The shock absorber will tear to absorb the energy in the event of a fall. Standard simple lanyard for attachment to anchor points, providing safe fall arrest system. Shock absorber end connects to the fall arrest point on the harness.
- Total extended length is 1.5m/1.8m
- Scaffold hook rated to 20kN
- Do not remove the yellow cover as this protects the shock absorber from environmental damage
- Webbing Breaking strength 25kN
- Static Strength 22kN
- Rated to 140kg



STOCK CODE	SIZE	
FALLA04	1.8m	1

WEBBING LANYARD

- 2.0m webbing
- M10T carabiners
- EN 354 & EN 355



STOCK CODE	SIZE	
FALLA05	2m	1

1 POINT HARNESS

- Body harness with 1 attachment point
- Attachment Elements - Dorsal attachment D-Ring for fall arrest.
- Adapatability - Adjustable shoulder and thigh-straps
- Convenience - Shoulder and thigh-straps differenciated by a dual colour scheme
- Ergonomics - Ideally positioned sit-straps for extended comfort
- Compliance - Conforms to EN361:2002



STOCK CODE	
FALHA1	1

1 POINT COMFORT HARNESS

- High comfort soft webbing
- Single Point Harness with Standard Buckles
- General purpose harness with rear D-ring attachment point
- Adjustable chest-strap and thigh-straps; for easy adjustment
- Ideally positioned sit-strap for extended comfort
- Suitable for general tradesmen, construction workers, roofing, vertical climbing and access equipment
- EN 361
- Webbing Breaking strength 25kN
- Static Strength 15kN
- Rated to 140kg



STOCK CODE	
FALHA1C	1

LUXURY COMFORT RESCUE HARNESS

- Attached Elements - 2 ideally positioned chest attachment textile loops and a dorsal attachment D-Ring for fall arrest
- Adaptability - Fully adjustable shoulder straps, chest strap & thigh straps
- Convenience - Shoulder straps have combination buckles and thigh straps are provided with automatic buckles for easy adjustment. Web keepers on shoulder straps have been provided for easy placement of free lanyards
- Ergonomics - Specially cushioned mesh net has been used for better shock absorbtion and comfort of the user
- Conforms to EN361:2002



STOCK CODE	
FALHA2LC	1

VERSATILE HARNESS WITH 2 ATTACHMENT POINTS

There are primary anchor attachment points and the Fall Arrest points are marked on the harness with an "A". Adjustable chest, waist and leg straps for superior fit and comfort. 45mm chest strap with metal buckle gives the harness further strength. 2 designated attachment loops for unused lanyards to ensure they aren't connected to harness webbing incorrectly. Front attachment loops come equipped with carabiner. Branded rubber webbing end helps when adjusting the sizes. Packed in a functionally designed drawstring bag.





STOCK CODE	
FALHA2	1

FULL SAFETY HARNESS

- Multi-Purpose Harness
- Complies with EN 361 Standard
- 1 dorsal and sternal "Forged D clip"
- 4 adjustment points
- Sub-pelvic strap
- No lanyard with this harness



STOCK CODE	
FALHAF	1

RESTRAINT HARNESS KIT

- Single Point Harness with standard buckles
- General purpose harness with rear D ring attachment point. High comfort webbing
- Suitable for general tradesmen, construction workers, roofing, vertical climbing and access equipment. Simple and effective fall arrest harness for total safety compliance
- EN 361:2002
- 2m Adjustable Webbing Lanyard
- Universal webbing lanyard - adjustable
- 30mm webbing
- 2m maximum length
- EN 358:2000
- Steel screw-gate carabiner
- EN 362
- A durable lightweight drawstring bag
- Ideal for keeping your kit together



STOCK CODE	
HARKIT	1

3M SPRAY PAINT RESPIRATOR 4251+, A1P2, 1/PK

For enhanced breathability when spray painting, brush and roller painting, orbital and manual sanding, use 3M™ Spray Paint Respirator 4251. Our no maintenance, disposable half mask respirator is ready to wear and can be used multiple times, or until damaged, particulate filters clog, or gas filters become saturated. It's engineered to provide A1 protection during trade tasks around the home and garden, and P2 protection against medium level fine dusts and oil or water based mists. Featuring twin inhalation valves, large, bonded carbon filters and a low resistance exhalation valve, breathing is comfortable and resistance is reduced. It's tested and approved to comply with European standards and is compatible with 3M Eyewear and Hearing Protection.



- Maintenance-free respirator for spray painting, brush and roller painting, orbital and manual sanding
- A1 protection against organic gases and vapours such as solvent based paint, adhesive and cleaning detergents*
- P3 provides protection against high level fine dusts and oil or water based mists*
- Ready to use with no maintenance required – use until damaged, particulate filters clog or gas filters become saturated
- Enhanced breathability and reduced resistance provided by twin inhalation valves and large bonded carbon filters, compared to single filter masks
- Comfortable breathing due to low resistance exhalation valve
- Tested and approved to comply with European standards - CE Mark 0086 (EN 405:2001 + A1:2009 FFA1P2 R D)
- Users must be trained and have read all user instructions. Misuse may cause injury, severe or life threatening illness
- Compatible with 3M Eyewear and Hearing Protection
- This product helps protect against certain organic gases and vapours (bp > 65 °C) in concentrations up to 10 x WEL or 1000 ppm (whichever is the lower) and particles in concentrations up to 10 x WEL*
- *Please review the datasheet to ensure suitability of this product

Cartridge or Filter Type	FFA1P2 R D
Connection Type	Permanent
Product Colour	Blue
Product Type	Half Face Mask

STOCK CODE	
107319	1

JSP FORCE®8 HALF MASK

- Conforms to EN 140 (Half-mask) & EN 143 (Filters)
- Durable thermoplastic rubber mask for superior fit to most face shapes
- Fully adjustable 4-point cradle suspension
- Low resistance exhalation valve for easy breathing, with stable mask configuration
- Compatible with range of PressToCheck™ filters
- PressToCheck™ filters allow you to check your face fit each time you don the mask
- Replacing filters is more cost effective than using disposable masks



STOCK CODE	DESCRIPTION	
107373	FORCE®8 Half Mask	1
107374	PressToCheck™- P3 Filters	1

FFP3 VALVED RESPIRATORY CUP

- Adjustable nose bar for improved fit and reduced fogging of glasses
- Foam padding around the nose bridge for additional comfort
- Ultrasonic welded head straps
- High performance exhalation valve to reduce heat and provide comfort when used in hot and humid conditions
- Dolomite optional Clogging Test (D) to provide more comfortable breathing and longer lasting filtration performance
- Retail box which aids presentation for retail sales
- Lightweight cup style design
- CE certified



STOCK CODE	
FFP3PW	10

TWIN HALF MASK RESPIRATOR

Re-useable twin filter respirator, approved to EN141, takes class A1/P2 cartridges. When the cartridges need replacing both must be replaced at the same time.



STOCK CODE	
107325	1

FFP3 VALVED RESPIRATORY FOLD

- Disposable FFP3 fold flat mask with exhalation valve (APF 20)
- Adjustable nose bridge with foam seal
- Latex free design
- Colour co-ordinated for easy workplace identification
- Space saving fold flat design and individual packaging
- Exhalation valve reduces heat build up and minimise breathing resistance
- Tested and certified to EN 149:2001+A1:2009



STOCK CODE	
FFP3UCFD	10

DISPOSABLE SURGICAL FACE MASK TYPE IIR

Protecting healthcare staff and patients from infectious diseases. Medical face mask, Type IIR - EN14683, features include:

- Pleat style with ear loops or ties
- Protective four-layer protection
- Splash resistant layer protection against blood and body fluids
- Available in a variety of colours and styles



STOCK CODE	
DMFM2RA	50

MOLDEX 9000 FULL FACE MASK WITH *ABEK1 P3 R* FILTERS

The Moldex 9000 Series meet the requirements of EN 136:1998 CL2 and are CE-marked in accordance with the requirements of European Directive 89/686/EEC. The Institut für Arbeitsschutz IFA (BGIA) in St. Augustin (0121) in Germany is the body responsible for both type examination (Article 10) and monitoring of production (Article 11B). The products are manufactured in an ISO 9001 certified plant. tremely lightweight due to frameless construction technology.

- Panoramic lens
- Made of polycarbonate
- Periphery vision side panels
- Gives unimpeded perception of surrounding environment and movements
- Special hydrophobic coating for easy cleaning
- The face shield is liquid-repellent, easy to wipe and resistant to solvents
- Easy to clean and easy maintenance
- Due to easily accessible components and a clear design and surfaces, no tools needed
- EasyLock® Filtersystem
- No additional parts needed
- 100% PVC-FREE
- All Moldex products and packaging are 100% PVC-free



STOCK CODE	
MOL943201	1

P3 RD PARTICULATE FILTER

P3 Particulate filter for solid and liquid hazardous and radioactive particles, micro-organisms. A wide range of filters and cartridges are available to cover most applications. Filters are common to 7000 and 9000 series but DO NOT FIT 8000 Series masks. Filters may be combined without the need for any adapters. For example you can add any particulate filter to any gas cartridge or use the gas or particulate filter alone.



STOCK CODE	
MOL9030P3R	5

P3 R PARTICULATE FILTER

Moldex EasyLock® Filters for Series 7000 & 9000 masks No need for additional clips or holders. Different gas and particulate filters can be combined. EasyLock® particulate filters can either be connected to the EasyLock® gas cartridge or directly to the mask body. Adaptors or particulate pre-filters are not necessary

- P3 R for protection against harmful and carcinogenic dust, water and oil-based mists/aerosols, biological agents of risk Groups 2 and 3, CMR-substances
- 20 x Workplace Exposure Limit (Half Mask)
- 40 x Workplace Exposure Limit (Full Face Mask)
- Tested and certified to EN 143:2000+A1:2006



STOCK CODE	
MOL9030P10	5

FACE FIT TESTING KIT IN PORTABLE CARRY CASE

This kit includes:

- 1 x hood
- 2 x nebulisers
- 6 x 2.5 ml Bitrex® Sensitivity Solution ampoules
- 6 x 2.5 ml Bitrex® Test Solution ampoules
- 2 x spare parts for nebulisers
- 1 x instruction CD



STOCK CODE	
FFTK01	1

JSP QUALITATIVE FACE FIT TESTING KIT

- To be used on what are defined as tight fitting respirators
- This test can not be used with full face masks
- A very cost effective solution for assessing the ability of the selected Respiratory Protective Equipment



STOCK CODE	
JSPQFFTK	1

INFRARED THERMOMETER HW-F2 DIGITAL

- **Non-contact:** according to the infrared technology, you can measure body temperature without touching the ear or the forehead, prevent cross-infection between multiple people. Measurement Distance: 2 inch - 3.15 inch
- **Accurate:** this thermometer equipped with the advanced infrared technology and high precision sensor, reads fast, which only takes 1 second to read the temperature. The accuracy of temperature measurement is within 0.1°C
- **Intelligent:** the large LCD backlight has 3 different colours according to temperature, and abnormal temperature is accompanied by warning sound. It also has an auto shutdown feature for power saving
- **Multifunction:** the temporal thermometer can easily switched °F / °C, it is designed for all ages, adults, and elders. In addition to measuring forehead, it can also measure room, object, and liquids temperature. Great choice for families, nursery, hotels, school



STOCK CODE	
THERMDIG	1

STANLEY INFRARED DIGITAL THERMOMETER

The Stanley Intelli Tools Digital Infrared Thermometer operates within a temperature range of -38°C to +520°C. This large range allows users to effectively complete their desired tasks. With a high contrast, backlit display for visibility in all light conditions and an IP20 casing that provides protection against dust, increasing its working life.

Features thermal leak detection, from a reference temperature (green screen). Scanning an area will show a red screen for high temperature and blue screen for low temperature. Its 8:1 spot ratio allows for users to measure a 32cm circle from 2.5m distance. Emissivity 0,95, covers all thermal radiation emission of most materials

- Input Power: 2 x AA Batteries (Supplied)
- Measuring Range: -38 to +520°C
- Temperature Accuracy: 3°C or 3%
- Wavelength: 630nm - 660nm
- Laser Class: 2
- Weight: 0.2kg



STOCK CODE	
INT077365	1

BESPOKE BRANDED PPE

We offer a quality & reliable bespoke printing PPE service, delivered to site FAST.

Call today on 020 8699 6777 to find out more about our branded PPE service

SELKENT CONSTRUCTION FIXINGS AND TOOLS



FIRST AID KIT - BS APPROVED



STOCK CODE	TYPE	
FAK25	25 person	1
FAK100	100 person	1

FIRST AID KIT - HOUSEHOLD & BURNS



STOCK CODE	
BFAK	1

FIRST AID KITS



STOCK CODE	FAK1	FAK10	FAK20	FAK50	
TYPE	1 person	10 person	20 person	50 person	1

100 ASSORTED FABRIC PLASTERS



STOCK CODE	
PLA100	1


100 ASSORTED WATERPROOF PLASTERS



STOCK CODE	
PLA100W	1

A5 ACCIDENT BOOK

- Aids compliance with the data protection act
- By law every business must record accidents to employees and visitors
- Space to record a total of 26 incidents in the A5 Accident Books
- Enables compliance with all requirements of the Social Security Administration Act 1992 and Data Protection Act 2018 (GDPR)



STOCK CODE	
ACCIB	1

HEALTH & SAFETY LAW POSTER

Employers are required by law to display the HSE Health & Safety Law Poster

- HSE-approved law poster available in A2 or A3 size
- Made from biodegradable encapsulated plastic for durability on site



STOCK CODE	SIZE	
HSLAWA2	A2	1
HSLAWA3	A3	1

FOIL BLANKET

- Cost effective insulation for accident victims
- Ideal for those in shock or for wrapping around casualties with hypothermia
- Radiant heat reflectance over 90%



STOCK CODE	SIZE	
FAFB12	2m x 1.4m	1


SELKENT
CONSTRUCTION FIXINGS
SELKENT
CONSTRUCTION FIXINGS
SELKENT
GJ21 TLV
GJ21 MTK
GL21 YYB



SELKENT
CONSTRUCTION FIXINGS AND TOOLS

SITE EQUIPMENT & CONSUMABLES

WHEELBARROW

STEEL **GALV**



STOCK CODE	CAPACITY	
WHE90	85 ltr	1

WHEELBARROW 85LTR WITH SOLID WHEEL



STOCK CODE	CAPACITY	
WHE85S	85 ltr	1

PALLET TRUCK

- Easy manoeuvre
- 210 degrees turning radius
- High quality, fully hydraulic hand pallet truck
- 2.5t Capacity



STOCK CODE	SIZE	
PT2.5T	540mm x 1150mm	1

PALLET TRUCK EXTRA LONG FORKS

- Fork width 160mm, gap between forks 220mm
- Dual controls. Hand lever and foot pedal
- Easy to manoeuvre with 210 degrees turning radius
- Grease fitting at all pivotal points to ensure trucks long life and easy control



STOCK CODE	SIZE	
PT2TXL	540mm x 1800mm	1

HEAVY DUTY SACK TRUCK

- Overall height 1140mm
- Toe plate 350mm x 190mm
- Max capacity 315kg



STOCK CODE	
SHT01	1

TYRE PRESSURE GAUGE

Tyre Pressure Dial Gauge is an easy to use manual tyre pressure gauge for use with Schrader valves as fitted to all automotive tyres, provides an instant reading of tyre pressure up to a maximum of 60PSI.



STOCK CODE	DIAL GAUGE	
TPG60	60psi	1

GLASS SUCTION PAD

- Double Glass Sucker 65kg capacity
- Triple Glass Sucker 200kg capacity



STOCK CODE	SIZE	
SUCPADDOUB	Double	1
SUCPADTRIP	Triple	1

GLAZING SHOVEL

Mainly used for the professional installation of insulated glazing units to toe & heel to prevent dropping and dragging. The shovel is manufactured from a heavy duty plastic compound and measures approx. 255mm in length by 69mm wide.



STOCK CODE	
GLAZSHOV	1

BOTTLE JACK

High quality and fitted with a unique overload protection system and large base to provide added stability. All stress points are reinforced for durability, and a heat treated extension screw with a serrated saddle provides a generous lifting area, a secure grip and can be adjusted for either a low pickup point or a maximum lift height.
The bottle jack is supplied with a two piece handle and manufactured to EN 1494 specifications. This jack is for temporarily lifting vehicles only. Always use proper rated capacity axle stands for the vehicle after jacking.



STOCK CODE	SIZE	
BJACK2T	2 tonne	1
BJACK06	6 tonne	1
BJACK10	10 tonne	1
BJACK12	12 tonne	1

STANDARD PUNCTURE REPAIR KIT

7 PIECE


The Puncture Repair Kit is suitable for pneumatic tyres with an inner tube such as cycles, wheelbarrows or sack trucks. This kit comes with 10cc of solvent and a scourer, and with 5 repair patches.



STOCK CODE	
D/ICY001	1

RATCHET STRAP

2 Tonne CargoStraps can be used for a wide variety of applications including securing lighter machinery, cars, or timber.



MEDIUM DUTY - 2 TONNE

STOCK CODE	SIZE	
RAT01	4m	1
RAT02	6m	1

HEAVY DUTY - 4 TONNE

STOCK CODE	SIZE	
RAT03	4m	1
RAT04	6m	1
RAT05	8m	1
RAT06	10m	1
RAT07	12m	1
RAT08	15m	1

CAM BUCKLE STRAPS

SET OF 2

Olympia cam buckle set containing 2 x 25mm x 2.5m (1 inch x 100 inch). Ideal for bundling timber or fencing pins together or as luggage restraints. Strong webbing construction with push fit buckles.



STOCK CODE	SIZE	
CBS01	25mm x 2.5m	1

CARGO LIFTING STRAP

They are lightweight, flexible, and have a wide-bearing surface that helps protect items that are being lifted.

Manufactured with reinforced eyes at each end, the Warrior offers a wide range of quality webbing slings options.

Warrior slings make it easy to lift heavy loads without a problem.

Specifically manufactured to EN1492-1:2000, each of our slings is supplied with a certificate of conformity.
Suitable for use with lifts, cranes and hoists.



1 TONNE

STOCK CODE	LENGTH	
LIFT01	1m	1
LIFT02	2m	1
LIFT03	4m	1
LIFT04	6m	1

2 TONNE

STOCK CODE	LENGTH	
LIFT05	2m	1
LIFT06	3m	1
LIFT07	4m	1
LIFT08	5m	1
LIFT09	6m	1

3 TONNE

STOCK CODE	LENGTH	
LIFT10	2m	1
LIFT11	3m	1
LIFT12	4m	1
LIFT13	6m	1
LIFT14	8m	1
LIFT15	10m	1

DUPLEX FLAT WEBBING SLING

- Safety factor 7:1 reinforced eyes
- Manufactured to ISO4878 EN1492-1:2000
- Material 100% polyester
- 3 tonne safe working load



STOCK CODE	LENGTH	
WEBSL6M3T	6m	1

TRANSFORMERS

- Tough GRP case to withstand harsh conditions of site use
- Portable power tool transformer

110 V



STOCK CODE	POWER KVA	OUTLETS 1	OUTLETS 2	
TRA15216	1.5	16A	16A	1
TRA3311632	3.3	16A	32A	1
TRA33216	3.3	16A	16A	1
TRA5216	5.0	16A	32A	1

3 WAY SPLITTER 110V

Creates three separate 110V 16amp outputs from one input. Ideal for running multiple power tools, conform to IP44 for water ingress protection.

110 V



STOCK CODE	VOLTAGE	
SPL1103W	110	1

1 PHASE TRANSFORMER

- Portable site transformer
- Made to comply with reduced low voltage regulations ensuring safe electrical supplies on site

110 V



STOCK CODE	TYPE	POWER	OUTLETS 16A	OUTLETS 32A	
TRA101P	Single phase	3.3 kVA	4	2	1
TRA103P	3 phase	5.0 kVA	4	2	1

4 WAY SPLITTER BOX

16A distribution box, steel cased, 5m of 2.5mm² cable with fitted plug.

110 V



STOCK CODE	OUTLETS	
SPL1104	4 x 16A	1
SPL110432P	4 x 16A with 32A plug	1
SPL11043216	2 x 16A and 2 x 32A	1
SPL110432	4 x 32A	1

4 WAY SPIDERBALL

- Tough, durable nylon and rubber casing with handy cable management system
- IP44 rating for optimum safety in dusty environments
- BSEN 6500 compliant
- 16A 110V plug and 3m cable
- Dimensions 230mm x 230mm x 190mm
- Weight 2.4kg

110 V



STOCK CODE	OUTLETS	
SPI110B	4 x 16A	1

SPIDER POD

- Lightweight and portable for easy transport and storage
- Conforms to BS EN 60309 Plug, Standard: BSEN 5733
- Ingress Protection: IP44
- 16A 110V plug and 1.5mm² cable

110 V



STOCK CODE	OUTLETS	
SPI110P	3 x 16A	1

FLY LEADS

Converts a 240V, 16A 3-pin plug to a 240V, 13A 3-pin socket.

240 V



STOCK CODE	DESCRIPTION	
FL24016-13	240V 16A Plug to 13A Socket	10

TRAILING SOCKETS

Manufactured to BS 1363-2 Standards.

240 V



STOCK CODE	LENGTH	GANG	
TRA4G	5m	4	1
TRA6G	2m	6	1

FLY LEADS

- Single socket 110V fly lead connects a 32A tool to a 16A lead without the need for rewiring
- Ingress rating IP20

110 V



STOCK CODE	DESCRIPTION	
FL11032-16	110V 16A Plug, 32A Socket	10

PLUGS & SOCKETS

- Conforms to BS EN 60309 plug
- Ingress protection: IP44

110 V



PLUGS

STOCK CODE	SPECS	
PLU16	16A	10
PLU32	32A	10

SOCKETS

STOCK CODE	SPECS	
FSOC16	16A	10
FSOC32	32A	10

TRAILING SOCKET 4 GANG SURGE PROTECTED

- Cable Length: 2m
- Fuse: 13 amp
- Colour: White
- Voltage: 240V

240 V



STOCK CODE		
TRA4G2MS	1	1

EXTENSION REEL

Freestanding high-quality flex cable reel, robust, heavy duty, steel-framed cable reel with thermal overload and power reset button. 2 x industrial drum-mounted sockets. Heavy duty, oil and grease-resistant, insulated PVC cable.



STOCK CODE	DESCRIPTION	
EXTR11025	110V - 25m x 1.5mm²	1
EXTR1101.5	110V - 50m x 1.5mm²	1
EXTR110	110V - 50m x 2.5mm²	1
EXTR240	240V - 50m x 1.25mm²	1

EXTENSION CABLES

110V lead for use with construction site applications such as work lights, portable transformers, corded hand tools, light industrial and heavy duty, both 16A and 32A leads, IP44.

110 V



YELLOW - 110V

STOCK CODE	DESCRIPTION	
EXT111514	1.5mm x 16A x 14m	1
EXT111525	1.5mm x 16A x 25m	1
EXT11251416	2.5mm x 16A x 14m	1
EXT112514	2.5mm x 32A x 14m	1
EXT112525	2.5mm x 32A x 25m	1

Heavy-duty trailing lead. This robust trailing lead is fitted with a heavy-duty rubber case, this gives added durability and protection from being drop and dragged around on the ground. Trailing leads are ideal for power tools, transformers etc, as they can be used for giving a much wider work area.

240 V



BLUE - 240V

STOCK CODE	DESCRIPTION	
EXT231514	1.5mm x 16A x 14m	1
EXT231525	1.5mm x 16A x 25m	1
EXT232514	2.5mm x 32A x 14m	1
EXT232525	2.5mm x 32A x 25m	1

YELLOW ARCTIC CABLE DRUM

Rating: 16 Amps, perfect for use as a 110V extension lead as it is resistant to temperatures down to -40°C, the yellow outer sheath also helps for identification as most people associate this colour cable with 110V applications.

- Length 100m
- 1.5mm² 3 core

110 V



STOCK CODE	
EXTD110100	1

PORTABLE LIGHTING

Slim style lamp heads have an impact resistant lens and are rated at IP65 for water and dust ingress protection. Mounted on a sturdy freestanding tubular steel frame with a 'tilt and lock' facility which allows the angle of the lamp to be adjusted to direct the light exactly where it is needed.

VOLTAGE 230/240V

- LED Power: 10W
- Lumen Output: 900
- Beam Angle: 120°
- Colour Range: 6500K
- LED Lifetime: 50,000 hours
- LED Type: SMD
- Cable Length 1.5m (1.00mm²)

VOLTAGE: 110/115V

- Plug: 16Amp
- LED Power: 10W
- Lumen Output: 900
- Beam Angle: 120°
- Colour Range: 6500K
- LED Lifetime: 50,000 hours
- LED Type: SMD
- Cable Length 1.5m (1.00mm²)



STOCK CODE	DESCRIPTION		
LIGPOR110	110V	500W	1
LIGPOR240	240V	500W	1

SINGLE HEAD TRIPOD SITELIGHT

- 5m cable
- 1.50mm² cable
- 500W single head fitting including bulb
- Diecast head/telescopic metal folding tripod stand

110 V



STOCK CODE	
LIGSH110	1

TWIN HEAD LED SITELIGHT WITH ADJUSTABLE TRIPOD

- Diecast housing with tempered glass for robust strength
- Sturdy steel tripod
- IP65 rating
- 2x 20W, 2x 2000lm lights
- Cool white 4000K light
- 3m H05RN-F rubber cable
- Contains a built-in, non-replaceable LED lamp

110 V



STOCK CODE	
LIGHT110	1

FOLDING PLASTERERS LIGHT LED

- Elite LED plasterers contractors light
- 610mm / 2ft
- 30W 2600 lm
- With 2 x PTO sockets

110 V



STOCK CODE	
LIGP110	1

TASK LIGHT

- Powerful SMD LEDs deliver a 4000K cool white light
- Slim fold flat design for portability and easy storage
- Angle the light exactly where you need it
- Impact resistant body and lens - strong cast aluminium
- Drop tested to 1m
- Supplied with a 1.5m rubber cable (H05RN-F, 3G x 1.00mm²)

110 V



STOCK CODE	
LIGTAS110	1

SINGLE HEAD TRIPOD SITELIGHT

- Diecast aluminium and is IP65 rated for water and dust ingress protection
- Fully adjustable and mounted on a sturdy telescopic tripod
- 20W LED
- Lumens: 1,800
- Adjustable Height: 910mm-1810mm
- Cable Length: 2.5m

110 V



STOCK CODE	
FPPSLLED20VL	1

LED UPLIGHT WITH WOBBLE BASE

- Defender Wobble Base made from strong ABS plastic base that is suitable for site work.
- Self-righting and can be filled with sand or water.
- Integrated carry handles for easy transportation.
- Size: 1.2m / 48 inch

110 V



STOCK CODE	
LIGUPLED	1

FESTOON LIGHTING KIT WITH LED BULBS

Lightweight, robust and have a low heat output which simplifies the site lighting arrangements.

110 V



STOCK CODE	SIZE	
LIGKIT12LED	12m	1
LIGKIT22LED	22m	1
LIGKIT50	50m	1

FESTOON LIGHTING KIT 10 ES

- Length 22m
- 10 x ES fittings
- 10 x polycarbonate guards
- 10 x ES LED 8W bulbs
- 110V 16A plug

110 V



STOCK CODE	
LIGKIT22	1

SPARE LAMPS - BOX OF 10

- Polycarbonate LED light bulb delivers bright, crisp light with low energy use
- 10W LED. 806 lumen

STOCK CODE	
LIGLED110BULB	1

910 POWER PACK JUMP START 12/24V

Jumpstart 910 provides vital standby or emergency power for the home, vehicle, business or boat. With its built in air compressor it is also ideal for general leisure use.



STOCK CODE	
JUMPST400	1

JUMP LEADS

600 AMP

- 3m length
- Jump lead with 10mm insulation
- Supplied in poly bag with euro slot



STOCK CODE	LENGTH	
JUMP600	3m	1

TIDI TRIPLE HOOK CABLE HANGER

- Ideal for holding up temporary lighting
- Holds 9 x 110V arctic cables
- Can also be fixed to walls
- Designed to be hung from standard scaffolding, pipe work cable trays, ceiling grids, overhead features or screwed to the wall



STOCK CODE	
TIDIHANGER	1

MULTIPURPOSE CABLE HOOK - SKY HOOK

Non-conductive, tough plastic cable hook suitable for electrical cables.



STOCK CODE	
MPCH	10

TOWER CABLE STAND

- Height adjustable: 1520mm - 2560mm
- Fully portable, highly visible and very stable
- Water or sand fillable



STOCK CODE	
TCS	1

INDUSTRIAL BATTERY



STOCK CODE	TYPE	
BATAA	AA	10
BATAAA	AAA	10
BAT9V10	9V	10

6V BATTERY LONG LIFE

6V ideal for road flashing lights, skip lights, large lanterns etc.



STOCK CODE	
BAT6V	12

BATTERY

PACK OF 4

Premium quality 1.5V alkaline battery provides reliable power



STOCK CODE	TYPE	
BATAAE	AA	1
BATAAAE	AAA	1

LR20 ALKALINE BATTERY

PACK OF 12

- Lighthouse high-performance alkaline battery
- Long storage life of up to 5 years



STOCK CODE	
BATLR20	1

C CELL BATTERY

PACK OF 12

- High-quality Energizer® alkaline battery
- Designed for industrial use, long life dependable power



STOCK CODE	
BATC12	1

D CELL INDUSTRIAL BATTERY

PACK OF 12


- High-quality Energizer® alkaline battery
- Industrial use offering long lasting, dependable power



STOCK CODE	
ENGINDD	1

9V PLUS POWER +100% BATTERY

- 100% extra life in high-drain applications
- Superior nylon top closure helps prevent batteries from leaking



STOCK CODE	
BAT9V	10

COMPACT LED HEADLIGHT

- Beam Distance: 12-19m
- Run Time: 12 hours
- Power: 3 x AAA batteries (supplied)
- Weight 63g
- Output: 40 lumens /150 lumens
- Super bright, wide-angle beam



STOCK CODE	
TORHL30	6

3 FUNCTION LED FOCUS TORCH

- 3 Watt
- 210 lumens
- 3 AAA Cell alkaline batteries included
- 3 function: High / Low / Strobe
- Run time 6 hours



STOCK CODE	
TORHH3	1

ELITE HIGH PERFORMANCE

800 LUMENS RECHARGABLE LED TORCH

- High-performance LED torche, lightweight, strong, durable and reliable designed for outdoor use
- Three operating modes of high, low, strobe with a variable dimming function
- Rechargeable USB powerbank included
- Output: 240/800 lumens
- Beam distance: 45M
- Run time: 8 hours
- Charge time: 5 hours (approx.)
- Size: 154mm x 37mm / 31.8mm
- Weight: 157g

RECHARGEABLE



STOCK CODE	
TORRBC	1

A UNIQUE, TAILORED SERVICE

We understand that every job is different and provides new challenges and demanding deadlines.

As a supplier we go the extra mile and tailor solutions to suit your needs to keep job on schedule, no matter what.

RIGHT PRODUCTS, RIGHT PRICE, RIGHT NOW

Contact our customer services team or email sales@selkent.com

SELKENT CONSTRUCTION FIXINGS AND TOOLS



FAN HEATER

- Can be used in two positions, letter box or upright
- Carry handle and safety cut out feature
- 2 heat settings & adjustable thermostat
- Cool fan setting for summer



STOCK CODE	
HEA01	1

CONVECTOR HEATER

- Power 2kW
- 3 adjustable heat settings



STOCK CODE	
HEA05	1

OIL FILLED RADIATOR

2kW

- 9 Fin
- Three power output settings: 1000W, 1500W, and 2000W
- Adjustable room thermostat



STOCK CODE	
HEA02	1

DESK FAN 12 inch

- Three adjustable speed options
- Mesh guard and a sleek modern design
- Head that oscillates and tilts enabling you to direct the fan



STOCK CODE	
HEA03	1

PEDESTAL FAN

- Adjustable height option
- Head that oscillates and tilts
- Mesh guard and a sleek modern design



STOCK CODE	SIZE	
HEA04	40cm / 16"	1

For fast delivery
call our sales team on
020 8699 6777
or to order online visit
www.selkent.com

MAGNETIC RETRIEVAL PEN

PULL POWER 2.25kg

Telescopic shaft extends from 150mm to 685mm.



STOCK CODE	
MAGPEN	1

POWER NEODYMIUM DISC MAGNET

PULL POWER 15KG



STOCK CODE	SIZE	
MAGDNEO	19mm Ø x 8mm thick x M5 thread hole	1

HAND MAGNET WITH CARRY HANDLE

PULL POWER 11kg



STOCK CODE	SIZE	
MAGCH	55mm x 20mm	1


HORSEHOE MAGNET

PULL POWER 9kg



STOCK CODE	SIZE	
MAGROE	40mm x 25mm x 25mm	1

HORSESHOE MAGNET



STOCK CODE	SIZE	
MAGHORSE	27mm	1
MAGHORSE3	75mm x 39mm x 8mm	1

ORDER ACCURACY

99.67%

OF ORDERS ARE DELIVERED CORRECTLY

4 ROW WIRE SCRATCH BRUSH

- Heavy duty steel wire brush with wooden handle
- Bristle length 25mm
- Length 290mm



STOCK CODE	
ROW4	1

4 ROW WIRE SCRATCH BRUSH

WITH SCRAPER


- Heavy duty steel wire brush with wooden handle
- Bristle length 25mm
- Length 290mm



STOCK CODE	
ROW4S	1

BRASS 4 ROW SCRATCH BRUSH

Use in situations where there could be a potential fire or explosion hazard.



STOCK CODE	
FAI680B4	10

SHORT HANDLED TAR BRUSH



STOCK CODE	
TARBS	1

COCO SOFT HAND BRUSH

Natural bristle.



STOCK CODE	SIZE	
BRO11C	275mm / 11"	1

6 ROW WIRE BRUSH

WITH SCRAPER

- Weight: 0.158kg
- Heavy duty steel bristles
- Wooden handle with scraper
- Bristle length 25mm



STOCK CODE	LENGTH	
ROW6SE	290mm	1

HAND BRUSH STIFF BASSINE

Hand brush made from bassine. Provides good sweeping performance.



STOCK CODE	SIZE	
HBB11	275mm / 11"	1

SOFT COCO BROOM

WITH HANDLE & STAY



STOCK CODE	SIZE	
BRO12C	30cm / 12"	1
BRO18C	45cm / 18"	1
BRO24C	60cm / 24"	1
BRO36C	90cm / 36"	1

STIFF BASSINE BROOM

WITH HANDLE & STAY



STOCK CODE	SIZE	
BRO12B	30cm / 12"	1
BRO18B	45cm / 18"	1
BRO24B	60cm / 24"	1
BRO36B	90cm / 36"	1

STIFF AND SOFT PVC BROOM

YELLOW

- Dual PVC bristles for light and heavy duty tasks
- Ideal for all weather conditions
- Suitable for indoor and outdoor hard floors



STOCK CODE	SIZE	
BRO24PVC	24"	1

STEEL CONCRETE BROOMS

C/W FIXED HANDLES

Primarily used for concrete texturing.



STOCK CODE	SIZE	
BROSTE600	600mm	1

HD WOODEN BROOM HANDLE

Suitable for larger broom heads.



STOCK CODE	SIZE	
BRO01	4ft x Ø 15/16" / 1200mm x Ø 24mm	1
BRO02	4ft x Ø 1.1/8" / 1220mm x Ø 28mm	1

LONG HANDLED DUST PAN

- Soft flagged bristles suitable for a wide range of surfaces
- Lightweight for easy use
- Protects against back strain
- Easy click-in brush handle when not in use



STOCK CODE	
CLEDBLH	1

DUST PAN & BRUSH

- Material PP with rubber lip
- Approximate measurements: 32cm x 22.5cm x 10cm



STOCK CODE	
CLEDB	1

BIG MUTT ROUGHNECK PRO MULTI SCRAPER


This Roughneck Big Mutt Pro Multi-Purpose Scraper has a polyethylene coated tubular steel shaft with a comfort grip. Its heat treated roll forged steel blade has a bevelled cutting edge for durability and clean cutting. With a polished tip for easy cleaning. The blade can be re-sharpened to maintain its cutting edge.



STOCK CODE	SIZE	
FLO9X7METHAN	228mm x 178 mm	1

BIG MUTT HEAVY DUTY FLOOR SCRAPER

This Roughneck Big Mutt Multi-Purpose Scraper has a long wooden handle. Its heat treated roll forged steel blade has a bevelled cutting edge for durability and clean cutting. With a polished tip for easy cleaning. The blade can be re-sharpened to maintain its cutting edge.



STOCK CODE	SIZE	
FLO9X7	228mm x 178 mm	1

FLOOR SQUEEGEE COMPLETE WITH HANDLE

Wooden squeegee head fitted with a rubber blade,widely used in the cleaning of tiled and concrete floors. Particularly suitable for the removal of oil, water and most types of spilt liquids.



STOCK CODE	SIZE	
SQE18	450mm	1

HEAVY DUTY SCRAPER

- Heavy duty scraper
- Aluminium head with tubular handle
- 100 mm blade



STOCK CODE	SIZE	
PAISCRSH4	100mm	1

FAITHFULL DEBRIS / SNOW SCOOP

The Faithfull Plastic Debris Shovel is ideal for fast-moving of wood chips, rubble, farm waste, grain, compost, snow etc.
This lightweight multipurpose shovel has a large impact-resistant plastic scoop with reinforcing ribs and deep sides. The plastic scoop does not create sparks when dragged across a concrete floor, making it a safe choice for use with flammable materials. Fitted with an FSC® European ash wood shaft and plastic D-handle. 1200mm / 48 inch shaft.




STOCK CODE	BLADE	
SHOSS01	360mm x 460mm	1

PLANT NAPPY



STOCK CODE	SIZE	
PNS500	500mm x 685mm	1
PNM1000	1000mm x 685mm	1
PNL2000	2000mm x 1370mm	1

PLANT NAPPY LINER



STOCK CODE	SIZE	
PNL500	500mm x 685mm	1
PNL1000	1000mm x 685mm	1
PNLL2000	2000mm x 1370mm	1

SITE MAT BASE UNIT & RIGID PLATFORM TO SUIT SITE MAT BASE



- A compact kit comprising the essential Site Mat items
- Comes with Filtatech Smart Liner Plus filters

STOCK CODE	SIZE	
SM0600B	600mm x 400mm	1
SM1000B	1000mm x 600mm	1
SM1600B	1600mm x 1200mm	1
SM2000B	2000mm x 1400mm	1



- Full-perimeter side walls prevents contaminant release and keeps base unit cleaner
- Liner held in place using velcro tabs
- Reusable and washable base, single use liner

STOCK CODE	SIZE	
SM0600L	600mm x 400mm	1
SM1000L	1000mm x 600mm	1
SM1600L	1600mm x 1200mm	1
SM2000L	2000mm x 1400mm	1

BOOT WASH WITH 3 BRUSH HEADS



STOCK CODE	
BW3B	1

ENVIROPAD®

green rhino®

POPULAR



- Innovative spill pad locks in hydrocarbons permanently
- Smart polymer turns oil and fuel into solid rubber
- No leaks so no sidewalls or liner required
- Can be safely left out in the rain and jet washed
- Cheaper than nappy-style products
- Best oil retention capacity

Considerate Constructors Scheme
BEST PRACTICE HUB

















STOCK CODE	RODUCT	SIZE	CAPACITY	
GNRENPS	S4 - Small	610mm x 460mm	Up to 4.5 ltr oil	1
GNRENPM	M10 - Medium	900mm x 690mm	Up to 10.5 ltr oil	1
GNRENPL	L20 - Large	1370mm x 910mm	Up to 20.2 ltr oil	1
GNRENPXL	L30 - X Large	1370mm x 1370mm	Up to 30.4 ltr oil	1
GNRENPXXL	L40 - XX Large	2180mm x 1370mm	Up to 44.3 ltr oil	1

OIL & SEDIMENT DEWATERING FILTERS

- Save £000s on third-party callouts and project delays
- Avoid fines and loss of reputation
- Oil and sediment removed to EA-accepted levels
- Ease of use and fast deployment encourage compliant operations
- Rugged and reusable up to 20 times
- Increase flow rate and capacity using Green Rhino Manifold System



SEDIMENT FILTER
Stay compliant and on schedule with this rugged and reusable filter



SEDIMENT XL FILTER
Our largest dewatering filter for larger volumes of water and sediment



ECONOMY SEDIMENT FILTER
Low-cost but effective filter for low-volume and low-risk applications



OIL & SEDIMENT FILTER
Removes oil sheen as well as sediment



ULTRA-FINE SEDIMENT & OIL FILTER
Finer filtration for sensitive environments

STOCK CODE	PRODUCT	SIZE	CAPACITY	FILTER	REUSE	FLOW RATE	
GNRSDF	Sediment Filter	150cm x 35cm	Up to 20kg	150 µm	Up to 20x	450 ltr/min	1
GNRSDFXL	Sediment XL Filter	150cm x 80cm	Up to 40kg	150 µm	Up to 20x	800 ltr/min	1
GNRSDFE	Economy Sediment Filter	150cm x 35cm	Up to 20kg	100 µm	-	450 ltr/min	1
GNROSDF	Oil & Sediment Filter	150cm x 35cm	Up to 2.5 ltr / 20kg	150 µm	Up to 20x*	300 ltr/min	1
GNRLGOSF	Ultra-fine Sediment & Oil Filter (Cam)	130cm x 30cm	Up to 2.5 ltr / 20kg	1 µm	Up to 20x*	300 ltr/min	1
GNROSDFUF	Ultra-fine Sediment & Oil Filter	180cm x 30cm	Up to 2.5 ltr / 20kg	1 µm	Up to 20x*	300 ltr/min	1

OIL RETENTION PILLOW

STOCK CODE	SIZE	CAPACITY	
GNRORP1	30cm X 30cm	1 ltr	1
GNRORP4	60cm X 60cm	4 ltr	1
GNRORP8	100cm X 72cm	8 ltr	1



MULTI-FILTER MANIFOLD



PROCESS LARGE VOLUMES OF CONTAMINATED AND DIRTY WATER COST-EFFECTIVELY

- Delivers the flow rates and filtration of a settlement tank
- Use with 4, 6 or 8 sediment filters
- Fast and easy deployment
- Rugged and reusable
- Significantly reduces your costs
- Compatible with all Green Rhino Dewatering Filters

STOCK CODE	PRODUCT	SIZE	FLOW RATE	
GNRMAN4G4	4 gang 4" Bauer fitting	98cm x 111cm	1200-3200 ltr/min	1
GNRMAN6G4	6 gang 4" Bauer fitting	148cm x 111cm	1800-4800 ltr/min	1
GNRMAN8G6	8 gang 6" Bauer fitting	198cm x 111cm	2400-6400 ltr/min	1

ENVIROHORN™ DRAIN FILTER

Ø 25cm, 40cm DEPTH





PREVENTS SEDIMENT AND CONTAMINANTS FROM YOUR SITE ENTERING THE DRAINAGE SYSTEM

- Avoid fines
- Eliminate costly and time-consuming drain unblocking
- Water discharged to EA-accepted levels
- Cost-effective, reusable solution
- Instructions printed on the top
- Ideal for house building sites, wheel wash areas, entrances and exits to construction sites, motorway projects

STOCK CODE	PRODUCT	FLOW RATE	CAPACITY	
GNROSF	Oil & Sediment Filter	130 ltr/min	1 ltr oil, 19kg sediment	1
GNRSF	Sediment Filter	140 ltr/min	21kg sediment	1

SPILLAGE GRANULES OIL ABSORBENT



- Suitable for most kinds of workplace spillages
- Cost-effective spillage control solution
- Highly absorbent

STOCK CODE	SIZE	
TSG10	20 ltr	1

UNIVERSAL QUICK-RIP ROLL

31m ROLL LENGTH



- This scan absorbent quick-rip roll is non-linting, bonded for strength and perforated for easy tearing. It absorbs coolant, oil, water, solvents and non-aggressive fluids
- The roll is supplied in a box with a dispensing slot and carry handle for easy use

STOCK CODE	WIDTH	
TRAQRB	31cm	1

ABSORBENT PADS FOR OIL & FUEL

PACK OF 10



These scan absorbent pads absorb oil, fuel and solvents. They have been bonded for additional strength. Ideal for dealing with small leaks and spills.

STOCK CODE	SIZE	
TRA10F	550mm x 450mm	10

SPILL KIT - OIL ONLY

2 WHEELED BIN



STOCK CODE	SIZE	
SPK120	120 ltr	1
SPK240	240 ltr	1

SPILL KIT - OIL ONLY



STOCK CODE	SIZE	
SPK20	20 ltr	1
SPK30	30 ltr	1
SPK90	90 ltr	1



SPILLSHAK 2 DRUM "ALL WEATHER" SPILL PALLET



The 2 drum SpillShak is a rigid, hard covered, double walled, chemical resistant and weather proof unit that protects liquid containers from theft and damage. The covered unit also prevents sumps from filling with debris or rainwater thus maintaining bund capacity.

STOCK CODE	
AWSP2D	1

DRUM SPILL/ SUMP PALLET



- The 2 drum sump pallet is manufactured from rotationally moulded polyethylene and resists UV rays, corrosion and chemicals. The 2 drum sump pallet is tough, chemical resistant and lightweight and has a removable plastic mesh floor for easy cleaning.
- The 4 drum low profile sump pallet is manufactured from rotationally moulded polyethylene and resists UV rays, corrosion and chemicals. The 4 drum low profile sump pallet is tough, chemical resistant and lightweight and has a removable plastic mesh floor for easy cleaning.

STOCK CODE	LOAD CAPACITY	
DRIP2	2 Drums	1
DRI4P	4 Drums	1

SHALLOW DRIP TRAY



This Scan Drip Tray is ideal for catching drips and leaks from vehicles, machinery and hoses. It is made from tough impact resistant plastic, making it durable and long-lasting. Prevents floor contamination and the need for cleaning.

STOCK CODE	SIZE	CAPACITY	
PDTRA12L	520mm x 520mm x 50mm	12 ltr	1
PDTRA24L	1020mm x 520mm x 50mm	24 ltr	1
TRA28D	600mm x 600mm x 70mm	28 ltr	1
PDTRA48L	1020mm x 1020mm x 50mm	48 ltr	1
PDTRA60L	1000mm x 550mm x 150mm	60 ltr	1

SPILL KIT

Superior Oil Performance spill kit is filled with superior grade absorbents. The kit absorbs oils and fuels with super-fast absorption and is hydrophobic. This superior oil spill kit is supplied in a UV resistant vinyl holdall and can be stored anywhere.



STOCK CODE	SIZE	
SPI15K	50 ltr	1

CHEMICAL SPILL KIT



STOCK CODE	SIZE	
SPK50CHEMH	50 ltr	1

WHEELIE BINS

- Manufactured using a compact injection moulding process, the 1100 ltr and 660 ltr wheelie bins are constructed from high-density polyethylene that offers notable durability and longevity
- Wheelie Bin is designed in accordance of DIN EN 840 and RAL GZ 951/1
- Drop front opening facilitates access to contents for easy emptying and reduces the risk of potential injury due to overstretching or lifting at awkward angles
- Resistant to UV rays, frost, heat and chemicals
- Zinc-plated metal parts are resistant to corrosion
- Suitable for use with all standard lifting devices such as DIN or comb-lifting
- 4 x 20cm quiet running, solid rubber wheels that are capable of 360° swivel
- Features 2 x foot brakes fitted as standard
- Reduce storage space and transportation costs thanks to the strong stacking ribs that allow for high stacking of containers
- Ergonomically positioned handles to facilitate easy manoeuvring even when
- fully loaded
- Lid shape prevents water pooling, and can be easily replaced by removing the hinge pins
- Hinge pins allow lid to be opened fully for easy waste disposal and emptying
- Fully recyclable once at the end of its useful life



STOCK CODE	COLOUR	SIZE	
BIN660	Green	660 ltr	1
BIN1100	Green	1100 ltr	1

240 ltr



STOCK CODE	COLOUR	SIZE	
BIN240	Black	240 ltr	1
BIN240G	Green	240 ltr	1
BIN240Y	Yellow	240 ltr	1

PLASTIC SWINGTOP WASTE BIN

50 ltr sturdy plastic swing bin with a silver base and lid. Ideal for use in washrooms and other areas creating a tidy appearance as waste is not open to view.



STOCK CODE	CAPACITY	
BINST50	50 ltr	1

PLASTIC REFUSE BIN & LID

BLACK

A sturdy 80 ltr plastic dustbin and lid. With a secure fitting lid, this bin can be used inside or outside.



STOCK CODE	CAPACITY	
BINB80	80 ltr	1

PEDAL BINS

- Pedal operation for hygienic waste disposal and effective infection control
- Robust polypropylene construction
- Easy to wipe clean and disinfect
- Integrated side handles
- Can be used for storage or recycling as well as general waste collection
- Stackable with the pedal mechanism removed
- Easy to assemble (instructions supplied)



STOCK CODE	SIZE	
BIN30P	30 ltr	1
BIN50P	50 ltr	1
BIN60P	60 ltr	1

LITTER PICKER

- Handy Grab Tool
- Long reach to reduce strain



STOCK CODE	
CLELP	1

SWING BIN LINERS

PACK OF 1000

- Capacity: 50 ltr
- Material: virgin polythene
- Weight: 3.32kg
- Colour: White
- Great value for money
- Tie waist at top
- Ideal for swing bins
- Face Width: 330mm / 13 inch
- Open Width: 572mm / 23 inch
- Length: 724mm / 29 inch
- These polythene bin liners can be recycled



STOCK CODE	CAPACITY	
LIN01	50 ltr	1

BIN LINERS - FOR 80 LTR BIN

PACK OF 200



STOCK CODE	DESCRIPTION	
LIN03	Medium Duty 15kg - 18cm x 32cm x 39cm	1
LIN04	Heavy Duty 20kg - 18cm x 29cm x 39cm	1

WHEELIE BIN BAG - FOR 240 LTR BIN

PACK OF 100

Available in a range of thicknesses, these heavy duty refuse sacks are specifically designed for use with wheelie bins. Strong and rip-resistant, these bin bags will reduce the need to wash wheelie bins and meet your disposal needs. These bin liners hold a range of rubbish, including wet and heavy waste.

- Variety of sizes and volumes available to fit most wheelie bins
- Heavy gauges hold heavier loads without ripping or tearing
- Suitable for a range of waste disposal types, including heavy and wet rubbish
- Supplied on a roll for easy storage



STOCK CODE	
LIN05	1

METAL WASTE BIN WITH LID

GALV

Keep your full bin bags stored securely and safely with this galvanised metal dustbin and lid. It has an 80 ltr capacity, so it's the ideal size for a weekly rubbish collection. You can also use it to safely store logs, coal or garden waste away from pests such as mice.
The metal bin with lid is galvanised to ensure it won't rust or tarnish in wet weather. The strong and sturdy design means it won't blow away on windier days either, and the hard-wearing material is tough enough to resist the knocks and scrapes of daily use.

- Traditional metal dustbin design with 80 ltr capacity
- Secure-fitting lid keeps waste hidden and secure until collection
- Galvanised bin is rust and weather-resistant



STOCK CODE	CAPACITY	
BIN80M	80 ltr	1

PAPER WASTE BIN

- A round bin, suits most office decor
- Lightweight yet sturdy construction
- Easy to fit under most desk spaces
- 30cm diameter



STOCK CODE	HEIGHT	
BINWP	28cm	1

GRIT BIN

Moulded finger grips make the lid easy to lift whilst access points on the base make the bin convenient for lifting with a fork lift.
The Grit Bin can also be used as a storage container.



STOCK CODE	CAPACITY	
BING250	250kg	1
BING450	450kg	1

GALVANISED MOP BUCKET

- 13 ltr capacity
- Long lasting bucket
- Great for more traditional cleaning requirements



STOCK CODE	
BKTGALV	1

GALVANISED METAL BUCKET

Durable galvanised-steel bucket for catching and transporting liquids and granular products.
14 ltr capacity.



STOCK CODE	
BKTGM	1

FLEXI TUBS

ASSORTED COLOURS



Flexi tubs are flexible, which is the key to the millions of jobs they can perform. They are great for mixing small batches of plaster and mortar; if the mix dries, a few kicks to the flexible body will remove the muck easily. They can be carried with both handles in one hand, shaped for pouring, pressed flat to the floor for scooping, pushed flat against a wall for scraping wallpaper into, catching leaks and so on.
Flexi tubs are extremely durable and long lasting. The handles have been EU tested and have a working weight of 100kg (220 lb), so really heavy loads can be carried between two people.
Flexi tubs can be used as tool bags, water tubs, rubble removers, roofing, scaffold knuckles, collecting bits, broken glass carrier etc.

Features:

- Infinitely versatile
- Super flexible
- Frost proof
- UV sunlight proof
- Handles ce tested
- Reinforced in key areas for durability
- Ribbed profile for strength

STOCK CODE	SIZE	
FTY14	14 ltr	1
FTB26	26 ltr	1
FTR40	40 ltr	1
FTG75	75 ltr	1

For fast delivery
call our sales team on
020 8699 6777
or to order online visit
www.selkent.com

BUILDERS BUCKET

BLACK



STOCK CODE	SIZE	
BKT145B	14 ltr	1

YELLOW BUCKET

Heavy-duty yellow bucket with reinforced base for extra durability. Hundreds of uses around the worksite, home and garden. Each bucket is fitted with a strong wire handle and plastic carry grip.



STOCK CODE	SIZE	
BKT14YW	14 ltr	20

GALVANISED WATERING CAN

- Galvanised sheet watering can with D-handle and rose included
- Steel construction
- D-handle



STOCK CODE	CAPACITY	
GWC9	12 ltr	1

LEADED PETROL CAN & SPOUT

RED



A colour co-ordinated plastic fuel can with external graduations moulded into the outer casing. Supplied with flexible pouring spout which mounts neatly on can top.

The Petroleum Spirit (Motor Vehicles etc.) Regulations 1929 and the Petroleum Spirit (Plastic Containers) Regulations 1982 limit the amount of petrol that can be kept in a domestic garage or within six metres of a building (e.g. most domestic driveways).

The limit is a maximum of two suitable metal containers each of a maximum capacity of ten litres and two plastic containers (which have to be of an approved design) each of a maximum capacity of five litres. These limits also apply to any containers kept in a vehicle parked in the garage or on the driveway (but not to the internal fuel tank of the vehicle). Under no circumstances should the petrol containers be stored in the home itself.

STOCK CODE	CAPACITY	
PETL5RD	5 ltr	1

UNLEADED PETROL CAN & SPOUT

GREEN



Ideal for storing in the boot of a car or in the garage, this sturdy plastic fuel can has a flexible pouring spout, tethered screw cap and carry handle.

The spout stores neatly into the handle area when not in use. Complies with S.I. 1982/630.

STOCK CODE	CAPACITY	
PETL5GR	5 ltr	1

DIESEL CAN & SPOUT

BLACK



Ideal for storing in the boot of a car or in the garage, this sturdy plastic fuel can has a flexible pouring spout, tethered screw cap and carry handle.

The spout stores neatly into the handle area when not in use.

Complies with S.I. 1982/630.

STOCK CODE	CAPACITY	
PETL5BL	5 ltr	1

JERRY CAN METAL

A heavy-duty all steel jerry can featuring a lockable filler cap fitted with a rubber seal to prevent leaks and evaporation. Cans are painted both internally and externally to inhibit corrosion and are certified to UN standards for the storage of Group II flammable liquids.

The storage and transportation of flammable liquids for domestic and commercial purposes are covered by extensive government legislation (The Petroleum Consolidation Regulations 2014) (PCR). It is the user's responsibility to ensure that these regulations are fully observed and that all legal requirements are met.



STOCK CODE	COLOUR	CAPACITY	
JERICAN5	Green	1 ltr	1
JERICAN10	Green	10 ltr	1
JERICAN20	Green	20 ltr	1
JERICAN20BLK	Black	20 ltr	1

JERRY CAN METAL RUBBER NOZZLE

Metal spout allows more accurate pouring of jerry can contents without waste.

Metal construction with flexible rubber tip to prevent damage to receiving container, and rubber seal for a water-tight connection to the can.



STOCK CODE	
JERINOZ	1

PLASTIC WATER CONTAINER

WITH TAP

This 25 ltr Plastic White UN Approved Stackable Jerry Can 61mm Neck 1170g is manufactured from high-density polyethylene (HDPE). This makes it strong and lightweight. All of our jerry cans have a built-in handle.



STOCK CODE	CAPACITY	
PWC25	25 ltr	1

CLEAR IBC



STOCK CODE	SIZE	
PWC1000	1000 ltr	1

TRACTOR FUNNEL WITH FILTER

- Funnel aperture: 260mm x 170mm
- Spout diameter: 29mm
- Spout length: 120mm



STOCK CODE	
FUNTRA	1

PLASTIC DRUM

Manufactured from High-Density Polyethylene (HDPE) which makes is lightweight but extremely strong. All of our range of plastic drums and kegs are food grade and UN-Approved Certification. We offer open top and tighthead drums with a range of accessories such as tap caps and pumps to suit your business needs. Our plastic drums have a host of industrial uses such as food, beverage, oils, lubrication, soaps, detergents, sanitisers, alcohol, paint, chemicals and solvents.



STOCK CODE	CAPACITY	
DRUM220	220 ltr	1

LARGE PLASTIC FUNNEL

- Ideal for automotive applications
- Made from high-quality plastic
- Built-in hang hole for easy storage



STOCK CODE	
FUN200	1

FLEXIBLE FUNNEL

WITH METAL GAUZE

This 2-in-1 plastic funnel features a brass filter to prevent the ingress of unwanted matter and a 13 inch detachable flexible nylon spout.



STOCK CODE	
FUNMETLG	1

CAST IRON ROTARY BARREL PUMP

This Lumatic Cast iron rotary pump suits a 205 ltr drum.
It is suitable for diesel, motor, gearbox and hydraulic oils.



STOCK CODE	SIZE	
BARP205	205 ltr drum	1

LEVER ACTION BARREL PUMP

An efficient lever action pump for use with steel barrels. This heavy-duty pump features a diecast aluminium head and bung nut, with a zinc plated 38mm curved discharge spout and telescopic suction tube that adjusts to suit the barrel size.



STOCK CODE	SIZE	
BARP50	50 ltr - 205 ltr drum	1

ADBLUE BARREL PUMP



STOCK CODE	SIZE	
BARPADB	205 ltr	1

PUMP DISPENSER

FOR 5 ltr CONTAINER

This dosage pump provides closure for 5 ltr containers. It is made of durable plastic, and can be used to pump a variety of viscous liquids such as hand soaps, detergents, cooking oils, cleaning chemicals and waxes.
The pump can accommodate a variety of plastic and metal lids and closures with 38mm diameter. It dispenses a precise volume of 30ml with each pump, providing an accurate flow rate.



STOCK CODE	
PD5L	1

POLYTHENE OIL MEASURE JUG

WITH SPOUT

A heavy-duty oil measuring jug made of high grade white polyethylene with a dust protection screw cap and flexible, removable spout with cap. Fluids are protected against ingress of pollutants and the cap prevents drips and spillages.



STOCK CODE	CAPACITY	
MJUG1SPT	1 ltr	1
MJUG2SPT	2 ltr	1
MJUG5SPT	5 ltr	1

CLEAR PLASTIC MEASURING JUG



STOCK CODE	CAPACITY	
PJUG2	2 ltr	1
PJUG5	5 ltr	1

MESTO FIX PLUS PRESSURE SPRAYER

The compression sprayer is ideal for professional users. It offers plenty of comfort, such as a plastic pump with ergonomic pump handle and a 200cm oil resistant hose with integrated dirt filter.

- Oil resistant hose
- Base with foot ring
- Ergonomic shut-off valve



STOCK CODE	SIZE	
PSB5LE	5 ltr	1

METAL HIGH PERFORMANCE SPRAYER



STOCK CODE	CAPACITY	
MPS6L	6 ltr	1

PROFI PLUS SPRAYERS

Manual professional sprayer for a wide range of spray such as disinsection, disinfection, chemical products for construction, gardens and yards, agriculture, forestry, care of green spaces, etc.



STOCK CODE	CAPACITY	
PSB5LHD	5 ltr	1
PSB10LHD	10 ltr	1

PROFI PLUS ACCESSORIES

STOCK CODE	DESCRIPTION	
PPSP1421F	Spray Nozzle complete with Filter For Metal Lance End 	1
PPSP3655	Metal Spray Lance C/W Nozzle, Filter 	1
PPSP6224NL	Complete Pump Action Assembly Kit	1

WATER BOTTLE

FOR PETROL SAW

- Heavy duty water supply tank
- Portable water tank for sawing and drilling equipment
- Heavy futy carry handle
- 15 ltr capacity



STOCK CODE	CAPACITY	
WAT15B	15 ltr	1

TRIGGER SPRAY BOTTLE



STOCK CODE	SIZE	
PSB0.5L	500ml	1

PRESSURE SPRAY BOTTLE

Powerful pump action and pressure release valve. Shatterproof and frost-resistant. Includes variable jet brass nozzle for precise application of insecticides etc.

Colours may vary.



STOCK CODE	SIZE	
PSB2L	2 ltr	1

PRESSURE SPRAYER

Powerful pump action and pressure release valve. Shatterproof and frost-resistant. Includes variable jet brass nozzle for precise application of insecticides etc. Colours may vary.



STOCK CODE	SIZE	
PSB5L	5 ltr	1

BACKPACK SPRAYER

Comfortable, contoured backpack sprayer with harness and strong, integrated carry handle. Large filling hole with integrated filter to minimise blockages. Long-reach stainless steel lance with adjustable nozzle and trigger lock. Ideal for spraying water and diluted herbicides, pesticides, insecticides and fungicides. Includes extra nozzles and spares kit.



STOCK CODE	SIZE	
PSBP20	20 ltr	1

PRESSURE SPRAYERS

This extra lightweight handheld sprayer has a pump action facility for continual spraying. Ideally suited for spraying a variety of liquids e.g. water, herbicides, pesticides, insecticides, fungicides and solvent - free treatments.

This extra lightweight handheld sprayer has a pump action facility for continual spraying

Ideally suited for spraying a variety of liquids e.g. water, herbicides, pesticides, insecticides, fungicides and solvent-free treatments



STOCK CODE	SIZE	
PSB6.25LDR	6.25 ltr	1
PSB10L	10 ltr	1

WEED KILLER

DOFF Advanced Weedkiller kills weeds right down to the root. The weedkiller breaks down in the soil, meaning treated areas can be replanted.
Ready-to-use (RTU) formulation.



STOCK CODE	SIZE	
DOFFOA00	1 ltr Spray Bottle	1
WEEDKIL3L	3 ltr	1

SITE EQUIPMENT & CONSUMABLES

HOSE COMPRESSOR 300 PSI

COMPLETE WITH COUPLINGS

- 19mm / 3/4" diameter yellow compressor hose
- Complete with 'Q' couplings
- Length: 15m / 50 feet
- 300 PSI rating



STOCK CODE	LENGTH	
HOSC300	15m	1

COMPRESSOR HOSE GASKET



STOCK CODE	
HOSCGASK	1

WHIP CHECK CABLE FOR HOSE

- Small air hose whip check cables
- High quality part
- To suit 1/2" - 1.1/4" I hoses
- 550mm long



STOCK CODE	SIZE	
HOSWC01	1/2" - 1.1/4"	1

BLOW PIPE LANCE ASSEMBLY



STOCK CODE	HOLE SIZE	
BLOWPIPE1M	1m	1
BLOWPIPE2M	2m	1

SUBMERSIBLE PUMP

- Max. flow rate 300 ltr/min
- Maximum head (lift height) 10m
- Can pump small solids in suspension
- Robust cast iron base with filter
- Auto start / stop float switch



STOCK CODE	TYPE	
SUBP110V	110V	1
SUPB240V	240V	1

HOSE CLIP FOR USE WITH SUBMERSIBLE PUMP

STOCK CODE	
SUBPHC2	10

LAY FLAT HOSE



STOCK CODE	SIZE	LENGTH	
SUBPH1"50	1"	50m	1
SUBPH2"50	2"	50m	1
SUBPH100	2"	100m	1
SUBPH3"50	3"	50m	1
SUBPH3"100	3"	100m	1

PIPE CLIP

RUBBER LINED



STOCK CODE	SIZE	
PC8-10RL	M8-M10 x 8mm - 10mm	1
PC12-14RL	M8-M10 x 12mm - 14mm	1
PC15-19RL	M8-M10 x 15mm - 19mm	1
PC20-25RL	M8-M10 x 20mm - 25mm	1
PC26-30RL	M8-M10 x 26mm - 30mm	1
PC32-36RL	M8-M10 x 32mm - 36mm	1
PC38-43RL	M8-M10 x 38mm - 43mm	1
PC44-49RL	M8-M10 x 44mm - 49mm	1
PC50-55RL	M8-M10 x 50mm - 55mm	1
PC56-61RL	M8-M10 x 56mm - 61mm	1
PC62-67RL	M8-M10 x 62mm - 67mm	1
PC68-73RL	M8-M10 x 68mm - 73mm	1
PC75-80RL	M8-M10 x 75mm - 80mm	1
PC82-86RL	M8-M10 x 82mm - 86mm	1
PC87-92RL	M8-M10 x 87mm - 92mm	1
PC95-102RL	M8-M10 x 95mm - 102mm	1
PC108-116RL	M8-M10 x 108mm - 116mm	1
PC121-127RL	M8-M10 x 121mm - 127mm	1
PC131-141RL	M8-M10 x 131mm - 141mm	1
PC159-163RL	M8-M10 x 159mm - 163mm	1
PC165-168RL	M8-M10 x 165mm - 168mm	1
PC192-202RL	M8-M10 x 192mm - 202mm	1
PC210-220RL	M8-M10 x 210mm - 220mm	1

PIPE SADDLE CLAMP

TO SUIT 1.1/2 INCH PIPE



STOCK CODE	SIZE	
SADDLE48	48mm O.D	50

HOSE CLIP



BZP

STOCK CODE	SIZE	
HOS9512Z	9.5mm - 12mm	1
HOS1116Z	11mm - 16mm	1
HOS1320Z	13mm - 20mm	1
HOS1622Z	16mm - 22mm	1
HOS1825Z	18mm - 25mm	1
HOS2230Z	22mm - 30mm	1
HOS2535Z	25mm - 30mm	1
HOS3040Z	30mm - 40mm	1
HOS3245Z	32mm - 45mm	1
HOS4055Z	40mm - 55mm	1
HOS4560Z	45mm - 60mm	1
HOS5570Z	55mm - 70mm	1
HOS7090Z	70mm - 90mm	1
HOS90120Z	90mm - 120mm	1
HOS110140Z	110mm - 140mm	1
HOS135160Z	135mm - 160mm	1
HOS158190Z	158mm - 190mm	1
HOS184216Z	184mm - 216mm	1
HOS210242Z	210mm - 242mm	1

ST/ST

STOCK CODE	SIZE	
HOS9512A2	9.5mm - 12mm	1
HOS1116A2	11mm - 16mm	1
HOS1320A2	13mm - 20mm	1
HOS1622A2	16mm - 22mm	1
HOS1825A2	18mm - 25mm	1
HOS2230A2	22mm - 30mm	1
HOS2530A2	25mm - 30mm	1
HOS3040A2	30mm - 40mm	1
HOS3245A2	32mm - 45mm	1
HOS3550A2	35mm - 50mm	1
HOS4055A2	40mm - 55mm	1
HOS4560A2	45mm - 60mm	1
HOS5570A2	55mm - 70mm	1
HOS6080A2	60mm - 80mm	1
HOS7090A2	70mm - 90mm	1
HOS85100A2	85mm - 100mm	1
HOS90120A2	90mm - 120mm	1
HOS110140A2	110mm - 140mm	1
HOS135165A2	135mm - 165mm	1

PVC REINFORCED HOSE REELS

Hard-wearing, kink-resistant garden hose made from extra-thick, 3-ply PVC with braided polyester reinforcement. Frost and UV-resistant. Compatible with standard 12.7mm / 1/2" fittings.



STOCK CODE	LENGTH	COLOUR	
HOSY30	30m	Yellow	1
HOSG30	30m	Green	1
HOSG50R	50m	Green	1

BRASS DUAL TAP CONNECTOR

The quick-release push-fit dual tap connector fits both 12.5mm (1/2 inch) and 19mm (3/4 inch) taps for easy attachment and disconnection.
Manufactured from high-quality brass, suitable for use with all 1/2 inch bore garden hoses and compatible with all other UK water fittings.



STOCK CODE	SIZE	
FAIHOSETC	12.5mm & 19mm / 1/2" - 3/4"	1

HOSE TAP CONNECTOR

INCLUDES INSERT

Frost and UV-resistant ABS plastic. Threaded 1/2inch (12.7mm) and 3/4inch (19.05mm) BSP female connector and quick fit 1/2inch (12.7mm) male accessory connection.
Converts 1/2inch (12.7mm) male threaded taps to 1/2inch (12.7mm) male quick fit connection. Also converts 3/4inch (19.05mm) BSP garden taps when insert is removed.



STOCK CODE	SIZE	
HOSTC	1/2" & 3/4" - 1/2" hose	30

1/2" WATERSTOP HOSE CONNECTOR

The Basic Water Stop Hose Connector has an internal valve that stops the water flow when an accessory like a spray gun is disconnected. This saves having to return to the tap to turn the water off when switching between accessories. It also eliminates water wastage.

Made from premium grade UV-protected plastic. The connectors allow a 'Snap Fit' to ensure easy connection to all major watering brands.



STOCK CODE	SIZE	
HOSWHC	12.5mm / 1/2"	1

1/2 INCH HOSE REPAIR CONNECTOR

For repairing damaged hose, or permanently connecting two lengths of hose.



STOCK CODE	
HOSRC	1

1/2 INCH HOSE CONNECTORS

It is made from the highest quality materials for ultimate durability. Fits all connectors and can be used to extend length of hose or used as a temporary repair solution.

2 WAY

STOCK CODE	
HOS2C	1



This connector is great for watering different areas at one time, will split a flow of water in two different directions.

3 WAY

STOCK CODE	
HOS3WC	1



2 WAY HOSE TAP CONNECTOR

SUITS 1/2 INCH TAP

The 2-way tap connector allows two watering devices or hose pipes to be connected directly to one outside tap. It fits most garden taps and is supplied with 21mm (1/2inch BSP), 26.5mm (3/4inch BSP) or 33.3mm (1in BSP) adaptors.

The connector has two ergonomic quarter-turn valves with flow control. It is ideal for use with automatic watering systems.



STOCK CODE	
HOZ2252	1

4 WAY HOSE TAP CONNECTOR

The 4-way tap connector converts a single tap into 4 taps, each with its own flow control. It can also be used to connect two water computers to one tap.

The tap connector comes complete with a wall bracket, all screws and plastic wall plugs and two hose end connectors.



STOCK CODE	
FLO70300405	1

5 PIECE HOSE CONNECTOR SET

INCLUDES NOZZLE

Garden hose connector set. Includes 1 x 1/2inch quick connect with water stop, 1 x 1/2inch quick connect without water stop, 1 x 3/4inch BSP tap connector, 1 x 1/2" BSP tap connector and 100mm spray nozzle with infinite variable spray pattern.



STOCK CODE	
HOS5PS	1

VERSATILE SPRAY GUN

Features 9 pattern adjustable head with rubberised pistol grip. Includes 1/2" quick connect male to 3/4" BSP.



STOCK CODE	
HOSGUN	1

AIR BAG STOPPER HAND PUMP



- The answer to a variety of pipe sealing problems
- Range available for pipe diameters from 25mm to 450mm
- Easily inflated for trouble free pipe sealing
- Ideal for use in areas where access is smaller than the test diameter
- Extension hose available to facilitate remote sealing
- PVC Bags are supplied with standard hoses
- To create an air tight seal in pipes for a back pressure of 4"/100mm U Gauge, as requested by British Standards

STOCK CODE	
ABSHP	1

AIR BAG STOPPER



Fitted with Schrader valves, these canvas cases contain inflatable rubber bladders that fill quickly to block off pipes. Ideal for use in areas where access is smaller than the test diameter.

STOCK CODE	PIPE SIZE	
ABS100	100mm / 4"	1
ABS150	150mm / 6"	1
ABS225	225mm / 9"	1
ABS250	250mm / 10"	1
ABS300	300mm / 12"	1

DRAIN TEST KIT

- 4 inch "U" gauge
- 9 feet length of tubing
- Hand bellows
- "Y" piece 1/2 inch
- 1 inch test nipple cap



STOCK CODE	
DTK001	1

METAL CAP DRAIN STOPPER

- "Double Seal" plugs can be supplied to order
- Thrustwashers fitted as standard on all plugs 9" (225mm) & above
- Zinc plated – corrosion resistant to 90 hours salt spray test
- Combines the economy of price with the strength of steel



STOCK CODE	PIPE SIZE	
DSM40	40mm	1
DSM50	50mm	1
DSM65	65mm	1
DSM75	75mm	1
DSM100	100mm	1
DSM115	115mm	1
DSM125	125mm	1
DSM150	150mm	1
DSM200	200mm	1
DSM225	225mm	1
DSM250	250mm	1
DSM300	300mm	1
DSM350	350mm	1
DSM375	375mm	1
DSM400	400mm	1
DSM450	450mm	1

DRAIN TRACING DYE



The Baileys Drain Tracing Dyes are soluble in water and are used to locate the direction of water flow in pipes, drains etc.
The best way to use the dye is to dissolve the required amount into about five litres of water and then add into the flow or tank. The dilution rates assume that the dye is being added to clean water, for examle one 8oz jar will provide enough dye for approximately 15,000 ltr/3,300 gallons of water.
However, please note that dirty water will require a greater concentration of dye.

STOCK CODE	SIZE	COLOUR	
DTDB	200g	Blue	1
DTDG	200g	Green	1
DTDP	200g	Purple	1
DTDR	200g	Red	1
DTDY	200g	Yellow	1

UNIVERSAL MANHOLE COVER KEY KIT

WITH INTERCHANGABLE TIPS

An essential kit for absolutely everyone who needs to remove manhole covers as part of their job. This universal manhole cover lifting key kit ensures you don't have to carry around multiple keys and eliminates the problem of finding a manhole cover you simply don't have the key for.



STOCK CODE	
MHKUNI	1

MANHOLE COVER LIFT KEY

PACK OF 2

A rectangular shaped ends (lugs) and a triangular handles that provide a positive grip whilst allowing easy access for gloved hands. They have been zinc plated for increased protection against corrosion.



STOCK CODE	SIZE	
MHK01	150mm / 6"	1
MHK02	300mm / 12"	1
MHK03	508mm / 20"	1

BAILEY 1741 UNIVERSAL DRAIN DROP SCRAPER

It glides over small obstructions and drops into a vertical scraping position to allow offending material to be dragged back towards the operator.



STOCK CODE	SIZE	
BAI1741	6.3/4" x 3/8"	1

3/4 inch SINGLE HEAD HYDRANT STANDPIPE

- For temporary water supplies on building sites
- Fitted with a brass 3/4" hose union bib tap to BS1010
- Also fitted with a brass double check valve to BS6282
- WRC (Water Research Council) approved
- Hydrant base is 2.1/2 inch London pattern which will suit all areas of the UK except Milton Keynes and Belfast
- Can also be supplied with a 25mm MDPE female coupling
- Hydrant overall height is 1.08M
- Hydrant Key is made from 15mm dia. steel bar fitted with a 'T' handle



STOCK CODE	
HSP01	1

DRAIN ROD SET

10 RODS, DOUBLE WORM & PLUNGER (KIT)

- Compatible with many third party sets
- Constructed with universal joints and crimped riveted end connections for durability
- Ideal for general domestic drain clearing

Technical Specification:
Rod Length - 920mm
Rod Diameter - 18mm
Rod Material - Polypropylene

Supplied with:
10 x Universal Drain Rods
1 x Double Worm Screw
1 x 100mm Plunger



STOCK CODE	
UDRS12	1

HYDRANT STANDPIPE KEY



STOCK CODE	
HSK01	1

GULLY SILT GRAB

Gully Silt Grabs are for use on Meter Boxes, Road Gullies, Down Pipes etc. Easy to use - just push down on Handle to open the Grabs, insert into gully, pull handle up to close Grab, take out of gully and empty.



STOCK CODE	SIZE	
GULGRAB01	1.5m / 5"	1

DRAIN BRUSH



STOCK CODE	PIPE SIZE	
DAB4	100mm /4"	1
DAB6	150mm / 6"	1

WOODEN POLE LADDER



STOCK CODE	SIZE	
LADWP3	3m	1
LADWP4	4m	1
LADWP5	5m	1
LADWP6	6m	1

TELESCOPIC LADDER CLICK 'N' CLIMB

Click 'n' Climb is a 12 rung ladder that extends from 2'6" to 12'6" (3.8m) in just 11 clicks, all in a matter of seconds. Plus it can be extended to any intermediate height that the job demands, making it the ultimate versatile ladder for the tradesman. Once the job's been finished, each step collapses smoothly to return the ladder to a handy back-of-the-van size.

This version of the Click 'n' Climb ladder is fully certified to the latest EN131-6 specifications.



STOCK CODE	SIZE	
LADT11	3.8m	1

ALUMINIUM STEP LADDER SWINGBACK

- Made from high-grade aluminium for increased strength and durability
- Robust 150kg load capacity at a light weight of 2.1kg
- Non-slip treads provide a safe standing platform resistant to water, oil and most chemicals
- Fitted rubber feet for increased steadiness and protection against slips



STOCK CODE	SIZE	
LADA7	7 tread	1

FIBREGLASS STEP LADDER

Trade fibreglass step ladders. Robust, rot resistant, rigid and very stable, whilst being lightweight and easy to carry. Non-conductive fibreglass legs ideal for use where electrical hazards exist. Heavy duty, non-slip, extra depth (80mm) aluminium treads. Heavy duty rubber feet and metal side arms prevent slips and twists. Rigid box section back legs with additional cross braces and 'K' straps for improved strength and stability. Built-in tool and can holder.



STOCK CODE	SIZE	
LADF4	4 tread	1
LADF5	5 tread	1
LADF6	6 tread	1
LADF7	7 tread	1
LADF8	8 tread	1

YOUNGMAN SQUARE HOP UP

HEAVY DUTY



- Stable - broad base and splayed legs
- Ribbed platform and treads provide a slip resistant surface while working
- Tough over boots and locking legs provide a secure footing
- Easy to use and store

STOCK CODE	SIZE mm	
AWS600HD	600mm x 600mm	1

ACROW PROP PIN

WITH CHAIN & RING



- Acrow Prop Pin with Chain & Ring
- 16mm (5/8") EN8 pin
- 13 link 3mm x 26mm chain with 54mm I/D ring (Zinc Plated)
- Pin length: 103mm

STOCK CODE	
ACRO5	1

ACROW PROP DOUBLE CLIP

Used for connecting a 48.3mm scaffold tube and a 60mm acrow prop at any angle.



STOCK CODE	
ACROSCAFF	1

HEAVY DUTY ACROW PROP

- Strong and durable - outer tube rolled from a single piece of tube compared to those with two tubes welded together
- Green painted finish
- Manufactured to British Standard BS EN12811



STOCK CODE	SIZE	LENGTH mm		WEIGHT	
		Closed	Open		
ACRO0	0	1041	1829	11.3kg	1
ACRO1	1	1753	3124	16.3kg	1
ACRO2	2	1981	3352	17.5kg	1
ACRO3	3	2590	3962	20.2kg	1
ACRO4	4	3200	4876	23.8kg	1

ALUMINIUM HOP UP WORKSTAND

Lightweight but very sturdy aluminium folding work platform. Ideal working height of 500mm (20 inch) when carrying out painting, wallpapering and preparation work on ceilings, walls and windows. The large, flat platform area reduces the number of times you would have to reposition the work platform when compared with using stepladders. More comfortable on feet and legs for extended periods. Ideal for preparation, painting, wallpapering.
Strong, lightweight aluminium platform with anti-slip feet. Legs secured by 2 sprung catches.



STOCK CODE	SIZE mm	
AWS600	600mm x 600mm	1
AWS700	700mm x 300mm	1

BUILDERS TRESTLE

This multi-purpose, adjustable steel builders trestle is lightweight and suitable for indoor and outdoor use.

- Durable and easy to use
- Adjustable
- Lightweight steel construction



STOCK CODE	TYPE	DIMENSIONS	
BT01	Size 0	0.51m - 0.71m	1
BT02	Size 1	0.76m - 1.17m	1
BT03	Size 2	1.07m - 1.68m	1

CONNECTING CLIP FOR TEMPORARY FENCING

GALVANISED STEEL



STOCK CODE	
HERCLIP	1

FENCING SPANNER ANTI THEFT

- Double ended
- Scaffold and Heras Site Fencing Clamps



STOCK CODE	
HERSPAN	1

SCAFFOLD SPANNER

Hardened carbon steel whitworth scaffold spanner with swivel head. For older-style scaffold fittings.



STOCK CODE	SIZE	
SCASPA	7/16"	1

DOUBLE END SCAFFOLD SPANNER


Hardened carbon steel whitworth double-ended scaffold spanner with swivel head. For scaffold fittings.



STOCK CODE	SIZE	
SCASPAD	7/16" & 1/2"	1

BRICK GUARD

STOCK CODE	COLOUR	
BGBLK	Black	1
BGBLU	Blue	1
BGRED	Red	1
BGORA	Orange	1
BGYEL	Yellow	1
BGGRE	Green	1



SCAFFOLD SWING GATE

- Spring loaded and self-closing with fitted mesh
- Complete with reversible toe board top and bottom
- Gate only: 600mm wide
- Gate and scaffold clamps inclusive: 800mm wide
- Height: 960mm
- Material: Steel surface finish. Painted, electro-galvanised
- Weight: 9kg
- Scaffold fittings included



STOCK CODE	
SCAFGATE	1

SCAFFOLD FOAM PROTECTION

High visibility yellow polyethylene tube to provide impact protection on scaffolding rigs. The brightly coloured tubes are easy to see, serving to increase visibility to pedestrians.



STOCK CODE	SIZE	
SCAPR2M	2m x 48mm	1
SCAPR2MPK35	2m x 48mm	35

SCAFFOLD TUBES



STOCK CODE	TUBE SIZE	LENGTH	
SCATB	48.3mm	21'	1

CHROME PLATED SCAFFOLD HOOK

Scaffhook for quick attachment to scaffolding units. Double locking type gate opening.



STOCK CODE	
SCAHKCP	1

SCAFFOLD RING EYE BOLT




STOCK CODE	SIZE	
SCAFRE16	M16	1

KENNEDY BAR BENDING MACHINE

MANUAL

An extremely simple machine to operate, and built of steel to resist hard wear. The bending arm operates from beneath the work, facilitating the entry and withdrawal of the work to be bent, without any "top-hamper".



Mild Steel 45kg/mm^2	6mm - 20mm
High Tensile steel 85kg/mm^2	6mm - 16mm
Formers Included (4 qty)	38mm, 50mm, 63mm and 80mm
Other tooling included	Backstop, Workstop & Handle
Weight	14kg
Dimensions	1010mm x 180mm x 125mm

STOCK CODE	
KEN2016	1

SCAFFOLD TUBE END CAPS

- Tube end caps are also excellent for preventing debris entering the scaffolding tube
- Please contact us for bulk quantity prices



STOCK CODE	
SCAE01	1

SCAFFOLD TUBE NIPPLE CAPS

PACK OF 1000

- These nipple caps are stocked in an wide range of colours including yellow, orange, green, blue, red, black, white and pink
- Extremely high-quality dome shaped fittings end caps



STOCK CODE	
SCAEC02	1

BOLT BUDDY™

Identifying and protecting the exposed bolts on scaffold couplers preventing contact injuries for workers and public.



STOCK CODE	
SELBB	1

TUBE BUDDY™

Identifying and protecting the ends of scaffold tubes reducing contact injuries for workers and public. Prevents damage to buildings due to soft contact.



STOCK CODE	
SELTB	1

NIP BUDDY™

Identifying and protecting the exposed bolts on scaffold couplers preventing contact injuries for workers during construction.



STOCK CODE	
SELNP	1

HOARDING TAG KIT

PACK OF 10 HOLDERS, 10 TAGS AND PEN



STOCK CODE	
HOATAGK	1

PODIUM TAGS WITH HOLDER

PACK OF 10

Purpose designed status tagging system for podiums.

Ensures the latest status is instantly visible at the point of use.

Contains a handy, quick-reference podium inspection checklist to run through each time before using a podium.



Helps you to comply with legislative requirements and good practices of:

- Inspecting and maintaining equipment at suitable periods as deemed appropriate by a risk assessment
- Ensuring employees are informed if equipment is not safe to use.

STOCK CODE	
PTH10	1

MEWP TAG KIT

Purpose designed status tagging system to help control frequent inspections, maintenance and identification of MEWPs (Mobile Elevating Work Platforms).



STOCK CODE	
MEWPTAG	1

TEMPORARY WORKS TAG KIT

Designed for Temporary works.



STOCK CODE	
TEMPTAG	1

LADDERTAG

PACK OF 10 HOLDERS, 10 INSERTS AND PEN



STOCK CODE	DESCRIPTION	
LADTAG	Full kit	1

REFILLS

STOCK CODE	DESCRIPTION	
LADTAGH	Laddertag Holders - Pack of 10	1
LADTAGI	Laddertag Inserts - Pack of 10	1

EXCAVATION TAG KIT

PACK OF 10 HOLDERS, 10 INSERTS AND PEN




- Clearly communicates risks in excavated areas
- Excavation Tags enable you to increase workplace safety and compliance with EU Directive 92/57/EEC by communicating vital information at excavation entrances where it can be seen by all workers
- Complying with EU Directive 92/57/EEC on minimum safety requirements for excavations becomes easier with the Excavation Tags

STOCK CODE	DESCSRIPTION	
EXCTAG	Full kit	1

SCAFFTAG

PACK OF 10 HOLDERS, 10 INSERTS AND PEN




STOCK CODE	DESCRIPTION	
SCATAG	Full kit	1

REFILLS

STOCK CODE	DESCRIPTION	
SCATAGH	Laddertag Holders - Pack of 10	1
SCATAGI	Laddertag Inserts - Pack of 10	1

TIE TAG FOR LIFTING EQUIPMENT






Periodic Inspection Identity Tie Tag. Plain on one side with a calendar on the other.

- A self fastening tag with two variable closure slots
- Made from robust but user friendly TPU (polyurethane)
- Resistant to high and low temperatures
- Resistant to acid and alkali, oil, grease and solvent

STOCK CODE	COLOUR	
TIEBLUE	Blue	10
TIEGRN	Green	10
TIERD	Red	10
TIEYW	Yellow	10

NANOTAG™ HOLDER

PACK OF 20 HOLDERS, 40 CABLE TIES AND 1 PEN



Nanotag holder with prohibition status symbol designed to operate with Nanotag insert systems ensures the latest status is instantly visible at the point of use.
RFID enabled - Low frequency RFID chip embedded as standard
Durable - The Nanotag holder is manufactured from durable nylon
Impervious to dust, oil and water etc.
Attachment slots can accommodate stainless steel cable ties.
Weatherproof, UV protected and durable to withstand the toughest industrial environments.
Comply with The Safety Signs and Signals Regulations
A small price to pay for saving lives, legal compliance and efficient workplace inspections
The RFID chip makes the Nanotag™ perfect for on-site asset tracking in industrial environments where traditional barcode technology is vulnerable to deterioration and damage from dust, water, oil, grease and other environmental factors.

The 20mm low frequency RFID chip operates in the 125kHz range which makes it ideal for use in industrial environments where a lot of metal objects are present.

STOCK CODE	DESCRIPTION	
NANTAGH	Full kit	1


NANOTAG™ INSERT

PACK OF 10

A general purpose 'Next Inspection Date Due' status insert to clearly display latest safety, maintenance and identification information at the point of use.

A selection of coloured inserts are available providing the option of additional visual qualification.

Designed to operate alongside Nanotag holder.





NEXT INSPECTION DATE

STOCK CODE	DESCRIPTION	
NANTAGIRID	Insert only	1

NEXT TEST DATE

STOCK CODE	DESCRIPTION	
NANTAGIRTD	Insert only	1

SCAFFTAG MARKER PEN FINE POINT

PACK OF 10

STOCK CODE	
SCAPEN	1



TUFFBANK™

Built to a rigorous specification with a host of innovative features, TuffBank™ sets the industry benchmark for quality and functionality. A Sold Secure and Secured by Design accredited product, its heavy-duty steel plate construction and unique anti-jemmy technology means that it is virtually impregnable.



ARM11401

ARM11402





ARM11403

ARM11404





ARM11405

ARM11406





ARM11407

ARM11408



STOCK CODE	DESCRIPTION	WEIGHT	EXTERNAL SIZE W x D x H	INTERNAL SIZE W x D x H	
ARM11401	Van Box TB1	50kg	950mm x 505mm x 460mm	920mm x 470mm x 450mm	1
ARM11402	Truck Box TB12	58kg	1150mm x 495mm x 460mm	1120mm x 470mm x 450mm	1
ARM11403	Site Box TB21	60kg	760mm x 615mm x 640mm	730mm x 590mm x 540mm	1
ARM11404	Site Box TB2	80kg	1150mm x 615mm x 640mm	1120mm x 590mm x 540mm	1
ARM11405	Site Box TB3	97kg	1150mm x 615mm x 930mm	1120mm x 590mm x 840mm	1
ARM11406	Site Chest TBC4	127kg	1150mm x 615mm x 1265mm	1120mm x 590mm x 1175mm	1
ARM11407	Site Chest TBC5	153kg	1525mm x 615mm x 1265mm	1495mm x 590mm x 1175mm	1
ARM11408	Truck Box TB6	119kg	1925mm x 615mm x 640mm	1895mm x 590mm x 540mm	1

OXBOX™

OxBox™ tool vaults provide a fantastic combination of security and affordability. OxBox™ shares many of the premium features of our higher-priced storage box ranges, including locks, hinges, gas struts and paint finish. Its unique "folded" construction delivers outstanding strength.







STOCK CODE	DESCRIPTION	WEIGHT Kg	EXTERNAL SIZE W x D x H	INTERNAL SIZE W x D x H	
ARM10502	Van Box	32kg	885mm x 470mm x 450mm	830mm x 425mm x 435mm	1
ARM10503	Truck Box	41kg	1155mm x 450mm x 460mm	1130mm x 425mm x 445mm	1
ARM10505	Site Chest	89kg	1215mm x 595mm x 1185mm	1125mm x 570mm x 1090mm	1

FLAMBANK™

Built to the same high specification as our renowned TuffBank™ range, the Armorgard FlamBank™ is specially designed to comply with all COSHH regulations, ensuring that your hazardous substances are securely protected 24/7. Ideal for use on construction sites, in factories and in vehicles.



STOCK CODE	DESCRIPTION	WEIGHT Kg	EXTERNAL SIZE W x D x H mm	INTERNAL SIZE W x D x H mm	
ARM40602	Site Box FB21	64kg	765mm x 675mm x 670mm	675mm x 605mm x 575mm	1
ARM40603	Site Box FB2	82kg	1275mm x 665mm x 660mm	1185mm x 600mm x 575mm	1

GORILLA GAS CAGE™

Robustly constructed using 25mm box sections and 3mm wire mesh, the Gorilla Gas Cage™ features a unique modular bolt-together design using individual galvanised panels, making it quick and easy to erect and dismantle. Suitable for use on site or in the storage yard, it comes complete and ready to erect with all fixings and flat packs when not in use.



STOCK CODE	DESCRIPTION	WEIGHT	EXTERNAL SIZE W x D x H	INTERNAL SIZE W x D x H	
ARM41002	Gas Bottle Cage GGC3	60kg	912mm x 566mm x 1831mm	850mm x 500mm x 1800mm	1
ARM41003	Gas Bottle Cage GGC4	68kg	1212mm x 1266mm x 1231mm	1150mm x 1200mm x 1200mm	1
ARM41004	Gas Bottle Cage GGC5	67kg	912mm x 966mm x 1831mm	850mm x 900mm x 1800mm	1
ARM41005	Gas Bottle Cage GGC6	87kg	1212mm x 1266mm x 1831mm	1150mm x 1200mm x 1800mm	1
ARM41008	Gas Bottle Cage GGC9	135kg	1812mm x 1866mm x 1831mm	1750mm x 1800mm x 1800mm	1

INSTAGATE

InstaGate™ is a quick-to-deploy barrier that's robust and easy to extend to full length. Constructed from strong lightweight aluminium, this durable barrier can be wheeled into position, expanded and braked single-handedly. InstaGate™ forms a highly visible red and white barrier for enhanced safety in any situation, indoors or out.



STOCK CODE	WEIGHT	FOLDED SIZE W x D x H mm	EXTENDED SIZE W x D x H mm	
ARM20401	30kg	405x535x1335	2160x535x1335	1

LOADALL™ LA750

Save space, make handling easier and protect your materials from damage using LoadAll™ LA750. Whether in the yard or on-site, transporting large sheets of board has never been easier. Specially designed for storing and transporting plasterboard and other large sheet materials.




STOCK CODE	WEIGHT	FOLDED SIZE W x D x H mm	EXTENDED SIZE W x D x H mm	
ARM30504	70kg	1705x550x1305	2305x550x1805	1

CUTTINGSTATION™

Our ever-popular Armorgard CuttingStation™ is a neat mobile workstation that eliminates the need for a separate cutting room and is essential for safely cutting lengths of material, such as conduit, timber, cable tray and pipe. The SS7 model includes lighting and chamfered corners to further reduce noise. You'll also find a new expandable working area to accommodate mitre saws and cutaway sides for handling longer materials.





STOCK CODE	DESCRIPTION	WEIGHT	STANDARD SIZE W x D x H	EXTENDED SIZE W x D x H	
ARM20301	SS7 CuttingStation™	175kg	1390mm x 780mm x 1900mm	3225mm x 1090mm x 1900mm	1
ARM20302	SS7X CuttingStation™ with Extraction System	200kg	1390mm x 780mm x 1900mm	3225mm x 1090mm x 1900mm	1

DRUMCAGE™

DrumCage™ is the first choice for the safe storage of hazardous substances. With a unique COSHH compliant design, DrumCage™ is one of the few storage units on the market that is suitable for storing many types of hazardous substances, including gas and liquids.





STOCK CODE	WEIGHT	EXTERNAL SIZE W x D x H	INTERNAL SIZE W x D x H	SUMP CAPACITY	
ARM40501	215kg	1215mm x 1265mm x 2100mm	1150mm x 1200mm x 1800mm	290 ltr	1

FORMA-STOR™

GALVANISED & POWDER COATED STEEL

Forma-Stor™ is our popular secure store that can be constructed in as little as 10 minutes. With 5-lever deadlocks and jemmy-proof joins, the Forma-Stor™ is the most robust flat-pack store around. An ideal solution for contractors who need quick and convenient storage, these walk-in units are constructed using galvanised panels that fasten neatly together with very few tools.



STOCK CODE	WEIGHT	EXTERNAL SIZE W x D x H	INTERNAL SIZE W x D x H	
ARM10304	594kg	2075mm x 3995mm x 2160mm	1920mm x 3840mm x 1950mm	1

FORMA-STOR COSHH™

Forma-Stor COSHHTM is our innovative modular solution for on-site secure storage. Flat-packed Forma-Stor COSHHTM units can be constructed in around 10 minutes with very few tools and can be moved easily using built-in forklift pockets or lifting eyes. Galvanised panels fasten neatly together to provide a robust store that can be configured to bespoke sizes as a special order. Several HSE features have been carefully designed to enable contractors to meet COSHH regulations on-site.





STOCK CODE	WEIGHT	EXTERNAL SIZE W X D X H	INTERNAL SIZE W X D X H	SUMP CAPACITY	
ARM40903	553kg	2990mm x 2075mm x 2255mm	2840mm x 1920mm x 1960mm	680 ltr	1

LONG SHACKLE PADLOCK



A brass body, steel shackle and self-locking action. These brass bodied padlocks provide an excellent level of security. Each lock features a high strength, brass cylinder mechanism that is accurately machined, durable and rust resistant. They have stainless shackle springs and a steel shackle. This lock has a hardened anti-cut and saw resistant shackle with double locking tongues for improved security.
Each pack is supplied with 3 keys.
It combines a quality brass 5-pin tumbler mechanism and a hardened, cut and saw resistant shackle, along with a self-locking action to provide a high level of security. It is extremely resilient to all types of weather and suitable for outside applications.

STOCK CODE	SIZE	
PAD40DLS	40mm	6

SHUTTER PADLOCK

BRASS



Close shackle hardened steel armoured cover. Steel body and brass cylinder. Hardened steel rotating shackle prevents cutting with any type of saw. Double-locking cylinder with ball-bearing locking mechanism.

STOCK CODE	SIZE	
PADSHUT60E	60mm	6
PADSHUT80	80 mm	6

LAMINATED STEEL PADLOCK

The laminated padlocks are manufactured using individually galvanised plates with a case hardened steel shackle. They are designed for use where a higher level of security is required.
Each lock features a high strength, brass cylinder mechanism that is accurately machined, durable and rust resistant and has a stainless steel shackle spring.
The padlocks are fitted with an all round safety bumper to protect surrounding paintwork.
Suitable for sheds, garages, luggage, lockers, toolboxes, gates, bikes and many other security uses around the home and workplace.
Each padlock is supplied with 3 keys.



STOCK CODE	SIZE	
PAD65L	40mm	1

COMBINATION PADLOCK



A solid brass body with a 4-pin brass tumbler mechanism. It has a hardened and plated steel shackle encompassing a self locking action.

The 4-digit combination system can be simply changed at any time to any one of 10,000 possible combinations. To change the number, simply turn the shackle 180 degrees and push into padlock body and rotate the dials to the desired new number.

STOCK CODE	SIZE	
PAD28CO	28mm	6
PAD38CO	38mm	6

4 DIGIT COMBINATION PADLOCK



Solid brass body and steel shackle.

STOCK CODE	
PADCP50E	1

DOUBLE LOCKING BRASS PADLOCK

These brass bodied padlocks provide an excellent level of security. Each lock features a high strength, brass cylinder mechanism that is accurately machined, durable and rust resistant.

They have stainless shackle springs and a steel shackle. All locks above 30mm in body size have hardened anti-cut and saw resistant shackle with double locking tongues for improved security.




STOCK CODE	SIZE	
9778	30mm	6
9779	40mm	6
9780	50mm	6
9781	60 mm	6

ABUS TITALIUM PADLOCK

The ABUS 64TI Series TITALIUM™ Padlocks are ideal for medium to high risk of theft, recommended for a wide range of security requirements. All models in this series have a paracentric keyway and chrome plated cylinder cores. Hardened steel shackle, 30mm and above, with NANO PROTECT™ shackle coating which assures security and high corrosion resistance.

TITALIUM™ is based on a special aluminium alloy, a mixture of materials is created that is extremely durable and lightweight; similar to the process used in aircraft construction. Compared with classic brass padlocks, the locks in the TITALIUM™ series are around 30% lighter but feature the same level of security making them excellent value for money.



STOCK CODE	SIZE	
ABUKA54587	40mm	1

SQUIRE CP60 STANDARD

Squire Warrior High-Security Padlocks are made from armoured steel. Constructed for extreme durability outdoors, these heavy-duty padlocks are designed for securing garages, site equipment, vans, perimeter gates, storage areas and numerous other commercial applications.

The padlocks have diecast internal mechanisms which are protected by the hardened armoured steel exterior. This provides excellent resistance to attack, which is further assisted by the use of hardened boron alloy for the shackles. The bodies are covered in a tactile, weather resistant jacket.



These combination padlocks are re-codeable and uses a patented mechanism which provides 10,000 variations on this model.

CRIMESTOPPERS supported.

STOCK CODE	SIZE	
HSQWC55	55mm	1

DUAL MULTI LATCH 02-ST PADLOCK

A versatile solution to shared access that takes two padlocks. This unit can be fitted wherever a padlock fits. Ideal for electricity cabinets, gates and doors.



STOCK CODE	
THP2MLST	1

SQUIRE COMBINATION PADLOCKS

The Squire CP Combination Padlock delivers heavy-duty security and there are no keys to lose. The die-cast alloy lock body has a dual compound protective cover for high corrosion resistance and excellent weather protection. All locks can be coded and re-coded as required and they can be coded alike, so one code opens several locks.

The combination wheels are spaced comfortably apart, making them easier to use, with push-button operation. The recodable mechanism offers 10,000 possible combinations on the 4-wheel and 100,000 possible combinations on the 5-wheel, making them very difficult to pick.

It comes with a 10 Year Guarantee.

CRIMESTOPPERS endorsed.



STOCK CODE	BODY WIDTH	SHACKLE	
HSQCP5015	50mm	Ø 8mm - 38.1mm x 22.6mm	1
PADCP50	50mm	Ø 8mm - 26mm x 22.6mm	1
HSQCP60	60mm	Ø 10mm - 28mm x 30mm	1

DIGITAL LOCK WITH HOLDBACK

- Light duty code lock - suitable for low traffic offices and storerooms
- Use on interior doors only
- Suits doors 33-55mm thick
- Supplied with 60mm backset deadlocking tubular latch
- Includes holdback function - ideal for areas which require the door to be left unlocked for periods as required
- Reversible for left or right hand applications
- Over 8000 code options

All mechanical code locks use non-sequential codes, which means the 4-digit code can be entered in any order - e.g. 1234 can be 4321 or 1342. This is a lower security option than electronic locks but makes them ideal for smaller businesses or premises looking for the convenience and security of access control on a smaller budget.



STOCK CODE	
DIGLOCK	1

DISCUS PADLOCK

ST/ST



A waterproof, anti-corrosion stainless body and a hardened steel shackle. It has a 5-pin brass tumbler lock mechanism giving 1,875 key differs and is supplied complete with 3 keys.

Heavy duty stainless steel construction with maximum corrosion resistance. Hardened rotary action double-locking steel shackle provides extra protection against hacksaw and cropping attacks. Laser-welded lock body limits moisture ingress and protects internal locking mechanism, which is double-bolted for extra strength to resist torsion and pull attacks. 5-pin cylinder increases protection against picking.

STOCK CODE	SIZE	
PADSSD70	70mm	1
PADSSD90	90mm	1

4 DIGIT DISCUS PADLOCK



The Master Lock Excell™ Discus Combination Padlocks are made with cutting edge technology to deliver unprecedented security. They feature tough cut patented octagonal boron carbide shackles which are 50% tougher to cut than hardened steel.

They offer optimum weather resistance with the additional security of a shrouded shackle, which is much tougher to pull/pry open. This padlock has a set-your-own 4-digit combination for keyless convenience.

Supplied with a Lifetime Warranty against mechanical failure.

Suggested uses: gates, sheds, storage units, fences, containers and chains.

STOCK CODE	SIZE	
PADD70COM	70mm	1

KEY CABINETS

- Lockable doors
- Includes wall mounting kit





STOCK CODE	SIZE	
KCH01	20 Keys	1
KCH02	48 Keys	1
KCH03	90 Keys	1

KEY RING TAGS

PACK OF 12

- Key ring with plastic key fob
- Markable tab for easy identification



STOCK CODE	
KRNG12	1

MASTER LOCK 5401E WALL MOUNTED KEY LOCK

BOX UP TO 5 KEYS

- 4-digit combination for keyless convenience
- Inside & outside use
- External: 146mm x 106mm x 53mm
- Internal: 115mm x 77mm x 40mm



STOCK CODE	
MLK5403E	1

SLEEVED HIGH SECURITY CHAIN

HARDENED STEEL

Hardened steel with 10mm thick links. Large internal link size (16mm x 50mm) for use with large shackles. Yellow passivated for increased corrosion resistance. Hard-wearing sleeve to reduce impact damage.



STOCK CODE	SIZE	
CHA12010S	1.2m x 10mm	1
CHA1508S	1.5m x 8mm	1

HEAVY DUTY HIGH SECURITY SLEEVED CHAIN

Tough, square, hardened steel links, weather-resistant PVC sheath. Yellow passivated for increased corrosion resistance. Secures gates, bikes, outdoor furniture and valuable outdoor items.
Internal link size 16mm x 38mm for use with larger padlock shackles.



STOCK CODE	LENGTH	
CHA1MS	1.5m	1

LONG LINK CHAIN

- Mild steel side-welded chain with a hard wearing, this chain is rust resistant
- Hot dipped galvanised chain, suitable for external use





BZP

STOCK CODE	SIZE	
9790	3mm x 26mm x 1m	1
9791	4mm x 32mm x 1m	1
9792	5mm x 35mm x 1m	1
9793	6mm x 42mm x 1m	1
CHA8MM	8mm x 32mm x 1m	1

GALV

STOCK CODE	SIZE	
10MMGALVCHAIN	10 mm x 1m	1

HARDENED SECURITY CHAIN

WITH SLEEVE 10mm



STOCK CODE	SIZE	
MLK8019E	1m	1

LIGHT DUTY DOOR CLOSER

SILVER

Suits wooden doors


Power size	3
Mechanism function	Fixed power, closing/latching speed
Maximum door width	950mm
Maximum door weight	60kg
Mechanism type	Rack & pinion



STOCK CODE	
DOORCLDS3	1

T BUTT HINGES

- Light pattern designed for lightweight projects.
- EXB (Epoxy Black) finish offers resistance to corrosion




BLACK

STOCK CODE	SIZE	
THBL150	150mm	10
THBL230	230mm	10
THBL300	300mm	10
THBL375	375mm	10
THBL400	400mm	10
THBL450	450mm	10

BZP


STOCK CODE	SIZE	
THBZP150	150mm	10
THBZP230	230mm	10
THBZP300	300mm	10
THBZP375	375mm	10
THBZP450	450mm	10

BRENTON PATTERN 2A



STOCK CODE	SIZE	FINISH	
PATB152	152mm	Black	1
PATB203	203mm	Galv	1
PATB300	300mm	Galv	1

TOWER BOLT



STOCK CODE	SIZE	FINISH	
TBBL75	75mm	Black	1
TBBL100	100mm	Black	1
TBBL150	150mm	Black	1
TBBL200	200mm	Black	1
TBBZP100	100mm	BZP	1
TBBZP150	150mm	BZP	1
TBBZP200	200mm	BZP	1

HASP & STAPLE


BZP



STOCK CODE	SIZE	
HAS75	75mm	10
HAS114	114mm	10
HAS150	150mm	10

BUTT HINGES


PAIR BZP



STOCK CODE	TYPE	SIZE	
BUT75	Light Duty	75mm	10
BUT100	Light Duty	100mm	5
BUT100HBZP	Heavy Duty	100mm	5

ADJUSTABLE GATE EYE BOLTS 2 X NUTS

Heavy self locking gate catch is supplied with the standard cranked peg, it provides full functionality from both sides of the gate, it is automatically locked when closed and can be padlocked for extra security.



STOCK CODE	SIZE	
2220	M20 x 150mm	1

ALUMINIUM HAT AND COAT HOOK



STOCK CODE	SIZE	
COATHOOK	127mm	10

SHELVING SYSTEM TWIN SLOT BRACKETS

- Max load bearing capacity 220 lbs per shelf



STOCK CODE	LENGTH	
	UPRIGHTS	
SPURUP710	710mm	1
SPURUP1000	1000mm	1
SPURUP1220	1220mm	1
SPURUP1600	1600mm	1
SPURUP1980	1980mm	1
SPURUP2400	2400mm	1
	BRACKETS	
SPURBR220	220mm	1
SPURBR270	270mm	1
SPURBR320	320mm	1
SPURBR370	370mm	1
SPURBR470	470mm	1

GENERAL PURPOSE PAINT BRUSHES

PURE BLACK BRISTLE, BUDGET PAINT BRUSH



STOCK CODE	SIZE	
9490	25mm / 1"	12
9491	50mm / 2"	12
9493	75mm / 3"	12
9492	100mm / 4"	12
9890	150mm / 6"	12

STANLEY. HOBBY PAINT BRUSHES



STOCK CODE	SIZE	
STAPBHOB25	25mm / 1"	12
STAPBHOB50	50mm / 2"	12
STAPBHOB75	75mm / 3"	12
STAPBHOB100	100mm / 4"	12

5 PIECE PAINT BRUSH SET

- Suitable for use with all types of paint
- Rust-resistant ferrule and a contoured handle for greater user comfort
- 9mm / 3/4 inch
- 25mm / 1 inch
- 38mm / 1.1/2 inch
- 50mm / 2 inch
- 75mm / 3 inch



STOCK CODE	
9982	1

3 PIECE PAINT BRUSH SET

- Thick, pure bristle
- Excellent paint loading and even distribution



STOCK CODE	
PRS3	1

STANLEY MASONRY BRUSH

- Designed for the application of all types of cement sand and stone based paints and exterior wall paint
- Synthetic bristles and a special pot clip to hang the brush easily when not in use



STOCK CODE	SIZE	
MASBRU	125mm / 11"	12

PASTE BRUSH

WIDE SYNTHETIC BRISTLE BRUSH



STOCK CODE	SIZE	
PASBRSH	140mm x 30mm	1

FOAM MINI ROLLER REFILL

PACK OF 10

- Suitable with all gloss paints
- Suitable for use on all smooth surfaces
- Low density foam roller sleeves



STOCK CODE	SIZE	
ROLR4	100mm / 4"	1

MEDIUM PILE MINI ROLLER REFILL

PACK OF 10

- Medium pile
- Trade quality mini refills



STOCK CODE	SIZE	
9489	100mm / 4"	1

MEDIUM PILE PAINT ROLLER SLEEVE

- Trade quality refill
- Ideal for smooth & semi rough surfaces



STOCK CODE	SIZE	
ROLS9	230mm / 9"	6

ROLLER HANDLE & 2 REFILLS

- Suitable for use with gloss and emulsion paints
- Pile rollers 2 x 100mm / 4 inch
- Roller frame 1 x 530mm / 21 inch



STOCK CODE	
ROLKIT4	1

MINI ROLLER LONG HANDLE

- Simple push-fit sleeve connection
- Galvanised steel frame for 100mm mini roller sleeves



STOCK CODE	SIZE	
9479	600mm	1

PAINT ROLLER HANDLE

- Heavy duty, galvanised steel paint roller frame
- Use with 230mm slide-on sleeves



STOCK CODE	SIZE	
PRH9	230mm / 9"	1

MINI TRAY, ROLLER FRAME & 2 REFILLS

- Mini roller kit with tray, foam refill, emulsion refill and frame
- Use with emulsion, gloss & satin paints



STOCK CODE	SIZE	
PRS4	100mm / 4"	1

TRAY, ROLLER FRAME & 2 REFILLS

Twin 9 inch polyester refills, frame and 9 inch plastic tray.



STOCK CODE	SIZE	
PRS9	230mm / 9"	1

PAINT TRAY

- General-purpose roller paint tray
- Tough and sturdy, with a deep paint reservoir



STOCK CODE	SIZE	
PPT4	100mm / 4"	1
PPT9	230mm / 9"h	1

SOFT GRIP SEAM ROLLER



STOCK CODE	SIZE	
50MMSR	500mm	1

ROLLER FRAME EXTENSION POLE

- Aluminium extension poles that can be adjusted to the required length
- Easy push-fit adaptor system that will accept all 180mm / 7 inch, 230mm / 9 inch and 300mm /12 inch roller frames



STOCK CODE	SIZE	
ROLEXT	1m - 2m	1

PROFESSIONAL FILLING KNIFE

- Stainless steel blade for long-life
- Use to insert filler into cracks or holes, in wood or plaster



STOCK CODE	SIZE	
FK25	25mm	1
FK50	50mm	1
FK75	75mm	1
FK100	100mm	1
FK150	150mm	1

PAINT SCRAPER

- Trade quality
- Stainless steel blade with solid bolster



STOCK CODE	SIZE	
PAISCR3	75mm	1

FILLER AND SPREADER SET

4 PIECE STAINLESS STEEL

- Set for applying and finishing fillers
- Fitted with flexible stainless steel blades and a soft grip, solvent resistant handles
- Sizes: 50mm, 75mm, 100mm & 150mm



STOCK CODE	
FAISGFILLERS	1

RUBBER HANDLE STRIPPING KNIFE

- Stainless steel blade for long-life and resistance to corrosion
- Soft grip handle provides greater comfort



STOCK CODE	SIZE	
STRK2	50mm / 2"	1
STRK3	75mm / 3"	1
STRK4	10mm / 4"	1

HEAVY DUTY LONG HANDLE PAINT SCRAPER

Comes with 2 spare blades.



STOCK CODE	BLADE SIZE	
PAISCRSH4	100mm / 4"	1

PAINT SCUTTLE

For use with all types of paint and wallpaper paste.



STOCK CODE	SIZE	
PAISTA15	15 ltr	1

SUPER ABSORBENT JUMBO SPONGE



STOCK CODE	
SPO001L	1

DUSTING BRUSH

Used to clear dust and dirt prior to painting.



STOCK CODE	SIZE	
FAIPBDUST	100mm x 70mm x 22mm	1

PLASTIC PAINT KETTLE

- For use with all types of paint
- Can also be used for mixing wallpaper paste or holding nails, screws and small tools when working at height



STOCK CODE	SIZE	
PPK1	1 ltr	1
PPK25	2.5 ltr	1

OXIDE SANDPAPER

115mm x 50m

- Aluminium oxide
- Full resin bond
- Flexible backing paper
- Long-life, high-performance abrasive
- Use with 1/2 sheet sanders, palm sanders and for hand sanding



STOCK CODE	GRIT	
SPR40G	40	4
SPR60G	60	4
SPR80G	80	4
SPR100G	100	4
SPR120G	120	4
SPR180G	180	4
SPR240G	240	4

STANLEY. POLE SANDER

The Stanley Aluminium Pole Utility Sander with a heavy-duty ribbed aluminium body which stays flat and rigid, and with a bi-material handle. Has an efficient clamp design to hold paper or screen firmly in place; accepts most sandpaper and sanding screens .



STOCK CODE	
POLESAND	1

PRIMER PAINT

- Premium quality high opacity paint
- Acrylic-based formula
- Wear and scratch resistant
- Supplied with two nozzles

2 NOZZLE TYPES INCLUDED



STOCK CODE	COLOUR	SIZE	
9442	Grey	400ml	12
9443	White	400ml	12
9444	Red	400ml	12

ACRYLIC FINISHING PAINT

- Acrylic Finishing Paint
- Acrylic formulation for greater flexibility
- Gives excellent adhesion
- Direct spray and fan spray
- Compatible with most materials
- Can be applied over previously painted surfaces
- Wear and scratch resistant
- High opacity
- Supplied with two nozzles

2 NOZZLE TYPES INCLUDED





STOCK CODE	COLOUR	SIZE	
9445	RAL 9005 Matt Black	400ml	12
9446	RAL 9005 Satin Black	400ml	12
9447	RAL 9005 Gloss Black	400ml	12
9448	RAL 9010 Gloss White	400ml	12
9449	RAL 9006 Bright Silver	400ml	12
9450	RAL 5010 Gloss Blue	400ml	12
9451	RAL 6001 Gloss Green	400ml	12
9452	RAL 3000 Gloss Red	400ml	12
9474	RAL 2004 Gloss Orange	400ml	12
9453	RAL 1007 Gloss Yellow	400ml	12

OXIDE PRIMERS



STOCK CODE	TYPE	SIZE	
9477	Red Iron Oxide	5 ltr	1
9478	Epoxy Zinc Phosphate	5 ltr	1

UNIVERSAL THINNER

- Primarily for use with high build primers and etch primers
- Not suitable for use with cellulose



STOCK CODE	SIZE	
9483	5 ltr	1

HAMMERITE METALPAINT

Hammerite Direct To Rust Metal Paint can be painted directly onto rusty surfaces and, thanks to its special 3 in 1 formula, there is no need to use a primer or undercoat - saving you precious time!
Hammerite forms a superior barrier that not only seals out moisture, but also gives long lasting protection, both inside and outside.
Touch dry in an hour, Hammerite is corrosion resistant and is suitable for use on a wide range of exterior metal including gates, railings, drainpipes, guttering and garden furniture.
Protects for up to 8 years.



STOCK CODE	SIZE	COLOUR	
HMMSFBL750	750ml	Smooth Black	1
HMMSFW25L	2.5 ltr	Smooth White	1
HMMSFB5L	5 ltr	Smooth Black	1

MASONRY PAINT



STOCK CODE	SIZE	COLOUR	
WHIMAS5L	5 ltr	White	1

WHITE GLOSS EXTERNAL PAINT

A premium quality decorative and protective finish. For use over correctly prepared joinery and metal.



STOCK CODE	SIZE	COLOUR	
WHIPAINT5L	5 ltr	White	1

HAMMERITE SMOOTH METAL PAINT BLACK

Hammerite Direct To Rust Metal Paint can be painted directly onto rusty surfaces and thanks to its special 3 in 1 formula there is no need to use a primer or undercoat - saving you precious time!



STOCK CODE	SIZE	COLOUR	
HMMSFBL25L	2.5 ltr	Smooth Black	1

ANTISLIP FLOOR PAINT



STOCK CODE	SIZE	COLOUR	
ANTISLIPYEL	5 ltr	Yellow	1

DULUX MASONRY PAINT



STOCK CODE	SIZE	COLOUR	
PAIWHEM7.5	7.5 ltr	White	1

MATT EMULSION PAINT



STOCK CODE	SIZE	COLOUR	
PAIWHEM10	10 ltr	Brilliant White	1

GLOSS PAINT



STOCK CODE	SIZE	COLOUR	
BLKPAINT5L	5 ltr	Black	1

STRYPIT PAINT & VARNISH

Rustins Strypit is a non-caustic dichloromethane-free gel suitable for removing multiple coats of paint or varnish applied to wood, metal, glass, stone and masonry surfaces. Strypit works best when applied liberally and allowed to penetrate after 2 applications. The gel consistency permits effective use on vertical surfaces.



STOCK CODE	SIZE	
RUSNFS500	500ml	12

WHITE UNDERCOAT

A high quality undercoat for use over correctly prepared and primed joinery and metal. For interior and exterior use. Excellent opacity and good wet edge retention. Coverage up to 18m² per litre.



STOCK CODE	SIZE	
WHIUNDER	5 ltr	1

LOW ODOUR WHITE SPIRIT

Same properties as traditional white spirit but with reduced odour. Can be used for thinning paint, cleaning brushes and general cleaning/ degreasing.
Hazard Safety Codes:
F, Xn, R10, R65/66.



STOCK CODE	SIZE	
WHSPLO2LTR	2 ltr	8

ONE HOUR DECORATORS CAULK

- Two-in-one filler and sealant: higher permanently flexible and slump resistant properties have been specifically designed to provide better gap filling and sealant functions
- Quick curing time: Rapid tack time of 15 minutes which can be overpainted after 1-hour
- No prior sanding down required
- No-sagging, provides a permanently flexible, sump resistant seal



STOCK CODE	SIZE	
CAULK300ML	300ml	12

DIGITAL THERMOMETER RANGE -40°C TO 250°C

Pocket-sized, slimline digital probe thermometer. Thin stainless steel probe, quick response time and hold function.



STOCK CODE	
THM02	1

THERMOMETER PRESS BUTTON RANGE -40° C TO +50° C

Plastic rectangular thermometer with colour-coded graduations and easy-to-read Celsius and Fahrenheit temperature scale. Suitable for indoor and outdoor use. Wall mounted, ideal for the home, conservatory or greenhouse.



STOCK CODE	
THM01	1

PAT TEST LABELS PASSED GREEN

500 PER PACK

- Easy to use polyvinyl label-excellent durability
- Labels come "fan folded" so they are flat and easy to write on
- Labels are kept clean in a slim cardboard carton
- Fits into Kenan plastic label protectors



STOCK CODE	
PTLPG	1

MULTIMETER WITH LCD DISPLAY

Multimeter can be used for the measurement of DC / AC voltage, DC current and Resistance and for Diode and Transistor testing and Audible Continuity testing



STOCK CODE	
MULTIMLCD	1

MULTIFUNCTION PRO ANEMOMETER

HANDHELD

- Wind speed, wind temperature, wind chill, low battery indicator on bright backlit LCD screen. BT-100 is a portable wind speed gauge that can accurately measure wind speed in 5 units: m/s, km/h, ft/min, knots, mph. Wind Temp in °C/°F (Degree Celsius/Fahrenheit)
- High Precision Wind Meter. Wind Speed Meter for measuring wind speed range 0.3~30m/s(+/- 5% of readings), Wind temperature range -10°C~45°C(+/- 2°C), Resolution 0.1m/s; 0.2°C. With 2 sensitive sensors and 8-leaves sensitive fan, this BT100 Pro high accuracy Anemometer can help you with HVAC installation, CFM calculation, Duct ventilation.
- Tripod Hole for Mounting. There's a metal threaded hole on the bottom of the anemometer, so you can fix it on a tripod for continuous wind measurement to set your hands free when you fly drones, rc planes, wings, helicopters and quads, long distance shooting.



STOCK CODE	
ANEMTR	1

LOLLIPOP STOP AND GO TRAFFIC SIGN

- Engineer grade reflective face
- Vivid colours
- Excellent strength to weight ratio
- Will not rot, rust or corrode
- Shatterproof
- Fully recyclable



STOCK CODE	
SGSIGN	1

ROAD CONE

Used as a safety measure during road works or any situation which requires traffic management.

Size:
465mm Base
750mm Height



STOCK CODE	
RCN750	1

AIR HORN



- Ideal for providing temporary cover
- 200ml can for multiple uses
- Non flammable gas

STOCK CODE	
AIRH001	12

PLASTIC WHISTLE AND LANYARD

Lightweight plastic whistle comes with a useful lanyard.



STOCK CODE	
WHISLAN	12

FOX 40 ELECTRONIC WHISTLE

3 TONES

- Just a push of a button provides a loud, clear and consistent sound Features
- Offers a hygienic solution for multiple operators 4-switch, three tone functions
- Tone 3 sound can be aimed in specific directions includes detachable wrist lanyard and 9-volt battery



STOCK CODE	
WHISFOX40	1

DIGITAL STOP WATCH

The stopwatch can display calendar and clock, hour, minute, second, week, month, day, selectable 12/24 hour.



STOCK CODE	
STPWAT	1

MOTOROLA TLKR 60 TWO WAY WALKIE TALKIE

TWIN PACK

The T60 walkie talkie is license free and includes key features such as LCD display, 8 channels and up to 8km range, with no call charges.



STOCK CODE	
TLKR60	1

CO2 FIRE EXTINGUISHERS

- Kitemarked to BSEN3
- Powder coated corrosion resistant finish
- Lightweight steel



STOCK CODE	SIZE	
FE2CO2	2 ltr	1
FE5KG	5 ltr	1

FOAM FIRE EXTINGUISHERS

- Spray nozzle
- Corrosion resistant finish
- Internal polyethylene lining
- Protective plastic base
- CE marked
- Lloyds Register certified



STOCK CODE	SIZE	
FE2FOAM	2 ltrr	1
FE6LTR	6 ltr	1
FE9FOAM	9 ltr	1

WATER FIRE EXTINGUISHERS

- Corrosion resistant finish
- Internal polyethylene lining
- Protective plastic base
- CE marked
- Lloyds Register certified



STOCK CODE	SIZE	
FE9LTR	9 ltr	1

DRY POWDER FIRE EXTINGUISHERS

- Corrosion resistant finish
- Protective plastic base with 6 and 9kg
- CE marked
- Lloyd's Register certified



STOCK CODE	SIZE	
FE2KG	2kg	1
FE6KG	6kg	1
FE9KG	9kg	1

FIRE BLANKETS

This fire blanket is ideal for household kitchens, homes caravans, garages, offices etc.

- 200g cloth ensures both flexibility and durability
- Kitchen fire safety



STOCK CODE	SIZE	
FBLAE	1m x 1m	1
FBLA18	1.8m x 1.2m	1

FIRE EXTINGUISHER STANDS

- Robust rotationally-moulded design
- Manufactured in high impact and chemical resistant plastic



STOCK CODE	SIZE	
FESINS	Single	1
FEDOUS	Double	1

SMOKE ALARM

Compact and versatile, this smoke alarm is easy to install and offers continuous protection for ten years with no change of battery required.



STOCK CODE	
SMOALA01	1

STANDPIPE

Used to connect hoselines to the mains water supply via an underground hydrant valve.

WRAS Approved standpipes complete with single or double bib-taps.



STOCK CODE	TYPE	
SPSIN	Single Head	1
SPDOU	Double Head	1


COATED LAYFLAT FIRE HOSE

DIAMETER 64mm / 2½ inch



STOCK CODE	COLOUR	
FH64BLUE	Blue	1
FH64RED	Red	1
FH64WHITE	White	1

PUTTY PAD



STOCK CODE	SIZE	
SINPUTPAD	170mm x 170mm	20
DOUBPUTPAD	230mm x 170mm	20

INTUMESCENT STRIP FIRE

WHITE

Intumescent door seals are designed to close the gap between the fire door and frame in the event of a fire thereby preventing the spread of smoke and hot gasses. Once installed the seals can lay dormant for many years only activating when exposed to the rising temperatures and pressures in a fire situation.



STOCK CODE	SIZE	
INTUSTRIPWHI	15mm x 4mm x 2.1m	1

GYPROC FIRE STRIP

This linear intumescent gap sealer makes buildings safer by stopping fire from spreading through deflection heads within British Gypsum systems.

Pack of 5 rolls



STOCK CODE	LENGTH	
BGFS3.6	3.6m	1

STOCK LEVELS

98.83%

FULFILMENT RATE

CARPENTER PENCILS

SUITABLE FOR GENERAL CARPENTRY



STOCK CODE	PACKAGING	
PENC3	Pack of 3	1
PENC12	Tube of 12 + pencil sharpener	1

CARPENTER YELLOW PENCIL

BOX OF 72

Suitable for general carpentry.



STOCK CODE	COLOUR	
PENCB72	Yellow	1

CHINAGRAPH ALL-SURFACE PENCILS

PACK OF 12



STOCK CODE	COLOUR	
PENCCHIY	Yellow	1

IRWIN CRAYON

YELLOW

Waterproof crayon suitable for timber, concrete, ceramics and metal, oily, slick, wet, cold or dry surfaces.




STOCK CODE	
STL66406	1

WAX CRAYONS

BOX OF 12

- Industrial heavy duty crayons
- Perfect solution for bold marking on almost any surface



STOCK CODE	COLOUR	
MCR12	Red	1
MCY12	Yellow	1


YELLOW RETRO REFLECTIVE TARGET



STOCK CODE	SIZE	
RETRO25X25	25mm x 25mm	100
RETRO30X30	30mm x 30mm	100
RETAR40X40	40mm x 40mm	100
RETAR50X50	50mm x 50mm	100

WOODEN SETTING OUT PEG

40mm x 40mm




STOCK CODE	LENGTH	
SETPEGW600	600mm	1
SETPEGW1200	1200mm	1

SELKENT LINE MARKER

SELKENT
CONSTRUCTION FIXINGS AND TOOLS

A lead free, resin based permanent line marking paint. It can be used on a variety of surfaces including asphalt, steel and concrete, both indoors and outdoors.

NAILED IT!





Available in a range of colours, colour of cap denotes colour of paint

- GENERAL MARKING
- MANDATORY
- SAFE CONDITION/DIRECTION
- DELETE EXISTING LINES
- HAZARD/CAUTION
- PROHIBITION/DANGER
- HAZARD/CAUTION

STOCK CODE	COLOUR	SIZE	
9153	White	750ml	12
9154	Yellow	750ml	12
9155	Red	750ml	12
9156	Blue	750ml	12
9157	Green	750ml	12
9158	Orange	750ml	12
9159	Black	750ml	12

BRIGHT ZINC GALVE SPRAY

- Zinc content assists in corrosion prevention
- Resistant to salt spray and weathering
- Excellent heat resistance
- Aluminium powder gives a brighter finish to help blend with existing coatings
- Can be used on previously coated surfaces
- High purity powders;
- Excellent adhesion and quick drying



STOCK CODE	SIZE	
9439	400ml	12

ZINC GALVANISING SPRAY

HEAVY DUTY

TYGRIS Heavy Duty Zinc Galv Spray provides active metal protection against corrosion, and is an effective defence against oxidisation.

- High zinc content for maximum corrosion protection including salt spray
- Zinc powder in the product is of high purity
- Can be used on previously coated surfaces
- Can be over-coated



STOCK CODE	SIZE	
9476	400ml	12

CLEAR GREASE SPRAY

TYGRIS Clear Grease is used on chains and moving metal parts. This high performance grease penetrates rapidly before thickening.

- Clear and non-staining;
- Penetrates rapidly and thickens
- Highly resistant to throw-off
- Extreme pressure additives for high loadings



STOCK CODE	SIZE	
TGS500	400ml	12

WELD SPATTER RELEASE SPRAY

- Non-silicone - can be used with products that require finishing
- Rapid drying
- Prevents adhesion - spatter easily removed
- Colourless - non-staining
- Does not gum up when subjected to heat
- Non-flammable



STOCK CODE	SIZE	
9440	400ml	12

BRAKE AND CLUTCH CLEANER

- Colourless - non-staining
- Fast evaporating solvents
- Effective against grease - brake, fluid - brake and clutch dust
- Can be used to remove tar spots from some surfaces
- Eliminates brake squeal and clutch slip



STOCK CODE	SIZE	
9458	400ml	12

CLEAR PENETRATING OIL

- For cutting and tapping - reaming and turning
- Extreme pressure additives for difficult materials
- High pressure foaming discharge to aid penetration machined finish
- Reduces heat build up
- Suitable for use on all metals
- Incorporates corrosion inhibitors



STOCK CODE	SIZE	
9461	400ml	12

WATER DISPLACING ANTI-RUST AGENT

- Super powerful water displacement properties
- Leaves behind a protective film to guard against corrosion
- Rapid penetrating action for seized components



STOCK CODE	SIZE	
9459	400ml	12

INDUSTRIAL CLEANER FAST DRYING

- Powerful solvent cleaning
- Breaks down workshop contaminants quickly
- Solvent evaporates quickly, leaving a clean surface
- Non-chlorinated
- No need for rinsing - leaves no residue



STOCK CODE	SIZE	
9458	400ml	12

CUTTING AND TAPPING FLUID

- For cutting and tapping - reaming and turning
- Extreme pressure additives for difficult materials
- High pressure foaming discharge to aid penetration
- Prolongs tool life and improves machined finish
- Reduces heat build up
- Suitable for use on all metals
- Incorporates corrosion inhibitors



STOCK CODE	SIZE	
9441	400ml	12

SUPER LUBE EXTREME PRESSURE

- PTFE reinforced for excellent anti-friction capabilities
- Extreme pressure additives
- PTFE is grafted onto wax particles for better substrate adhesion
- High temperature capacity
- De-watering additives
- Effective penetration and release
- Corrosion inhibitors



STOCK CODE	SIZE	
9456	400ml	12

WD40 SPRAY AEROSOL

- The WD-40 smart straw lubricant is an all-purpose liquid for displacing moisture, corrosion control, lubrication, cleaning and penetration
- Can be used on metal and most non-metal parts



STOCK CODE	SIZE	
WD40	450ml	12
WD40L	600ml	12

PIPE JOINTING LUBRICANT

- Universal pipe grease derived from vegetable oil for use as a pipe jointing lubricant
- Suitable for use on potable water pipes and conforms to BS6920
  WRAS No. 1102514



STOCK CODE	SIZE	
PJL2.5	2.5kg	1

ALL PURPOSE SILICONE SPRAY 400ML

Dry silicone lubricant and mould release agent for the easing of friction between two surfaces.



STOCK CODE	SIZE	
EVBSILSPRAY	400ml	12

WIRE ROPE SPRAY 400ML

WIRE ROPE Spray is an aerosol applied thin film rope lubricant that leaves a long lasting protective film. Penetrates to lubricate the rope core, contains Moly (MoS2) for increased lubrication, and has excellent de-watering properties.
Temperature range -30°C to +100°C



STOCK CODE	SIZE	
WRS400	400ml	1

PRO MAINTENANCE & LUBRICANT SPRAY



The GT85 Lubricant makes a tough job easy by loosening rusty or stiff parts. In addition it lubricates and protects from future weathering helping your tools stay in good condition all year round.

Prevents squeaking, penetrates and lubricates rusted and inaccessible parts, contains PTFE to form a long lasting, protective and lubricating film and displaces water.

STOCK CODE	SIZE	
23197	400ml	12

HMT SPEEDLUBE™

DRILLING & TAPPING SPRAY

PACK OF 12



SpeedLube™ is a high-performance foaming lubricant suitable for a wide variety of metal drilling applications across a range of materials including stainless steel. Aerosol propellant ensures the lubricant foams on contact to ensure maximum tool coverage and heat dissipation. Easy one-handed application provides fast, efficient lubricant coverage and minimises the amount of applications needed during the drilling process. Unique 360° valve which enables Speedlube to be sprayed from all angles.

STOCK CODE	SIZE	
121288	500ml	1

EVER BUILD SPRAY MAINTENANCE



XT44 has 100s of uses around the home, garage, workshop and in industry.
Penetrates rusted parts and fastenings to assist dismantling, lubricates locks, hinges and tools.
Can be used to protect metals and tools from rusting. Can be used to assist starting wet petrol engines and damp ignition systems.

STOCK CODE	SIZE	
9887	500ml	12

POCKET ROCKET LUBRICANT REPELLENT



Pocket Rocket is a high specification penetrating moisture repellent. The special blend of water dispersing agents and corrosion inhibitors instantly displaces water, leaving a light 'Silicone Free' protective lubricating film.

The advanced formula containing PTFE lubricates moving parts such as hinges, wheels, chains and gears. It penetrates through dust, dirt and rust, enabling corrosion locked parts such as nuts and bolts to be released. It is ideally suited for both industrial and domestic applications and protects against corrosion.

STOCK CODE	SIZE	
AERPR400	400ml	12

TYGRIS METAL WORKING PASTE



TYGRIS Metal Working Paste is a soft paste which has been reinforced with the most effective Extreme Pressure additives to give high film strength and anti-weld properties which are essential to counter the pressure developed during metal working. It can be used with hard metals to reduce heat and improve the dimensional stability of the surface finish. Designed for cutting, tapping, drilling, reaming, drawing, pressing, extruding and forming.

- Effective on stainless steel, titanium and light alloys;
- Extreme pressure additives;
- Extends tool life
- Fortified with molybdenum for reduced wear;
- Improves surface finish; Greater dimensional accuracy
- Non hazardous;
- Reduces heat build up

STOCK CODE	SIZE	
9462	450g	12

CT90 CUTTING & TAPPING AEROSOL



High-performance metal cutting lubricant for use on all tough metals including stainless steel.
Specially formulated with excellent extreme-pressure (EP) additives, reducing friction and keeping the workpiece at a stable temperature to prevent seizing.
Dissipates heat, reducing cutting time, swarf build-up, metal scrap and downtime.
Protects and extends the life of the tool.

STOCK CODE	SIZE	
CT90CT500ML	500ml	12

DRAPER PROFESSIONAL PISTOL-TYPE GREASE GUN

Expert Quality, with diecast head and port for air bleeder/bulk loader for single handed operation. Supplied with coupler and 230mm high pressure hose to DIN1283. Suitable for 400g cartridge or bulk fill. Safe working pressure 40MPa (5800 psi).

- Expert Quality
- Diecast head and port for air bleeder/bulk loader for single handed operation
- Supplied with coupler and 230mm high pressure hose to DIN1283e
- Safe working pressure 40MPa (5800 psi)
- Suitable for 400g cartridge or bulk fill



STOCK CODE	
GG500D	1

PREMIUM QUALITY SIDE LEVER GREASE GUN

- 500cc for bulk fill or 400g cartridge



STOCK CODE	
GG500	1

TYGRIS RED LITHIUM COMPLEX GREASE

TYGRIS Red Lithium Complex Grease is a specially developed multi-purpose lithium complex grease for lubricating all types of anti-friction and plain bearings in industrial and automotive applications. This grease is highly effective at providing extended lubrication intervals over a wide operating temperature range.

- Exceptional mechanical stability extends lubrication intervals
- Excellent oxidation stability provides lasting lubrication at high temperatures
- Excellent extreme pressure and anti-wear performance
- High corrosion resistance protects components operating in wet conditions



STOCK CODE	SIZE	
LGC400RED	400g	24

TYGRIS LITHIUM EP2 GREASE

TYGRIS Lithium EP2 Grease is a premium quality multi-purpose grease for use in all anti-friction and plain bearings subject to high load conditions, and is ideal for metal to metal applications. Used extensively for applications throughout industry and the automotive sector to reduce friction and wear.

- Excellent extreme pressure and anti-wear performance
- High degree of corrosion protection



STOCK CODE	SIZE	
LGC400	400g	24
GREASE3KG	3kg	4

2 STROKE OIL

SEMI SYNTHETIC



- Two-stroke engine oil: 5 L of premium oil. Low ash lubricant universally compatible with all two-stroke engines. Use in all leading manufacturers' engines to improve lubrication and reduce fuel oxidation
- Universal 50:1 mineral oil-based two-stroke engine oil: Self mixing and partly synthetic. Protects engines from wear and corrosion. Red colour identifies petrol mix
- Area of application: Suitable for all leaded or unleaded two-stroke engines (including catalytic converters). Reduces risk of engine failure and reduces exhaust smoke

STOCK CODE	SIZE	
ENGOIL2STR	5 ltr	1

ROTABROACH DRILLING OIL



- Cutting fluid for cutting and drilling into metal.
- Versatile.
- Extends life of metalworking tools and machines.
- Improves performance.
- Reduces friction and cutting time.

STOCK CODE	SIZE	
10214	1 ltr	1

HYDRAULIC OIL



STOCK CODE	GRADE	SIZE	
10217	32	20 ltr	1
10218	46	20 ltr	1
10219	68	20 ltr	1

2 STROKE OIL

SEMI SYNTHETIC



- Semi synthetic two-stroke oil one shot
- This will meet the lubrication requirements of all modern static two-stroke engines
- Suitable for use with most horticultural, garden & domestic 2 stroke engines
- Readily mixes with fuel

STOCK CODE	SIZE	
OIL100	100ml	25

2 STROKE OIL



- Specially developed oil for power cutters
- Designed to meet all the tough challenges a two-stroke engine oil can encounter
- Compatible with Husqvarna two stroke oil High Performance
- Two Stroke Oil, Oil Guard

STOCK CODE	SIZE	
OIL100H	100ml	25

ARBO 17 CLEANER

Arbo Cleaner No.17 is a Xylene based cleaner suitable for the effective cleaning and degreasing of many different construction products.



STOCK CODE	SIZE	
ARBO17	1 ltr	1

3M CITRUS CLEANER



- Helps dissolve and remove dirt, grease, tar and much more for a wide variety of industrial uses
- Removal material included
- Removes glue without damaging the underlying surface
- Use to remove grease from surfaces before gluing
- Heavy-duty degreaser / cleaner wipes away with just a shop towel after use

STOCK CODE	SIZE	
3MCITRUS500ML	500ml	12

PRE MIXED ANTIFREEZE COOLANT



STOCK CODE	SIZE	
ANTFRZ5L	5 ltr	1

15W-40 ENGINE OIL



Triple QX Ultra 15W-40 mineral motor oil is blended in UK with the highest quality base stocks and advance additive technology. It meets the performance levels and specifications for the vehicles requiring this oil. Triple QX motor oil provides optimum engine performance, improved fuel economy and reduced exhaust emissions.

- Excellent high and low temperature performance
- Good protection against ring sticking at high temperatures, maintaining oil performance whilst minimising oil consumption and emissions
- Very high standard of engine cleanliness
- Excellent sludge control protection designed for stop-go city motoring

STOCK CODE	SIZE	
ENGOIL1540	5 ltr	4

ROCK SALT



STOCK CODE	SIZE	
RS25	25kg	1

ADBLUE SOLUTION



AdBlue is a highly purified colourless liquid. It contains demineralised water and urea (32.5%). The main active component of AdBlue is ammonia. This is chemically formed by hydrolysing automotive urea, which is the main raw material for AdBlue. AdBlue is used with diesel engines using SCR technology. This technology (Selective Catalytic Reduction) reduces harmful emissions (NOx). AdBlue is injected into the catalyst of the SCR system, where it triggers a chemical reaction with the ammonia. This chemical reaction converts the toxic nitrogen oxides (NOx) into nitrogen (N2) and water vapour (H2O). Water vapour and nitrogen are naturally occurring gases that are harmless to the environment.

STOCK CODE	SIZE mm	
ADBLUE10	10 ltr	1
ADBLUE20	20 ltr	1

READY MIXED SCREENWASH

All seasons formula



STOCK CODE	SIZE	
RMSW5L	5 ltr	1

LARGE WATERPROOF CAR COVER

- Strong double-layered composite material
- Waterproof and UV-resistant outer layer shields bodywork from frost, rain, dust, pollen, insects and light debris



STOCK CODE	SIZE	
CARCOVL	4820mm x 1190mm x 1770mm	1

SHRINK WRAP

- Excellent for pallet wrap.
- Protects against weather, dirt and dust



STOCK CODE	COLOUR	SIZE	
SWB01	Black	500mm x 200m	1
SWC01	Clear	400mm x 250m	1

POLYTHENE SHEET CLEAR



STOCK CODE	GAUGE	SIZE	
200GPOLYCL	200	4m x 25m	1
500GPOLYCL	500	4m x 25m	1
1000GPOLYCL	1000	4m x 25m	1

FROST BLANKET

Lightweight, high performance concrete curing blanket for low temperatures.



STOCK CODE	SIZE	
FROBLA01	1.5m x 70m x 8mm	1

CARPET PROTECTION



STOCK CODE	SIZE	
CARPPROT	500mm x 100m	1

TARPAULIN

Strong, flexible and waterproof.

- A strong, flexible waterproof tarpaulin withstands the wear and tear of daily use on construction site
- Manufactured from woven polypropylene with reinforced eyelets
- Laminated both sides to create a waterproof covering
- Suitable for almost any application



STOCK CODE	SIZE	
TAR27	3.6m x 2.7m / 12' x 9'	1
TAR35	5.4m x 3.5m / 18' x 12'	1
TAR45	4.5m x 6m	1
TAR54	5.4m x 7m	1
TAR9	9m x 14m	1

DUST SHEET

NON-WOVEN



STOCK CODE	SIZE	
DUST12	3.6m x 2.7m / 12' x 9'	25

DPM POLYTHENE SHEETING

25m x 4m, BLACK

Manufactured from high quality recycled polyethylene.



STANDARD

STOCK CODE	SIZE	
SHEBP25	1000 gauge 250µm	1
SHEBP2512	1200 gauge 300µm	1

FLAME RETARDANT

STOCK CODE	SIZE	
SHEPB25FR	1000 gauge 250µm	1

POLYTHENE DUST SHEET

HEAVY DUTY, 17µm

- Heavy duty, perfect for painting
- Protects from paint spills, splashes, dirt and dust



STOCK CODE	SIZE	
POLYDUST	3.67m x 2.74m / 12' x 9'	20


PLASTIC BACKED DUST SHEET



STOCK CODE	SIZE	
DUST12PBACK	3.6m x 2.7m / 12' x 9'	1

PROTECTION BOARD SHEET

2.4m x 1.2m



STANDARD

STOCK CODE	THICKNESS	COLOUR	
CORBK	2mm	Black	1

FLAME RETARDANT

STOCK CODE	THICKNESS	COLOUR	
CORFR01	2mm	Clear	1
CORWHFR	2mm	White	1

ROLL & STROLL PREMIUM CARPET PROTECTOR

- Easy roll out
- Self-adhesive floor protector
- Waterproof



STOCK CODE	SIZE	
EVBROLL20	600mm x 25m	1


WINDOW PROTECTION FILM

Low tack, UV resistant self-adhesive film is designed to adhere to glass without leaving any residue.



STOCK CODE	COLOUR	SIZE	
WINPROTBL	BLUE	600mm x 100m	1
WINPROTCL	CLEAR	600mm x 50m	1

ROLL BUBBLE WRAP



STOCK CODE	SIZE	
BUBWRP1200	1200mm x 50m	1


YELLOW WALKWAY MATTING

- Additional R12 anti-slip embossing for increased grip and high-quality finish
- Fluorescent yellow colouring for heightened visibility and additional hazard protection
- Suitable for most transport, commercial and industrial settings
- PU treatment, scratch proof surface and oil resistant
- Highly durable, hygienic and easy to maintain
- VOC compliant



STOCK CODE	SIZE	
YELMAT10M	10m x 1m	1

CABLE TIES



STOCK CODE	SIZE	COLOUR	
9816	2.5mm x 100mm	Black	100
9810	2.5mm x 100mm	Natural	100
9817	3.6mm x 140mm	Black	100
9811	3.6mm x 140mm	Natural	100
9818	4.8mm x 200mm	Black	100
9812	4.8mm x 200mm	Natural	100
2219	4.8mm x 200mm	Red	100
9819	4.8mm x 300mm	Black	100
9813	4.8mm x 300mm	Natural	100

STOCK CODE	SIZE	COLOUR	
2222	4.8mm x 300mm	Royal Blue	100
9820	4.8mm x 370mm	Black	100
9814	4.8mm x 370mm	Natural	100
9976	4.8mm x 430mm	Black	100
9976YEL	4.8mm x 430mm	Yellow	100
9821	7.6mm x 370mm	Black	100
9815	7.6mm x 370mm	Natural	100
9954	7.8mm x 540mm	Black	100
98201	9.0mm x 450mm	Black	100
9977	9.0mm x 530mm	Black	100
2223	9.0mm x 760mm	Black	100
9983	9.0mm x 910mm	Black	100
9984	9.0mm x 1000mm	Black	100
9981	12.7mm x 580mm	Black	100

HEAVY DUTY STAPLER

6-14 mm



- An all steel professional staple gun, ideal for heavy duty applications. Suitable for use with TIMco heavy duty staples
- 82 piece capacity
- Adjustable staple depth controller for greater flexibility
- Soft grip handle for user comfort
- Convenient bottom loading magazine
- Also compatible with Type 140, T50 & Type G staples

STOCK CODE	
STAPLER	1

METAL HEAVY DUTY HAMMER TACKER

Heavy duty all-steel construction with hardened high-carbon steel parts. Easy stapling of carpet, insulation material, roofing felt and upholstery. Single-handed ergonomic grip for fast and easy operation. Quick to load and clear.
For use with Type 10J staples 6 - 10mm



STOCK CODE	
FAISTHAMMER	1

HEAVY DUTY STAPLES

PACK OF 1000



- Heavy duty staples suitable for a range of professional second fix applications including carpet fitting, roof insulating, woodworking and more. Manufactured from A2 Stainless Steel offering superior corrosion resistance, perfect for external applications. Stainless steel must be used where there is corrosive environment and/or the base material has inherent corrosive characteristics e.g. Green Oak.
- Super sharp chisel point
- Heavy duty 1.2mm wire
- Galvanised for medium duty rust protection
- Flat crown for improved material clamping

STOCK CODE	SIZE	TYPE	
STAPLE6	6mm	Galv	1
STAPLE8	8mm	Galv	1
STAPLE10	10mm	Galv	1
STAPLE12	12mm	Galv	1
STAPLE14	14mm	Galv	1
STAPLE10SS	10mm	St/St	1

DEBRIS NETTING



STOCK CODE	COLOUR	SIZE	
DN250BLUE	Blue	2m x 50m	1
DN250GREEN	Green	2m x 50m	1
DN250ORANGE	Orange	2m x 50m	1
DN250RED	Red	2m x 50m	1
DN350GREEN	Green	3m x 50m	1
DN350RED	Red	3m x 50m	1
FIRE RETARDANT		FIRE RETARDANT	
DNFR250BLACK	Black	2m x 50m	1
DNFR250BLUE	Blue	2m x 50m	1
DNFR250GREEN	Green	2m x 50m	1
DNFR250RED	Red	2m x 50m	1
DNFR250WHITE	White	2m x 50m	1
DEBFIRE3X50	Blue	3m x 50m	1
DN350FR	White	3m x 50m	1

TEMPORARY FENCING

1m x 50m

- Waterproof
- Install using Fencing Pin (Stock code FP12)



STOCK CODE	COLOUR	
BF50M0	Orange	1
BF50MB	Blue	1
BF50MG	Green	1
BF50MY	Yellow	1

MONARFLEX ELASTIC TOGGLES

PACK OF 50




STOCK CODE	
MONTOG	50

MONARFLEX SCAFFOLD SHEETING

FIRE RESISTANT

STOCK CODE	COLOUR	SIZE	
MON245FRB	BLUE	2m x 45m	1
MON245FRW	WHITE	2m x 45m	1



SKIP NET



STOCK CODE	SIZE	
SKIPN108	3m x 2.4m / 10' x 8'	1
SKIPN159	4.5m x 2.7m / 15' x 9'	1

ROAD PIN



STOCK CODE	SIZE	
RPIN90020	900mm x Ø 20mm	1

FENCING PIN



STOCK CODE	SIZE	
FP12	10mm x 1.35m	1
HEAVY DUTY		
FP16HD	16mm x 1.4m	1

NON-CONDUCTIVE FENCING PINS

PACK OF 10



STOCK CODE	SIZE	
FPNP12	1300mm / 17.5mm	1

RED AND WHITE PLASTIC SAFETY CHAIN

Designed for use with posts or cones to form a multi-functional barrier system.
Can be fitted to matching coloured posts with base. Ideal as a crowd channeliser, or to cordon off an area.



STOCK CODE	SIZE	
CHAINRW25	8mm x 25m	1

INSULATED ROAD PIN



STOCK CODE	
RPINS01	1

ASBESTOS BAGS

PACK OF 100

- Highly tear and puncture-resistant
- Complies with all UK regulations for asbestos waste



STOCK CODE	COLOUR	SIZE	
ASBC01	Clear	600mm x 900mm	1
ASBR01	Red	600mm x 900mm	1

SCAFFOLDING-FITTING BAGS



STOCK CODE	CAPACITY	
SB30KG	30kg	1
SB40KG	40kg	1

POLYPROPYLENE WHITE SAND BAG

Heavy duty 80gsm woven polypropylene. Puncture and tear-resistant with hemmed top, triple-stitched bottom and tie strings. Ideal for carrying and storing sand, rocks, general building waste and many other items.



STOCK CODE	SIZE	
PWSB1330	750mm x 330mm	10

EXTRA HEAVY DUTY RUBBLE SACKS

PACK OF 100

- Hard-wearing
- 100% waterproof
- 500mm x 760mm



STOCK CODE	THICKNESS	
FAIBAGRS100H	440 GAUGE	1

HEAVY DUTY RUBBLE SACK

PACK OF 100

- 500mm x 760mm



STOCK CODE	THICKNESS	
RS20	280 GAUGE	100

TONNE BAG

1000kg CAPACITY
5:1 SAFETY FACTOR

4 x Lifting Loops



STOCK CODE	SIZE	
SB1T	85cm x 85cm x 85cm	25

TUNNEL LIFT TONNE BAG

1000kg CAPACITY
5:1 SAFETY FACTOR

Side tunnel loops for forklift to engage.



STOCK CODE	SIZE	
SB1TT	75cm x 85cm x 95cm	20

HESSIAN ROLL

Ideal for covering and protecting a wide variety of materials and brickwork from the frost and cold weather.
Protection for:

- Mortar
- New brickwork
- Concrete
- Bad weather
- Striking frost
- Width: 1370mm



STOCK CODE	SIZE	
HESROL46M	1.37m x 46m	1

HESSIAN BAG

Hessian sand bag - 30 inch x 13 inch, natural, bale of 1000.
Hessian sand bags are an alternative for polyprepylene sand bags and used for weighing items down such as road signs or netting and also used in the prevention of floods.



STOCK CODE	SIZE	
HES330	750mm x 330mm / 30" x 13"	1

PLASTIC WOVEN SACK

WHITE



STOCK CODE	SIZE	
SACKWPW01	310mm x 460mm	100

POLYPROPYLENE SACK WHITE PLAIN



STOCK CODE	SIZE	
WHIPOLYSACK	310mm x 230mm	1

RAGS



STOCK CODE	DESCRIPTION	
RAG10W	Bag of 10kg White	1
RAG10M	Bag of 10kg Mixed Colour	1

FLAT FRENCH CHALK

BOX OF 144


Easy to clean after marking, doesn't dry out after use.



STOCK CODE	SIZE	
9472	12mm x 5mm	1

MILD STEEL MIG WELD

SG2-grade copper coated double-deoxidised mild steel MIG wire for welding unalloyed and low-alloyed mild and medium tensile steels.



STOCK CODE	DESCRIPTION	WEIGHT	
12661	0.8mm SG2 Reel	15kg	1

SUPERWELD MILD STEEL MMA RODS



- Versatile, general purpose, rutile-coated mild steel MMA electrode which runs smoothly leaving attractive weld bead
- Can be used confidently used on land-based steel structures and general fabrication alike

6013 RODS

STOCK CODE	SIZE	WEIGHT	
12649	2.5mm	5.0kg	1
12650	3.2mm	5.0kg	1
12651	4.0mm	5.0kg	1

7018 RODS

STOCK CODE	SIZE	WEIGHT	
12652	2.5mm	5.0kg	1
12653	3.2mm	5.0kg	1
12654	4.0mm	5.0kg	1
12655	5.0mm	5.0kg	1

PHANTOM PASSIVE HELMET

- Lightweight, durable, welding helmet made from strong thermoplastic, with the largest lens size for maximum visibility
- Weight 0.5kg
- Viewing Area 133mm x 114mm
- Lens Shade 10/11



STOCK CODE	DESCRIPTION	
12669	Phantom Passive Helmet DIN 10/11	1
12670	4.1/2" x 5.1/4" Inner lens replacement	1
12671	4.1/2" x 5.1/4" Outer lens replacement	1

PHANTOM ACTIVE ECO AUTO-DARKENING HELMET

Suitable for all welding and cutting applications down to 10 amps. Externally-adjustable from 9-13. Can be used in Stick, TIG, MIG/MAG, plasma welding/cutting, grinding and oxy/fuel welding/cutting.

- Fully automatic power on/off
- Auto-darkens In < 1/16,000s
- Lightweight and comfortable, at just 0.4Kg total product weight
- 10A minimum current sensitivity
- 2x light detection sensors
- Constant UV/IR protection to DIN16
- Powered by solar cell
- Adjustable sensitivity and delay



STOCK CODE	DESCRIPTION	
12672	Helmet XL 9-13 Variable	1
12673	Inner lens replacement	1
12674	Outer lens replacement	1

PHANTOM EXTREME LARGE LENS ADF HELMET

Modern design, multi functional auto-darkening helmet for use in a range of applications including precision TIG welding down as low as 2 amps.

- Optical class 1/1/1/2
- Cartridge size 133mm x 114mm x 9mm
- Light state DIN 3.5
- Weight 0.8 kg
- Viewing area 97 x 62mm
- Lens shade 5-13
- Standard EN 175B



STOCK CODE	DESCRIPTION	
12678	Helmet 5-13 Variable	1
12679	Inner lens replacement	1
12680	Outer lens replacement	1

TIG WELDERS GAUNTLET


- EN12477 Type B welding protection
- Para-Aramid stitching throughout for extra durability
- Soft, flexible goatskin palm with heavy duty split leather cuff
- Ideal for welding and metal handling
- Excellent for jobs requiring high dexterity
- Wrist support and protection
- CE certified

STOCK CODE	SIZE	
107119	L	1
107119XL	XL	1



STEEL BANDING RIBBON REEL

0.5mm THICKNESS
334m APPROX. LENGTH



STOCK CODE	WIDTH	WEIGHT	
BANDSTL13	13mm	21kg	1
BANDSTL16	16mm	21kg	1
BANDSTL19	19mm	25kg	1

STEEL STRAPPING SEALER

- Easy to use robust sealer for snap-on seals
- For use with a steel strapping tensioner
- Use with 19mm wide seals
- Double notch seal
- Easy grip handles



STOCK CODE	
SEASTE01	1

STEEL STRAPPING TENSIONER

- Sturdy steel strapping tensioner for flat packages
- For use with a steel strapping sealer and snap-on seals
- Adjustable to take 13mm - 19mm wide strapping
- Maximum 0.89mm thickness



STOCK CODE	
TENSTE01	1

BANDING SEALS

PACK OF 1000



- For 0.5mm banding
- 25mm long
- Easily slide over strapping for quick and efficient sealing
- Can be placed before or after tensioning
- These metal seals are made from galvanised hard steel and are designed to work with steel strapping. Simply place the seal over the overlapping strap ends and close with a strapping seal or combination tool

STOCK CODE	BANDING SIZE	
BANDSEAL13	13mm	1
BANDSEAL16	16mm	1
BANDSEAL19	19mm	1

STEEL STRAPPING TENSIONER & SEALER

- Tension, seal and cut steel strapping with a single tool
- Lightweight, seal-less and ideally used to strap flat packages including pallets, bales, crates, cases and much more
- Everything all in one place, this tool will save time and money
- Adjustable thickness 0.38mm to 0.58mm strapping



STOCK CODE	
SCSST01	1

STEEL BANDING TROLLEY

FOR 13mm - 19 mm STEEL BANDING

- Mobile dispenser for ribbon wound steel strapping
- Large tray for seals and tools
- Allows your strapping to be moved quickly, easily and safely
- Sturdy 32mm tubular steel construction
- Heavy duty rubber wheels for durability and easy mobility



STOCK CODE	
BANDTRO1319	1

POLYESTER COMPOSITE BANDING



STOCK CODE	SIZE	LENGTH	
BANDCMP19	19mm	500m	1

COMPOSITE STRAPPING TENSIONING TOOL



STOCK CODE	SIZE	LENGTH	
BANDTNS20C	20mm	1	1

STRAPPING KIT

- 12mm combination tensioner & sealer tool
- 1500m of standard duty strapping
- 2000 strapping seals
- Mobile strapping dispenser trolley



STOCK CODE	
BANDPKT	1

BLUE POLY ROPE

A blue poly rope meeting the needs of most trades and suitable for a variety of applications in the home and workplace.
The rope is multi stranded and manufactured from weather proof rot-protected polypropylene so it is incredibly durable. The rope has a high tensile strength and has a low stretch.



STOCK CODE	SIZE	
ROP630	6mm x 30m	1
ROP6220	6mm x 220m	1
ROP6500	6mm x 500m	1
ROP820	8mm x 20m	1
ROP830	8mm x 30m	1
ROP8220	8mm x 220m	1
ROP1015	10mm x 10m	1
ROP1030	10mm x 30m	1
ROP1020	10mm x 220m	1
ROP1210	12mm x 30m	1
ROP12220	12mm x 220m	1

STOCK CODE	SIZE	
ROP16220	16mm x 220m	1
ROP2030	20mm x 30m	1
ROP20220	20mm x 220m	1
ROP28220	28mm x 220m	1

HD EPDM ROLLER

For use with EPDM system, self adhesive tapes, foils and rubber sheets. Once the adhesive, tape or foil has been applied to the substrate, use the roller improve contact with the substrate and expel any trapped air pockets.



STOCK CODE	SIZE	
100MMEPROLL	100mm	1
150MMEPROLL	150mm	1

EPDM PASTE ADHESIVE



STOCK CODE	SIZE	
EPDMADH	600ml	1

EPDM ADHESIVE/PRIMER

CT113 EPDM membrane adhesive is suitable for use in a variety of adhesive projects, particularly ME220 EPFM membranes such as façade applications. This high-quality adhesive can be used with a range of substrates such as wood, metal, masonry and other building materials.



STOCK CODE	SIZE	
CT113EPDM	5 ltr	1

EPDM MEMBRANE

Ethylene Propylene Diene Monomer, or EPDM, is a synthetic rubber. It is extremely durable and used across a wide range of applications. EPDM is weather & heat resistant. Its two main ingredients are derived from natural gas and oil, making it an ideal flat roofing material.



STOCK CODE	SIZE	
EPDM100	100m x 0.75mm x 20m	1
EPDM150	150m x 0.75mm x 20m	1
EPDM200	200m x 0.75mm x 20m	1
EPDM250	250m x 0.75mm x 20m	1
EPDM300	300m x 0.75mm x 20m	1
EPDM400	400m x 0.75mm x 20m	1
EPDM500	500m x 0.75mm x 20m	1
EPDM600	600m x 0.75mm x 20m	1

DAMP PROOF COURSE

Damp proof course made from 100% recycled polythene, conforms to BS 6515 (1984) and is CE marked to EN14909 2012. For use in brick, stone and concrete walls DPC provides a robust damp proof barrier to prevent the rise of damp in structure walls. To be compliant with current building regulations a damp proof course should be built into the mortar bed approximately 150mm above the structure base. It is flexible and has a bold embossing to both sides to promote improved adhesion to mortar.



STOCK CODE	SIZE	
DPC100MM	100mm x 30m	1
DPC112MM	112mm x 30m	1
DPC150MM	150mm x 30m	1
DPC225MM	225mm x 30m	1
DPC300MM	300mm x 30m	1
DPC450MM	450mm x 30m	1
DPC600MM	600mm x 30m	1
DPC900MM	900mm x 30m	1

ZEDEX DPC CPT HIGH PERFORMANCE



- BBA certified - third party accreditation
- Flexible cavity tray system - easy to detail and install on site
- Gas resistant - part of the Visqueen Low Permeability Gas Membrane system to provide gas protection to NHBC Amber 1
- Multi functional - also acts as a radon resistant damp proof course and can be used in conjunction with the Visqueen Radon membranes to form a complete system for basic radon protection
- Excellent tear resistance - robust and resistant to on site damage
- Versatile applications - widths from 100mm to 1400mm
- Visqueen Preformed Units available - simplifies complex or awkward detailing

STOCK CODE	SIZE	
ZX100DPC	100mm x 20m	1
ZX112.5DPX	112.5mm x 20m	1
ZX150SPC	150mm x 20m	1
ZX225DPC	225mm x 20m	1
ZX300DPC	300mm x 20m	1
ZX337.5DPC	337.5mm x 20m	1
ZX450DPC	450mm x 20m	1
ZX600DPC	600mm x 20m	1
ZX900DPC	900mm x 20m	1
ZX1000DPC	1000mm x 20m	1
ZX1200DPC	1200mm x 20m	1
ZX1400DPC	1400mm x 20m	1

ZEDEX FIXING STRIP



STOCK CODE	SIZE	
ZXFIXSTRIP	2m	1

ZEDEX JOINTING TAPE



STOCK CODE	SIZE	
ZXJOINTAPE	100mm x 15m	1

INSULATION FIXING PINS

FOR ZEDEX DPC FIXING STRIP PALLET
BAG OF 500



Visqueen Zedex DPC fixing pins are part of a 2-part system which includes the plastic strip and pins.
The insulation fixing pins are a black plastic, fir-tree, push-fit fixing pin.
Bond the vertical portion of the cavity tray to the inner leaf with Visqueen Zedex DPC jointing tape. Position the visqueen zedex dpc fixing strip approximately 5mm below the top edge of the cavity tray. At one end of the fixing strip, use a bradawl to form a pilot hole (through the dpc and tape) into the insulation, using the hole in the fixing strip as a guide. Push the fixing pin through the fixing strip into the pilot hole. The fir-tree portion of the fixing pin will secure the fixing strip and cavity tray in position. Repeat for each hole of the fixing strip.

STOCK CODE	
ZXPININSUL	1

TYVEK FIRECURB

- Tyvek® FireCurb® Housewrap is a fire retardant membrane for commercial and residential buildings that uses new, patented technology. DuPont™ Tyvek® FireCurb® Housewrap is a lightweight, advanced, fire retardant membrane that self-extinguishes when ignited. It uses a halogen-free flame retardant coating to reduce the formation of droplets and smoke with minimal environmental impact.
- Self-extinguishes when ignited
- Forms no droplets when fire starts and limits the propagation of flames
- Reduces smoke
- Up to Euroclass B (free-hanging) classification, which nearly no other membrane can reach
- Made with halogen-free flame retardant coating for limited impact on the environment
- Includes the same product benefits as the existing Tyvek® product range with the addition of flame retardancy
- Low flammability with very limited contribution to fire
- Long-term investment protection
- Greater safety during and after installation
- BBA certificate: 90/2548



STOCK CODE	SIZE	
TYVFIRECURB	1.5 m x 50m	1

TYVEK HOUSEWRAP

- Water resistant
- Breathable wall membrane



STOCK CODE	SIZE	
HOUSEWRAP	100m x 1.4 m	1

TYVEK SINGLE SIDED ACRYLIC TAPE



STOCK CODE	SIZE	
TYVSINGTAPE	75mm x 25m	1

TYVEK DOUBLE SIDED ACRYLIC TAPE



STOCK CODE	SIZE	
TYVDOUBTAPE	50mm x 25m	1

GENERAL PURPOSE CEMENT

This cement bag from Blue Circle provides a multi-purpose cement suitable for a wide range of standard uses, including concrete, mortar, rendering and screeds. It is compatible with a wide range of admixtures such as air-entraining agents, workability aids and pigments

- Multi-purpose cement
- Produced using sustainable cement technology and a range of formulations
- 3 month shelf-life
- Consistent strength and performance
- Conforms to BS EN 9001 and ISO 14001



STOCK CODE	SIZE	
CEM25	25kg	1

POSTCRETE

- Ready-to-use with no mixing needed simply pour from the bag into the post hole containing the fence post and water
- Sets posts within 5 - 10 minutes
- Fence panels can be hung after 10 minutes saving time and effort
- Weatherproof plastic packaging allows cement to be stored outside in all weather saving waste and indoor storage space
- Recyclable packaging
- Skin contact with wet cement, fresh concrete or mortar may cause irritation, dermatitis or burns



STOCK CODE	SIZE	
PCR20	20kg	1

SIKA 507 RENDAGRIP

- Extra Grip Render Bonding Agent
- For use on concrete, masonry, lightweight block work, brick etc
- Contains a fine aggregate to improve render key
- Once coat application render when dry
- Red colour to indicate coverage
- Reduces suction on porous substrates
- Improves adhesion on smooth substrates
- Can be applied to damp surfaces
- Waterproof



STOCK CODE	SIZE	
RENDAGRIP	10 ltr	1

FEBMIX ADMIX

- Air entraining plasticiser
- Prevents shrinking and cracking during curing
- Water reducing
- Chloride free



STOCK CODE	SIZE	
FEBMIX5	5 ltr	6
FEBMIX25	25 ltr	6

FEBMIX DH MORTAR PLASTICISER

- Convenient sachet packs for brick and block laying.
- Conforms to BS4887.
- Improved workability
- Prevents cracking, shrinking and crazing
- Reduces efflorescence
- Easy to dose, one sachet per bag of cement



STOCK CODE	SIZE	
FEBMIXSACH	250 sachets per tub	1

CONCRETE RETARDER

SPRAY ON



STOCK CODE	SIZE	
CONSPRRET25	25 ltr	1

PVA SEALER 506 SEALING ADDITIVE

- Improves adhesion to most common building surfaces
- Improves flexibility of mortars and screeds
- Ideal for priming and dust sealing on flaking surfaces
- Ideal for adhesive on wood, cork, paper, textiles etc



STOCK CODE	SIZE	
PVABOND5L	5 ltr	1

EVER BUILD BLACK BITUMEN PAINT

A solvent based, full bodied black bituminous paint. When dry, the product forms an odourless and taint free black film suitable for metal protection, concrete structures and overcoating wood and felt.

- Fast drying paint
- Suitable for use on most common building surfaces
- Resistant to most salt solutions, dilute acids and alkalis, water and alcohol
- Provides a waterproof, weatherproof and corrosion-resistant protective coating



STOCK CODE	SIZE	
BITPAINT5	5 ltr	1

EVER BUILD BRICK ACID CLEANER

401 Brick & Patio Cleaner is a fast-acting acid-based formula (9.5% strength) that dissolves mortar and cement stains, ingrained dirt and paint on most mineral surfaces such as brick, stone, concrete, paving flags and earthenware.

Please note this product is only suitable for external applications.

- Acid-based, powerful cleaning action
- Water clean up
- Economical in use
- 1ltr (neat) will clean up approx. 10m² of surface stain



STOCK CODE	SIZE	
BRICKAC5L	5 ltr	1

EVER BUILD DPM BITUMEN

A solvent-free, rubberised bitumen emulsion which dries to a tough, black coating providing a highly effective cold-applied, damp-proof membrane in sandwich constructions. It can also be used as a waterproof for floors, walls and other above ground structures and acts as a curing membrane when applied to green concrete. It is equally effective as an adhesive for wood blocks, wood mosaic panels, insulation boards, expanded polystyrene and cork panels, or as a plaster bonding agent on difficult surfaces. It can also be applied to damp surfaces. Resistant to extreme heat and cold and has a low odour.



STOCK CODE	SIZE	
BJ25L	25 ltr	1

FEBOND BLUEGRIT

- Bond strength tested in accordance with EN13892-8
- Ready to use straight from the tub
- Simple to apply by roller or brush
- Available in 5L and 10L pails



STOCK CODE	SIZE	
FEBLUEGRIT10	10 ltr	1

EVER BUILD BITUMEN TROWEL MASTIC

Bitumen Trowel Mastic is a trowel applied black heavily filled bituminous compound with added fibres for reinforcement. The product forms a surface skin, but the mass below remains soft to allow for moderate movement. Suitable for sealing and filling holes in mastic asphalt, roofing felt, corrugated iron, metal guttering and downpipes.



STOCK CODE	SIZE	
BJ5L	5 ltr	1

EURO CRANE LIFT MORTAR TUB

- Manufactured from high quality virgin polymer
- Solid mortar tub for crane lift movement on site



STOCK CODE	CAPACITY	
TUBM250L	250 ltr	1

CEMENTITIOUS NON SHRINK GROUT

Recommended for grouting voids in structural elements such as; patching up honeycombs in concrete, filling gaps in precast elements, and grouting base plates and bridge bearings.



STOCK CODE	SIZE	
CEMNSGRO	25kg	1

OCTAGONAL MORTAR MIXING SPOT BOARD

Ideal for mixing cement and other similar products. Lightweight and easy to move, it restricts spillage and prevents unsightly stains on driveways and lawns. Helps keep the worksite clean. Complete with an integral hanging hook for easy storage.



STOCK CODE	
FAISPOTBOARD	1

TARMAC POZAMENT NON SHRINK GROUT

- Equivalent Sodium Oxide is less than 3.0kg/m³
- Shrinkage compensated
- Can be used for grouting sections up to 500mm thick
- Chloride free
- Free flowing



STOCK CODE	SIZE	
NSGRO	20kg (yields 12.7 ltr)	1

SPIKED ROLLER

The spiked roller helps to remove bubbles caused by entrapped air in floor levelling compounds. It is ideal for subfloor preparation and includes a splash guard to minimise mess.



STOCK CODE	SIZE	
SPKROL	500mm	1

SIKA 4a WATER STOP

Sika®-4a Water Stop is a ready to use quick setting leak stopping liquid which is mixed with water and ordinary Portland cement to produce a paste for leak stopping against high water pressure infiltration.



STOCK CODE	SIZE	
SIKA4AWS5L	5 ltr	1

PAPER JOINT TAPE




STOCK CODE	SIZE	
PAPERTAPE	50mm x 150m	1

British Gypsum GYPROC THISTLE PROTAPE FT50 SCRIM FIBRE TAPE



STOCK CODE	SIZE	
BGTPF	48mm x 90m	1

METAL CORNER TAPE



STOCK CODE	SIZE	
METCORTAPE	50mm x 30m	1

FIBRE SCRIM TAPE



STOCK CODE	SIZE	
SCRIMTAPE48	48mm x 90m	1

British Gypsum GYPROC CORNER TAPE



British Gypsum Gyproc corner tape is a paper joint tape bonded to two corrosion resistant steel strips for reinforcing internal and external angles in plasterboard constructions. The high performance, low friction paper gives a crisp, perfect straight edge while simultaneously reducing friction burn to fingers during application. Conforms to EN 13963.

STOCK CODE	SIZE	
BGCT30	50mm x 30m	1

British Gypsum GYPROC JOINT FILLER



STOCK CODE	SIZE	
BGJF12.5	12.5kg	1

GYPROC QUICKSAND JOINT CEMENT



STOCK CODE	SIZE	
BGQJC25	25kg	1

GYPROC PROMIX LITE JOINT CEMENT



STOCK CODE	SIZE	
BGLJC17	17 ltr	1

GYPROC DRIWALL ADHESIVE



STOCK CODE	SIZE	
BGDWA25	25kg	1

GYPROC EASI-FILL 60



STOCK CODE	SIZE	
BGEF60	10kg	1

UNDERGROUND WARNING TAPES

These vivid colour tapes are designed to warn excavation crews of the existence of buried pipes or cables before damage can occur. The tapes are impervious to alkalis, acids and other soil components and are marked with text indicating the hazard type.







STOCK CODE	TYPE	SIZE	
UWT365ELE	Electric	150mm x 365m	1
UWT365GAS	Gas	150mm x 365m	1
UWT365WAT	Water	150mm x 365m	1
UWT365FSB	Foul Sewer Below	150mm x 365m	1
UWT365COM	Communication	150mm x 365m	1

NON ADHESIVE BARRIER TAPE



- A strong, durable non-adhesive PVC tape used for marking out or cordoning off areas
- The highly contrasting coloured stripes serve as a clear visual warning and also present a barrier to areas that require to be sectioned off
- Suitable for a wide range of uses in various trades and services that include, construction sites, factories, warehouses, emergency services and many other situations where safety of personnel is a priority

STOCK CODE	SIZE	COLOUR	
BART70RW	70mm x 500m	Red/White	1
BART75RW	75mm x 500m	Red/White	1
BART70BY	70mm x 500m	Black/Yellow	1
HAZT75GW	70mm x 500m	Green/White	10

ADHESIVE HAZARD TAPE



- PVC carrier and rubber adhesive, resistant to most common solvents.
- Vivid colours and easy to apply
- Abrasion, moisture and wear-resistant
- Adheres to a wide variety of substrates. Used for lane marking, floor marking, safety coding, hazard marking, identifying, sealing, colour coding, protecting, bundling in the automotive, aerospace, military, facilities management, transportation, marine and general industries
- 130mic peel adhesion = 2.2N/25mm

STOCK CODE	SIZE	COLOUR	
HYT33ABY	50mm x 33m	Black/Yellow	8
HAZT75BY	70mm x 33m	Black/Yellow	12
HAZT75RW	70mm x 33m	Red/White	1
HYT33ARW	50mm x 33m	Red/White	8

SELF ADHERING TETHER TAPE ROLL

25mm WIDE



STOCK CODE	SIZE	
SELADTETHER	3.6m / 12'	1


ANTI SLIP TAPE



STOCK CODE	SIZE	COLOUR	
AST50B	50mm x 10m	Black	24
AST50B/Y	50mm X 18m	Black & Yellow	24

ALUMINUM CLASS O FOIL TAPE

The Everbuild Aluminium Tape is made from heat and light reflective aluminium foil. It is heat resistant to 180°C and flame retardant to Class O. It has excellent moisture resistance, and is ideal for use as a vapour barrier between foil faced insulation panels in roof and wall applications, duct sealing on all types of air conditioning and ventilation and protecting wires and pipes from heat.



STOCK CODE	SIZE	
AFT50	50mm x 45m	24
AFT75	75mm x 45m	16
AFT100	100mm x 45m	12


PTFE TAPE

Provides watertight seal for water-pipe fitting and installation work. Helps prevent bi-metal corrosion in threaded joints. Lubricates threaded joints during assembly and helps prevent bi-metal corrosion. Suitable for cast iron, steel, alloys, plastic, brass and ceramics. Complies with BS 6920-1:2000 and BS 7786:2006.



STOCK CODE	SIZE	
PTFE12	12mm x 12m	10

HEAVY DUTY DUCT TAPE



STOCK CODE	SIZE	
DT100B	100mm x 50m	12

PETRO ANTI CORROSION TAPE



A cold applied tape which remains plastic over a wide temperature range. The tape is non-hardening and non-cracking.
It is highly resistant to mineral acids, alkalis, salts and micro-organisms and highly impermeable to water, water vapour and gases.

Application:

- Used for the protection of buried or exposed pipes, rods, cables, valves and metal fittings from corrosion

Composition:

- Made from non-woven synthetic fibre fabric, which impregnated and coated with a neutral compound based on saturated petroleum hydrocarbons and inert siliceous fillers

Specification:

- Breaking strength: 200N/50mm minimum
- Elongation at break: 10%
- Breakdown voltage: 16kV
- Temperature range for application: -5°C to 45°C
- Temperature range for service: 55°C maximum
- Thickness: 1.15mm

STOCK CODE	SIZE	
DENT50	50mm x 10m	24
DENT75	75mm x 10m	16
DENT100	100mm x 10m	12

PVC INSULATION TAPE

Suitable for a multitude of tasks in and around the home and workplace. This 19mm wide tape withstands temperatures from -5°C to 60°C. Flame retardant conforming to BS EN 60454, CE and RoHS.
Available in a variety of colours.

STOCK CODE	COLOUR	SIZE	
IT19BL	Blue	19mm x 20m	8
IT19BLA	Black	19mm x 20m	8
IT19BR	Brown	19mm x 20m	8
IT19G	Green	19mm x 20m	8
IT19GRYE	Green / Yellow	19mm x 20m	8
IT19GY	Grey	19mm x 20m	8
IT19OR	Orange	19mm x 20m	8
IT19P	Purple	19mm x 20m	8
IT19R	Red	19mm x 20m	8
IT19W	White	19mm x 20m	8
IT19Y	Yellow	19mm x 20m	8



LOW TAC PVC TAPE

WHITE



STOCK CODE	SIZE	
LOWTAC50MM	50mm x 33m	1
LOWTAC75MM	75mm x 33m	1
LOWTAC100MM	100mm x 33m	1

LOW TACK PVC TAPE

BLACK



STOCK CODE	SIZE	
LOWTAC50MMBK	50mm x 33m	1

HIGH TACK CLOTH WATERPROOF TAPE

BLACK



STOCK CODE	SIZE	
CT50HTBK	48mm x 50m	24

GAFFA TAPE



STOCK CODE	SIZE	COLOUR	
GT50B	50mm x 50m	Black	12
GT75B	75mm x 50m	Black	12
GT50G	50mm x 50m	Silver	12
GT75S	75mm x 50m	Silver	12


LOW TACK MASKING TAPE



The professionals choice for application to more delicate surfaces and wallpaper, where conventional masking tapes could damage the surface. Can be left on for up to 7 days. Ideal for use on woodstains, varnishes and enamels where coating does not usually key well to substrate.

STOCK CODE	SIZE	
LTMASK25	25mm x 25m	1
LTMASK50	50mm x 25m	1

MASKING TAPE



STOCK CODE	SIZE	
MT25	25mm x 50m	1
MT38	38mm x 50m	1
MT48	48mm x 50m	1
MT75	75mm x 50m	12

DOUBLE SIDED TAPE



STOCK CODE	SIZE	
DST25	25mm x 25m	48
DST50	50mm x 25m	24

GREEN FROG TAPE



STOCK CODE	SIZE	
MT48GF	48mm x 41.1m	12

DOUBLE-SIDED BUTYL TAPE



STOCK CODE	SIZE	
BUTYLTAPE	50mm x 10m x 1mm	12

TYVEK SINGLE SIDED ACRYLIC TAPE



STOCK CODE	SIZE	
TYVSINGTAPE	75mm x 25m	1

TYVEK DOUBLE SIDED ACRYLIC TAPE



STOCK CODE	SIZE	
TYVDOUBTAPE	50mm x 25m	1

DRAUGHT EXCLUDER TAPE

SELF-ADHESIVE STRIP



STOCK CODE	SIZE	
DRA12X6	12mm x 6mm x 10m	1

PETRO ANTI CORROSION MASTIC PUTTY



- Easy application from arctic to tropical temperatures
- Excellent molding and sealing properties
- No VOCs
- Will adhere to metal, PVC, polyethylene and concrete
- Not affected by water, acids and salts
- Non-hardening in cold weather
- Minimal surface preparation

STOCK CODE	SIZE	
MASTPUT3	3kg	1

EXPANDING FOAM TAPE

Xpanda is a unique combination of resilient foam and water-resisting binder. The combination produces a "dry" pre-formed strip seal used to resist weather ingress in fenestration, roofing and construction applications. The viscoelastic properties also offer noise and vibration damping. See the below table for size and other packaging information.



STOCK CODE	GAP	SIZE	
EXPFT1.5-3.0MM	1.5mm - 3mm	10mm x 12.5m	48
EXPFT2-4MM	2mm - 4mm	10mm x 10m	48
EXPFT3-7MM	3mm - 7mm	15mm x 8m	20
EXPFT5-10MM	5mm - 10mm	15mm x 5.6m	32
EXPFT7-12MM	7mm - 12mm	15mm x 4.3m	32
EXPFT8-15MM	8mm - 15mm	20mm x 3.3m	24
EXPTFT10-18MM	10mm - 18mm	20mm x 3m	24
EXPFT13-24MM	13mm - 24mm	25mm x 2m	20
EXPFT24-40MM	24mm - 40mm	40mm x 2m	12

HD DRAUGHT EXCLUDER TAPE

BLACK



STOCK CODE	SIZE	
DRAHD10X3	10mm x 3mm x 10m	1

For fast delivery
call our sales team on
020 8699 6777
or to order online visit
www.selkent.com

COMMERCIAL GRAFFITI REMOVER

A fast-acting solution made from a polycarbonate safe gel formulation that effectively removes graffiti from most defaced surfaces. For use on surfaces such as signs, shutters, walls and bus shelters for the removal of ink and paint.



STOCK CODE	SIZE	
CLECGR5L	5 ltr	1

CREAM CLEANER

- For rapid cleaning and polishing of all stainless steel, chrome, aluminium, laminates and enamel
- Apply lightly onto surface to be cleaned, buff to a shine with a clean cloth
- Vitreous Enamel Association tested and approved
- Superfine chalks reduce risk of scratching



STOCK CODE	SIZE	
CLECC	500ml	12

SURFACE DISINFECTANT

- A general disinfectant for floors, walls and drains
- Kills smells and malodours, leaves fresh pine fragrance
- Conforms to BS 6471 grade Q.A.P. 30



STOCK CODE	SIZE	
CLEDI5	5 ltr	1

SURFACE SANITISER

An odourless food safe cleaner suitable for use on most hard surfaces.
It is effective against most common forms of bacteria including MRSA, making it ideal for use in kitchens, food preparation areas, hospitals and nursing homes.



STOCK CODE	SIZE	
CLESS5L	5 ltr	1

SPRAY & WIPE SURFACE CLEANER

- Rapid action, hard surface cleaner
- Effective against E.Coli and MRSA



STOCK CODE	SIZE	
CLEKSC750	750ml	12

MULTI SURFACE CLEANER

SPRAY

- Cuts through grease and grime
- Fast acting multi purpose cleaner
- Refreshing lemon fragrance



STOCK CODE	SIZE	
CLEMS750	750ml	12

HARD SURFACE & FLOOR CLEANER



STOCK CODE	SIZE	
CLEFL5	5 ltr	1

EVERBUILD GLASS CLEANER

SPRAY

- Powerful glass cleaning agent
- Rapid drying



STOCK CODE	SIZE	
EVBGLCLEA1L	1 ltr	12

PROTEAN INSTANT DEGREASER

SPRAY

- Anti bacterial
- Requires no rinsing
- Cleans and disinfects
- Tested to BS EN 1276



STOCK CODE	SIZE	
9487	750ml	12

WINDOW & MIRROR CLEANER

SPRAY



STOCK CODE	SIZE	
CLEGP750	750ml	6

FURNITURE POLISH

SPRAY



STOCK CODE	SIZE	
CLEFP480	300ml	12

LIMESCALE REMOVER

SPRAY



STOCK CODE	SIZE	
CLELR500	500ml	12

THICK BLEACH

- Perfect for deep cleans, commercial and professional cleaning, catering cleaning, etc.
- Thick commercial grade bleach
- Strong quality
- Sold in angle necked 1 litre bottles with airtight sealed lid



STOCK CODE	SIZE	
CLEB1L	1 ltr	12

DISHWASHER TABLETS

LEMON SCENT



STOCK CODE	SIZE	
CLEDT	100 tablets	2

BLEACH

For use in drains, floors, lavatories and for general disinfecting and cleaning.



STOCK CODE	SIZE	
CLEBL5	5 ltr	2

WASHING UP LIQUID



STOCK CODE	SIZE	
CLEWUL1	1 ltr	12
CLEWUL5	5 ltr	2

SPONGE SCOURERS

PACK OF 10



STOCK CODE	
CLESS	1

GREEN SCOURERS

PACK OF 10

- Long lasting
- Suitable for removing burns and stains



STOCK CODE	
CLEGS	1

DISH CLOTHS

PACK OF 10

- Soft and absorbent
- Suitable for wet and dry applications



STOCK CODE	
CLEDC10	1

J TYPE CLOTHS

PACK of 50



STOCK CODE	
CLEJC50	1

BLUE MICROFIBRE CLEANING CLOTH

PACK OF 10

High quality microfibre material



STOCK CODE	
CLEMFC	1

TEA TOWELS

PACK OF 10



STOCK CODE	
CLETT10	1

YELLOW DUSTER

PACK OF 10



STOCK CODE	
CLEYD10	1

WASHING UP BOWL



STOCK CODE	
CATWB	1

MOP BUCKETS

- Size 32cm x 29cm x 23cm
- Capacity 15 ltr



STOCK CODE	
CLEMB12	1

12 PY MOP HEAD & HANDLE



STOCK CODE	DESCRIPTION	
CLEMH12	12 PY Mop Head	1
CLEMHD	Mop Handle	1

NUMATIC HENRY VACUUMS & BAGS

Motor (Vacuum)	620W
Carpet/Hard Floor Pickup	C / C
Dust Re-Emission Class	C
Energy Efficiency Class	B
Sound Power Level	76dB
Cable Length (Meters)	12.5
Suction	2200mm H2O
Capacity Dry (Litres)	9
Cleaning Width	300mm Floor Tool
Dimensions	355mm x 355mm x 415mm

STOCK CODE	POWER	
107115	110 VOLT	1
107116	240 VOLT	1



HENRY VACUUM BAGS - Pack of 10

Replacement Plain Poly Bags- Paper Bags - Weight: 0.485 kg

STOCK CODE	
107117	1



TOILET CHANNEL BLOCKS


- Pack of 36
- Deodorant toilet blocks with a powerful and persistent perfume



STOCK CODE	
CLECB	1

FLEX FLEECE VACUUM BAGS

BULK PACK



STOCK CODE	DESCRIPTION	
FLXVCE35FBAG	FILTER BAGS Pack of 5	1
FLXVCE35SACK	DISPOSAL SACKS Pack of 10	1

YELLOW URINAL BLOCKS

PERFUMED



STOCK CODE	SIZE	
CLEYUB3	3kg tub	1

TOILET CLEANER

- Climate Pledge friendly
- Cleans, freshens & removes limescale



STOCK CODE	SIZE	
CLETC5L	5 ltr	1

TOILET CLEANER



STOCK CODE	SIZE	
CLETC750	750ml	12

TOILET ROLL HOLDER

- Budget Toilet Roll Holder
- Satin Anodised Aluminium
- Sprung Black Insert
- Width 134mm
  Projection 80mm



STOCK CODE	
CLETHS	1

TOILET ROLLS - PREMIUM

Softer and stronger sheet

- 3 Ply
- White
- Length 20m
- Pack of 4
- Case 40
- 160 Rolls



STOCK CODE	
CLETR50	1

AIR FRESHENER

SPRAY



STOCK CODE	SIZE	
CLEAF400	300ml	12

URINAL BOTTLE - MALE

WITH HANDLE

- Volume: 1000ml
- Material: Polyethylene
- Colour: Natural



STOCK CODE	SIZE	
URBTLM	1000ml	50

TOILET BRUSH & HOLDER



STOCK CODE	
CLETB	1

PAPER HAND TOWEL



C FOLD

STOCK CODE	DESCRIPTION	
CLETOWC	White - Pack of 2400	1
CLETOWG	Green - Pack of 2520	1

Z FOLD

STOCK CODE	DESCRIPTION	
CLETOWZZ	White - Pack of 3000	1

HAND TOWEL DISPENSER

Space-saving and easy to restock.



STOCK CODE	
CLEHTD	1

CENTRE FEED CLEANER ROLLS

CASE OF 6

- 100% Recycled
- 2 Ply



STOCK CODE	SIZE	
CLEBR150M	175mm x 150m	1

CENTRE FEED PAPER TOWEL ROLL WHITE

PACK OF 2

- 2 Ply



STOCK CODE	
107110	6

CENTRE FEED ROLL DISPENSER



STOCK CODE	
CLECFTD	1

WATER BOTTLE

NON RETURNABLE

- PET Bottle, 100% recyclable, made with 51% recycled PET
- Bottle cap suitable for water dispenser/coolers



STOCK CODE	SIZE	
CATWAT18	15 ltr	1

CRUSHABLE WATER BOTTLE

- Fully recyclable in your normal recycling waste
- Made from 100% PET plastic with 30% recyclable content in every bottle
- High-quality pure English spring water



STOCK CODE	SIZE	
WATBOT15	15 ltr	4

BOTTLED WATER



STOCK CODE	SIZE	
WATBOT50012	500ml	6
WATBOT50024	500ml	24

WOODEN FOLDING CANTEEN TABLE

- Wooden frame - melamine surface
- Lockable steel legs that are fully retractable for ease of moving and storing



STOCK CODE	SIZE	
CANPFT	1800mm x 600mm	1

PLASTIC STACKING CANTEEN CHAIR

- Strong moulded polypropylene chair
- Non slip feet



STOCK CODE	SIZE	
CANSC	H 800mm x W 450mm x D 360mm	1

WOODEN CANTEEN BENCH

FOLDABLE LEGS

- Robust wooden folding bench
- Lockable steel legs that are fully retractable for ease of moving and storing



STOCK CODE	SIZE	
CANWB	1800mm x 250mm	2

MICROWAVE OVEN

700W POWER

- Easy set timer
- 7 power levels for precise cooking



STOCK CODE	SIZE	
MIC240	262mm x 452mm x 330mm	1

UNDER COUNTER FRIDGE

90 LTR



STOCK CODE	SIZE	
FIRU01	820mm x 470mm x 440mm	1

TOASTER

REMOVABLE CRUMB TRAY

- 240V
- Variable electronic browning control, reheat, defrost and cancel buttons
- Non slip feet



STOCK CODE	SIZE	
TOAST2	2 Slice	1
TOAST4	4 Slice	1

CORDLESS KETTLE

OVERHEAT PROTECTION

- Easy pour spout
- Quick boil
- Detachable powered base



STOCK CODE	CAPACITY	
KET01	1.7 ltr	1

HOT WATER URN

- 2500W
- Commercial stainless steel water boiler



STOCK CODE	CAPACITY	
HWURN	22 ltr	1

POLYSTYRENE CUP

PACK OF 1000

- Insulated



STOCK CODE	CAPACITY	
CATPC10	10 oz	1

CERAMIC MUG



STOCK CODE	SIZE	COLOUR	
CATSEL	300ml	White	1

PLASTIC CUP

PACK OF 2000



STOCK CODE	CAPACITY	
CATPC7	7 oz	1

CERAMIC PLATE

PACK OF 6



STOCK CODE	
CATPLA6	1

CERAMIC BOWL

PACK OF 6



STOCK CODE	
CATBL6	1

STAINLESS STEEL CUTLERY

PACK OF 12



TEASPOON

STOCK CODE	
CATTSP12	1



SPOON

STOCK CODE	
CATSP12	1



FORK

STOCK CODE	
CATFK12	1



KNIFE

STOCK CODE	
CATKNI12	1

PLASTIC CUTLERY

PACK OF 100



TEASPOON

STOCK CODE	
CATTSP100	1



SPOON

STOCK CODE	
CATSP100	1



FORK

STOCK CODE	
CATPFK100	1



KNIFE

STOCK CODE	
CATPKNI100	1

TYPHOO TEA BAGS

1100 BAGS



STOCK CODE	
CATTB01	1

NESCAFE ORIGINAL COFFEE

500g



STOCK CODE	
CATCOF01	1

TYGRIS ONEWIPE

110 WIPES

- Highly absorbent material
- Specially formulated to remove common contaminants found in most trades and industries
- Anti-bacterial by design
- Foil sealed for freshness and long storage life



STOCK CODE	
9485	6

NESCAFE GOLD BLEND COFFEE TIN

750g



STOCK CODE	
CATCOF2	1

TATE & LYLE SUGAR





1kg PACK

STOCK CODE	
CATGS01	1

1000 SACHETS - 1kg TOTAL

STOCK CODE	
CATSS01	1

WET CLEANSING WIPES

50 WIPES



STOCK CODE	
CLEWW01	1

SANITISER WIPES

TUB OF 500

- Convenient, effective, universal surface wipes for long-lasting germ protection
- Approved to kill coronavirus
- Convenient dispenser for individual wipes
- Complies with EN13727, EN13697, EN14561, EN13624, EN14467, EN14476



STOCK CODE	
SANTUB500	1

SWARFEGA

Swarfega Orange is an advanced formulation hand cleaner with polygrains. Its natural citrus oil removes oil, grease and general soilings quickly and efficiently.



STOCK CODE	
SWARFEGA	1

ANTIBACTERIAL HAND SOAP



STOCK CODE	SIZE	
CLEHS500	500ml	12

HYGIENE HAND SOAP

- A pearlised hand soap suitable for environments such as hospitals and kitchens where hygiene is essential
- Ideal for use in most bulk fill dispensers



STOCK CODE	SIZE	
CLEHS5L	5 ltr	1

MANUAL WALL SOAP DISPENSER

WHITE



STOCK CODE	CAPACITY	
WSSDW800	800ml	1

70% ALCOHOL HAND SANITISER GEL



STOCK CODE	SIZE	
CLEAHS200	200ml	1



STOCK CODE	SIZE	
CLEAHS500	500ml	1



STOCK CODE	SIZE	
CLEAHS5L	5 ltr	1

DEB RESTORE AFTER WORK HAND CREAM

- Deb Pure Restore Skin Conditioning Cream is a highly effective after-work conditioning cream
- Deb Pure Restore helps repair damaged skin after work
- This skin moisturising cream is perfume and dye free. It is suitable for use on sore, chapped, dry or normal skin



STOCK CODE	SIZE	
DEB007	1 ltr	1

DEB RESTORE 1000 SKIN CONDITIONING CREAM DISPENSER

- The Deb Restore 1000 Dispenser is a highly practical way to distribute skin moisturising creams to workers
- The Deb Restore 1000 is highly durable perfect for frequent daily use



STOCK CODE	CAPACITY	
DEB012	1 ltr	1

SKIN SAFETY CRADLE HAND

STARTER KIT & REFILLS

The Swarfega Skin Safety Cradle Skincare Starter Kit is a unique skin safety solution for vehicles and areas of limited space - a compact and complete 3-step skincare system. It can be conveniently fitted inside vans or work cabins and contains everything needed to protect, cleanse and sanitise the skin. The products do not require running water.
The dispensing unit holds all three cradle cartridges and comes complete with 1 x Stokoderm® Universal PURE protect cream, 1 x Solopol® Smooth lime hand cleaner and 1 x InstantGEL™ complete hand sanitiser.



STOCK CODE	DESCRIPTION	
SKICHC01	Starter Kit	1
SKICHC02	Cleaner 750ml	1

STOCK CODE	DESCRIPTION	
SKICPC01	Protect Cream 700ml	1
SKICSS01	Sanitiser 750ml	1

SUN PROTECT 30 PURE

Prolongs the skin's natural protection time against the sun's UVB rays by a factor of 30.
UVC Protection - Provides additional protection against UVC rays as created artificially during certain industrial processes, such as arc welding. Does not replace personal protective equipment.
Water resistant formula - Withstands perspiration or immersion in water; ideal for outdoor workers.
Non greasy after feel - Quickly and easily absorbs into the skin to encourage regular use and does not affect dexterity with hand held tools.
Perfume-free.



STOCK CODE	SIZE	
SKISPP01	100ml	12
SKISPP02	65ml	12

DEB PROTECT 1000 DISPENSER

The Deb Protect 1000 is perfect for distributing sunblock to outdoor workers or barrier cream to workers using harsh chemicals or abrasive conditions.
This highly durable sunscreen and barrier cream dispenser is highly durable able to withstand frequent daily use by large workforces.
1 ltr capacity.



STOCK CODE	CAPACITY	
DEB013	1 ltr	1

DEB LIME WASH

Deb® Lime Wash is a powerful hand cleanser containing Deb's patented formula of lime extract and cornmeal scrub.
Deb® Lime Wash is powerful enough to remove most common industrial soiling.



STOCK CODE	SIZE	
DEB009	2 ltr	1
DEB008	4 ltr	1

DEB UNIVERSAL PROTECT

Deb® Universal Protect Skin Cream is a pre work skin cream which helps protect against waterbased and non water based contaminants.
Deb® Universal Protect Skin Cream is non-greasy, perfume free and makes skin easier to clean.
This skin protecting cream is suitable for use with latex and nitrile gloves to provide a second line of defence.



STOCK CODE	SIZE	
DEB005	1 ltr	1

DEB CLEANSE HEAVY 2000 & 4000 SKIN CLEANSER DISPENSER

The Deb Cleanse Heavy 2000 & 4000 Skin Cleanser Dispenser is a highly practical way of distributing Deb Skin cleaning lotions to industrial workers.
The dispensers are highly durable making them ideal for frequent daily use.



STOCK CODE	SIZE	
DEB014	2 ltr	1
DEB015	4 ltr	1

DEB CLEANSE LIGHT 2000 CLEANSER DISPENSER

This simple dispenser is a light duty hand wash dispenser designed to fit with any washroom decor and is durable enough to withstand frequent daily use.

The Deb Cleanse Light 2000 Cleanser Dispenser is the ideal way to distribute skin cleansers in busy washrooms.
The Deb Cleanse Light 2000 Cleanser Dispenser is suitable for use in washrooms, staff toilets and public restrooms.



STOCK CODE	SIZE	
DEB010	2 ltr	1

PURE WASH LOTION HAND CLEANSER

Deb® Pure Wash Lotion Hand Cleanser is a hand soap for frequent daily use removing general dirt and grime.
Deb® Pure Wash Lotion Hand Cleanser contains no perfume or dye so it's gentle on skin and won't taint food.
This highly effective hand cleaner is perfect for all washrooms, public restrooms and staff toilets.



STOCK CODE	SIZE	
DEB011	2 ltr	1

BALLPOINT PEN

- Black or Blue ink available
- Medium point clear barrel ballpoint pen 1.0mm tip with 0.4mm line width
- Shatterproof barrel with ventilated cap



STOCK CODE	
PENBLK	50
PENBLU	50

WHITEBOARD DRY WIPE ASSORTED PENS

PACK OF 4

The Niceday WBM 2.5 whiteboard markers come with a bullet nib that lets you draw calligraphic, thick and thin lines. These markers can be used during meetings, classroom teachings and note-taking to make sure no message is missed. Add these multi-purpose whiteboard markers to your office supplies list and give a voice to your ideas.

This pack consists of 4 Niceday WBM 2.5 whiteboard markers in blue, green, red and black colours. Its plastic body encapsulates pigment based ink that can be easily cleaned with the regular whiteboard erasers. So pick up one of these markers and write away or better yet pick them all up and write down a cheery, colourful message.

The writing length of this marker is around 300 metres.



STOCK CODE	
WHITEBOARDPEN	1

HIGHLIGHTER ASSORTED COLOURS

PACK OF 4



STOCK CODE	
HIGHLIGHT4	1

BLACK PERMANENT MARKER

PACK OF 12

- Water resistant
- Fast drying ink



STOCK CODE	
PENPM	1

DYKEM MEDIUM PAINT PEN

These fantastic Paint Pens are specifically designed for Industrial Applications. The quick drying, oil-based Paint will mark almost any surface including Metal, Rubber, Timber, Glass, Concrete, Leather and more.



STOCK CODE	COLOUR	
DYK75086	Yellow	1

VALVE ACTION PAINT MARKER

Markal Paint-Riter® Valve Action® Paint Markers require very little pressure to release the specially formulated spirit based opaque paint from the metal barrel. These marks are Xylene free, very fast drying, fade and ultra-violet resistant, similar to an ink marker, but with the opacity of paint. Works best on hard, smooth surfaces, like steel and iron, plastic, glass, pipes and tubes, rubber and tyres, cloth and fabric (textiles).



STOCK CODE	COLOUR	
MKL96800C	White	1

TIPP-EX PEN


PACK OF 10

- Shake 'n Squeeze correction pen
- Fast drying fluid
- 8 ml of liquid



STOCK CODE	
PENTIPX	1

LEVER ARCH FILES



- Metal thumb hole for easy retrieval from a shelf
- Strong compressor bar to secure papers
- Large spine label for easy identification

STOCK CODE	SIZE	
A4LAFILE	A4	1
A3LAFILE	A3	1

A4 CLIPBOARD



- Clipboard for a sturdy writing surface
- Strong clip keeps papers secure
- Glazed surface guarantees smooth writing
- Size: A4

STOCK CODE	
CBA4	1

CHARTWELL SURVEY BOOK 2426

YELLOW



- Level book collimation
- Produced to the highest specification using quality wet strength paper with high cotton content giving excellent tear resistance when wet
- Writing surface is retained even after being subjected to adverse site or weather conditions
- Sewn in sections with nylon thread to withstand even the most demanding environments
- Cover folds flat making it easier to write entries

STOCK CODE	
SBCHAY	1

HOLE PUNCH



- Medium punch with all metal working parts for increased stability and durability
- Rubberised flip down confetti tray for added stability and easy emptying
- Handle lock-down switch for easy storage
- Capacity: 22 Sheets

STOCK CODE	
HOLPUNCH	1

COPIER PAPER WHITE

500 SHEETS



- 80gsm White

STOCK CODE	SIZE	
A4PAPER	A4	5
A3PAPER	A3	5

DOCUMENT LAMINATION

A3 SIZE THERMAL LAMINATOR & POUCHES

Fast warm-up laminator:

- Hot mode only needs 3-5 minutes to preheat and there are two lamination modes, including hot lamination and cold lamination methods.



LAMINATOR

STOCK CODE	
LAMTHM	1

POUCHES (PACK OF 100)

STOCK CODE	SIZE	
LAMA4	A4	1
LAMA3	A3	1

WHITEBOARD MAGNETIC DRY WIPE

The lightweight, strong anodised aluminium frame features snap-on corner caps to help conceal wall fixings. Ideal for use in trainings, conferences and meeting rooms, the steel-based surface means it can double-up as a noticeboard using magnets to attach messages, charts and images.

This whiteboard weighs 5585g.

Please note that the markers are not included.



STOCK CODE	SIZE	
WHITEBOARD1200X90	1200mm x 900mm	1

METAL STENCILS SET

4 INCH LETTERS A TO Z

- Sets of non-interlocking zinc stencils
- 27 piece set
- Useful for making signs and marking cartons and packing cases



STOCK CODE	
STNL4	1

METAL STENCILS SET

4 INCH NUMBERS 0-9

- Sets of non-interlocking zinc stencils
- 9 piece set
- Number 6 and number 9 are revesible
- Useful for making signs and marking cartons and packing cases



STOCK CODE	
STNF4	1

CONSTRUCTION SITE KEEP OUT SIGN

This Scan Hazard sign is made from 1mm thick, durable PVC. It's aggressive water-based adhesive enables the sign to easily stick on to and remain on any wall. It is printed using UV resistant inks, which resist fading. It is easy to read with clear instruction and illustration.
Complies with BS5499 and/or ISO7010 design criteria where applicable.
Helps limit company liability should an accident occur.



STOCK CODE	SIZE	
CONSITKO	600mm x 400mm	1

DANGER ELECTRIC SHOCK RISK

PVC

This Scan Hazard sign is made from 1mm thick, durable PVC. It's aggressive water-based adhesive enables the sign to easily stick on to and remain on any wall. It is printed using UV resistant inks, which resist fading. It is easy to read with clear instruction and illustration.
Complies with BS5499 and/or ISO7010 design criteria where applicable.
Helps limit company liability should an accident occur.



STOCK CODE	SIZE	
HAZS01	200mm x 300mm	1

DANGER HIGH VOLTAGE

PVC



STOCK CODE	SIZE	
HAZS02	200mm x 300mm	1

DANGER HIGHLY FLAMMABLE MATERIAL

PVC



STOCK CODE	SIZE	
HAZS03	200mm x 300mm	1

DANGER FRAGILE ROOF



STOCK CODE	SIZE	
HAZS05	200mm x 300mm	1

WARNING WET FLOOR

PVC



STOCK CODE	SIZE	
HAZS06	200mm x 300mm	1

DANGER FORKLIFT TRUCKS

PVC



STOCK CODE	SIZE	
HAZS04	200mm x 300mm	1

WARNING ANTI CLIMB PAINT

PVC



STOCK CODE	SIZE	
HAZS07	200mm x 300mm	1

CAUTION CLEANING IN PROGRESS

PVC



STOCK CODE	SIZE	
HAZS08	200mm x 300mm	1

DANGER MEN AT WORK

PVC



STOCK CODE	SIZE	
HAZS09	200mm x 300mm	1
HAZS15	400mm x 600mm	1

WARNING CCTV CAMERAS OPERATION

PVC



STOCK CODE	SIZE	
HAZS10	300mm x 200mm	1

DANGER MOVING VEHICLES

PVC



STOCK CODE	SIZE	
HAZS12	400mm x 600mm	1

DANGER SITE ENTRANCE

PVC



STOCK CODE	SIZE	
HAZS13	400mm x 600mm	1

DANGER DEEP EXCAVATION

PVC



STOCK CODE	SIZE	
HAZS14	400mm x 600mm	1

DANGER DEMOLITION IN PROGRESS

PVC



STOCK CODE	SIZE	
HAZS16	400mm x 600mm	1

HAZARDOUS AREA

PVC



STOCK CODE	SIZE	
HAZS18	400mm x 600mm	1

FIRE EXIT RUNNING MAN



PVC

STOCK CODE	TYPE	SIZE	
HAZS19	Arrow **DOWN** ↓	300mm x 200mm	1
HAZS20	Arrow **RIGHT** →	300mm x 200mm	1
HAZS21	Arrow **LEFT** ←	300mm x 200mm	1
HAZS22	No Arrow	300mm x 200mm	1

PHO

STOCK CODE	TYPE	SIZE	
HAZS30	Arrow **RIGHT** →	300mm x 200mm	1
HAZS31	Arrow **LEFT** ←	300mm x 200mm	1

FIRE EXIT KEEP CLEAR

PVC



STOCK CODE	SIZE	
HAZS23	300mm x 200mm	1

FIRE EXIT KEEP CLEAR

PVC



STOCK CODE	SIZE	
HAZS26	300mm x 200mm	1

FIRE ASSEMBLY POINT

PVC



STOCK CODE	SIZE	
HAZS27	200mm x 300mm	1

ARROW SYMBOL

PVC



STOCK CODE	SIZE	
HAZS24	300mm x 200mm	1

PUSH BAR TO OPEN



PVC


STOCK CODE	SIZE	
HAZS25	300mm x 200mm	1

PHO

STOCK CODE	SIZE	
HAZS32	300mm x 200mm	1

FIRST AID BOX / FIRST AID

PVC



STOCK CODE	SIZE	
HAZS29	300mm x 200mm	1

FIRST AID

PVC



STOCK CODE	SIZE	
HAZS28	200mm x 300mm	1

SAFETY HELMETS MUST BE WORN

PVC



STOCK CODE	SIZE	
MANS01	200mm x 300mm	1

WEAR EAR PROTECTORS

PVC



STOCK CODE	SIZE	
MANS02	200mm x 300mm	1

EYE PROTECTION MUST BE WORN

PVC



STOCK CODE	SIZE	
MANS03	200mm x 300mm	1

PROTECTIVE FOOTWEAR MUST BE WORN

PVC



STOCK CODE	SIZE	
MANS04	200mm x 300mm	1

HIGH VISIBILITY CLOTHING MUST BE WORN

PVC



STOCK CODE	SIZE	
MANS05	200mm x 300mm	1

PROTECT YOUR HANDS

PVC



STOCK CODE	SIZE	
MANS06	200mm x 300mm	1

FIRE DOOR KEEP SHUT



STOCK CODE	SIZE	
MANS07	200mm x 300mm - 6 x Stickers	1

FIRE DOOR KEEP LOCKED SHUT



STOCK CODE	SIZE	
MANS08	200mm x 300mm - 6 x Stickers	1

FIRE ESCAPE KEEP CLEAR



STOCK CODE	SIZE	
MANS09	200mm x 300mm	1

FIRE ACTION PROCEDURE

PVC



STOCK CODE	SIZE	
MANS10	200mm x 300mm	1



PVC

STOCK CODE	SIZE	
MANS11	200mm x 300mm	1

PHO

STOCK CODE	SIZE	
MANS12	200mm x 300mm	1

NOW WASH YOUR HANDS

PVC



STOCK CODE	SIZE	
MANS14	200mm x 300mm - 2 x Stickers	1

SAFETY HELMETS MUST BE WORN IN THIS AREA

PVC



STOCK CODE	SIZE	
MANS15	400mm x 600mm	1

HELMETS & PROTECTIVE FOOTWEAR MUST BE WORN

PVC



STOCK CODE	SIZE	
MANS16	600mm x 400mm	1

ALL DRIVERS AND VISITORS MUST REPORT TO SITE OFFICE

PVC



STOCK CODE	SIZE	
MANS17	400mm x 600mm	1

KEEP OUT

PVC



STOCK CODE	SIZE	
MANS18	400mm x 600mm	1

NO HAT, NO BOOTS, NO JOB

PVC



STOCK CODE	SIZE	
MANS19	600mm x 400mm	1

HOW TO TREAT AN ELECTRIC SHOCK CASUALTY

PVC



STOCK CODE	SIZE	
MANS20	400mm x 600mm	1

RIGID BACKING BOARD FMX

PVC



STOCK CODE	SIZE	
MANS22	600mm x 400mm	1

SITE OFFICE

PVC



STOCK CODE	SIZE	
MANS21	600mm x 400mm	1

NO SMOKING

PVC



STOCK CODE	SIZE	
PRO01	400mm x 600mm	1

IT IS AGAINST THE LAW TO SMOKE IN THESE PREMISES

PVC



STOCK CODE	SIZE	
PRO02	200mm x 300 mm	1

NO ENTRY

PVC



STOCK CODE	SIZE	
PRO03	200mm x 300mm	1

NO PARKING

PVC



STOCK CODE	SIZE	
PRO04	200mm x 300mm	1

PRIVATE PROPERTY KEEP OUT

PVC



STOCK CODE	SIZE	
PRO06	300mm x 200mm	1

STRICTLY NO ADMITTANCE TO UNAUTHORISED PERSONS

PVC



STOCK CODE	SIZE	
PRO08	400mm x 600mm	1

NO UNAUTHORISED PERSONS BEYOND THIS POINT

PVC



STOCK CODE	SIZE	
PRO09	400mm x 600mm	1

BUILDING SITE WARNING TO PUBLIC AND PARENTS

PVC



STOCK CODE	SIZE	
PRO10	600mm x 400mm	1

STEEL STANDING SIGN FRAME



STOCK CODE	SIZE	
SGNFRM	600mm x 450mm	1


SELKENT
SELKENT
GL21 YYB



SELKENT

CONSTRUCTION FIXINGS AND TOOLS

CONCRETING ACCESSORIES

OX TRADE LIGHTWEIGHT CONCRETE RAKE

- Lightweight for ease of use
- Extruded rake plate
- 45 degree edge angle
- 1500mm long handle with soft grip



STOCK CODE	
23336	1

CONCRETE RAKE

60inch HANDLE

The aluminum blade on this tool allows large amounts of asphalt or concrete to be placed for finishing.
For levelling and moving tarmac and a variety of loose material.

Product features

- Blade width 24inch/600mm
- Blade thickness 1/4 inch
- Handle length 60inch/1524mm
- Solid alloy blade



STOCK CODE	
CONRAKE60	1

BIG BLUE FLOAT KIT

Big Blue concrete trowel which comes complete with a heavy-duty Knucklehead II Gearbox for tilt-action control on the concrete plus and 3 aluminium snap handles giving you 18ft reach on the slab.



STOCK CODE	
BBF1200K	1

BIG BLUE REPLACEMENT BROOM

These polybristle brushes slide onto a metal strip and are used for texturing concrete. These head replacements for fixed brushes and fresno brooms allow you to quickly slot the desired texture of brush to suit the finish required



STOCK CODE	TYPE	
BBFBHARD	Hard	1
BBFBSOFT	Soft	1

BIG BLUE FLOAT REPLACEMENT BLADE ONLY




STOCK CODE	SIZE	
BBFBLADE	1200 x 300 mm	1

BIG BLUE FRESNO BROOM KIT

HARD

The heavy duty Knucklehead II with the innovative tilt action gear box allows for a smooth concrete finish when pushing out onto the concrete, and when twisted allows the textured brush to make contact with the concrete to apply the texture as the tool is pulled back towards you.



STOCK CODE	SIZE	
BBFBHARDKIT	1200mm	1

ALUMINIUM SERRATED TEXAS PLACER

Heavy duty concrete placer with a 'double dished' interchangeable aluminium blade.



STOCK CODE	
ALITEXPL	1

ALUMINIUM LUTE / SPAZZLE

The aluminium blade on this tool allows large amounts of asphalt or concrete to be placed for finishing.
For levelling and moving tarmac and a variety of loose materials.

Product features

- Blade width 24inch/600mm
- Blade thickness 1/4inch
- Handle length 60inch/1524mm
- Solid alloy blade



STOCK CODE	
ALISPAZ	1

FORGED TAMPER

Solid steel head with heavy duty tubular steel handle and 130mm base for access into corners. Strong and lightweight.
For compacting areas of earth, tarmac, asphalt and hardcore.



STOCK CODE	WEIGHT	
GROFT01	5kg	1

ROUNDED TARMAC RAKE

Heavy duty forged steel rake with long, heavy-gauge tubular handle. Suitable for even spreading of tarmac over paths, driveways and roads. Head width 435mm. 16 rounded teeth.



STOCK CODE	SIZE	
GROR16	16 tooth	1

ALUMINIUM HAND SCOOP

Aluminium scoop is resilient to aggressive materials or aggregate



STOCK CODE	
SCOALUH	1

WAX CONE



STOCK CODE	SIZE	
1673	229mm	1
1674	380mm	1
1675	530mm	1
1677	450mm	1
1680	300mm	1

POLYPROPYLENE CONCRETE CURING TANK

110volt concrete curing tanks are perfect economy tanks for onsite testing of concrete cube moulds. They maintain temperature of the cubes at the required 20°C.



STOCK CODE	
CUR110A	1

CONCRETE TEST CUBE MOULD PLASTIC

The mould is compliant with specifications laid out in EN 12390-1 (testing hardened concrete. shape, dimensions and other requirements for test pieces and forms).
It consists of two identical halves that are easy to assemble.
The elements are coupled together by fastening with two side closing grips.
A plastic test mould rod is supplied as standard.



STOCK CODE	SIZE	
MOU150CP	150mm x 150mm	1

FLOW CONE STAND



STOCK CODE	
FLCNST	1

CONCRETE TEST CUBE MOULD

4 PARTS

Made from cast iron capable of withstanding heavy usage without distortion.



STOCK CODE	SIZE	
MOU100C	100mm x 100mm	1
MOU150C	150mm x 150mm	1

POLYSTYRENE CUBE MOULD



STOCK CODE	SIZE	
POLYCUBE100	100mm	125

CONCRETE TESTING THERMOMETER

-10°C +50°C

Brass concrete thermometer with a temperature range of -10° to +50°C. Length, 500mm



STOCK CODE	
THOM02	1

FLUIDITY FLOW CONE EN



STOCK CODE	
FLCN	1

SLUMP CONE



STOCK CODE	
SUMC	1

SLUMP CONE CUBE TAMPING ROD

STEEL TO EN12390-2 AND BS1881-108



STOCK CODE	SIZE	
SUMCSTR	25mm	1

TAMPING ROD




STOCK CODE	
SUMCTR	1

SLUMP CONE WITH TAMPING ROD SQUARE



STOCK CODE	
SUMCTRS	1

SLUMP CONE BASE PLATE



STOCK CODE	
SUMCBP	1

MESH SIEVE

200mm **ST/ST**

European Standard Full Height Sieves with 200mm diameter frames x 50mm deep to ISO 3310/1 (woven wire mesh) and ISO 3310/2 (perforated plate).



STOCK CODE	
SV200	1


MBT COUPLER



STOCK CODE	SIZE	
MBT16	16mm	1
MBT20	20mm	1
MBT25	25mm	1
MBT32	32mm	1

BEAM FORM SHEETING

Beam form sheeting is manufactured from high strength, light weight polypropylene and provides an effective means installing concrete ground beams and pile caps. Our polypropylene sheets are non-toxic and recyclable.



STOCK CODE	SIZE	
BFS2X4	2.4m x 4.4m	10

THREADED TIE ROD BAR

Tie rod threaded bars are hot rolled in the steel mill and come with thread-like deformed ribs over the entire length of the bar. The bar can be cut anywhere and is instantly threadable without further preparation.



STOCK CODE	SIZE	
TRB15X3M	15mm x 3m	1
TRB15X6M	15mm x 6m	1
TRB20X6M	20mm x 6m	1
TRB26X6M	26mm x 6m	1

WHEEL SPACER

The design of the spacer allows it to be used with a wide selection of bars and the design allows for maximum concrete flow.



STOCK CODE	COVER mm	BAR SIZE	
WSP200412	20	4mm - 12mm	1000
WSP250412	25	4mm - 12mm	1000
WSP250812	25	8mm - 12mm	1000
WSP250820	25	8mm - 20mm	500
WSP300412	30	4mm - 12mm	500
WSP300820	30	8mm - 20mm	1000
WSP350620	35	12mm - 20mm	1000
WSP400820	40	8mm - 20mm	250
WSP500820	50	8mm - 20mm	250


SOLID ROD FIXING

A heavy duty fixing socket which can be used without additional reinforcement.



STOCK CODE	SIZE	
SRF1675	M16 x 75mm	1

TIE ROD FORMWORK ANCHOR



STOCK CODE	SIZE	
TRFA15	15mm	1

TIE ROD PLASTIC SLEEVE CONE




STOCK CODE	SIZE	SUITABLE FOR	PACK OF	
TRPCONE15	22mm	15mm TIEROD	500	1
TRPCONE20	26mm	20mm TIEROD	250	1
TRPCONE26	30mm	26mm TIEROD	500	1

TIE ROD CAST IN ANCHOR


ST/ST

Stainless steel cast-in anchor, complete with positioning disc and formwork fixing nail.



STOCK CODE	SIZE	
TRCIA15	15mm	1

TIE ROD HEX COUPLER



STOCK CODE	SIZE	
TRHC15	15mm	1
TRHC20	20mm	1
TRHC26	26mm	1

TIE ROD HEX NUT FULL THREAD



STOCK CODE	SIZE	
TRHN15	15mm	1
TRHN20	20mm	1
TRHN26	26mm	1

TIE ROD PLASTIC SLEEVE

2m



STOCK CODE	SIZE	SUITABLE FOR	PACK OF	
TRPS15	22mm	15mm TIEROD	100m	1
TRPS20	26mm	20mm TIEROD	50m	1
TRPS26	30mm	26mm TIEROD	50m	1

TIE ROD WING NUT



STOCK CODE	SIZE	
TRWN15	15mm	1
TRWN20	20mm	1
TRWN26	26mm	1

TIE ROD WELDABLE ANCHOR


A metal anchor which can be welded to metal structures to accept 15mm tie rod.
Anchors must be welded continuously all the way round – load tests should be conducted before use.



STOCK CODE	SIZE	
TRWA15	15mm	1

TIE ROD WATER STOP NUT

An effective cast in-situ Tie bar water barrier for use in water retaining structures.
Plastic reducer ensures a neat, clean fit with the tie bar tubing when used with the flanged water barrier.



STOCK CODE	SIZE	
TRWSN15	15mm	1

R CLIP

R-Clips for use with cross drilling shafts.



STOCK CODE	SIZE	
RCLP2	2mm	100
RCLP4	4mm	100
RCLP4L	4mm x 75mm	100

TIE ROD ROCK ANCHOR



STOCK CODE	SIZE	
TRRA15	15mm	1

TIE ROD WALER PLATE

Pressed Waler Plates are used for timber or steel waling's in conjunction with a winged nut or a hex nut for load transfer. The embossing of the plate increases its rigidity. Load capacity depends on the contact area, the admissible bearing pressure and the threadbar that is used.



STOCK CODE	SIZE	
TRWP15	15mm	1
TRWP20	20mm	1
TRWP26	26mm	1

PLASTIC NAILING PLATE

Plastic Nailing Plates are for use with wooden formwork and are simply nailed to the mould in the correct position and the anchor screwed on.



STOCK CODE	SIZE	
NAILPLM16	M16	100

STAINLESS STEEL TYING WIRE

Stainless Steel wire is used where there is a risk of staining or for use with stainless steel bars. Our stainless steel lacing wire is grade 304/ A2 (1. 4301). It is the most popular grade of stainless steel it is an ideal grade for everyday applications, easy to form and long lasting. Stainless Steel 304/A2 has good corrosive resistance in every day applications and is superior to other materials.



STOCK CODE	WEIGHT	
TWS20	15kg	1

BLACK ANNEALED TYING WIRE

16gauge fully annealed tying wire coil is ideal for lacing or tying. It is a soft and malleable tying wire, so it can be bent, twisted and be used for a wide variety of applications.

Typical applications are for insulation, rebar, fencing, cables and general tying applications where a good quality durable wire is required.



STOCK CODE	WEIGHT	
TWB12	10kg	1

ADOSTRIP FORMSTRIKE SHUTTERING

Contractor's Concrete Mould Oil (BCA Category 2)
ADOSTRIP is a release agent that designed for general site use to achieve easy formwork release. ADOSTRIP forms a physical barrier between the formwork surface and the concrete and minimises blowholes and provides a clean uniform and non-stained surface.



STOCK CODE	SIZE	
SHUTOIL25L	25 ltr	1

CHEMICAL RELEASE MOULD OIL



STOCK CODE	SIZE	
MOUOIL25	25 ltr	1

MOULD OIL STRIKE RELEASE OIL

This EVERBUILD 206 Strike Release Oil is a high-quality chemical release agent to enable concrete shuttering to be removed easily, leaving the edge of the concrete structure clean and well formed.



STOCK CODE	SIZE	
MOUOIL5	5 ltr	1

NEVO REBAR SAFETY STRIP ORIGINAL

- Reuseable
- Weather-resistant plastic
- Secure and stable on all reinforcement diameters
- Can be applied in horizontal and vertical positions
- NEVOSAFE-PLUS: protection tested from a height of 3.0m up to 100kg



STOCK CODE	SIZE	
NEVOSTRIP	1m	1

REBAR PROTECTION CAP

A durable and tough hi-vis plastic mushroom shaped rebar protection cap that sits on the top of any protruding steel and reinforcement bar, helping to reduce construction site accidents by clearly identifying the presence of steel, particularly when they are in dangerous positions.



STOCK CODE	SIZE	
RPC6	6mm - 18mm	200
RPC16	16mm - 32mm	250
RPC40	40mm - 50mm	100

REBAR BUDDY


The Selkent Rebar Buddy™ range is an innovative product for preventing accidents due to contact with exposed rebar during construction or repair works. Also great for covering Dywidag and Rapid Form Ties.

NEXT GENERATION OF PROTECTION


Products designed by Structemp Innovations

POPULAR

PATENT PENDING REGISTERED DESIGN



ISO 9001 QUALITY ASSURANCE



Made of thermoplastic elastomer (PTE) they fit snuggly, and stay on, do not get blown off or accidentally detached: less litter on site, less time and less material needed to maintain the safety of the site.
Due to the flexible nature of the products, they are significantly more durable than hard plastic alternative products which split making them unusable - therefore less waste, hassle and cost.

- High temperature resistance (up to 170°c)
- Good low temperature flexibility
- Good solvent resistance
- Wear resistant
- Impact resistant and elastic recovery

- Part of the circular economy, fully reusable and can be used many times
- 100% recyclable at the end of its life
- Certified as nontoxic to RoHS and REACH standards

REBAR BUDDY™

Suitable for rebar diameters from 8mm to 25mm. Identifying exposed rebar and preventing contact injuries during construction works.



STOCK CODE	SIZE	
SELRB	8mm - 25mm	360

REBAR BUDDY XL™

Suitable for rebar diameters from 32mm to 40mm. Identifying exposed rebar and preventing contact injuries during construction works.



STOCK CODE	SIZE	
SELRBXL	32mm - 40mm	100

110V LEADS 347
2 STROKE OIL 412
4 ROW WIRE BRUSHES 355

A

A3 FILES 454
A3 PAPER 454
A4 CLIPBOARD 454
A4 FILES 454
A4 PAPER 454
ABRASIVE DISCS 195, 196
ABSORBENT GRANULES 361
ABSORBENT PADS 361
ACCIDENT BOOKS 339
ACOUSTIC HANGERS 68
ACOUSTIC MASTICS 111, 114
ACROW PROP CLIPS 379
ACROW PROP PINS 379
ACROW PROPS 379
ACRYLIC FINISHING PAINTS 399
ADBLUE 413
ADBLUE BARREL PUMPS 369
ADHESIVES 115
ADJUSTABLE SPANNERS & WRENCHES 273, 274
ADMIX 429
AIR BAG STOPPERS 376
AIR FRESHENER 444
AIR HORNS 403
AIRBRICKS 133, 135
ALLEN KEY SETS 213, 214
ALLTHREAD STUDS 22
ALPHABET STENCILS 455
ALUMINIUM LADDERS 378
ALUMINUM HAND SCOOP 467
ALUMINUM HOPUPS 379
ALUMINUM SPAZZLE 467
ALUMINUM TAPE 435
ANCHOR RESINS ..... 99 - 107
ANCHOR SCREW BOLTS ..... 93 - 95
ANCHOR STUDS 91
ANEMOMETER 402
ANGLE BEAD 122, 123
ANGLE GRINDERS 293
ANNULAR RING SHANK NAILS 69
ANTI CORROSION MASTIC PUTTY 438
ANTI CORROSION TAPE 435
ANTI SLIP TAPE 435
ANTI-VIBRATION GLOVES 313
ANTIFREEZE COOLANT 413
ANTISLIP FLOOR PAINTS 400
APPLICATOR GUNS 108, 109, 117
ARBO CLEANER 412
ARCTIC CABLE 347
ARMORGARD ..... 384 - 388
ASBESTOS BAGS 419
ASSEMBLED BOLTS 18
AUGER DRILL BITS 217, 218
AVIATION SNIPS 268, 269

B

BACKING PADS 194
BACKPACK SPRAYER 371
BAGS 420, 421
BALLPOINT PEN 453
BALUSTRADE SEALANTS 113
BANDING 424, 425
BAR BENDING MACHINES 381
BARREL PUMPS 369
BARRIER FENCING 418
BARRIER TAPES 434
BATTERIES 351
BEADS - DRYLINING ..... 121 - 124
BEAM FORM SHEETING 470
BENCH - CANTEEN 446
BIG BLUE FLOAT KIT 466
BIN LINERS 364
BINS ..... 363 - 365
BITUMEN 430
BITUMEN PAINT 430
BLACK JACK 430
BLACK SHOT FIRE CARTRIDGE STRIPS 70
BLACKSMITH DRILL BITS 215
BLEACH 440, 441
BLIND BOLTS 84
BLOW OUT PUMPS 107
BLOW PIPE LANCE KITS 372
BLOW TORCHES 267
BLUE POLY ROPE 425
BOAT LEVELS 248
BOILER SUITS 327
BOLSTERS 266
BOLT BUDY 381
BOLT CROPPERS 269
BOLT CUTTERS 269
BOLTS ..... 12 - 24
BOOT LACES 321
BOOT SOCKS 321
BOOT WASH 358
BOOTS 320, 321
BOTTLE JACKS 343
BOTTLED WATER 445
BOWLS 448
BOX SPIRIT LEVELS 247
BRACKETS - SUBGRID ..... 138 - 141
BRAD NAILS 69
BRAKE AND CLUTCH CLEANERS 408
BRENTON PATTERN BOLTS 393
BRICK ACID CLEANER 430
BRICK BOLSTERS 266
BRICK JOINTERS 279
BRICK LINES 277, 278
BRICK MORTAR GUNS 111
BRICKWORK ACCESSORIES ..... 125 - 135
BRICKWORK TRAYS ..... 135 - 137
BRIGHT ZINC SPRAY 408
BRITISH GYPSUM SCREWS ..... 57 - 59
BROOM HANDLES 356
BROOMS 356
BRUSHES 355, 356
BRUSHES - PAINT 394, 395
BUBBLEWRAP 416
BUCKETS 365, 366
BUCKLE STRAPS 344
BUILDERS TRESTLES 379
BULLDOG GRIPS 20
BURNS FIRST AID KITS 338
BUSH SCABBLER HEAD 228
BUSH SCABBLER TOOL 228
BUTT HINGES 393
BUTYL TAPE 437

C

CABLE DRUMS 347
CABLE HOOKS 350

CABLE TIES 417
CAM BUCKLE STRAPS 344
CANTEEN FURNITURE 446
CANVAS DRAIN STOPPERS 376
CAR COVER 413
CARBORUNDUM CUP WHEELS 198
CARBORUNDUM STONES 197
CARGO LIFTING STRAPS 344
CARPENTER PENCILS 406
CARPET PROTECTION 414, 416
CAST IN CHANNEL 185
CAST IN FIRE COLLARS ..... 148 - 150
CAULK - DECORATORS 401
CAULKING ROD FOAM 117
CAVITY CLOSERS 132
CAVITY FIXINGS 55
CAVITY SOCKS 133
CAVITY WALL TIES 129, 131
CEILING ANCHORS 68
CEILING BRACKETS 68
CEILING WIRE 123
CEMENT 429
CEMENT - JOINT 433
CENTRE FEED CLEANER ROLLS 445
CENTRE FEED PAPER TOWELS 445
CENTRE FEED ROLL DISPENSER 445
CERAMIC BOWLS 448
CERAMIC MUG 447
CERAMIC PLATES 448
CHAINS 392, 419
CHAIR - CANTEEN 446
CHALK - FRENCH 422
CHALK LINES 278, 279
CHALK REFILLS 279
CHANNEL ..... 176 - 185
CHANNEL - BRICKWORK 129
CHANNEL BLOCKS 443
CHANNEL NUTS 28, 29
CHARTWELL SURVEY BOOK 454
CHEMICAL ANCHOR STUDS 91
CHEMICAL FIXINGS ..... 99 - 107
CHEMICAL RESINS ..... 99 - 107
CHEMICAL SOCKETS 93
CHIN STRAPS 303
CHINAGRAPH PENCILS 406
CHIPPING HAMMERS 252
CHISEL & POINT CROW BARS 264
CHISELS - COLD 265
CHISELS - SDS 226, 227
CHISELS - WOOD 265
CHUCK ADAPTORS 228
CIRCULAR SAW BLADES ..... 192 - 194
CIRCULAR SAWS 299
CITRUS CLEANER 412
CLAMPS 248, 249
CLAW HAMMERS 249, 250
CLEANER SPRAY 408
CLEANING CLOTHS 442
CLEANING WIPES 449
CLEAR GREASE SPRAY 411
CLEAR PENETRATING OIL 408
CLIPBOARD 454
CLOTH TAPE 435, 436
CLOTHS 441, 442
CLOUT HEAD NAILS 69
CLUB HAMMERS 250
COACH BOLTS 23
COACH SCREWS 51
COAT HOOKS 393
COBALT DRILL BITS 214, 215
COFFEE 449
COLD CHISELS 265
COLLATED DRYWALL SCREWS 59
COLOURED RAGS 421
COMBI DRILLS 297
COMBI SQUARES 247
COMBINATION PADLOCKS ..... 389 - 391
COMBINATION SPANNERS 273
COMPOSITE STRAPPING TENSIONING TOOL 425
COMPRESSION SLEEVES 137
COMPRESSOR HOSES 372
CONCRETE ANCHORS ..... 93 - 95
CONCRETE BROOMS 356
CONCRETE CURING TANK 468
CONCRETE RAKE 466
CONCRETE RETARDER 429
CONCRETE RUBBING BRICKS 197
CONCRETE SCREW BOLTS ..... 93 - 95
CONCRETE SCREWS 96
CONCRETE SLUMP CONES 469
CONCRETE TEST MOULD 468
CONCRETE THERMOMETER 468
CONCRETE WASHER PINS 70
CONTACT ADHESIVES 120
CONVECTOR HEATERS 353
COOLANT - ANTIFREEZE 413
COPIER PAPER 454
CORDLESS KETTLE 447
CORNER TAPE 432
CORRECTION PENS 453
CORREX TYPE SHEETING 415
COSHH STORAGE ..... 385 - 388
COUNTERSINK DRILL BITS 208
COVERALLS 328, 329
CRANE LIFT MORTAR TUB 431
CRAYONS 406
CREAM CLEANER 439
CRISS CROSS GLOVES 315
CROSS TIP DRILL BITS 224
CROW BARS 264
CT1 POWER GRAB 'N' BOND 115
CT1 SEALANT 113
CUBE MOULDS 468
CUP - DRINKING 447
CUP BRUSHES 198
CUP SQUARE BOLTS 23
CURING TANK 468
CUT STUDS 22
CUTLERY 448
CUTTING & TAPPING FLUID 409, 410
CUTTING & TAPPING SPRAY 410
CUTTING DISCS 195, 199
CUTTING STATION 387

D

DAMP PROOF COURSE 426
DANGER SIGNAGE ..... 455 - 457
DE-BONDING SLEEVES 132
DEB PRODUCTS 451, 452
DEBRIS NETTING 418
DEBRIS SCOOPS 357
DECKING SCREWS 54
DECORATING ..... 394 - 398
DECORATING TAPE 437

DECORATORS CAULK....401
DEGREASER SPRAY....440
DENSO TAPE....435
DESK FANS....353
DEWATERING FILTERS....360
DIAMOND BLADES....188 - 191
DIAMOND CORE DRILL BITS....239 - 243
DIAMOND CUP GRINDERS....192
DIAMOND HOLESAWS....242
DIESEL CANS....367
DIGGING BARS....264
DIGGING HOES....262
DIGITAL LOCKS....390
DIGITAL STOPWATCHES....403
DIGITAL THERMOMETERS....337, 402
DISC MAGNETS....354
DISCUS PADLOCKS....391
DISH CLOTHS....441
DISHWASHER TABLETS....441
DISINFECTANT....439
DISPENSER - OVERSHOES....322
DISPENSER - SOAP/SANITISER....450
DISPENSER - TOWELS & ROLLS....444, 445
DISPENSING GUNS....108, 109
DISPOSABLE COVERALLS....328, 329
DISPOSABLE CUP....447
DISPOSABLE FACE MASKS....335
DISPOSABLE GLOVES....311
DISPOSABLE OVERSHOES....322
DOME HEAD NUTS....48
DOME NUTS....27
DOOR CLOSERS....392
DORMER DRILL BITS....216
DOUBLE ROW CUP GRINDERS....192
DOUBLE SIDED TAPE....437
DPC....426, 427
DPM BITUMEN....430
DPM SHEETING....415
DRAIN BRUSHES....377
DRAIN FILTERS....360
DRAIN ROD SETS....377
DRAIN SCRAPER....377
DRAIN STOPPERS....376
DRAIN TEST KITS....376
DRAIN TRACING DYE....376
DRAUGHT EXCLUDER TAPE....438
DRILL INSERT BITS....209 - 211
DRILLING & TAPPING SPRAYS....409, 410
DRILLING OIL....412
DRILLS - POWER TOOL....294 - 297
DRINKING WATER....445
DRIP TRAYS....362
DROP IN ANCHORS....92
DROP SCRAPER....377
DRUMCAGE....387
DRUMS - PLASTIC....368
DRY CORE BITS....240
DRY LINING METALWORK....121 - 124
DRY WIPE BOARD....454
DRY WIPE PENS....453
DRYWALL ADHESIVE....433
DRYWALL SANDER DISCS....196
DRYWALL SCREWS....56 - 59
DUAL MULTI LATCH PADLOCKS....390
DUCT TAPE....435, 436
DUCTING KITS....135
DUST BAGS....299
DUST BLOW OUT PUMPS....107
DUST EXTRACTORS....299
DUST PAN AND BRUSHES....356
DUST SHEETS....415
DUSTER....442
DUSTING BRUSHES....398

E

EAR DEFENDERS....303, 304
EARPLUG DISPENSERS....304
EARPLUGS....304
EASI-FILL....433
ELASTIC TOGGLES....418
ELECTRICAL TAPE....436
EMULSION PAINTS....401
END CUTTING PLIERS....270, 271
ENGINE OIL....413
ENVIROHORN DRAIN FILTERS....360
ENVIROPADS....359
EP2 GREASE....411
EP2 GREASE GUN....411
EPDM ADHESIVE/PRIMER....426
EPDM MEMBRANE....426
EPDM PASTE ADHESIVE....426
EPDM ROLLER....426
ERASER PENS....453
EXCALIBUR BOLTS....93
EXCAVATION TAG KITS....382
EXPANDED LATH....123
EXPANDING FOAM APPLICATOR NOZZLES....117
EXPANDING FOAM NOZZLES....117
EXPANDING FOAM TAPE....438
EXPANDING FOAMS....116
EXPANDING WOOD GLUE....118
EXPANSION JOINT FOAM....132
EXPRESS NAILS....67
EXTENSION CABLES....346, 347
EXTENSION LEADS....346, 347
EXTENSION NOZZLES - RESIN....107
EXTENSION REELS....347
EXTERNAL PAINTS....400
EYE BOLTS....24
EYE WASH....305
EYE WASH STATION....305

F

FACE FIT TESTING KITS....336
FACE MASKS....334 - 337
FALL ARREST....330 - 334
FAN HEATERS....353
FANS....353
FAST CLAMP....156 - 175
FEBMIX ADMIX....429
FEBMIX MORTAR PLACTICISER....429
FEBOND BLUEGRIT....430
FENCING....418
FENCING CLIPS....379
FENCING PINS....419
FENCING SPANNERS....380
FESTOON KITS....349
FFP3 FACE MASKS....335
FIBRE SCRIM TAPE....432
FIBREGLASS LADDERS....378
FILES - WOOD....276, 277
FILLERS - JOINT....432
FILLING KNIVES....397
FINGERLESS GLOVES....313

FINISHING PAINTS....399
FIRE BLANKETS....404
FIRE COLLARS....148 - 150
FIRE EXTINGUISHERS....404
FIRE FOAMS....116
FIRE HOSE....405
FIRE MASTICS....111, 114
FIRE RATED SCREWS....58
FIRE SEALANTS....111, 114
FIRE SIGNAGE....457, 458
FIRE STRIPS....405
FIRST AID KITS....338, 339
FISCHER CONCRETE SCREWS....95
FISCHER RESINS....104
FIXING BAND....128
FIXING STRIP - ZEDEX....427
FLAMBANK....385
FLAME RETARTDANT COVERALLS....329
FLAME RETARTDANT DPM....415
FLAME RETARTDANT SHEETING....415
FLANGE HEAD ANCHORS....93 - 95
FLAP DISCS....195
FLAT GLAZING PACKERS....98
FLAT WASHERS....30, 31
FLAT WOOD DRILL BITS....219
FLEXI TUBS....366
FLEXIBLE FUNNELS....368
FLOAT KIT....466
FLOATS....283
FLOOR CLEANER....439
FLOOR MUTTS....357
FLOOR PAINTS....400
FLOOR PROTECTION....414, 415
FLOOR SCRAPER BLADES....257
FLOOR SCRAPERS....257, 258, 357
FLOOR SQUEEGEES....357
FLY LEADS....346
FOAM - EXPANSION JOINTS....132
FOAM ACCESSORIES....117
FOAM APPLICATOR GUNS....117
FOAM CLEANERS....116
FOAM GUNS....108, 109
FOAM NOZZLES....117
FOAMS....116
FOIL BLANKETS....339
FOIL PACK GUNS....111
FOIL PACKS....111
FOIL TAPE....435
FOLDING CANTEEN TABLE....446
FOLDING SQUARES....246
FORGED TAMPERS....263, 467
FORKS - DIGGING....261
FORMA-STOR....388
FOX ELECTRONIC WHISTLES....403
FRAME FIXINGS....90
FRENCH CHALK....422
FRIDGE....446
FROST BLANKETS....414
FUEL CANS....367
FULL NUTS....25
FUNNELS....368
FURNITURE POLISH....440

G

GAFFA TAPE....436
GALV BUCKETS....365
GALV PACKERS....97
GALV SHIMS....97
GALVE SPRAY....408, 412
GARDEN HOSES....374
GAS BOTTLES....267
GAS CAGE....386
GAS NAILERS....70
GAS NAILS....71, 72
GAS TORCHES....267
GATE EYE BOLTS....393
GAUNTLET GLOVES....319, 423
GLASS CLEANER....440
GLASS RESIN CAPSULES....105
GLASS SUCTION PADS....343
GLASSES - SAFETY....307 - 310
GLAZING PACKERS....98
GLAZING SHOVELS....343
GLOSS PAINTS....401
GLOVES....310 - 319
GOGGLES....306, 307
GORILLA BARS....264
GORILLA GAS CAGE....386
GORILLA TUBS....366
GRAFFITI REMOVER....439
GRAPHITE SEALANTS....114
GRATING CLIPS....84
GREASE....411
GREASE GUN....411, 109
GREASE GUNS....108, 109
GREASE SPRAY....411
GREEN FROG TAPE....437
GREEN RHINO PRODUCTS....359, 360
GREEN SCOURERS....441
GRINDING DISCS....195, 199
GRIP GLOVES....311
GRIT BINS....365
GROUT....431
GRP HANDRAIL....156 - 175
GRUBBING MATTOCKS....262
GULLY SILT GRABS....377
GUN - GREASE....411, 109
GYPROC....432, 433
GYPROC FIRE STRIP....405
GYPROC JOINT FILLERS....432
GYPROC TAPE....432

H

HACKSAWS....254, 255
HALF NUTS....26
HAMMER DRILL BITS....224
HAMMER DRILLS....294, 295
HAMMER SCREWS....90
HAMMERS....249 - 253
HAND BRUSHES....355
HAND CLEANER....450 - 452
HAND LOTION....450 - 452
HAND SANITISER....450 - 452
HAND SCRAPERS....258, 357, 397
HAND SOAP....450 - 452
HAND TOWEL DISPENSER....444
HAND TOWELS....444
HANDRAIL....156 - 175
HANDSAWS....253, 254
HARDPOINT HANDSAWS....253, 254
HARNESS....330 - 334
HASP & STAPLES....393
HAT & COAT HOOKS....393
HAZARD TAPES....434

HEAD TORCHES....352
HEADLIGHTS....352
HEALTH & SAFETY POSTERS....339
HEATERS....353
HEAVY DUTY ANCHORS....89
HELLER BIONIC DRILL BITS....221
HELLER ENDURO DRILL BITS....223
HELLER TRIJET DRILL BITS....222
HELMET LANYARDS....302
HELMET LINERS....302
HELMETS....302
HENRY HOOVER....443
HESSIAN BAGS....421
HESSIAN ROLL....421
HEX ARBORS....229
HEX CARRIAGE BOLTS....23
HEX PIN INSERT BITS....209
HEX SET SCREWS....12 - 15
HEXAGON BOLTS....15 - 17
HEXAGON KEY WRENCHES....213, 214
HI-VIS CLOTHING....324 - 327
HI-VIS JACKETS....325, 326
HI-VIS TROUSERS....326, 327
HI-VIS VESTS....324
HI-VIS WAISTCOATS....324
HIGHLIGHTER PENS....453
HINGES....393
HOARDING TAG KITS....382
HOES - DIGGING....262
HOLDING DOWN BOLTS....19
HOLE CLEANING BRUSHES....107
HOLE PUNCHER....454
HOLESAW ARBORS....229
HOLESAWS....230
HOLESAWS - DIAMOND....242
HOLLO-BOLTS....78, 79
HOLLOW WALL ANCHOR SETTING TOOLS....55
HOLLOW WALL ANCHORS....55
HOOK BOLTS....23
HOOKS - COAT....393
HOOVER BAGS....443
HOOVERS....299, 443
HOP UPS....379
HORSE SHOE MAGNETS....354
HORSESHOE PACKERS....97
HORSESHOE SHIMS....97
HOSE ACCESSORIES....372 - 375
HOSE CLIPS....373
HOSE COMPRESSORS....372
HOSE FITTINGS....374, 375
HOSES....372 - 375, 405
HOT WATER URN....447
HSFG BOLT & NUTS....19
HSS DRILL BIT SETS....217
HSS DRILL BITS....214 - 217
HYDRAJAW TESTERS....110
HYDRANT STAND PIPE & KEY....377
HYDRAULIC OIL....412

I

IBC TANKS....368
IMPACT ADAPTORS....288, 289
IMPACT BIT HOLDERS....211, 212
IMPACT DRIVER BITS....209 - 212
IMPACT DRIVERS....296, 297
IMPACT SOCKETS....286 - 288
IMPACT WRENCHES....296, 297
INDEX SCREWS....54
INDUSTRIAL CLEANER SPRAYS....408
INFRARED THERMOMETERS....337
INSERT BIT SETS....210, 211
INSTAGATE....386
INSTANT NAILS ADHESIVE....115
INSULATED GROUND TOOLS....253, 260 - 262, 264
INSULATED PINS....419
INSULATED SCREWDRIVERS....285
INSULATED SLEDGE HAMMERS....253
INSULATION ANCHORS....67
INSULATION FIXING PINS....427
INSULATION TAPE....436
INSULATION WASHERS....65
INTUMESCENT FIRE STRIP....405
INTUMESCENT SEALANTS....114
IRONMONGERY....392, 393

J

J CLOTHS....442
JAB SAWS....254
JACK HANDSAWS....254
JACKPOINT SCREWS....57 - 59
JAW LOCKING PLIERS....272
JERRY CANS....367
JIGSAW BLADES....199 - 203
JIGSAWS....298
JOBBER DRILL BITS....214
JOINT CEMENT....433
JOINT FILLERS....432
JOINTING TAPE....427, 432
JOIST HANGERS....125 - 127
JUGS....369
JUMBO SPONGES....398
JUMP LEADS....350
JUMP START KITS....350

K

KEE CLAMP....156 - 175
KENNEDY BAR BENDING MACHINE....381
KETTLE....447
KETTLES - PAINT....398
KEVLAR WRIST PROTECTORS....315
KEY CABINETS....391
KEY RING TAGS....391
KNEE PADS....323
KNIFE BLADES....256, 257
KNIPEX....271
KNIVES....255 - 257
KNOCK IN ANCHORS....92

L

LACES....321
LADDERS....378
LADDERTAG....382
LAMINATOR....454
LAMINATOR POUCHES....454
LANYARDS....330 - 334
LASER LEVELS....247
LAY FLAT HOSES....372, 405
LENS CLEANING....310
LETTER STENCILS....455
LEVELS....247, 248
LEVER ARCH FILES....454
LIFTING STRAPS....344
LIFTING TAGS....383

LIMESCALE REMOVER....440
LINDAPTER....73 - 83
LINE MARKING SPRAY....407
LITHIUM GREASE....411
LITHIUM GREASE GUN....411, 109
LITTER PICKERS....364
LOAD INDICATOR WASHERS....35
LOADALL....386
LOLLIPOP STOP AND GO SIGNS....403
LONG LINK CHAINS....392
LOW MODULUS SILICONES....112, 113
LOW TAC TAPE....436, 437
LUBRICANT SPRAY....409, 410
LUBRICANTS....409, 410
LUMBERJACK ADHESIVE....118

M

MACHINE SCREWS....49 - 51
MAGNETIC DRILL BIT HOLDERS....211, 212
MAGNETIC DRILLS....206 - 209
MAGNETIC DRIVER BITS....211, 212
MAGNETIC RETRIEVAL PENS....354
MAGNETS....354
MALLETS....251
MANHOLE COVER KEYS....377
MANHOLE COVER LIFTING KEYS....377
MANIFOLDS - GREEN RHINO....360
MARIGOLDS....319
MARKER SPRAY....407
MARKING OUT....406, 407
MASKING TAPE....437
MASONRY DRILL BITS....219
MASONRY HANGERS....125 - 127
MASONRY NAILS....70
MASONRY NAILS WITH WASHER....70
MASONRY PAINTS....400
MASONRY SCREWS....96
MASTICS....114
MATTOCKS....262
MBT COUPLERS....470
MEASURING JUGS....369
MEASURING TAPES....244 - 246
MEASURING WHEEL....246
MESH SIEVE....469
METAL BUCKETS....365
METAL CORNER TAPE....432
METAL DRAIN STOPPERS....376
METAL PAINTS....400
METAL PRESSURE SPRAYERS....370
METAL STENCILS....455
METAL WASHER CONCRETE PINS....70
METAL WORKING PASTE....410
MEWP TAG KITS....382
MICROWAVE OVEN....446
MIG WELD WIRE....422
MIRROR ADHESIVE....120
MIRROR CLEANER....440
MITREBOND....118
MIXING PADDLES....284
MONARFLEX SHEETING....418
MONARFLEX TOGGLES....418
MOP BUCKETS....365, 442
MOP HANDLE....442
MOP HEAD....442
MORTAR MIXING BOARDS....431
MORTAR PLASTICISER....429
MORTAR TUB....431
MOULD OIL....473
MUG - CERAMIC....447
MULTI TRUSS HANGERS....125 - 127
MULTI-SUBSTRATE ANCHORS....93 - 95
MULTI-TOOL BLADES....231
MULTIMETER....402
MUSHROOM CAP....473

N

NAILABLE PLUGS....58
NAILING PLATE....472
NAILS....69 - 72
NANOTAGS....383
NETTING....418
NEVO STRIP....473
NIP BUDDY....381
NIPS....270, 271
NITRILE GLOVES....312 - 318
NON SHRINK GROUT....431
NON-CONDUCTIVE PINS....419
NUMATIC....443
NUMBER STENCILS....455
NUTS....25 - 29
NYLON INSERT NUTS....26, 27
NYLON NUT CAP....28
NYLON PLUGS....54
NYLON TOP HAT INSULATING WASHERS....35
NYLON WASHERS....32

O

OIL - TWO STROKE....412
OIL DEWATERING FILTERS....360
OIL RETENTION PILLOWS....360
OILS....408, 411 - 413, 473
ONE TONNE BAGS....420
ONEWIPE....449
OVAL BRAD NAILS....69
OVER TROUSERS....326, 327
OVERALLS....328, 329
OVERSHOE DISPENSER....322
OVERSHOES....322
OXBOX....385
OXIDE PRIMERS....399
OXIDE SANDPAPER....398

P

P65 FOAM APPLICATOR GUN....117
PACKERS....97, 98
PADDLE MIXERS....298
PADLOCKS....389 - 391
PAINT & VARNISH STRIPPERS....401
PAINT BRUSHES....394, 395
PAINT BUCKETS....398
PAINT KETTLES....398
PAINT MARKER PEN....453
PAINT PEN....453
PAINT ROLLERS....395, 396
PAINT SCRAPERS....397
PAINT SCUTTLES....398
PAINT TRAYS....396
PAINTS....399 - 401
PALLET TRUCKS....342
PAN POZI SELF TAPPING SCREWS....46, 47
PANEL PIN NAILS....69
PAPER HAND TOWELS....444
PAPER JOINT TAPE....432

PAT TESTING LABELS 402
PAVING MAULS 253
PEDAL BINS 364
PEDESTAL FANS 353
PENCILS 406
PENNY WASHERS 32
PENS 383, 453
PENS - MAGNETIC 354
PENS - SCAFFTAG 383
PERCUSSION DRILLS 296
PERMANENT MARKER PEN 453
PETRO ANTI CORROSION MASTIC PUTTY 438
PETROL CANS 367
PHILLIPS BITS 210
PHOTOCOPIER PAPER 454
PICK AXES 262, 263
PIGTAIL FIXINGS 124
PILOT PINS 209
PINKGRIP 115
PIPE CLIPS 373
PIPE LUBRICANT 409
PIPE SADDLE CLAMPS 373
PIPE WRENCHES 276
PLAIN PAPER 454
PLANT NAPPY 358
PLASTERBOARD ADHESIVES 115
PLASTERBOARD FIXINGS ..... 55 - 59
PLASTERERS LIGHTS 348
PLASTERING METALWORK ..... 121 - 124
PLASTERS 339
PLASTIC CUP 447
PLASTIC CUTLERY 448
PLASTIC DRUMS 368
PLASTIC FUNNELS 368
PLASTIC PACKERS 97, 98
PLASTIC PLUGS 54
PLASTIC RESIN SLEEVES 107
PLASTIC SHIMS 97
PLASTIC WASHERED PINS 70
PLASTIC WHISTLES 403
PLATES 448
PLIERS ..... 269 - 272
PLUGS - 110V 346
PLUGS - PLASTIC 54
POCKET ROCKET LUBRICANT REPELLENT 410
PODGER SPANNERS 274
PODIUM TAGS 382
POINTED CHISELS 227
POLE SANDERS 398
POLE SANDING 197
POLISH 440
POLY ROPE 425
POLYESTER COMPOSITE BANDING 425
POLYESTER FILLERS 119
POLYPROPYLENE WHITE SAND BAGS 420
POLYSTYRENE CUP 447
POLYTHENE CLEAR SHEET 414
POP RIVETS 48
PORTABLE LIGHTS 348
POSTCRETE 429
POWER TOOL ACCESSORY SETS 211
POWER TOOLS ..... 293 - 300
POZI BITS 210
PRESSURE SPRAYERS 370, 371
PRIMER PAINTS 399
PRIMERS 399
PROMIX LITE JOINT CEMENT 433
PROTECTION BOARD SHEETING 415
PROTECTION SHEETING 414, 416
PRY BARS 264
PTFE TAPE 435
PU COATED GLOVES 313
PULLOUT TESTERS 110
PUMP DISPENSERS 369
PUMPS 369
PUNCTURE REPAIR KITS 343
PURLIN CLIPS 68
PUTTY PADS 405
PVA GLUES 118, 119
PVA SEALER ADDITIVE 430
PVC HOSE REELS 374
PVC INSULATION TAPE 436

Q

QUICK SAND JOINT CEMENT 433

R

RADIATORS 353
RAGS 421
RAIN SUITS 327
RAKES ..... 261, 466 - 467
RASPS 276, 277
RATCHET SPANNERS 273
RATCHET STRAPS 344
RAWL NUTS 28
RAWLPLUG RESINS 105, 106
REBAR BUDDY 474
REBAR CUTTING DRILL BITS 226
REBAR PROTECTION CAP 473
REBAR SAFETY STRIP 473
RECIP SAW BLADES 204, 205
RECIP SAWS 295
RED & WHITE PLASTIC SAFETY CHAIN 419
RED PVC GLOVES 315
RED SHOT FIRE CARTRIDGE STRIPS 70
RELEASE AGENT 473
RENDAGRIP 429
RENDERING METALWORK ..... 121 - 123
RESIN APPLICATOR GUNS 108, 109
RESIN BLOW OUT PUMPS 107
RESIN BONDED CUP STONES 198
RESIN EXTENSION NOZZLES 107
RESIN GUNS 108, 109
RESIN HOLE CLEANING BRUSHES 107
RESINS ..... 99 - 107
RESTRAINT STRAPS 125
RETRACTABLE KNIVES ..... 255 - 257
RETRO TARGETS 406
REVERSIBLE RATCHETS 290
RIGGER BOOTS 320
RIGGER GLOVES 311
RING SPANNERS 274
RIVET GUNS 49
RIVET NUTS 48
RIVETS 48, 49
ROAD CONES 403
ROAD PINS 419
ROCK ANCHOR 471, 472
ROCK SALT 413
ROLLER EXTENSION POLES 397
ROOF & GUTTER SEALANTS 113
ROOFING BOLTS 23
ROPES 425
ROTABROACH CUTTERS ..... 206 - 209

ROTABROACH DRILLING OIL 412
ROTABROACH DRILLS 206
ROTARY BARREL PUMPS 369
ROUND LOST HEAD NAILS 69
ROUND SHANK CHISELS 227
ROUND WIRE NAILS 69
ROUTER CUTTERS ..... 232 - 238
RUBBER GLOVES 319
RUBBER MALLETS 251
RUBBLE SACKS 420

S

SABRE SAW BLADES 204, 205
SACK TRUCKS 342
SACKS 420, 421
SAFETY ANCHORS 87
SAFETY BOOTS 320, 321
SAFETY CHAIN 419
SAFETY GLASSES ..... 307 - 310
SAFETY SIGNAGE ..... 459 - 461
SAFETY SPECTACLES ..... 307 - 310
SALT - ROCK 413
SAND BAGS 420
SANDER - POLE 398
SANDING DISCS 195, 196
SANDPAPER 197, 398
SANITARY SILICONES 113
SANITISER WIPES 450
SAUSAGE MASTICS 111
SAW BLADES ..... 192 - 194
SCAFFOLD ACCCESSORIES ..... 380 - 382
SCAFFOLD BAGS 420
SCAFFOLD END CAPS 381
SCAFFOLD FOAM PROTECTIONS 380
SCAFFOLD HOOKS 380
SCAFFOLD NIPPLE CAPS 381
SCAFFOLD RING EYE BOLTS 380
SCAFFOLD SHEETING 418
SCAFFOLD SPANNERS 273, 380
SCAFFOLD SWING GATES 380
SCAFFOLD TUBES 380
SCAFFTAG MARKER PENS 383
SCAFFTAGS 382
SCATHING HAMMERS 252
SCISSORS 272
SCOOPS 357
SCOURERS 441
SCRATCH BRUSHES 355
SCREENWASH 413
SCREW CAPS 55
SCREW CUPS 55
SCREWBOLT STUDS 92
SCREWDRIVER BIT SET ..... 210 - 212
SCREWDRIVER SETS 285
SCREWDRIVERS 284, 285
SCRIM TAPE 432
SCUTCH HAMMERS 251, 252
SCUTTLES - PAINT 398
SDS AUGER BITS 218
SDS CHISELS 226, 227
SDS CHUCK ADAPTORS 228
SDS MAX DRILL BITS 223, 224
SDS PLUS DRILL BITS ..... 218 - 222, 225 - 227
SDS PLUS WOOD AUGER BITS 218
SEALANTS 111, 113, 114
SEAM ROLLERS 396
SECURITY CHAINS 392
SECURITY SCREW INSERT BITS 209, 210
SECURITY SCREWS 45
SEDIMENT DEWATERING FILTERS 360
SELF ADHERING TETHER TAPES 434
SELF DRILL WOOD SCREWS 53, 54
SELF DRILLING SCREWS ..... 60 - 65
SELF TAPPING SCREWS ..... 46 - 48
SET FLAT CHISELS 227
SET SCREWS ..... 12 - 15
SETTING OUT PEGS 406, 419
SETTING OUT PINS 406, 419
SETTING PUNCHES 92
SHEAR NUTS 27, 28
SHEETING ..... 414 - 416, 418
SHELVING 394
SHIMS 97, 98
SHOT FIRE CARTRIDGE STRIPS 70
SHOVELS ..... 258 - 261
SHRINK WRAP 414
SHUTTER PADLOCKS 389
SHUTTERING OIL 473
SIGNAGE ..... 455 - 463
SIGNAGE FRAME 463
SIKA WATER STOP 431
SILICONE GUNS 108, 109
SILICONE SPRAYS 409, 410
SILICONES 112, 113
SITE COMMUNICATION 403
SITE ELECTRICALS ..... 345 - 351
SITE LIGHTING 348, 349
SITE MAT 358
SKILSAW 299
SKILSAW BLADES ..... 192 - 194
SKIN SAFETY ..... 450 - 452
SKIP NET 419
SKY HOOKS 350
SLEDGE HAMMERS 253
SLEEVED CHAINS 392
SLINGS 344
SLUMP CONE 469
SMOKE ALARM 404
SNIPS 268, 269
SNOW SCOOPS 357
SOAP ..... 450 - 452
SOAP DISPENSER 450
SOCKET BUTTON SCREWS 42, 43
SOCKET CAP SCREWS ..... 36 - 38
SOCKET COUNTERSUNK SCREWS ..... 38 - 41
SOCKET SET SCREWS 44
SOCKET SETS ..... 290 - 292
SOCKETS ..... 286 - 292
SOCKETS - 110V 346
SOCKS 321
SOFFIT SCREWS 58
SPADE CHISELS 227
SPADES ..... 258 - 261
SPANNER SETS 275
SPANNERS ..... 273 - 276
SPARE EMPTY CARTRIDGES 117
SPAZZLE 467
SPECTACLES ..... 307 - 310
SPIDER POD 346
SPIDERBALL 345
SPIKED ROLLERS 431
SPILL CONTROL 361, 362
SPILL GRANULES 361
SPILL KITS 361, 362

SPILL PALLETS 362
SPIRIT LEVELS 247
SPLITTERS 345
SPONGE SCOURERS 441
SPONGES 398, 441
SPOT BOARDS 431
SPRAY GUNS - HOSE 375
SPRAYERS 370, 371
SPRING TOGGLES 56
SPRING WASHERS ..... 33 - 35
SQUARE DRIVE SOCKETS 289
SQUARE PLATE WASHERS 34
SQUARES 246, 247
SQUEEGEES 258, 357
SQUIRE PADLOCKS 390
STACKING CHAIR 446
STAINLESS STEEL CUTLERY 448
STANDPIPES 405
STANLEY KNIVES ..... 255 - 257
STAPLER 417
STAPLES 417
STATIONERY ..... 453 - 454
STEEL BANDING 424
STEEL BANDING TROLLEY 424
STEEL END BRUSHES 198
STEEL PACKERS 97
STEEL SHIMS 97
STEEL STANDING SIGN FRAME 463
STEEL STRAPPING 424
STEEL STRAPPING SEALER 424
STEEL STRAPPING TENSIONER 424
STENCILS 455
STEP DRILL BITS 209
STEP LADDERS 378
STICK PINS 68
STIXALL 115
STONE CUTTING DISCS 199
STONE GRINDING DISCS 199
STOP AND GO TRAFFIC SIGNS 403
STOPWATCHES 403
STORAGE BOXES 384, 385, 388
STRAIGHT SNIPS 268
STRAPPING 424, 425
STRAPPING KIT 425
STRAPS 344
STRING LINES 277, 278
STRIPPING KNIVES 397
STRONG GRIP 115
STRUCTURAL SCREWS 54
STUDDING ..... 20 - 22
STUDDING CONNECTORS 22, 29
STUDS - CHEMICAL ANCHOR 91
SUBGRID 142
SUBGRID BRACKETS ..... 138 - 141
SUBMERSIBLE PUMPS 372
SUGAR 449
SUN CREAM 451
SUN PROTECTION 451
SUPERWELD MILD STEEL RODS 422
SURE SNAP ..... 148 - 150
SURFACE CHANNEL 129
SURFACE CLEANER 439
SURFACE SANITISER 439
SURVEY BOOK 454
SWARFEGA 450
SWING TOP BINS 363
SYNTHETIC OIL 412

T

T HINGES 393
TABLE - CANTEEN 446
TAG KITS 382, 383
TAMPERS 263, 467
TAMPING ROD 469
TAPCON DRILL BITS 221
TAPCONS 96
TAPE MEASURES ..... 244 - 246
TAPER WASHERS 34
TAPES ..... 432, 434 - 438
TAPS 229
TAR BRUSHES 355
TARGETS - RETRO 406
TARMAC RAKES 261, 467
TARPAULINS 414
TASK LIGHTS 348
TAYHOPE PADLOCKS 390
TCT SAW BLADES ..... 192 - 194
TE1000 CHISELS 227
TEA BAGS 449
TEA TOWELS 442
TEK SCREWS ..... 60 - 65
TELESCOPIC LADDERS 378
TEMPORARY FENCING 418
TEMPORARY FENCING CLIPS 379
TEMPORARY WORKS TAG KITS 382
TETHER TAPES 434
TETHERS ..... 330 - 334
TEXAS PLACER 467
THERMAL GLOVES 312, 313
THERMOMETERS 337, 402, 468
THINNERS 399
THREAD LOCKS 120
THREADED BAR ..... 20 - 22
THROUGH BOLTS ..... 85 - 89
THROUGH HARDENED WASHERS 35
TIE ROD ..... 470 - 472
TIE TAGS 382, 383
TIG WELDERS GAUNTLETS 423
TILE CHISELS 227
TILE DRILL BITS 243
TIMBERLOCK SCREWS 54
TIN SNIPS 268
TIPP-EX PENS 453
TOASTER 447
TOILET BRUSH & HOLDER 444
TOILET CLEANER 443
TOILET ROLL HOLDER 444
TOILET ROLLS 444
TONNE BAGS 420
TOOL BAGS 266
TOOL LANYARDS ..... 330 - 334
TOOL POUCHES 266
TOOTH LOCK STEEL INTERNAL WASHERS 34
TORCHES 352
TORPEDO LEVELS 248
TORQUE WRENCHES 276
TORX BITS 209
TOWELS 442
TOWER BOLTS 393
TOWER CABLE STANDS 350
TRACTOR FUNNELS 368
TRAFFI GLOVES ..... 316 - 318
TRAILING LEADS 346, 347
TRANSFORMERS 345
TRAY - BRICKWORK ..... 135 - 137

TREND WOODEN BISCUITS....231
TRIPOD LIGHTS....348, 349
TROLLEY - STEEL BANDING....424
TROWELS....279 - 283
TUBE BUDDY....381
TUFFBANK....384
TUNGSTEN CARBIDE TIP DRILL BITS....225
TUNNEL LIFT TONNE BAG....420
TWIST NAILS....70
TWIST-KNOT BRUSHES....198
TWO PART FILLERS....119
TWO STROKE OIL....412
TYING WIRE....472, 473
TYRE PRESSURE GAUGES....342
TYVEK....428
TYVEK ACRYLIC TAPE....428, 437
TYVEK FIRECURB....428
TYVEK HOUSEWRAP....428
TYVEK TAPE....428, 437

U

U BOLTS....24
ULTRACUT CONCRETE SCREWS....95
UNDER COUNTER FRIDGE....446
UNDERCOAT PAINTS....401
UNDERFLOOR VENTS....134
UNDERGROUND WARNING TAPES....434
UNISTRUT....176 - 186
UNIVERSAL THINNERS....399
URINAL BLOCKS....443
URINAL BOTTLE....444
URN - HOT WATER....447
UTILITY KNIFE BLADES....256, 257

V

VACUUM BAGS....443
VACUUMS....299, 443
VERTICAL FLANGE HANGERS....68
VICES....248

W

WALER PLATE....472
WALKIE TALKIES....403
WALKWAY MATTING....416
WALL STARTER KITS....133
WALL TIES....129, 131
WARNING TAPES....434
WASHERS....30 - 35
WASHING UP BOWL....442
WASHING UP LIQUID....441
WASTE BINS....363
WATER BOTTLES....445
WATER CONTAINERS....368
WATER DISPENSER BOTTLES....445
WATER SPRAYERS....370, 371
WATER STOP....431
WATER URN....447
WATERING CANS....366
WATERPROOF CAR COVER....413
WATERPROOF GLOVES....313
WATERPROOF TAPE....436
WAX CONES....19, 467
WAX CRAYONS....406
WD40....409
WEBBING SLINGS....344
WEDGE ANCHORS....92
WEDGE NUTS....29
WEEDKILLER....371
WEEP TUBES....134
WEEP VENTS....133, 134
WELD SPATTER RELEASE SPRAY....408
WELDERS HAMMERS....252
WELDING GAUNTLETS....319, 423
WELDING HELMETS....422, 423
WELLINGTON BOOTS....321
WET CORE BITS....241
WET SUITS....327
WET WIPES....449
WHEEL SPACER....470
WHEELBARROWS....342
WHEELIE BINS....363
WHIP CHECK CABLES....372
WHISTLES....403
WHITE PAPER....454
WHITE RAGS....421
WHITE SPIRIT....401
WHITEBOARD....454
WHITEBOARD PENS....453
WINDOW BRACKET....124
WINDOW CLEANER....440
WINDOW PACKERS....98
WINDOW PROTECTION FILM....416
WINDOW SCRAPERS....256
WINDOW SQUEEGEES....258
WINDOW SUCTION PADS....343
WING NUTS....28
WIPES....449, 450
WIRE BRUSHES....198
WIRE BRUSHES - HAND....355
WIRE CUTTING SCISSORS....272
WIRE MESH RESIN SLEEVES....107
WIRE ROPE GRIPS....20
WIRE ROPE SPRAY....409
WIREHANGERS....68
WOOD ADHESIVES....118
WOOD AUGER DRILL BITS....217 218
WOOD CHISELS....265
WOOD FILES....276, 277
WOOD FILLERS....119
WOOD GLUES....118
WOOD SAW BLADES....192 - 194
WOOD SCREWS....52 - 54
WOODEN BENCH....446
WOODEN BISCUITS....231
WOODEN POLE LADDERS....378
WOODEN SETTING OUT PEGS....406
WORKSTANDS....379
WRECKING BARS....264
WRENCHES....273 - 276

Y

YELLOW DUSTER....442
YELLOW SHOT FIRE CARTRIDGE STRIPS....70
YELLOW WALKWAY MATTING....416

Z

ZEDEX....427
ZEDEX FIXING STRIP....427
ZEDEX JOINTING TAPE....427
ZINC GALV SPRAY....408
ZIP TIES....417

SELKENT
CONSTRUCTION FIXINGS AND TOOLS

TERMS AND CONDITIONS APPLY, PLEASE CONTACT US TO REQUEST A COPY OR VISIT OUR WEBSITE
www.selkent.com
Errors and omissions excepted (E&OE)

Disclaimer: While care has been taken in compiling these notes, no responsibility is accepted by the compiler for any damage or loss, however caused which may result from anyone or any company accepting the advice or suggestion contained herein. It is your responsibility to be aware of local and national/international regulations which may be imposed.

©COPYRIGHT Selkent Fastenings Ltd 2022. All rights reserved.

The entire contents of this booklet are copyright. Photocopying, scanning, duplications or copying of pictures or information (except as permitted under the Copyright Act) is a breach of copyright and may result in legal action.

No part of this booklet may be stored electronically in any form without specific written permission of Selkent Fastenings Ltd.

SELKENT

CONSTRUCTION FIXINGS AND TOOLS

NAILED IT!

Riverside House, Kangley Bridge Road
London SE26 5DA

020 8699 6777 *sales@selkent.com* *www.selkent.com*

OPEN 6am - 6pm, order online 24/7

CERTIFICATE NUMBER 15619

Constructionline Gold Member

ASFP

RISQS Verified

FORS FLEET OPERATOR RECOGNITION SCHEME

CONSTRUCT CONCRETE STRUCTURES GROUP

SILVER SCHOL