

# SELKENT





#### London Head Office

Osprey House,  
Crayfields Business Park,  
New Mill Road,  
Orpington, BR5 3QJ

#### Ipswich Branch

Central Avenue,  
Ransomes Europark,  
Ipswich,  
Suffolk, IP3 9RR

#### Distribution Centre

Vantage House, Unit 140,  
Trinity Trading Estate,  
Mill Way, Sittingbourne,  
Kent, ME10 2PD

☎ 020 8699 6777    ✉ [sales@selkent.com](mailto:sales@selkent.com)    📍 [www.selkent.com](http://www.selkent.com)

**OPEN 7am - 5.30pm, order online 24/7**

# WELCOME



## Mission

We will go further and faster than any other supplier of fixings, fastenings and tools to help keep construction sites productive and on schedule.



## Vision

We're a leading national supplier of sustainable fixings, fastenings and tools for the RC Frames, Façades, and Infrastructure sectors, we strive to set the benchmark for excellence and environmental responsibility in our industry.



## Our Values

We offer a unique, ultra-responsive tailored service to the construction contractor. We know that every day brings a new challenge as you work to demanding deadlines and balance multiple demands. We also understand that every site and every job is different. That means you need a supplier who goes the extra mile and tailors solutions to your needs to keep things on track, no matter what.

Our ultra-responsive service is designed to help you keep your construction site productive and efficient, whatever you need – Find a different product? Deliver today? Turn that quote around this minute?

TERMS AND CONDITIONS APPLY, PLEASE CONTACT US TO REQUEST A COPY OR VISIT OUR WEBSITE [www.selkent.com](http://www.selkent.com) Errors and omissions excepted (E&OE) Disclaimer: While care has been taken in compiling these notes, no responsibility is accepted by the compiler for any damage or loss, however caused which may result from anyone or any company accepting the advice or suggestion contained herein. It is your responsibility to be aware of local and national/international regulations which may be imposed. ©COPYRIGHT Selkent Fastenings Ltd 2025. All rights reserved. The entire contents of this booklet are copyright. Photocopying, scanning, duplications or copying of pictures or information (except as permitted under the Copyright Act) is a breach of copyright and may result in legal action. No part of this booklet may be stored electronically in any form without specific written permission of Selkent Fastenings Ltd.

Selkent has been awarded the following accreditations.



# OUR SUPER POWER IS OUR SERVICE



We know how critical timing is on site. Delays cost time and money. That's why Selkent is built to deliver rapid dependable support that keeps your project on track.

AVERAGE CALL PICK-UP TIME **2 RINGS**


AVERAGE TIME TO RECEIVE QUOTE **11 MINS**

FULFILMENT RATE **98.83%**

ORDERS DELIVERED CORRECTLY **99.67%**

## A SMARTER, FASTER WAY TO ORDER

Order smarter with streamlined purchasing and approvals.



### KEY BENEFITS

**Seamless experience** within your existing procurement platform

**Real-time** pricing, stock availability and fixed pricing terms

Automated order **processing and approvals**

**20x** faster procurement cycles and automated workflows

**Centralised** purchasing and spend visibility

Work with any eProcurement system

**24/7** Access - order anytime from anywhere

**Customer pricing and credit terms** tailored to your business needs

**Fast and reliable** next and same day delivery

**Live order tracking** to stay in control of orders in real-time

**Seamless system intergration compatability** with Jaggaer, Coins, Market Place and many more

# SUSTAINABILITY AND ENVIRONMENTAL POLICY



At Selkent, we are committed to creating a positive impact on the environment and society through responsible business practices. Our sustainability efforts focus on reducing our environmental footprint, promoting social responsibility, and enhancing the well-being of the communities we serve. We are dedicated to:

## 1. Reducing Environmental Impact

We actively work to reduce waste, conserve energy, and promote the use of renewable resources across all areas of our operations. By regularly reviewing and refining our processes, we strive to lower the carbon footprint of our products and services.

## 2. Ethical Supply Chain

We partner with suppliers who share our commitment to sustainability, ensuring our products are ethically sourced and responsibly produced. This includes advocating for fair labour practices taking a firm stand against modern slavery and minimising the environmental impact of our supply chain.

## 3. Social Responsibility

We are passionate about supporting the communities in which we operate. Through a range of initiatives, we aim to drive meaningful, positive change - investing in local projects, championing diversity and inclusion, and fostering employee well-being.

## 4. Innovation for a Sustainable Future

We invest in forward-thinking solutions that help us build a more sustainable tomorrow. By embedding sustainability into our core business strategy, we strive to deliver long-term value while protecting the planet for future generations.

# DRIVING SUSTAINABILITY THROUGH SMARTER SUPPLY

## Low Carbon Deliveries

Electric fleet expansion across London contribute to air quality improvements

We operate using multi-drop delivery system and route optimisation to reduce vehicle miles and carbon output

Driver behavior training to improve fuel efficiency

Small order 'eco-charge'



## Greener Operations

We practice efficient logistics management including fleet load maximisation, and our new depot has energy reduction initiatives such as automated LED systems and solar power

Prioritising sustainable sourcing by selecting manufacturers who comply with ISO 14001, use renewable energy, or offer product lifecycle transparency, monitored through our Supplier Questionnaire form as well as carrying out third party audits

32%

Total reduction in energy consumption since January 2025

## Sustainable Packaging

We actively look to minimise packaging size to reduce waste and emissions

Currently trialling a switch to paper-based adhesive tape to further reduce plastic use

Reusable plastic totes

Reusable stillages

80%

Recycled materials make up our delivery boxes.

# TECHNICAL EXPERTISE

We boost construction productivity with fast, innovative service as the trusted leader in fixings, tools, and consumables. Our team is here to help.



**NICK SEBER**  
HEAD OF TECHNICAL

Nick has over 30 years of expertise in construction fixings and fastenings. He leads the technical team, driving innovation and excellence in technical solutions. Nick is CFA-approved and has previously worked for Hilti, Fischer, and SIG.

[nick.seber@selkent.com](mailto:nick.seber@selkent.com)



**JAIME WHITEHOUSE**  
TECHNICAL SALES

With more than 22 years in the construction fixings industry, Jaime Whitehouse offers extensive technical expertise in fixings, built through long-standing experience and a successful tenure at Selkent Fastenings.

[jaime.whitehouse@selkent.com](mailto:jaime.whitehouse@selkent.com)



**PHIL HENRY**  
TECHNICAL CONSULTANT

Phil Henry is a Technical Consultant with 40 years of industry experience, MEP MMC Accredited and a BSR Advisor, providing expert technical guidance and support on product and technical specifications.

[technical@selkent.com](mailto:technical@selkent.com)



**AINSLEY WHITE**  
TECHNICAL SUPPORT  
MANAGER

Ainsley is a CFA-approved pull-out tester and construction expert with extensive on-site experience, delivering high-quality technical solutions.

[ainsley.white@selkent.com](mailto:ainsley.white@selkent.com)



**ADRIAN JONES**  
TECHNICAL SUPPORT  
MANAGER

Adrian is a CFA-approved expert in pull-out testing with 20 years of technical experience in the construction industry. He provides Toolbox Talks, ensuring high-quality solutions and technical excellence.

[adrian.jones@selkent.com](mailto:adrian.jones@selkent.com)



**RORY TAYLOR**  
INTERNAL TECHNICAL  
SALES

With 18 years at Selkent, Rory is an internal technical support expert and key point of contact for major projects, including the HS2 contract, providing expert guidance and support.

[rory.taylor@selkent.com](mailto:rory.taylor@selkent.com)





HEX SET & BOLTS 12-17



HOLDING DOWN BOLTS & Hsfg 18-19



WIRE ROPE GRIPS & STUDDING 19-21



COACH, HOOK, EYE AND U BOLTS 22



NUTS 23-26



WASHERS 27-29



SOCKET SCREWS 30-34



SELF TAPPING SCREWS 34-36



RIVETS & RIVET GUNS 37



MACHINE SCREWS & COACH SCREWS 38-39



WOODSCREWS & PLUGS 40-41



PLASTERBOARD & HOLLOW FIXINGS 42-46



SELF-DRILL SCREWS 47-51



INSULATION, FAÇADE & CEILING FIXINGS 52-55



NAILS 56-57



LINDAPTER 58-68



BLIND BOLTS & GRATING CLIPS 69



THROUGH BOLTS 70-75




HAMMER SCREWS 76



ANCHOR STUDS & WEDGE ANCHORS 77-78



**ANCHOR SCREWBOLTS & TAPCONS** 79-82



**PACKERS & SHIMS** 83-85



**RESINS & ACCESORIES** 86-91



**APPLICATOR GUNS** 92-94



**SILICONES & SEALANTS** 94-98



**ADHESIVES** 97-99



**FOAMS & APPLICATOR GUNS** 98-99



**GLUES & FILLERS** 100-101



**CONTACT ADHESIVES & THREADLOCK** 102



**WATERPROOFING** 103



**ZEDEX & TYVEK** 104-105



**DRY LINING ACCESSORIES & METALWORK** 106-109



**BUILDING METALWORK** 110-113



**BRICKWORK ACCESSORIES** 114-119



**FIRE COLLARS** 121-126



**GRP HANDRAIL & FITTINGS** 128-130




**HANDRAIL & FITTINGS** 131-145



**ACCESSIBLE HANDRAIL & FITTINGS** 146-147



**CHANNEL & CHANNEL ACCESSORIES** 148



**DIAMOND BLADES** 150-153



TCT BLADES

154-156



ABRASIVE DISCS,  
SANDING &  
BRUSHES

157-161



JIGSAW BLADES  
& RECIP SAW  
BLADES

162-169



MAGNETIC DRILLS  
& CUTTERS

170



DRILL ADAPTERS  
& BITS

171-172



DRIVER BITS  
& SETS

172-176



HEX WRENCHES

177-178



HSS DRILLING

178-181



WOOD DRILLING

181-183



MASONRY  
DRILLING

183-188



SDS CHISELS

188-189



DRILL  
ACCESSORIES,  
TAPS & ARBORS

190-191



HOLESAWS

192-193



MULTICUTTERS  
& ROUTER BITS

193



WET & DRY CORE  
DRILLING

194-197



MEASURING  
& LEVELS

198-202



VICES & CLAMPS

202-203



HAMMERS  
& MALLETS

203-206



HANDSAWS,  
HACKSAWS &  
KNIVES

206-209



DIGGING &  
SCRAPERS

209-213



**BRUSHES & BROOMS** 214-215



**CROWBARS, CHISELS & BOLSTERS** 216-219



**BLOW TORCHES** 220



**SNIPS, SHEARS, CUTTER, PLIERS & NIPPERS** 221-225



**SPANNERS, WRENCHES** 225-229



**FILES & RASPS** 229-230



**CHALK & BRICK LINES** 230-232



**TROWELS, FLOATS & MIXING** 232-236



**SCREWDRIVING** 236-237



**SOCKETS & IMPACT SOCKETS** 238-245



**POWER TOOLS** 246-253



**HEAD & EAR PROTECTION** 256-258



**EYE PROTECTION** 258-261



**GLOVES & HAND PROTECTION** 261-264



**FOOTWEAR & KNEE PROTECTION** 265-267



**HI VIS, COVERALLS & WATERPROOF CLOTHING** 267-269



**FALL ARREST & LANYARDS** 270-274



**FACE MASKS** 275



**FIRST AID & THERMOMETERS** 276



**HANDLING EQUIPMENT** 278-279



LIFTING STRAPS & SLINGS 279




SITE ELECTRICAL & LIGHTING 280-284



BATTERIES, TORCHES, FANS & HEATERS 285-287



MAGNETS 287



PLANT NAPPY & PLANT MAT 288



ENVIROPAD 289



DRAIN FILTERS 290



SPILL CONTROL 290-292



BINS & LINERS 292-295



JERRY CANS, CONTAINERS, FUNNELS & PUMPS 296-297



PRESSURE SPAYERS 298-299



AIR & WATER HOSES & ACCESSORIES 300-303



DRAINAGE ACCESSORIES 304-305



LADDERS, TRESTLES & HOP UPS 306



SCAFFOLDING, PROPS & SAFETY TAGGING 307-309



ARMORGUARD 310-312



LOCKS, CHAINS, BOLTS & HINGES 313-318



DECORATING 319-326



SITE EQUIPMENT & COMMUNICATION 326-327



FIRE PROTECTION 328



LINE MARKING  
SPRAY &  
SETTING OUT 329-330



SPRAYS,  
LUBRICANTS,  
GREASE & OIL 331-335



VEHICLE  
PROTECTION 336



SHEETING &  
PROTECTION  
MATERIALS 337-338



STAPLING &  
CABLE TIES 338-339



NETTING  
& FENCING 340-341



BAGS & SACKS 342-343



WELDING 344



STEEL BANDING,  
STRAPPING  
& ROPE 345-346



BUILDING &  
DRYLINING  
PRODUCTS 347-348



TAPES 350-355



CLEANING &  
JANITORIAL 356-359



SITE WELFARE 360-361



HYGIENE 362



STATIONERY 363-364



CONCRETE  
TOOLS 366-367



CONCRETE  
MOULDS 368-369



CONCRETE  
ACCESSORIES 369-373




MATURIX 374-375



REBAR BUDDY 376

# FASTENINGS, FIXINGS & ACCESSORIES





DØ	M3	M4	M5	M6	M8	M10	M12	M16	M20	M24	M27	M30
A	5.50	7	8	10	13	17	19	24	30	36	41	46
	5.50	7	8	10	13	17	19	24	30	36	41	46

## FULLY THREADED HEXAGON SET SCREW

GRADE 8.8 HT DIN 933 **BZP**



STOCK CODE	SIZE	
<b>M4</b>		
1004	M4 x 16mm	500
1006	M4 x 25mm	500
1007	M4 x 30mm	500
<b>M5</b>		
1011	M5 x 10mm	500
1012	M5 x 12mm	500
1013	M5 x 16mm	500
1014	M5 x 20mm	500
1015	M5 x 25mm	500
1016	M5 x 30mm	500
1020	M5 x 50mm	200
<b>M6</b>		
1021	M6 x 10mm	500
1022	M6 x 12mm	500
1023	M6 x 16mm	500
1024	M6 x 20mm	500
1025	M6 x 25mm	500
1026	M6 x 30mm	500
1027	M6 x 35mm	200
1028	M6 x 40mm	200
1029	M6 x 45mm	200
1030	M6 x 50mm	200
1034	M6 x 70mm	200
1032	M6 x 60mm	200
1033	M6 x 65mm	200
<b>M8</b>		
1036	M8 x 10mm	200
1037	M8 x 12mm	200
1038	M8 x 16mm	200
1039	M8 x 20mm	200
1040	M8 x 25mm	200
1041	M8 x 30mm	200
1042	M8 x 35mm	200
1043	M8 x 40mm	200
1044	M8 x 45mm	200
1045	M8 x 50mm	200
1047	M8 x 60mm	200

STOCK CODE	SIZE	
1048	M8 x 65mm	200
1049	M8 x 70mm	200
1051	M8 x 80mm	200
1052	M8 x 90mm	100
1053	M8 x 100mm	100
<b>M10</b>		
1056	M10 x 20mm	200
1057	M10 x 25mm	200
1058	M10 x 30mm	200
1059	M10 x 35mm	100
1060	M10 x 40mm	100
1061	M10 x 45mm	100
1062	M10 x 50mm	100
1063	M10 x 55mm	100
1064	M10 x 60mm	100
1065	M10 x 65mm	100
1066	M10 x 70mm	100
1067	M10 x 75mm	100
1068	M10 x 80mm	100
1069	M10 x 90mm	100
1070	M10 x 100mm	100
1596	M10 x 110mm	100
1108	M10 x 120mm	50
<b>M12</b>		
1072	M12 x 20mm	100
1073	M12 x 25mm	100
1074	M12 x 30mm	100
1075	M12 x 35mm	100
1076	M12 x 40mm	100
1077	M12 x 45mm	100
1078	M12 x 50mm	100
1079	M12 x 55mm	100
1080	M12 x 60mm	100
1081	M12 x 65mm	50
1082	M12 x 70mm	50
1083	M12 x 75mm	50
1084	M12 x 80mm	50
1085	M12 x 90mm	50

[cont.] →

## FULLY THREADED HEXAGON SET SCREWS GRADE 8.8 HT DIN 933 **BZP**




STOCK CODE	SIZE	
1086	M12 x 100mm	50
1087	M12 x 110mm	50
1088	M12 x 120mm	50
1089	M12 x 130mm	25
1091	M12 x 150mm	25
2211	M12 x 200mm	25
<b>M14</b>		
10910	M14 x 100mm	50
<b>M16</b>		
1093	M16 x 30mm	50
1094	M16 x 35mm	50
1095	M16 x 40mm	50
1096	M16 x 45mm	50
1097	M16 x 50mm	50
1098	M16 x 55mm	50
1099	M16 x 60mm	25
1100	M16 x 65mm	25
1101	M16 x 70mm	25
1102	M16 x 75mm	25
1103	M16 x 80mm	25
1104	M16 x 90mm	25
1105	M16 x 100mm	25
1106	M16 x 110mm	25
1107	M16 x 120mm	25
1110	M16 x 150mm	20
2246	M16 x 200mm	20
<b>M20</b>		
1113	M20 x 30mm	25
1114	M20 x 40mm	25
1115	M20 x 45mm	25
1116	M20 x 50mm	25

STOCK CODE	SIZE	
1117	M20 x 55mm	25
1118	M20 x 60mm	25
1119	M20 x 65mm	25
1120	M20 x 70mm	25
1121	M20 x 75mm	25
1122	M20 x 80mm	25
1123	M20 x 90mm	25
1124	M20 x 100mm	25
1125	M20 x 110mm	25
1126	M20 x 120mm	25
1127	M20 x 130mm	25
1128	M20 x 140mm	25
1129	M20 x 150mm	25
<b>M24</b>		
1132	M24 x 50mm	25
1133	M24 x 55mm	25
1134	M24 x 60mm	25
1135	M24 x 65mm	25
1136	M24 x 70mm	25
1137	M24 x 75mm	25
1138	M24 x 80mm	25
1139	M24 x 90mm	10
1140	M24 x 100mm	10
1141	M24 x 150mm	10
2248	M24 x 110mm	10
<b>M30</b>		
1143	M30 x 70mm	5
1145	M30 x 80mm	5
1146	M30 x 90mm	5
1147	M30 x 100mm	5
1148	M30 x 110mm	5

## SELKENT MISSION

We will go further and faster than any other supplier of Construction Fixings and Tools to help keep construction sites productive and on schedule.





DØ	M3	M4	M5	M6	M8	M10	M12	M16	M20	M24	M27	M30
A	5.50	7	8	10	13	17	19	24	30	36	41	46
	5.50	7	8	10	13	17	19	24	30	36	41	46

## FULLY THREADED HEXAGON SET SCREW

GRADE 8.8 HT DIN 933 **GALV**



STOCK CODE	SIZE	
<b>M8</b>		
1435	M8 x 25mm	200
1436	M8 x 30mm	200
1437	M8 x 35mm	200
1438	M8 x 40mm	200
1440	M8 x 50mm	200
<b>M10</b>		
1583	M10 x 25mm	100
1441	M10 x 30mm	100
1442	M10 x 35mm	100
1443	M10 x 40mm	100
1445	M10 x 50mm	100
<b>M12</b>		
1584	M12 x 25mm	100
1446	M12 x 30mm	100
1447	M12 x 35mm	100
1448	M12 x 40mm	100
1449	M12 x 45mm	100
1450	M12 x 50mm	100

STOCK CODE	SIZE	
1610	M12 x 60mm	100
<b>M16</b>		
1452	M16 x 35mm	50
1453	M16 x 40mm	50
1454	M16 x 45mm	50
1455	M16 x 50mm	50
1456	M16 x 55mm	50
1457	M16 x 60mm	50
1585	M16 x 65mm	25
1586	M16 x 70mm	25
<b>M20</b>		
1458	M20 x 40mm	25
1459	M20 x 45mm	25
1460	M20 x 50mm	25
1461	M20 x 55mm	25
1526	M20 x 60mm	25
1587	M20 x 65mm	25
2209	M20 x 100mm	25

## HEXAGON SET SCREW FULLY THREADED

GRADE 304 DIN 933 **ST/ST A2**



STOCK CODE	SIZE	
<b>M6</b>		
1550	M6 x 12mm	100
1482	M6 x 16mm	100
1483	M6 x 20mm	100
1484	M6 x 25mm	100
1551	M6 x 35mm	100
1486	M6 x 40mm	100
1552	M6 x 45mm	100
1553	M6 x 50mm	100
<b>M8</b>		
1488	M8 x 20mm	100
1489	M8 x 25mm	100
1490	M8 x 30mm	100
1554	M8 x 35mm	100

STOCK CODE	SIZE	
1491	M8 x 40mm	100
1555	M8 x 45mm	100
1492	M8 x 50mm	100
1556	M8 x 60mm	100
<b>M10</b>		
1493	M10 x 20mm	100
1494	M10 x 25mm	100
1495	M10 x 30mm	100
1558	M10 x 35mm	100
1496	M10 x 40mm	100
1559	M10 x 45mm	100
1497	M10 x 50mm	50
1560	M10 x 60mm	50

[cont.] →

## HEXAGON SET SCREWS FULLY THREADED GRADE 304 DIN 933

### ST/ST A2

STOCK CODE	SIZE	
<b>M12</b>		
1498	M12 x 25mm	50
1499	M12 x 30mm	50
1561	M12 x 35mm	50
1500	M12 x 40mm	50
1562	M12 x 45mm	50
1501	M12 x 50mm	50
1563	M12 x 60mm	50
<b>M16</b>		
1564	M16 x 35mm	25
1565	M16 x 40mm	25



STOCK CODE	SIZE	
1566	M16 x 45mm	25
1567	M16 x 50mm	25
1568	M16 x 60mm	25
2255	M16 x 65mm	25
1597	M16 x 100mm	25

### ST/ST A4

STOCK CODE	SIZE	
<b>M8</b>		
2260	M8 x 25mm	200
<b>M10</b>		
2265	M10 x 100mm	100

## PART THREADED HEXAGON BOLT

### GRADE 8.8 HT DIN 931 **BZP**

STOCK CODE	SIZE	
<b>M6</b>		
1158	M6 x 50mm	200
1160	M6 x 60mm	200
1162	M6 x 70mm	200
1164	M6 x 80mm	200
1166	M6 x 100mm	100
<b>M8</b>		
1167	M8 x 50mm	200
1168	M8 x 55mm	200
1169	M8 x 60mm	200
1170	M8 x 65mm	200
1171	M8 x 70mm	200
1172	M8 x 75mm	200
1173	M8 x 80mm	200
1174	M8 x 90mm	100
1175	M8 x 100mm	100
<b>M10</b>		
1176	M10 x 50mm	100
1177	M10 x 55mm	100
1178	M10 x 60mm	100
1179	M10 x 65mm	100
1180	M10 x 70mm	100
1181	M10 x 75mm	100
1182	M10 x 80mm	100
1183	M10 x 90mm	100
1184	M10 x 100mm	100
1185	M10 x 110mm	50



STOCK CODE	SIZE	
1186	M10 x 120mm	50
1187	M10 x 130mm	50
1188	M10 x 140mm	50
1189	M10 x 150mm	50
11891	M10 x 180mm	50
11892	M10 x 200mm	50
<b>M12</b>		
1190	M12 x 50mm	100
1191	M12 x 55mm	100
1192	M12 x 60mm	100
1193	M12 x 65mm	50
1194	M12 x 70mm	50
1195	M12 x 75mm	50
1196	M12 x 80mm	50
1197	M12 x 90mm	50
1198	M12 x 100mm	50
1199	M12 x 110mm	50
1200	M12 x 120mm	50
1201	M12 x 130mm	50
1202	M12 x 140mm	50
1203	M12 x 150mm	50
1204	M12 x 160mm	25
1205	M12 x 170mm	25
1206	M12 x 180mm	25
1208	M12 x 200mm	25
1207	M12 x 220mm	20


[cont.] →

## PART THREADED HEXAGON BOLTS GRADE 8.8 HT DIN 931 BZP



STOCK CODE	SIZE	
<b>M16</b>		
1209	M16 x 50mm	50
1210	M16 x 55mm	50
1211	M16 x 60mm	50
1212	M16 x 65mm	50
1213	M16 x 70mm	50
1214	M16 x 75mm	50
1215	M16 x 80mm	25
1216	M16 x 90mm	25
1217	M16 x 100mm	25
1218	M16 x 110mm	25
1219	M16 x 120mm	25
1220	M16 x 130mm	25
1221	M16 x 140mm	25
1222	M16 x 150mm	25
1223	M16 x 160mm	25
1224	M16 x 85mm	25
1225	M16 x 180mm	25
1226	M16 x 200mm	25
1227	M16 x 220mm	10
1850	M16 x 240mm	10
3292	M16 x 250mm	10
1228	M16 x 260mm	10
1229	M16 x 300mm	10
<b>M20</b>		
1230	M20 x 55mm	25
1231	M20 x 60mm	25
1232	M20 x 65mm	25
1233	M20 x 70mm	25
1234	M20 x 75mm	25
1235	M20 x 80mm	25
1253	M20 x 85mm	25
1236	M20 x 90mm	25
1237	M20 x 100mm	25
1238	M20 x 110mm	25
1239	M20 x 120mm	25
1240	M20 x 130mm	10
1241	M20 x 140mm	10
1242	M20 x 150mm	10

STOCK CODE	SIZE	
1243	M20 x 160mm	10
1244	M20 x 170mm	10
1245	M20 x 180mm	10
1247	M20 x 200mm	10
1248	M20 x 220mm	5
1249	M20 x 240mm	5
1250	M20 x 260mm	5
1252	M20 x 300mm	5
<b>M24</b>		
1254	M24 x 70mm	10
1255	M24 x 75mm	10
1256	M24 x 80mm	10
1257	M24 x 90mm	10
1258	M24 x 100mm	10
1259	M24 x 110mm	10
1260	M24 x 120mm	10
1261	M24 x 130mm	10
1262	M24 x 140mm	10
1263	M24 x 150mm	10
1264	M24 x 160mm	10
1265	M24 x 170mm	10
1266	M24 x 180mm	10
1267	M24 x 200mm	10
<b>M30</b>		
1273	M30 x 80mm	10
1274	M30 x 90mm	10
1275	M30 x 100mm	10
1276	M30 x 110mm	10
1277	M30 x 120mm	10
1278	M30 x 130mm	10
1279	M30 x 140mm	10
1280	M30 x 150mm	10
1281	M30 x 160mm	10
1282	M30 x 180mm	10
1283	M30 x 200mm	10



DØ	M3	M4	M5	M6	M8	M10	M12	M16	M20	M24	M27	M30
A	5.50	7	8	10	13	17	19	24	30	36	41	46
	5.50	7	8	10	13	17	19	24	30	36	41	46

STANDARD THREADED LENGTHS	up to 120mm	= 2 x dia + 6mm	135-200mm	= 2 x dia + 12mm	≥ 200mm	= 2 x dia + 25mm
---------------------------	-------------	-----------------	-----------	------------------	---------	------------------

## PART THREADED HEXAGON BOLT

GRADE 304 DIN 931 **ST/ST A2**



STOCK CODE	SIZE	
<b>M6</b>		
1571	M6 x 80mm	100
<b>M8</b>		
1573	M8 x 80mm	100
1574	M8 x 100mm	100
<b>M10</b>		
1575	M10 x 70mm	100
1576	M10 x 80mm	100
1577	M10 x 100mm	100

STOCK CODE	SIZE	
<b>M12</b>		
1578	M12 x 70mm	100
1579	M12 x 80mm	100
1580	M12 x 100mm	100

Also available A4/Grade 316 ST/ST

DIAM.	M3	M4	M5	M6	M8	M10	M12	M16	M20	M24	M27	M30
	5.50	7.00	8.00	10.00	13.00	17.00	19.00	24.00	30.00	36.00	41.00	46.00

## HEXAGON SET NUT & WASHER

BS-EN15048 GRADE 8.8 HT ASSEMBLED **BZP**



STOCK CODE	SIZE	
<b>M12</b>		
1615	M12 x 30mm	100
1616	M12 x 35mm	100
1622	M12 x 40mm	100
1681	M12 x 45mm	100
1623	M12 x 50mm	100
<b>M16</b>		
1716	M16 x 30mm	100
1624	M16 x 35mm	100
1617	M16 x 40mm	100
1625	M16 x 45mm	100
1618	M16 x 50mm	100
1619	M16 x 55mm	100
1683	M16 x 60mm	100
1684	M16 x 65mm	100
1685	M16 x 70mm	100

STOCK CODE	SIZE	
<b>M20</b>		
1717	M20 x 40mm	100
1686	M20 x 45mm	100
1626	M20 x 50mm	100
1627	M20 x 55mm	100
1620	M20 x 60mm	100
1628	M20 x 65mm	100
1621	M20 x 70mm	100
1687	M20 x 75mm	100
1688	M20 x 80mm	100
1729	M20 x 90mm	100
1785	M20 x 100mm	100
<b>M24</b>		
1689	M24 x 70mm	100
1690	M24 x 80mm	100
1691	M24 x 90mm	100
1728	M24 x 100mm	100

FASTENINGS, FIXINGS & ACCESSORIES

## HEXAGON SET NUT & WASHER

BS-EN15048 GRADE 8.8 HT ASSEMBLED **GALV**



CE  
MARKED

STOCK CODE	SIZE	
<b>M12</b>		
1692	M12 x 30mm	100
1693	M12 x 35mm	100
1694	M12 x 40mm	100
1695	M12 x 50mm	100
<b>M16</b>		
1718	M16 x 30mm	100
1696	M16 x 35mm	100
1697	M16 x 40mm	100
1698	M16 x 45mm	100
1699	M16 x 50mm	100
1700	M16 x 55mm	100
1701	M16 x 60mm	100
1703	M16 x 70mm	100

STOCK CODE	SIZE	
<b>M20</b>		
1704	M20 x 45mm	100
1705	M20 x 50mm	100
1706	M20 x 55mm	100
1707	M20 x 60mm	100
1708	M20 x 65mm	100
1709	M20 x 70mm	100
1710	M20 x 75mm	100
1711	M20 x 80mm	100
<b>M24</b>		
1712	M24 x 70mm	100
1713	M24 x 80mm	100
1714	M24 x 90mm	100

## SQUARE-SQUARE HOLDING DOWN BOLTS & NUT

GRADE 8.8 BS7419 **SELF COLOUR**




CE  
MARKED

STOCK CODE	SIZE	
<b>M16 THREAD LENGTH 116mm</b>		
1412	M16 x 300mm	1
1413	M16 x 375mm	1
1414	M16 x 450mm	1
1415	M16 x 600mm	1
<b>M20 THREAD LENGTH 120mm</b>		
1416	M20 x 300mm	1
1417	M20 x 375mm	1
1546	M20 x 400mm	1
1418	M20 x 450mm	1

STOCK CODE	SIZE	
1547	M20 x 525mm	1
1419	M20 x 600mm	1
<b>M24 THREAD LENGTH 124mm</b>		
1423	M24 x 300mm	1
1420	M24 x 375mm	1
1421	M24 x 450mm	1
1422	M24 x 600mm	1

## WAX CONES

APPROX. CONE LENGTH = BOLT LENGTH – 75mm



## SQUARE PLATE WASHERS

**SELF COLOUR**

PAGE 29

STOCK CODE	SIZE	LENGTH OF SLEEVE	
1673	M16/M20	220mm	1
1680	M16/M20	300mm	1
1674	M16/M30	380mm	1
1677	M16/M30	450mm	1
1675	M16/M30	530mm	1

**HSFG BOLT & NUT**

BS EN 14399.3 **SELF COLOUR**

WASHERS TO SUIT PAGE 29



STOCK CODE	SIZE	
	<b>M20</b>	1
1508	M16 x 50mm	1
1509	M16 x 55mm	1
1510	M16 x 60mm	1
1511	M16 x 65mm	1
1512	M16 x 70mm	1
1513	M16 x 75mm	1
1514	M16 x 80mm	1

STOCK CODE	SIZE	
	<b>M20</b>	
1517	M20 x 60mm	1
1519	M20 x 70mm	1
1521	M20 x 80mm	1
1522	M20 x 90mm	1
1731	M20 x 100mm	1
	<b>M24</b>	
1636	M24 x 90mm	1
1632	M24 x 100mm	1

**WIRE ROPE GRIPS**

DIN 741 **GALV**



STOCK CODE	SIZE	
5512	8mm	100
5513	10mm	100
5514	12mm	100
5503	16mm	50
5515	20mm	50

STOCK CODE	SIZE	
5504	22mm	50
5505	26mm	50
5506	34mm	50
5507	40mm	25
5508	50mm	25

FASTENINGS, FIXINGS & ACCESSORIES

**TECHNICAL SUPPORT SERVICES**

We offer comprehensive support for all your current applications, including:

- On-site advice
- Pull-out testing
- Load calculation services
- Specialist guidance on Gateway 2 compliance and assist in maintaining a fully compliant Golden Thread of information.

Contact the Selkent technical team:

**[technical@selkent.com](mailto:technical@selkent.com)**



## STUDDING

### GRADE 4.6 MILD STEEL

#### DIN 975 **BZP**



STOCK CODE	SIZE	
<b>1m Length</b>		
1291	M5 x 1m	10m
1292	M6 x 1m	10m
1293	M8 x 1m	10m
1294	M10 x 1m	5m
1295	M12 x 1m	5m
1296	M16 x 1m	5m
<b>3m Length</b>		
1301	M6 x 3m	30m
1302	M8 x 3m	30m
1307	M10 x 3m	15m
1303	M12 x 3m	15m
1304	M16 x 3m	15m

## STUDDING

### GRADE 8.8 HT DIN 975

#### **GALV**



STOCK CODE	SIZE	
<b>1m Length</b>		
1592	M10 x 1m	5m
1593	M12 x 1m	5m
1594	M16 x 1m	5m
1614	M20 x 1m	5m
1715	M24 x 1m	5m
1635	M30 x 1m	5m
<b>3m Length</b>		
3296	M10 x 3m	15m
1721	M12 x 3m	15m
1722	M16 x 3m	15m
1723	M20 x 3m	15m
2230	M24 x 3m	15m
3297	M30 x 3m	15m

## STUDDING

### GRADE 8.8 HT DIN 975 **BZP**



STOCK CODE	SIZE	
<b>1m Length</b>		
3293	M6 x 1m	10m
1426	M8 x 1m	10m
1427	M10 x 1m	5m
1428	M12 x 1m	5m
1429	M16 x 1m	5m
1430	M20 x 1m	5m
1431	M24 x 1m	5m
3294	M27 x 1m	5m
1612	M30 x 1m	5m

STOCK CODE	SIZE	
<b>3m Length</b>		
3295	M6 x 3m	30m
1590	M8 x 3m	30m
1591	M10 x 3m	15m
1432	M12 x 3m	15m
1433	M16 x 3m	15m
1434	M20 x 3m	15m
1308	M24 x 3m	15m
1678	M30 x 3m	15m
1321	M36 x 3m	15m

## STUDDING

### GRADE 304 DIN 975

#### **ST/ST A4**



STOCK CODE	SIZE	
<b>1m Length</b>		
2382	M12 x 1m	5m
<b>3m Length</b>		
2338	M8 x 3m	30m
2340	M10 x 3m	15m
2342	M12 x 3m	15m
2204	M16 x 3m	15m
1433M18	M18 x 3m	15m
2350	M20 x 3m	15m

## STUDDING

### GRADE 304 DIN 975

#### **ST/ST A2**



STOCK CODE	SIZE	
<b>1m Length</b>		
1541	M6 x 1m	10m
1502	M8 x 1m	10m
1503	M10 x 1m	5m
1504	M12 x 1m	5m
1505	M16 x 1m	5m
1506	M20 x 1m	5m
1507	M24 x 1m	5m
<b>3m Length</b>		
2332	M12 x 3m	15m
2334	M16 x 3m	15m
2201	M20 x 3m	15m

**ALLTHREAD STUDS**

GRADE 8.8 HT DIN 975 **BZP**



STOCK CODE	SIZE	
<b>M10</b>		
ALL1015088Z	M10 x 150mm	1
<b>M12</b>		
ALL1215088Z	M12 x 150mm	1
ALL1220088Z	M12 x 200mm	1
ALL1225088Z	M12 x 250mm	1
ALL1230088Z	M12 x 300mm	1
<b>M16</b>		
ALL1615088Z	M16 x 150mm	1
ALL1620088Z	M16 x 200mm	1
ALL1625088Z	M16 x 250mm	1
ALL1630088Z	M16 x 300mm	1
ALL1635088Z	M16 x 350mm	1
ALL1640088Z	M16 x 400mm	1
ALL1645088Z	M16 x 450mm	1
ALL1650088Z	M16 x 500mm	1
ALL1660088Z	M16 x 600mm	1

STOCK CODE	SIZE	
<b>M20</b>		
ALL2015088Z	M20 x 150mm	1
ALL2020088Z	M20 x 200mm	1
ALL2025088Z	M20 x 250mm	1
ALL2030088Z	M20 x 300mm	1
ALL2035088Z	M20 x 350mm	1
ALL2040088Z	M20 x 400mm	1
ALL2045088Z	M20 x 450mm	1
ALL2050088Z	M20 x 500mm	1
ALL2060088Z	M20 x 650mm	1

**IN-HOUSE BESPOKE  
STUD CUTTING SERVICE**

CALL US ON 020 8699 6777  
FOR QUICK TURNAROUND



**STUDDING CONNECTORS**

**BZP**



STOCK CODE	SIZE	
2100	M8 x 24mm	100
2101	M10 x 30mm	100
2102	M12 x 36mm	50
2103	M16 x 48mm	10
2104	M20 x 60mm	10
2131	M24 x 72mm	10
2163	M30 x 90mm	10

**STUDDING CONNECTOR CONVERTOR**

**BZP**



STOCK CODE	SIZE	
M12M16STUDCON	M12-M16 X 48mm	100

FASTENINGS, FIXINGS & ACCESSORIES

## CUP SQUARE HEX CARRIAGE BOLTS &amp; NUT

COACH BOLTS - DIN603 **BZP**

STOCK CODE	SIZE	
<b>M8</b>		
1638	M8 x 50mm	100
1639	M8 x 65mm	100
1640	M8 x 75mm	100
1641	M8 x 100mm	50
1642	M8 x 110mm	50
1643	M8 x 130mm	50
1644	M8 x 150mm	50
1645	M8 x 180mm	50
1646	M8 x 200mm	50
<b>M10</b>		
1647	M10 x 30mm	100
1648	M10 x 40mm	100
1649	M10 x 50mm	100
1650	M10 x 65mm	100
1651	M10 x 75mm	100
1652	M10 x 80mm	100
1654	M10 x 100mm	50

STOCK CODE	SIZE	
1656	M10 x 130mm	50
1657	M10 x 140mm	50
1658	M10 x 150mm	50
1659	M10 x 160mm	50
1660	M10 x 180mm	50
1661	M10 x 200mm	50
1662	M10 x 220mm	50
<b>M12</b>		
1663	M12 x 50mm	100
1664	M12 x 75mm	100
1665	M12 x 100mm	50
1666	M12 x 120mm	50
1667	M12 x 130mm	50
1668	M12 x 150mm	50
1669	M12 x 180mm	50
1670	M12 x 220mm	50
1671	M12 x 200mm	50

## EYE BOLT

DIN 580 **BZP**

STOCK CODE	SIZE	
8273	M6	1
8274	M8	1
8275	M10	1
8276	M12	1
8277	M16	1
8278	M20	1
8279	M24	1

## EYE NUT

DIN 582 **BZP**

STOCK CODE	SIZE	
8280	M6	1
8281	M8	1
8282	M10	1
8283	M12	1
8284	M16	1
8285	M20	1
8286	M24	1

## VANTAGE HOUSE

As part of Selkent's wider growth plans, we've opened Vantage House. This investment strengthens our service offering with increased stock capacity and a more efficient pick-and-dispatch operation, helping us support customers nationwide with faster, more reliable delivery and long-term, sustainable growth.

Vantage House,  
Trinity Trading Estate,  
ME10 2PD



**FULL NUT****GRADE 8 HT DIN 934 BZP**

STOCK CODE	SIZE	
2001	M3	200
2002	M4	200
2003	M5	200
2004	M6	200
2005	M8	200
2006	M10	100
2007	M12	100
20071	M14	100
2008	M16	100
2205	M18	50
2009	M20	50
2210	M22	25
2010	M24	50
2144	M27	10
2011	M30	10
2145	M33	10
2012	M36	10
2156	M42	10

**GRADE 10 HT DIN 934 BZP**

STOCK CODE	SIZE	
2164	M10	100
2165	M12	100
2166	M16	50
2167	M20	50
2155	M24	50

**GRADE 10 HT DIN 934  
SELF COLOUR**

STOCK CODE	SIZE	
2215	M24	50
2216	M30	10

**FULL NUT****GRADE 8 HT DIN 934  
SELF COLOUR**

STOCK CODE	SIZE	
2083	M8	200
2084	M10	100
2085	M12	100
2086	M16	100
2087	M20	50
2088	M24	50
2089	M30	10
2090	M36	10
2096	M42	10

**FULL NUT****GRADE 8 HT DIN 934  
TAPPED OVERSIZE GALV**

STOCK CODE	SIZE	
2049	M8	200
2050	M10	100
2051	M12	100
2052	M16	100
2053	M20	50
2054	M24	50
2549	M30	10

**FULL NUT****DIN 934 ST/ST A2**

STOCK CODE	SIZE	
2055	M3	200
2056	M4	200
2057	M5	200
2058	M6	200
2059	M8	200
2060	M10	100
2061	M12	100
2062	M16	100
2063	M20	50
2064	M24	50

**FULL NUT****DIN 934 ST/ST A4**

STOCK CODE	SIZE	
2411	M5	200
2199	M6	200
2188	M8	200
2190	M10	100
2186	M12	100
2207	M16	50
2194	M20	50
3282	M24	50

**HALF NUT****DIN 439 GALV**

STOCK CODE	SIZE	
2129	M16	100

**HALF NUT***DIN 439/936* **BZP**

STOCK CODE	SIZE	
2017	M8	200
2018	M10	100
2019	M12	100
2020	M16	50
2021	M20	50

**HALF NUT***DIN 439* **ST/ST A2**

STOCK CODE	SIZE	
2107	M8	200
2108	M10	100
2109	M12	100
2110	M16	50

**T (THIN) NYLON  
INSERT NUT***DIN 985* **ST/ST A2**

STOCK CODE	SIZE	
2073	M5	200
2074	M6	200
2075	M8	200
2076	M10	100
2077	M12	100
2078	M16	50
2159	M24	10

**T (THIN) NYLON  
INSERT NUT***DIN 985* **BZP**

STOCK CODE	SIZE	
2023	M3	200
2024	M4	200
2025	M5	200
2026	M6	200
2027	M8	200
2028	M10	100
2029	M12	100
3281	M14	100
2030	M16	50
2031	M20	50
2032	M24	10
2033	M30	10

**T (THIN) NYLON  
INSERT NUT***DIN 985* **GALV**

STOCK CODE	SIZE	
2124	M8	200
2161	M10	200
2126	M12	100
2162	M16	100
2228	M20	25

**T (THIN) NYLON  
INSERT NUT***DIN 985* **ST/ST A4**

STOCK CODE	SIZE	
2472	M6	200
2473	M8	100
2474	M10	100
2475	M12	100
2476	M16	50
2477	M20	50

**P (THICK) NYLON  
INSERT NUT***DIN 982* **BZP**

STOCK CODE	SIZE	
2079	M6	200
2080	M8	200
2081	M10	100
2082	M12	100
2149	M16	50
2150	M20	50
2157	M24	10

**DOME NUT**DIN 1587 **BZP**

STOCK CODE	SIZE	
2037	M6	200
2038	M8	200
2039	M10	100
2040	M12	100
2041	M16	50
2042	M20	50

**DOME NUT**DIN 1587 **GALV**

STOCK CODE	SIZE	
2127	M12	50
2196	M16	50

**DOME NUT**DIN 1587 **ST/ST A2**

STOCK CODE	SIZE	
2111	M3	200
2066	M5	200
2067	M6	200
2068	M8	200
2069	M10	100
2070	M12	100
2135	M16	100

**DOME NUT**DIN 1587 **ST/ST A4**

STOCK CODE	SIZE	
2402	M6	200
2403	M8	200
2187	M10	100
2405	M12	100
2406	M16	100

**SHEAR NUT**MILD STEEL **BZP**

STOCK CODE	SIZE	
2113	M8	100
2114	M10	100

**SHEAR NUT**STEEL **GALV**

STOCK CODE	SIZE	
2116	M8	100
2117	M10	100
2118	M12	100
2119	M16	50

**STEEL WING NUT****BZP**

STOCK CODE	SIZE	
2044	M4	200
2045	M5	200
2046	M6	200
2047	M8	200
2048	M10	100
2128	M12	100

**NYLON NUT CAP****BLACK**

STOCK CODE	SIZE	
2146	M8	100
2097	M10	100
2098	M12	50
2099	M16	50
2147	M20	25
2148	M24	25

### SHORT SPRING CHANNEL NUT

FOR SHALLOW CHANNELS  
**BZP**



STOCK CODE	SIZE	
2172	M6	100
2173	M8	100
2174	M10	100
2175	M12	100

### LONG SPRING CHANNEL NUT

FOR DEEP CHANNELS  
**BZP**



STOCK CODE	SIZE	
2176	M6	100
2177	M8	100
2178	M10	100
2179	M12	100

### WEDGE NUT

Standard Wedge Nuts (SWN)	25mm (Top of Wedge) x 18mm (Base of Wedge)
Mini Wedge Nuts	19mm (Top of Wedge) x 12mm (Base of Wedge)
Mini Mini Wedge Nuts	18.5mm (Top of Wedge) x 10mm (Base of Wedge)
Rib Deck	21mm (Top of wedge) x 17mm (Base of wedge)



#### STANDARD

STOCK CODE	SIZE	
M6STWN	M6	1000
M8STWN	M8	1000
M10STWN	M10	1000

#### RIB DECK

STOCK CODE	SIZE	
M10RDWN	M10	1000

#### MINI

STOCK CODE	SIZE	
M6MINIWN	M6	1000
M8MINIWN	M8	1000

#### MINI MINI

STOCK CODE	SIZE	
M6MINMINWN	M6	1000
M8MINMINWN	M8	1000

### PLAIN CHANNEL NUT

FOR ALL CHANNELS **BZP**



STOCK CODE	SIZE	
2168	M6	100
2169	M8	100
2170	M10	100
2171	M12	100

### WEDGE NUT

**BZP**



STOCK CODE	SIZE	
2183	M6	100
2184	M8	100
2185	M10	100

**FORM A FLAT WASHER**DIN 125 A/BS 4320 **BZP**

STOCK CODE	SIZE		THICKNESS	
	INT.Ø	EXT.Ø		
3001	M3	7mm	0.5mm	500
3002	M4	9mm	0.8mm	500
3003	M5	10mm	1.0mm	200
3004	M6	12.5mm	1.6mm	200
3005	M8	17mm	1.6mm	200
3006	M10	21mm	2.0mm	200
3007	M12	24mm	2.5mm	200
3000	M14	28mm	2.5mm	100
3008	M16	30mm	3.0mm	100
3009	M20	37mm	3.0mm	100
2189	M22	39mm	3.0mm	50
3010	M24	44mm	4.0mm	50
3209	M27	50mm	4.0mm	50
3011	M30	56mm	4.0mm	50
3210	M33	60mm	5.0mm	50
3012	M36	66mm	5.0mm	50

**FORM A FLAT WASHER**DIN 125 A/BS 4320 **GALV**

STOCK CODE	SIZE		THICKNESS	
	INT.Ø	EXT.Ø		
3060	M8	17mm	1.6mm	200
3061	M10	21mm	2.0mm	100
3062	M12	24mm	2.5mm	100
3063	M16	30mm	3.0mm	100
3064	M20	37mm	3.0mm	50
3065	M24	44mm	4.0mm	50

**FORM A FLAT WASHER****ST/ST A2**

STOCK CODE	SIZE	
3067	M4	500
3068	M5	200
2206	M6	200
2198	M8	200
2202	M10	200
2192	M12	200
2197	M16	100

**FORM A FLAT WASHER**DIN 125A **ST/ST A4**

STOCK CODE	SIZE	
2423	M6	1000
2208	M8	200
2225	M10	200
2426	M12	200
2191	M16	100
2430	M20	50

**FORM A STEEL  
FLAT WASHER**DIN 125A **SELF COLOUR**

STOCK CODE	SIZE	
3111	M10	200
3112	M12	200
3113	M16	100
3114	M20	100
3115	M24	50
3116	M30	50

**FORM B FLAT WASHER**GRADE 304 BS4320 **ST/ST A2**

STOCK CODE	SIZE		THICKNESS	
	INT.Ø	EXT.Ø		
3069	M6	12.5mm	0.8mm	1000
3070	M8	17mm	1.0mm	200
3071	M10	21mm	1.25mm	100
3072	M12	24mm	1.6mm	100
3073	M16	30mm	2.0mm	100
3074	M20	37mm	2.0mm	50
3075	M24	44mm	2.5mm	50

NEED IT FAST?  
CONTACT OUR SALES TEAM ON  
**020 8699 6777**

OR PLACE YOUR ORDER ONLINE AT  
**WWW.SELKENT.COM**

**FORM B FLAT WASHER**GRADE 316 BS4320 **ST/ST A4**

STOCK CODE	SIZE		THICKNESS	
	INT.Ø	EXT.Ø		
2440	M4	9mm	0.8mm	1000
2441	M5	10mm	0.8mm	1000
2442	M6	12.5mm	0.8mm	1000
2443	M8	17mm	1.0mm	200
2444	M10	21mm	1.25mm	100
2195	M12	24mm	1.6mm	100
2446	M14	28mm	1.6mm	100
2447	M16	30mm	2.0mm	100
2448	M20	37mm	2.0mm	50
2450	M24	44mm	2.5mm	50
2452	M30	56mm	2.5mm	50

**FORM C FLAT WASHER**BS4320 **BZP**

STOCK CODE	SIZE		THICKNESS	
	INT.Ø	EXT.Ø		
3157	M5	12.5mm	1.0mm	200
3158	M6	14mm	1.6mm	200
3159	M8	21mm	1.6mm	200
3160	M10	24mm	2.0mm	100
3161	M12	28mm	2.5mm	100
3162	M16	34mm	3.0mm	100
3163	M20	39mm	3.0mm	50

**NYLON WASHER**

STOCK CODE	SIZE	
3092	M4	1000
3094	M6	500
3095	M8	500
3096	M10	500
3097	M12	200
3098	M16	100
3099	M20	100

**FORM G FLAT WASHER****BZP**

STOCK CODE	SIZE		THICKNESS	
	INT.Ø	EXT.Ø		
3214	M8	24mm	2.0mm	100
3215	M10	30mm	2.5mm	100
3216	M12	36mm	3.0mm	100
3217	M16	48mm	4.0mm	100
3218	M20	60mm	5.0mm	100
3212	M24	72mm	6.0mm	100

**FORM G FLAT WASHER**DIN 125 A/BS4320 **GALV**

STOCK CODE	SIZE		THICKNESS	
	INT.Ø	EXT.Ø		
3143	M16	48mm	4.0mm	100
3144	M20	60mm	5.0mm	100

**PENNY STEEL WASHER****BZP**

STOCK CODE	SIZE		THICKNESS	
	INT.Ø	EXT.Ø		
3013	M5	20mm	1.25mm	200
3090	M5	25mm	1.25mm	200
3014	M6	20mm	1.25mm	200
3088	M6	25mm	1.5mm	200
3091	M6	30mm	1.5mm	200
3015	M8	25mm	1.5mm	200
3089	M8	30mm	1.5mm	200
2200	M10	25mm	1.5mm	100
3016	M10	30mm	1.5mm	100
3188	M10	40mm	1.5mm	100
3017	M12	40mm	1.5mm	100
3142	M12	50mm	1.5mm	100

**PENNY STEEL WASHER**GRADE 304  
**ST/ST A2**

STOCK CODE	SIZE		THICKNESS	
	INT.Ø	EXT.Ø		
3076	M5	25mm	1.5mm	100
3077	M6	25mm	1.5mm	100
3078	M8	30mm	1.5mm	100

**TYPE A SPRING  
STEEL WASHER**SINGLE COIL SQUARE SECTION  
DIN 7980 **BZP**

STOCK CODE	SIZE	
3019	M4	200
3020	M5	200
3021	M6	200
3022	M8	200
3023	M10	100
3024	M12	100
3025	M16	100
3026	M20	50
3027	M24	50

**TYPE A SPRING WASHER**SINGLE COIL SQUARE SECTION  
GRADE 304 **ST/ST A2**

STOCK CODE	SIZE	
3082	M6	200
3083	M8	200
3084	M10	200

**TYPE A SPRING  
WASHER SINGLE COIL  
SQUARE SECTION**GRADE 304 **ST/ST A4**

STOCK CODE	SIZE	
2193	M12	500

**TYPE A SPRING WASHER**SINGLE COIL SQUARE SECTION  
GRADE 316 **ST/ST A4**

STOCK CODE	SIZE	
2462	M6	200
2463	M8	200
2464	M10	200
2465	M12	100
2466	M16	100
2467	M20	50
2468	M24	50
2469	M30	50

**SQUARE PLATE  
WASHER****BZP**

STOCK CODE	SIZE	THICKNESS	
3100	M6 x 40mm x 40mm	3mm	100
3101	M8 x 40mm x 40mm	3mm	100
3102	M10 x 40mm x 40mm	3mm	100
3103	M12 x 40mm x 40mm	3mm	100
3104	M10 x 50mm x 50mm	3mm	50
3105	M12 x 50mm x 50mm	3mm	50
3182	M16 x 50mm x 50mm	3mm	50
3211	M20 x 50mm x 50mm	3mm	50

**SQUARE PLATE  
WASHER****SELF COLOUR**

STOCK CODE	SIZE	THICKNESS	
3057	M16 x 100mm x 100mm	10mm	1
3058	M20 x 100mm x 100mm	10mm	1
3059	M24 x 100mm x 100mm	10mm	1
3222	M20 x 100mm x 100mm	12mm	1
3223	M24 x 100mm x 100mm	12mm	1
3220	M20 x 100mm x 100mm	15mm	1
3221	M24 x 100mm x 100mm	15mm	1
2212	M30 x 100mm x 100mm	10mm	1

**LOAD INDICATOR  
WASHER**

BS-EN 14 339.9

**SELF COLOUR**


STOCK CODE	SIZE	
3138	M16	25
3140	M20	25
3193	M24	25

**THROUGH HARDENED  
WASHER**BS-EN 14 339.9 **SELF COLOUR**

STOCK CODE	SIZE	
3137	M16	25
3139	M20	25
3194	M24	25

## SOCKET CAP SCREWS TECHNICAL DATA

D1	M3 PITCH 0.50	M4 PITCH 0.70	M5 PITCH 0.80	M6 PITCH 1.00	M8 PITCH 1.25	M10 PITCH 1.50	M12 PITCH 1.75	M14 PITCH 2.00	M16 PITCH 2.00	M20 PITCH 2.50	M24 PITCH 3.00
D2	5.5	7	8.5	10	13	16	18	21	24	30	36
K	3	4	5	6	8	10	12	14	16	20	24
S	2.5	3	4	5	6	8	10	12	14	17	19
T min.	1.3	2	2.5	3	4	5	6	7	8	10	12



## SOCKET CAP SCREW

BS 4168 DIN 912 GRADE 12.9 **BZP**

STOCK CODE	SIZE	
<b>M8</b>		
4066	M8 x 25mm	100
4068	M8 x 35mm	100
4070	M8 x 45mm	100
4073	M8 x 60mm	100
4075	M8 x 70mm	100
4077	M8 x 80mm	100
4079	M8 x 100mm	100
<b>M10</b>		
4083	M10 x 16mm	100
4084	M10 x 20mm	100

STOCK CODE	SIZE	
4085	M10 x 25mm	100
4088	M10 x 40mm	100
4090	M10 x 50mm	50
4092	M10 x 60mm	50
4095	M10 x 75mm	50
<b>M12</b>		
4110	M12 x 40mm	50
4112	M12 x 50mm	50
4116	M12 x 70mm	50
4119	M12 x 90mm	50
4120	M12 x 100mm	50

## SOCKET CAP SCREW

DIN 912 **ST/ST A2**


STOCK CODE	SIZE	
<b>M3</b>		
4150	M3 x 10mm	100
<b>M4</b>		
4162	M4 x 30mm	100
<b>M5</b>		
4165	M5 x 16mm	100
4168	M5 x 30mm	100
<b>M6</b>		
4411	M6 x 12mm	100
4413	M6 x 20mm	100

STOCK CODE	SIZE	
4414	M6 x 25mm	100
4415	M6 x 30mm	100
4416	M6 x 35mm	100
4418	M6 x 50mm	100
<b>M8</b>		
4419	M8 x 12mm	100
4422	M8 x 25mm	100
4423	M8 x 30mm	100
4424	M8 x 35mm	100
4427	M8 x 60mm	100

## SOCKET COUNTERSUNK TECHNICAL DATA

\*60° standard

D1	M3	M4	M5	M6	M8	M10	M12	M16	M20	M24*	M30*
D2	6	8	10	12	16	20	24	30	36	38	53
K max.	1.7	2.3	2.8	3.3	5	5.5	6.5	7.5	8.5	14.22	21.65
S	2	2.5	3	4	4.4	6	8	10	12	14	17
T min.	1.2	1.8	2.3	2.5	3.5	4.4	4.6	5.3	5.9	8.25	12



## SOCKET COUNTERSUNK SCREW

DIN 7991 GRADE 10.9 **BZP**



STOCK CODE	SIZE	
<b>M5</b>		
4183	M5 x 12mm	200
4184	M5 x 16mm	200
4185	M5 x 20mm	200
4186	M5 x 25mm	200
4187	M5 x 30mm	200
4188	M5 x 35mm	200
4189	M5 x 40mm	200
4190	M5 x 45mm	200
4191	M5 x 50mm	200
<b>M6</b>		
4193	M6 x 12mm	200
4194	M6 x 16mm	200
4195	M6 x 20mm	200
4196	M6 x 25mm	200
4197	M6 x 30mm	200
4198	M6 x 35mm	200
4199	M6 x 40mm	200
4200	M6 x 45mm	200
4201	M6 x 50mm	200
<b>M8</b>		
4205	M8 x 20mm	200
4206	M8 x 25mm	200
4207	M8 x 30mm	200
4208	M8 x 35mm	200
4209	M8 x 40mm	200
4211	M8 x 50mm	200
4213	M8 x 60mm	100
4214	M8 x 80mm	100

STOCK CODE	SIZE	
<b>M10</b>		
4216	M10 x 25mm	200
4217	M10 x 30mm	100
4218	M10 x 35mm	100
4219	M10 x 40mm	100
4221	M10 x 50mm	100
4223	M10 x 60mm	100
4225	M10 x 80mm	100
4227	M10 x 100mm	100
<b>M12</b>		
4230	M12 x 30mm	50
4231	M12 x 35mm	50
4232	M12 x 40mm	50
4234	M12 x 50mm	50
4235	M12 x 55mm	50
4236	M12 x 60mm	50
4237	M12 x 70mm	50
4238	M12 x 80mm	50
<b>M16</b>		
4239	M16 x 35mm	25
4240	M16 x 40mm	25
4241	M16 x 45mm	25
4242	M16 x 50mm	25
4529	M16 x 55mm	25
4243	M16 x 60mm	25
4244	M16 x 70mm	25
4129	M16 x 90mm	25
4130	M16 x 100mm	25
<b>M20</b>		
4132	M20 x 40mm	25
4134	M20 x 50mm	25
4136	M20 x 60mm	25
4137	M20 x 70mm	25
4138	M20 x 80mm	25
4139	M20 x 100mm	25

## SOCKET COUNTERSUNK SCREW

DIN 7991 GRADE 10.9 **GALV**



STOCK CODE	SIZE	
<b>M8</b>		
4248	M8 x 20mm	100
4249	M8 x 25mm	100
4250	M8 x 30mm	100
4382	M8 x 40mm	100
<b>M10</b>		
4253	M10 x 30mm	100
4254	M10 x 35mm	100
4255	M10 x 40mm	100

STOCK CODE	SIZE	
<b>M12</b>		
4258	M12 x 35mm	100
4259	M12 x 40mm	100
4260	M12 x 45mm	100
<b>M16</b>		
4263	M16 x 45mm	50
<b>M20</b>		
4473	M20 x 60mm	50

## SOCKET COUNTERSUNK SCREW

DIN 7991 GRADE 304 **ST/ST A2**




STOCK CODE	SIZE	
<b>M5</b>		
4454	M5 x 12mm	100
4456	M5 x 20mm	100
4457	M5 x 25mm	100
4459	M5 x 35mm	100
<b>M6</b>		
4462	M6 x 12mm	100
4392	M6 x 20mm	100
4393	M6 x 25mm	100
4394	M6 x 30mm	100
4474	M6 x 50mm	100
<b>M8</b>		
4475	M8 x 16mm	100
4396	M8 x 25mm	100
4397	M8 x 30mm	100
4476	M8 x 35mm	100
4398	M8 x 40mm	100
4399	M8 x 50mm	100
4477	M8 x 60mm	100

STOCK CODE	SIZE	
<b>M10</b>		
4478	M10 x 20mm	100
4401	M10 x 30mm	100
4403	M10 x 40mm	100
4404	M10 x 50mm	100
4479	M10 x 60mm	100
4480	M10 x 70mm	100
4481	M10 x 80mm	50
<b>M12</b>		
4405	M12 x 25mm	100
4406	M12 x 30mm	100
4482	M12 x 40mm	100
4551	M12 x 45mm	50
4483	M12 x 50mm	100
4484	M12 x 60mm	50
4485	M12 x 70mm	50
4486	M12 x 80mm	50
<b>M16</b>		
4494	M16 x 80mm	50

## SOCKET BUTTON TECHNICAL DATA

D1	M3	M4	M5	M6	M8	M10	M12	M16	M20
D2	7	6	9.5	10.5	14	18	21	28	35
K max.	1.65	2.2	2.75	3.3	4.4	5.5	6.6	8.8	10.5
S	2	2.5	3	4	5	6	8	10	12
T min.	1.04	1.3	1.56	2.08	2.6	3.12	4.16	5.5	6.87



## SOCKET BUTTON SCREW

ISO 7380 GRADE 10.9 **BZP**



STOCK CODE	SIZE	
<b>M5</b>		
4278	M5 x 10mm	100
4279	M5 x 12mm	100
4280	M5 x 16mm	100
4281	M5 x 20mm	100
4282	M5 x 25mm	100
4283	M5 x 30mm	100
<b>M6</b>		
4284	M6 x 10mm	100
4285	M6 x 12mm	100
4286	M6 x 16mm	100
4287	M6 x 20mm	100
4288	M6 x 25mm	100
4289	M6 x 30mm	100
4517	M6 x 50mm	100
4519	M6 x 60mm	100
<b>M8</b>		
4291	M8 x 12mm	100
4292	M8 x 16mm	100
4293	M8 x 20mm	100
4294	M8 x 25mm	100
4295	M8 x 30mm	100

STOCK CODE	SIZE	
4521	M8 x 35mm	100
4296	M8 x 40mm	100
4001	M8 x 45mm	100
4013	M8 x 50mm	100
<b>M10</b>		
4297	M10 x 16mm	100
4298	M10 x 20mm	100
4299	M10 x 25mm	100
4300	M10 x 30mm	100
4526	M10 x 35mm	100
4301	M10 x 40mm	100
4025	M10 x 45mm	100
4041	M10 x 50mm	100
4527	M10 x 60mm	100
<b>M12</b>		
4507	M12 x 25mm	100
4508	M12 x 30mm	100
4509	M12 x 35mm	100
4510	M12 x 40mm	100
4042	M12 x 45mm	100
4043	M12 x 50mm	100
4528	M12 x 60mm	50

FASTENINGS, FIXINGS & ACCESSORIES

## DELIVERY YOU CAN COUNT ON

Selkent provides a state-of-the-art delivery platform that offers our customers real-time tracking, end-to-end traceability, and digital proof of delivery. It ensures our customers have full visibility into their deliveries with accurate time slots and live van tracking.



End-to-end traceability on every delivery



Real-time GPS precision



Instant digital sign-off



Photo-verified proof of delivery



Professional, auto-generated documentation

## SOCKET BUTTON SCREW

ISO 7380 GRADE 304 **ST/ST A2**

STOCK CODE	SIZE	
<b>M5</b>		
4101	M5 x 8mm	100
4102	M5 x 10mm	100
4103	M5 x 12mm	100
4104	M5 x 16mm	100
4511	M5 x 20mm	100
4512	M5 x 25mm	100
4245	M5 x 30mm	100
4539	M5 x 35mm	100
4540	M5 x 40mm	100
<b>M6</b>		
4246	M6 x 10mm	100
4247	M6 x 12mm	100
4105	M6 x 16mm	100
4121	M6 x 20mm	100
4122	M6 x 25mm	100
4123	M6 x 30mm	100
<b>M8</b>		
4124	M8 x 12mm	100
4125	M8 x 16mm	100
4141	M8 x 20mm	100

STOCK CODE	SIZE	
4142	M8 x 25mm	100
4143	M8 x 30mm	100
4544	M8 x 35mm	100
4144	M8 x 40mm	100
4145	M8 x 50mm	100
<b>M10</b>		
4146	M10 x 16mm	100
4147	M10 x 20mm	100
4192	M10 x 25mm	100
4228	M10 x 30mm	100
4548	M10 x 35mm	100
4256	M10 x 40mm	100
4269	M10 x 50mm	100
<b>M12</b>		
4276	M12 x 20mm	50
4383	M12 x 25mm	50
4384	M12 x 30mm	50
4277	M12 x 35mm	50
4362	M12 x 40mm	50
4363	M12 x 50mm	50

## PAN POZI SELF TAPPING SCREW

TYPE AB **BZP**

STOCK CODE	SIZE	
<b>No.6</b>		
7009	No.6 x 8mm	200
7010	No.6 x 9.5mm	200
7011	No.6 x 13mm	200
7012	No.6 x 16mm	200
7013	No.6 x 19mm	200
7014	No.6 x 25mm	200
<b>No.8</b>		
7017	No.8 x 9.5mm	200
7018	No.8 x 13mm	200
7019	No.8 x 16mm	200
7020	No.8 x 19mm	200
7021	No.8 x 25mm	200
7022	No.8 x 32mm	200
7023	No.8 x 38mm	200

STOCK CODE	SIZE	
<b>No.10</b>		
7026	No.10 x 9.5mm	200
7027	No.10 x 13mm	200
7028	No.10 x 16mm	200
7029	No.10 x 19mm	200
7030	No.10 x 25mm	200
7031	No.10 x 32mm	200
7032	No.10 x 38mm	200
<b>No.12</b>		
7035	No.12 x 13mm	200
7036	No.12 x 16mm	200
7037	No.12 x 19mm	200
7038	No.12 x 25mm	200
7039	No.12 x 32mm	200
7040	No.12 x 38mm	200

**COUNTERSUNK POZI SELF TAPPING SCREW**

TYPE AB **BZP**



STOCK CODE	SIZE	
<b>No. 6</b>		
7061	No.6x 9.5mm	200
7062	No.6x 13mm	200
7063	No.6x 16mm	200
7064	No.6x 19mm	200
<b>No. 8</b>		
7069	No.8 x 13mm	200
7070	No.8 x 16mm	200
7071	No.8 x 19mm	200
7072	No.8 x 25mm	200
7073	No.8 x 32mm	200
7074	No.8 x 38mm	200

STOCK CODE	SIZE	
<b>No. 10</b>		
7078	No.10 x 13mm	200
7079	No.10 x 16mm	200
7080	No.10 x 19mm	200
7081	No.10 x 25mm	200
7082	No.10 x 32mm	200
7083	No.10 x 38mm	200
<b>No. 12</b>		
7086	No.12 x 13mm	200
7087	No.12 x 16mm	200
7088	No.12 x 19mm	200
7089	No.12 x 25mm	200
7090	No.12 x 32mm	200
7091	No.12 x 38mm	200

**PAN POZI SELF TAPPING SCREW**

TYPE AB **ST/ST A2**



STOCK CODE	SIZE	
<b>No. 6</b>		
7103	No.6 x 9.5mm	1000
7104	No.6 x 13mm	1000
7105	No.6 x 16mm	1000
7106	No.6 x 19mm	1000
7107	No.6 x 25mm	1000
<b>No. 8</b>		
7108	No.8 x 9.5mm	1000
7109	No.8 x 13mm	1000
7110	No.8 x 16mm	1000
7111	No.8 x 19mm	1000
7112	No.8 x 25mm	1000
7113	No.8 x 32mm	1000
7114	No.8 x 38mm	1000

STOCK CODE	SIZE	
<b>No. 10</b>		
7115	No.10 x 9.5mm	1000
7116	No.10 x 13mm	1000
7117	No.10 x 16mm	1000
7118	No.10 x 19mm	1000
7119	No.10 x 25mm	1000
7120	No.10 x 32mm	1000
7121	No.10 x 38mm	500
<b>No. 12</b>		
7122	No.12 x 13mm	500
7123	No.12 x 19mm	500
7124	No.12 x 25mm	500
7125	No.12 x 32mm	500
7126	No.12 x 38mm	500

FASTENINGS, FIXINGS & ACCESSORIES

## PAN POZI SELF TAPPING SCREW

TYPE AB **ST/ST A4**

STOCK CODE	SIZE	
<b>No.6</b>		
2308	No.6 x 32mm	1000
2309	No.6 x 38mm	1000
<b>No.8</b>		
2310	No.8 x 45mm	1000
2311	No.8 x 50mm	1000
2312	No.8 x 60mm	1000
2313	No.8 x 65mm	1000

STOCK CODE	SIZE	
<b>No.10</b>		
2314	No.10 x 45mm	1000
2315	No.10 x 50mm	1000
2316	No.10 x 60mm	1000
2317	No.10 x 65mm	1000
<b>No.12</b>		
2318	No.12 x 16mm	500
2319	No.12 x 32mm	500
2320	No.12 x 45mm	500
2321	No.12 x 50mm	500
2322	No.12 x 60mm	500
2323	No.12 x 65mm	500

## COUNTERSUNK POZI SELF TAPPING SCREW

TYPE AB GRADE 304 **ST/ST A2**

STOCK CODE	SIZE	
<b>No.6</b>		
7127	No.6 x 9.5mm	1000
7128	No.6 x 13mm	1000
7129	No.6 x 16mm	1000
7130	No.6 x 19mm	1000
7131	No.6 x 25mm	1000
<b>No.8</b>		
7132	No.8 x 13mm	1000
7133	No.8 x 16mm	1000
7134	No.8 x 19mm	1000
7135	No.8 x 25mm	1000
7136	No.8 x 32mm	1000
7137	No.8 x 38mm	1000

STOCK CODE	SIZE	
<b>No.10</b>		
7138	No.10 x 13mm	1000
7139	No.10 x 16mm	1000
7140	No.10 x 19mm	1000
7141	No.10 x 25mm	1000
7142	No.10 x 32mm	1000
7143	No.10 x 38mm	1000
<b>No.12</b>		
7173	No.12 x 13mm	500
7174	No.12 x 19mm	500
7175	No.12 x 25mm	500
7176	No.12 x 32mm	500
7177	No.12 x 38mm	500
7178	No.12 x 50mm	500

## COUNTERSUNK POZI SELF TAPPING SCREW

TYPE AB GRADE 304 **ST/ST A4**

STOCK CODE	SIZE	
<b>No.6</b>		
2301	No.6 x 32mm	1000
2302	No.6 x 38mm	1000
<b>No.8</b>		
2303	No.8 x 9.5mm	1000
7075	No.8 x 45mm	1000
7076	No.8 x 50mm	1000
7077	No.8 x 60mm	1000
2304	No.8 x 65mm	1000

STOCK CODE	SIZE	
<b>No.10</b>		
2305	No.10 x 9.5mm	1000
7084	No.10 x 45mm	1000
7085	No.10 x 50mm	1000
2306	No.10 x 60mm	1000
2307	No.10 x 70mm	1000
<b>No.12</b>		
7092	No.12 x 45mm	500
7093	No.12 x 50mm	500
7094	No.12 x 65mm	500

## ALUMINIUM DOME HEAD RIVET

### MILD STEEL MANDREL

STOCK CODE	SIZE	GRIP RANGE	
7146	3.2mm x 8mm	3mm - 5mm	500
7147	3.2mm x 10mm	5mm - 7mm	500
7148	3.2mm x 12mm	7mm - 9mm	500
7150	3.2mm x 16mm	11mm - 13mm	500
7152	4.0mm x 8mm	3mm - 4.5mm	500
7153	4.0mm x 10mm	5mm - 6.5mm	500
7154	4.0mm x 12mm	7mm - 8.5mm	500
7160	4.8mm x 8mm	2.5mm - 4mm	250
7161	4.8mm x 10mm	4.5mm - 6mm	250
7162	4.8mm x 12mm	6.5mm - 8mm	250
7163	4.8mm x 14mm	7.5mm - 10mm	250
7164	4.8mm x 16mm	9.5mm - 12mm	250
7165	4.8mm x 18mm	11.5mm - 14mm	250
7166	4.8mm x 20mm	13.5mm - 16mm	250



STOCK CODE	SIZE	GRIP RANGE	
7167	4.8mm x 24mm	17.5mm - 20mm	250
7168	6.4mm x 12mm	4.5mm - 7mm	250
7169	6.4mm x 16mm	6.5mm - 10mm	250

## RIVET NUT

### FLAT HEAD **ZYP**



STOCK CODE	SIZE	HOLE SIZE	GRIP RANGE	
7187	M6	9.0mm	0.8mm - 4.0mm	500
7190	M8	11.0mm	1.0mm - 4.0mm	200
7191	M10	12.0mm/13.0mm	1.0mm - 5.0mm	200

## MFX 60 RIVET GUN



Capacity	3.0 - 6.4 mm aluminium
Material	Aluminium with steel parts
Weight	2.2 Kg
Length used	310 mm
Length open	830 mm
Equipment	Nose pieces $\varnothing$ 3.0 - 6.4 mm
<b>STOCK CODE</b>	7197

## MFX 510 QI RIVET GUN



Capacity	Blind inserts M5-M10 steel. Blind bolts M5-M8 steel
Body	ABS (plastic) with steel parts
Lever	Steel
Weight	2.2Kg
Length	555mm
Total Weight	4.5Kg
Equipment	Conversion kit blind inserts: M5, M6, M8, M10 Conversion kit blind bolts: M5, M6, M8
<b>STOCK CODE</b>	7198

## HEAVY DUTY LAZY TONG RIVETER



Capacity	6.4mm Body
Body	Aluminum alloy body
Lever	Concertina-style lever action (reduces effort, made from steel rods)
Weight	2Kg
Length	257mm
Total Weight	2.5Kg
Equipment	Supplied complete with 5 interchangeable nozzles
<b>STOCK CODE</b>	FAIHDRLT

**PAN POZI MACHINE SCREW****DIN 7985 BZP**

STOCK CODE	SIZE	
<b>M4</b>		
5011	M4 x 6mm	200
5013	M4 x 10mm	200
5016	M4 x 20mm	200
5018	M4 x 30mm	200
5020	M4 x 40mm	200
<b>M5</b>		
5023	M5 x 8mm	200
5025	M5 x 12mm	200
5026	M5 x 16mm	200
5027	M5 x 20mm	200
5032	M5 x 50mm	100

STOCK CODE	SIZE	
<b>M6</b>		
5035	M6 x 12mm	200
5037	M6 x 20mm	200
5039	M6 x 30mm	200
5041	M6 x 40mm	200
5043	M6 x 50mm	100
<b>M8</b>		
5047	M8 x 20mm	200
5052	M8 x 50mm	100

**PAN POZI MACHINE SCREW****GRADE 304 DIN 7985 ST/ST A2**

STOCK CODE	SIZE	
<b>M4</b>		
5138	M4 x 12mm	200
5139	M4 x 16mm	200
5140	M4 x 20mm	200
<b>M5</b>		
5141	M5 x 10mm	200
5142	M5 x 12mm	200
5143	M5 x 16mm	200
5144	M5 x 20mm	200

STOCK CODE	SIZE	
5153	M5 x 25mm	200
5154	M5 x 30mm	200
5155	M5 x 40mm	200
5156	M5 x 50mm	100
<b>M6</b>		
5160	M6 x 20mm	200
5161	M6 x 25mm	200
5164	M6 x 50mm	100

**COUNTERSUNK POZI MACHINE SCREW****DIN 965 BZP**

STOCK CODE	SIZE	
<b>M4</b>		
5067	M4 x 6mm	200
5069	M4 x 10mm	200
5070	M4 x 12mm	200
5071	M4 x 16mm	200
<b>M5</b>		
5075	M5 x 8mm	200
5076	M5 x 10mm	200
5077	M5 x 12mm	200
5078	M5 x 16mm	200
5079	M5 x 20mm	200
5080	M5 x 25mm	200

STOCK CODE	SIZE	
<b>M6</b>		
5087	M6 x 16mm	200
5088	M6 x 20mm	200
5089	M6 x 25mm	200
5090	M6 x 30mm	200
5094	M6 x 50mm	200
<b>M8</b>		
5099	M8 x 40mm	200

### COUNTERSUNK POZI MACHINE SCREW

GRADE 304 DIN 965 **ST/ST A2**



STOCK CODE	SIZE	
<b>M5</b>		
5121	M5 x 16mm	200
5123	M5 x 25mm	200
5124	M5 x 30mm	200

STOCK CODE	SIZE	
<b>M6</b>		
5127	M6 x 20mm	200
5128	M6 x 25mm	200

### HEX HEAD COACH SCREW

DIN 571 **BZP**



STOCK CODE	SIZE	
<b>M6</b>		
9007	M6 x 50mm	200
9009	M6 x 60mm	200
9011	M6 x 70mm	200
9013	M6 x 80mm	100
9015	M6 x 100mm	100
<b>M8</b>		
9017	M8 x 30mm	100
9021	M8 x 50mm	100
9023	M8 x 60mm	100
9025	M8 x 70mm	100
9027	M8 x 80mm	100
9028	M8 x 90mm	100
9029	M8 x 100mm	50
9031	M8 x 120mm	50
9034	M8 x 150mm	50

STOCK CODE	SIZE	
<b>M10</b>		
9036	M10 x 30mm	100
9038	M10 x 40mm	100
9040	M10 x 50mm	100
9042	M10 x 60mm	50
9044	M10 x 70mm	50
9046	M10 x 80mm	50
9048	M10 x 100mm	50
9049	M10 x 110mm	50
9050	M10 x 120mm	25
9051	M10 x 130mm	25
9053	M10 x 150mm	25
<b>M12</b>		
9061	M12 x 60mm	50
9063	M12 x 70mm	50
9065	M12 x 80mm	50
9066	M12 x 90mm	50
9067	M12 x 100mm	50
9069	M12 x 120mm	25
9070	M12 x 130mm	25
9072	M12 x 150mm	25

FASTENINGS, FIXINGS & ACCESSORIES

## SELKENT MISSION

We will go further and faster than any other supplier of Construction Fixings and Tools to help keep construction sites productive and on schedule.



## COUNTERSUNK POZI WOODSCREW

ZYP

STOCK CODE	SIZE	
3.0X12WSCREW	3.0mm x 12mm	200
3.0X16WSCREW	3.0mm x 16mm	200
3.0X20WSCREW	3.0mm x 20mm	200
3.0X25WSCREW	3.0mm x 25mm	200
3.5X12WSCREW	3.5mm x 12mm	200
3.5X16WSCREW	3.5mm x 16mm	200
3.5X20WSCREW	3.5mm x 20mm	200
3.5X25WSCREW	3.5mm x 25mm	200
3.5X30WSCREW	3.5mm x 30mm	200
3.5X40WSCREW	3.5mm x 40mm	200
3.5X50WSCREW	3.5mm x 50mm	200
4.0X12WSCREW	4.0mm x 12mm	200
4.0X16WSCREW	4.0mm x 16mm	200
4.0X20WSCREW	4.0mm x 20mm	200
4.0X25WSCREW	4.0mm x 25mm	200
4.0X30WSCREW	4.0mm x 30mm	200
4.0X35WSCREW	4.0mm x 35mm	200
4.0X40WSCREW	4.0mm x 40mm	200
4.0X45WSCREW	4.0mm x 45mm	200
4.0X50WSCREW	4.0mm x 50mm	200
4.0X60WSCREW	4.0mm x 60mm	200
4.0X70WSCREW	4.0mm x 70mm	200
4.0X80WSCREW	4.0mm x 80mm	200
4.5X30WSCREW	4.5mm x 30mm	200
4.5X40WSCREW	4.5mm x 40mm	200
4.5X50WSCREW	4.5mm x 50mm	200
4.5X60WSCREW	4.5mm x 60mm	200
4.5X70WSCREW	4.5mm x 70mm	200
4.5X80WSCREW	4.5mm x 80mm	200
5.0X20WSCREW	5.0mm x 20mm	200



STOCK CODE	SIZE	
5.0X25WSCREW	5.0mm x 25mm	200
5.0X30WSCREW	5.0mm x 30mm	200
5.0X40WSCREW	5.0mm x 40mm	200
5.0X45WSCREW	5.0mm x 45mm	200
5.0X50WSCREW	5.0mm x 50mm	200
5.0X60WSCREW	5.0mm x 60mm	200
5.0X70WSCREW	5.0mm x 70mm	200
5.0X75WSCREW	5.0mm x 75mm	200
5.0X80WSCREW	5.0mm x 80mm	200
5.0X90WSCREW	5.0mm x 90mm	100
5.0X100WSCREW	5.0mm x 100mm	100
5.0X120WSCREW	5.0mm x 120mm	100
6.0X50WSCREW	6.0mm x 50mm	200
6.0X60WSCREW	6.0mm x 60mm	200
6.0X70WSCREW	6.0mm x 70mm	200
6.0X80WSCREW	6.0mm x 80mm	200
6.0X90WSCREW	6.0mm x 90mm	100
6.0X100WSCREW	6.0mm x 100mm	100
6.0X120WSCREW	6.0mm x 120mm	100
6.0X130WSCREW	6.0mm x 130mm	100
6.0X150WSCREW	6.0mm x 150mm	100
6.0X180WSCREW	6.0mm x 180mm	100
6.0X200WSCREW	6.0mm x 200mm	100

## COUNTERSUNK POZI WOODSCREW

GRADE 304 ST/ST A2

STOCK CODE	SIZE	
<b>No.4 (3mm)</b>		
9117	No.4 x 1/2"	200
9118	No.4 x 5/8"	200
9119	No.4 x 3/4"	200
9120	No.4 x 1"	200
<b>No.6 (3.5mm)</b>		
9121	No.6 x 1/2"	200
9122	No.6 x 5/8"	200
9123	No.6 x 3/4"	200
9124	No.6 x 1"	200
9125	No.6 x 1 1/4"	200
9126	No.6 x 1 1/2"	200
<b>No.8 (4mm)</b>		
9127	No.8 x 1/2"	200
9128	No.8 x 3/4"	200
9129	No.8 x 1"	200
9130	No.8 x 1 1/4"	200
9131	No.8 x 1 1/2"	200
9132	No.8 x 1 3/4"	200
9133	No.8 x 2"	200
9134	No.8 x 2 1/2"	200



STOCK CODE	SIZE	
9135	No.8 x 3"	200
<b>No.10 (5mm)</b>		
9136	No.10 x 3/4"	200
9137	No.10 x 1"	200
9138	No.10 x 1 1/4"	200
9139	No.10 x 1 1/2"	200
9140	No.10 x 1 3/4"	200
9141	No.10 x 2"	200
9142	No.10 x 2 1/2"	200
9143	No.10 x 3"	100
9144	No.10 x 3 1/2"	100
9145	No.10 x 4"	100
<b>No.12 (6mm)</b>		
9146	No.12 x 1"	200
9147	No.12 x 1 1/4"	200
9148	No.12 x 1 1/2"	200
9149	No.12 x 2"	200
9150	No.12 x 2 1/2"	200
9151	No.12 x 3"	100
9152	No.12 x 4"	100

## PREMIUM SELFDRILL WOODSCREW

Vortex® screws are premium quality fixings designed for strength and versatility.

The recessed double countersunk head resists shearing, while milling ribs provide clean countersinking without pre-drilling. A sharp, deep serrated thread powers through materials quickly, and most sizes feature an oblique gash point for faster starts, self-drilling, and reduced wood splitting.



STOCK CODE	SIZE	SIZE INCH	
9822	3mm x 12mm	No.4 x 1/2"	200
9823	3mm x 16mm	No.4 x 5/8"	200
9825	3mm x 20mm	No.4 x 3/4"	200
9830	3mm x 20mm	No.6 x 3/4"	200
9827	3mm x 25mm	No.4 x 1"	200
9829	3mm x 30mm	No.4 x 1 1/4"	200
9831	3mm x 35mm	No.4 x 1 3/8"	200
9824	3mm x 40mm	No.4 x 1 1/2"	200
9826	3.5mm x 12mm	No.6 x 1/2"	200
9828	3.5mm x 16mm	No.6 x 5/8"	200
9832	3.5mm x 25mm	No.6 x 1"	200
9833	3.5mm x 30mm	No.6 x 1 1/4"	200
9834	3.5mm x 35mm	No.6 1 3/8"	200
9835	3.5mm x 40mm	No.6 x 1 1/2"	200
9836	3.5mm x 45mm	No.6 x 1 3/4"	200
9837	3.5mm x 50mm	No.6 x 2"	200
9839	4mm x 16mm	No.8 x 5/8"	200
9840	4mm x 20mm	No.8 x 3/4"	200
9841	4mm x 25mm	No.8 x 1"	200
9842	4mm x 30mm	No.8 x 1 1/4"	200
9843	4mm x 35mm	No.8 x 1 3/8"	200
9844	4mm x 40mm	No.8 x 1 1/2"	200
9845	4mm x 45mm	No.8 x 1 3/4"	200
9846	4mm x 50mm	No.8 x 2"	200
9848	4mm x 60mm	No.8 x 2 1/2"	200
9849	4mm x 70mm	No.8 x 2 3/4"	200
9850	4mm x 80mm	No.8 x 3"	200
9853	4.5mm x 25mm	No.9 x 1"	200

STOCK CODE	SIZE	SIZE INCH	
9854	4.5mm x 30mm	No.9 x 1 1/4"	200
9855	4.5mm x 40mm	No.9 x 1 1/2"	200
9856	4.5mm x 50mm	No.9 x 2"	200
9859	4.5mm x 70mm	No.9 x 2 3/4"	200
9860	4.5mm x 80mm	No.9 x 3"	200
9862	5mm x 30mm	No.10 x 1 "	200
9864	5mm x 40mm	No.10 x 1 1/2"	200
9865	5mm x 45mm	No.10 x 1 3/4 "	200
9866	5mm x 50mm	No.10 x 2"	200
9867	5mm x 55mm	No.10 x 2 3/8"	200
9868	5mm x 60mm	No.10 x 2 1/2"	200
9869	5mm x 70mm	No.10 x 2 3/4"	200
9870	5mm x 75mm	No.10 x 2 7/8"	200
9871	5mm x 80mm	No.10 x 3 1/2"	200
9872	5mm x 90mm	No.10 x 3 3/4 "	100
9873	5mm x 100mm	No.10 x 4"	100
9874	6mm x 40mm	No.12 x 1 1/2"	200
9876	6mm x 50mm	No.12 x 2 "	200
9877	6mm x 60mm	No.12 x 2 1/2"	200
9879	6mm x 80mm	No.12 x 3 "	200
9880	6mm x 90mm	No.12 x 3 1/2"	100
9881	6mm x 100mm	No.12 x 4"	100
9882	6mm x 120mm	No.12 x 4 3/4"	100
9883	6mm x 130mm	No.12 x 5"	100
9884	6mm x 150mm	No.12 x 6"	100
9885	6mm x 180mm	No.12 x 7 1/4"	100
9886	6mm x 200mm	No.12 x 8"	100

## HECO-TOPIX WOODSCREW

COUNTERSUNK TORX HEAD



STOCK CODE	SIZE	
10X80HTTX	10mm x 80mm	100

## COUNTERSUNK POZI SELFDRILL WOODSCREW PREMIUM

ZYP



STOCK CODE	TYPE	SIZE	
5.0X100TXSCREW	TX25	5.0 x 100mm	100

## HEXAGON HEAD INDEX SCREW GREEN



STOCK CODE	SIZE	
HEXIND6760G	6.7mm x 60mm	50
HEXIND6775G	6.7mm x 75mm	50
HEXIND6787G	6.7mm x 87mm	50
HEXIND67100G	6.7mm x 100mm	50

STOCK CODE	SIZE	
HEXIND67125G	6.7mm x 125mm	50
HEXIND67150G	6.5mm x 150mm	50
HEXIND67200G	6.7mm x 200mm	50
HEXIND67250G	6.7mm x 250mm	50

## NYLON PLUG



STOCK CODE	SIZE	
6154	5mm x 25mm	200
6155	6mm x 30mm	100
6156	7mm x 30mm	100
6157	8mm x 40mm	100
6158	10mm x 50mm	50
6159	12mm x 65mm	25
6160	14mm x 80mm	20

## PLASTIC PLUG



STOCK CODE	SIZE	COLOUR	
6161	5mm x 22mm	Yellow	100
6162	6mm x 34mm	Red	100
6163	7mm x 41mm	Brown	100

## RAWL NYLON PLUG



STOCK CODE	SIZE	
6159R	12mm x 65mm	100

## 2 PART DOME CAPS

3.5mm - 4.2mm SCREWS (No.6 - No.8)



STOCK CODE	COLOUR	
2PTCAPSWHITE	WHITE	200
2PTCAPSBLACK	BLACK	200

## HOLLOW WALL ANCHOR METAL CAVITY FIXING

Thread Diam. mm	4				5			6	
Hole Diam. mm	7				10			13	
Screw Length mm	25	45	50	65	45	60	70	60	70
Wall Thickness mm	0-5	8-16	16-23	23-38	6-13	8-16	16-32	7-16	16-32
Max. Fixture Thickness mm	8	16	17	30	17	26	26	30	26
Rec. Tensile Loads kN	0.10	0.10	0.18	0.18	0.18	0.18	0.18	0.29	0.29
Rec. Shear Loads kN	0.14	0.14	0.23	0.23	0.23	0.23	0.23	0.34	0.34



Five Way  
Expansion



STOCK CODE	SIZE	
HWA04025	4mm x 25mm	100
HWA04045	4mm x 45mm	100
HWA04050	4mm x 50mm	100
HWA04065	4mm x 65mm	100
HWA05045	5mm x 45mm	100

STOCK CODE	SIZE	
HWA05060	5mm x 60mm	50
HWA05070	5mm x 70mm	50
HWA06060	6mm x 60mm	50
HWA0670	6mm x 70mm	50

### HOLLOW WALL ANCHOR SETTING TOOL



STOCK CODE	ICON
HWAT00L	1

### SPRING TOGGLES



WINGS ONLY			
STOCK CODE	SIZE	DRILL HOLE Ø	ICON
STOG8MMW	M8	22mm	100
STOG10MMW	M10	25mm	100
WITH SCREW			
STOG3X50	M3 x 50mm	11mm	100
STOG5X50	M5 x 50mm	14mm	100
STOG5X75	M5 x 75mm	14mm	100
STOG5X100	M5 x 100mm	14mm	100
STOG6X75	M6 x 75mm	18mm	100

### FINE THREAD DRYWALL SCREW BUGLE BLACK PHOSPHATE



STOCK CODE	SIZE	ICON
DWFIN25BLACK	3.5mm x 25mm	1000
DWFIN32BLACK	3.5mm x 32mm	1000
DWFIN38BLACK	3.5mm x 38mm	1000
DWFIN42BLACK	3.5mm x 42mm	1000
DWFIN50BLACK	3.5mm x 50mm	1000
DWFIN65BLACK	4.2mm x 65mm	500
DWFIN75BLACK	4.2mm x 75mm	500
DWFIN90BLACK	4.2mm x 90mm	500
DWFIN100BLACK	4.8mm x 100mm	200

### PLASTERBOARD FIXINGS SPEED PLUG & SCREW

ZINC



STOCK CODE	SIZE	ICON
DRIVAS	4mm x 30mm	100
DRIVADOUB	4mm x 40mm	100

### FINE THREAD DRYWALL SCREW BUGLE ZINC PLATED



STOCK CODE	SIZE	ICON
DWFIN25BZP	3.5mm x 25mm	1000
DWFIN32BZP	3.5mm x 32mm	1000
DWFIN38BZP	3.5mm x 38mm	1000
DWFIN42BZP	3.5mm x 42mm	1000
DWFIN50BZP	3.5mm x 50mm	1000
DWFIN65BZP	4.2mm x 65mm	500
DWFIN75BZP	4.2mm x 75mm	500
DWFIN90BZP	4.2mm x 90mm	250
DWFIN100BZP	4.8mm x 100mm	250
DWFIN125BZP	4.8mm x 125mm	250
DWFIN150BZP	4.8mm x 150mm	250

### COARSE THREAD DRYWALL BUGLE BLACK PHOSPHATE



STOCK CODE	SIZE	ICON
DWCOA25	3.5mm x 25mm	1000
DWCOAR32	3.5mm x 32mm	1000
DWCOAR38	3.5mm x 38mm	1000
DWCOAR42	3.5mm x 42mm	1000
DWCOAR50	3.5mm x 50mm	1000
DWCOAR65	4.2mm x 65mm	1000
DWCOAR75	4.2mm x 75mm	500
DWCOAR90	4.2mm x 90mm	500
DWCOAR100	4.8mm x 100mm	500
DWCOAR120	4.8mm x 120mm	500
DWCOAR150	4.8mm x 150mm	200

FASTENINGS, FIXINGS & ACCESSORIES

**SELF-DRILL DRYWALL SCREW****WAFER BZP**

STOCK CODE	SIZE	
DW13SDWAF	13mm	1000
DW25SDWAF	25mm	1000
DW50SDWAF	50mm	500

**WAFER HEAD SELF-DRILL SCREW**

STOCK CODE	SIZE	
9160	4.2mm x 13mm / No.8 x 1/2"	1000
9161	4.2mm x 16mm / No.8 x 5/8"	1000
9162	4.2mm x 19mm / No.8 x 3/4"	1000
9163	4.2mm x 25mm / No.8 x 1"	1000

**HD DRYWALL SCREW****WAFER BZP**

STOCK CODE	SIZE	
DW13WAFPT	13mm	1000

**DRYWALL SELF-DRILL SCREW****BUGLE BZP**

STOCK CODE	SIZE	
DW25SD	25mm	1000
DW32SD	32mm	1000
DW38SD	38mm	1000
DW42SD	42mm	1000
DW50SD	50mm	1000
DW65SD	65mm	500
DW75SD	75mm	500
DWSD90	90mm	500
DWSD100	100mm	500
DWSD125	125mm	500

**FINE THREAD DRYWALL SCREW****BUGLE BLACK PHOSPHATE**

STOCK CODE	SIZE	
BGDWFIN25BLACK	25mm	1000
BGDWFIN35BLACK	35mm	1000
BGDWFIN40BLACK	40mm	1000
BGDWFIN45BLACK	45mm	1000
BGDWFIN50BLACK	50mm	500
BGDWFIN55BLACK	55mm	500
BGDWFIN60BLACK	60mm	500
BGDWFIN65BLACK	65mm	500
BGDWFIN75BLACK	75mm	250
BGDWFIN80BLACK	80mm	250
BGDWFIN90BLACK	90mm	250
BGDWFIN105BLACK	105mm	250
BGDWFIN120BLACK	120mm	250

**JACKPOINT SCREW****WAFER BZP**

STOCK CODE	SIZE	
BGDW13WAFPT	13mm	1000

**DRYWALL POINT SCREW****WAFER BZP**

STOCK CODE	SIZE	
BGDWSD13WAF	13mm	1000



**JACKPOINT SCREW**

**BZP**



STOCK CODE	SIZE	
BGDW25SD	25mm	1000
BGDW35SD	35mm	1000
BGDW41SD	41mm	500
BGDW60SD	60mm	500



**GLASROC FIRE CASE SCREW**

**BZP**



STOCK CODE	SIZE	
BG50GLABZP	50mm	1000



**HIGH PERFORMANCE SCREW**

**BLACK PHOSPHATE**



STOCK CODE	SIZE	
BG35HPS	35mm	1000



**RIGIDUR SCREW**

**BZP**



STOCK CODE	SIZE	
BG40RIGBZP	40mm	1000

FASTENINGS, FIXINGS & ACCESSORIES

**TECHNICAL SUPPORT SERVICES**

We offer comprehensive support for all your current applications, including:

- On-site advice
- Pull-out testing
- Load calculation services
- Specialist guidance on Gateway 2 compliance and assist in maintaining a fully compliant Golden Thread of information.

Contact the Selkent technical team:

[technical@selkent.com](mailto:technical@selkent.com)



## COLLATED SELF-DRILL DRYWALL SCREW

**ZINC**



STOCK CODE	SIZE	
DWCOLSD25	25mm	500
DWCOLSD35	35mm	500
DWCOLSD45	45mm	500
DWCOLSD50	50mm	500



## COLLATED SELF-DRILL JACKPOINT SCREW

**ZINC**



STOCK CODE	SIZE	
BGDW25COLSD	25mm	500
BGDW35COLSD	35mm	500
BGDW41COLSD	41mm	500



## COLLATED FINE THREAD DRYWALL SCREW

**BLACK PHOSPHATE**



STOCK CODE	SIZE	
BGDWCOLF25	25mm	1000
BGDWCOLF35	35mm	1000
BGDWCOLF40	40mm	1000
BGDWCOLF45	45mm	1000
BGDWCOLF50	50mm	1000
BGDWCOLF55	55mm	1000

## COLLATED COARSE THREAD DRYWALL SCREW

**BLACK PHOSPHATE**



STOCK CODE	SIZE	
DWCOLC25	25mm	500
DWCOLC32	32mm	500
DWCOLC38	38mm	500
DWCOLC42	42mm	500
DWCOLC50	50mm	500
DWCOLC65	65mm	500
DWCOLC75	75mm	500

## COLLATED FINE THREAD DRYWALL SCREW

**ZINC**

STOCK CODE	SIZE	
DWCOLF25	25mm	500
DWCOLF35	35mm	500
DWCOLF42	42mm	500
DWCOLF50	50mm	500
DWCOLF55	55mm	500



**LS LOW PROFILE SCREW**

UP TO 4mm STEEL



STOCK CODE	SIZE	
4.8X22LSLP	4.8mm x 22mm	500

**CHEESE HEAD LOW PROFILE PH2 SCREW**

up to 3mm STEEL



STOCK CODE	SIZE	
5.5X19CHLOWP	5.5mm x 19mm	500

**LOW PROFILE RUSPERT PH2 ETA SCREW**

UP TO 4mm



STOCK CODE	SIZE	
5.5X25LPROF	5.5mm x 25mm	200

**LOW PROFILE HS CARBON STEEL**

4mm - 12mm



STOCK CODE	SIZE	
5.5X38HSLP	5.5mm x 38mm	200

**LOW PROFILE HS PH2 SCREW**

4mm - 12mm STEEL



STOCK CODE	SIZE	
5.5X38LOWPRHS	5.5mm x 38mm	100

**HEX LS SELF-DRILL SCREW**

CORROSION RESISTANCE ETA-UP TO 4mm STEEL

**ZINC**



STOCK CODE	SIZE	
LS5.5X25HEX	5.5mm x 25mm	200
LS5.5X32HEX	5.5mm x 32mm	200
LS5.5X38HEX	5.5mm x 38mm	200
LS5.5X55HEX	5.5mm x 55mm	200
LS5.5X75HEX	5.5mm x 75mm	200
LS5.5X90HEX	5.5mm x 90mm	200

**HEX LS WASHERED SELF-DRILL SCREW**

CORROSION RESISTANCE ETA-UP TO 4mm STEEL

**ZINC**



STOCK CODE	SIZE	
LS5.5X25HEXG16	5.5mm x 25mm	200
LS5.5X32HEXG16	5.5mm x 32mm	200
LS5.5X38HEXG16	5.5mm x 38mm	200
LS5.5X55HEXG16	5.5mm x 55mm	200
LS5.5X75HEXG16	5.5mm x 75mm	200
LS5.5X90HEXG16	5.5mm x 90mm	200

**ZINC HEX HS SELF-DRILL CORROSION RESISTANT**



STOCK CODE	SIZE	
HS5.5X32HEX	5.5mm x 32mm	100
HS5.5X38HEX	5.5mm x 38mm	100
HS5.5X50HEX	5.5mm x 50mm	100
HS5.5X75HEX	5.5mm x 75mm	100
HS5.5X100HEX	5.5mm x 100mm	100

## HEX HS WASHERED SELF-DRILL SCREW

CORROSION RESISTANCE ETA

4mm - 12mm STEEL

**ZINC**



STOCK CODE	SIZE	
HS5.5X32HEXG16	5.5mm x 32mm	100
HS5.5X38HEXG16	5.5mm x 38mm	100
HS5.5X50HEXG16	5.5mm x 50mm	100
5.5X70HSG16	5.5mm x 70mm	100
5.5X85HSG16	5.5mm x 85mm	100
5.5X100HSG16	5.5mm x 100mm	100

## SUPERTEK G16 HEX SCREW

4mm - 18mm STEEL



STOCK CODE	SIZE	
5.5X38SUPTEK	5.5mm x 38.0mm	200

## ZINC FLAKE SELF-DRILL SCREW

TO COMPOSITE PANELS TO STEEL UP TO 5mm

**STEEL**



HIGH THREAD G16 - LIGHT SECTION		
STOCK CODE	SIZE	
80MMLSHTG16	5.5mm/6.3mm x 80mm	100
105MMLSHTG16	5.5mm/6.3mm x 105mm	100
135MMLSHTG16	5.5mm/6.3mm x 135mm	100
150MMLSHTG16	5.5mm/6.3mm x 150mm	100
HIGH THREAD G19 - LIGHT SECTION		
STOCK CODE	SIZE	
175MMLSHTG19	5.5mm/6.3mm x 175mm	50
200MMLSHTG19	5.5mm/6.3mm x 200mm	50
230MMLSHTG19	5.5mm/6.3mm x 230mm	50
275MMLSHTG19	5.5mm/6.3mm x 275mm	50

## HS HIGH THREAD WASHERED SCREW

4mm - 12mm STEEL



STOCK CODE	SIZE	
85MMHSHTG16	5.5/63mm x 85mm	100
105MMHSHTG16	5.5/63mm x 105mm	100
125MMHSHTG16	5.5/63mm x 125mm	100
150MMHSHTG16	5.5/63mm x 150mm	50
185MMHSHTG16	5.5/63mm x 185mm	50
235MMHSHTG16	5.5/63mm x 235mm	50

## COUNTERSUNK WING TIP SELF-DRILL SCREW

TX25 LIGHT SECTION



STOCK CODE	SIZE	
4.8X38WINGLS	4.8mm x 38mm	100
5.5X50WINGLS	5.5mm x 50mm	200
5.5X70WINGLS	5.5mm x 70mm	200
5.5X85WINGLS	5.5mm x 85mm	200

STOCK CODE	SIZE	
5.5X100WINGLS	5.5mm x 100mm	100
5.5X120WINGLS	5.5mm x 120mm	100
5.5X150WINGLS	5.5mm x 150mm	100
5.5X180WINGLS	5.5mm x 180mm	100

**COUNTERSUNK WING TIP  
SELF-DRILL SCREW**


*TX25 HEAVY SECTION*



STOCK CODE	SIZE	
5.5X40WINGHS	5.5mm x 40mm	100
5.5X50WINGHS	5.5mm x 50mm	100
5.5X65WINGHS	5.5mm x 65mm	100
5.5X85WINGHS	5.5mm x 85mm	100
5.5X100WINGHS	5.5mm x 100mm	100
5.5X135WINGHS	5.5mm x 135mm	100
5.5X150WINGHS	5.5mm x 150mm	100
5.5X180WINGHS	5.5mm x 180mm	100

**COUNTERSUNK SELF-DRILL  
INSULATION SCREW**

*BUGLE HEAD - MAX THICKNESS OF 2 x 1.25mm,  
TORX 25 DRIVE*



STOCK CODE	D	SIZE	
4.8X50INSCREW	4.8mm	50mm	200
4.8X60INSCREW	4.8mm	60mm	200
4.8X70INSCREW	4.8mm	70mm	200
4.8X80INSCREW	4.8mm	80mm	200
4.8X100INSCREW	4.8mm	100mm	200
4.8X120INSCREW	4.8mm	120mm	200
4.8X140INSCREW	4.8mm	140mm	200
4.8X160INSCREW	4.8mm	160mm	100
4.8X180INSCREW	4.8mm	180mm	100
4.8X200INSCREW	4.8mm	200mm	100
4.8X240INSCREW	4.8mm	240mm	100
4.8X300INSCREW	4.8mm	300mm	100

**HEX GASH PT WASHNERED SCREW**  
*FIXING LIGHT STEEL TO TIMBER*



STOCK CODE	SIZE	
6.3X45HEXGASH	6.3mm x 45mm	200

**LOW PROFILE STAINLESS STEEL  
SELF-DRILL SCREW**

*TORX 25 BIT - UP TO 3mm STEEL*



STOCK CODE	SIZE	
5.5X25LPSSDSS	5.5mm x 25mm	100

**LOW PROFILE STAINLESS BI METAL  
SELF-DRILL WASHNERED SCREW**

*1.2mm - 4.0mm*



STOCK CODE	SIZE	
5.5X25LPLSS16	5.5mm x 25mm	100
5.5X38LPLSS16	5.5mm x 38mm	100

**HS LOW PROFILE STAINLESS STEEL  
SELF-DRILL SCREW**

*4mm TO 12mm STEEL*



STOCK CODE	SIZE	
5.5X38LPHSSS	5.5mm x 38mm	100

**spit TEK SCREW**



STOCK CODE	SIZE	
5.5X25CFC26	5.5mm x 25mm	100

FASTENINGS, FIXINGS & ACCESSORIES

**HEX BI-METAL SELF-DRILL SCREW**

UP TO 6mm STEEL



STOCK CODE	SIZE	
5.5X26HXSDSS3PT	5.5mm x 26mm	200
5.5X26HXSDSS3PTS16	5.5mm x 32mm	200
5.5X32HXSDSS3PT	5.5mm x 38mm	200
5.5X32HXSDSS3PTS16	5.5mm x 50mm	200

**HEX BI-METAL SELF-DRILL WASHERED SCREW**

UP TO 6mm STEEL



STOCK CODE	SIZE	
5.5X26HXSDSS3PTS16	5.5mm x 26mm	200
5.5X32HXSDSS3PT	5.5mm x 32mm	200
5.5X32HXSDSS3PTS16	5.5mm x 38mm	200
5.5X38HXSDSS3PT	5.5mm x 50mm	200

**LS STAINLESS HEX BI-METAL SELF-DRILL SCREW**

UP TO 4mm STEEL



STOCK CODE	SIZE	
5.5X25HXSDSS	5.5mm x 25mm	200
5.5X32HXSDSS	5.5mm x 32mm	200
5.5X38HXSDSS	5.5mm x 38mm	200
5.5X50HXSDSS	5.5mm x 50mm	200
5.5X70HXSDSS	5.5mm x 70mm	200

**LS STAINLESS HEX BI-METAL SELF-DRILL WASHERED SCREW**

UP TO 4mm STEEL



STOCK CODE	SIZE	
5.5X25HXSDSS16	5.5mm x 25mm	200
5.5X32HXSDSS16	5.5mm x 32mm	200
5.5X38HXSDSS16	5.5mm x 38mm	200
5.5X50HXSDSS16	5.5mm x 50mm	200
5.5X70HXSDSS16	5.5mm x 70mm	200

**STAINLESS HEX BI METAL SELF-DRILL SCREW**

1.2mm TO 3.0mm



STOCK CODE	SIZE	
4.8X22HEXSDSS	4.8mm x 22mm	100

**HS SS HEX SELF-DRILL SCREW**

4 TO 12mm STEEL



FOR HEAVY STEEL - Drilling Capacity 4.0 – 12.5mm

STOCK CODE	SIZE	
5.5X40HSSS	5.5mm x 40mm	100
5.5X50HSSS	5.5mm x 50mm	100
5.5X75HSSS	5.5mm x 70mm	100
5.5X80HSSS	5.5mm x 80mm	100
5.5X100HSSS	5.5mm x 100mm	100

**HS HEX STAINLESS STEEL SELF-DRILL WASHERED SCREW**

4mm TO 12.0mm



STOCK CODE	SIZE	
5.5X38HSSS16	5.5mm x 38mm	100
5.5X50HSSS16	5.5mm x 50mm	100

**HS STAINLESS HEX BI METAL SELF-DRILL WASHERED SCREW**

12mm STEEL



STOCK CODE	SIZE	
5.5X40HSSSDS16	5.5mm x 40mm	100

**STAINLESS STEEL SELF-DRILL SCREW**  
FOR COMPOSITE PANELS MAX. 6mm



STOCK CODE	SIZE	
5.5/6.3X85SSHT	5.5mm/6.3mm x 85mm	100
5.5/6.3X110SSHT	5.5mm/6.3mm x 110mm	100
5.5/6.3X125SSHT	5.5mm/6.3mm x 125mm	100
5.5/6.3X145SSHT	5.5mm/6.3mm x 145mm	100
5.5/6.3X175SSHT	5.5mm/6.3mm x 175mm	100
5.5/6.3X195SSHT	5.5mm/6.3mm x 195mm	100
5.5/6.3X230SSHT	5.5mm/6.3mm x 230mm	100
5.5/6.3X270SSHT	5.5mm/6.3mm x 270mm	100
5.5/6.3X300SSHT	5.5mm/6.3mm x 300mm	100



**WASHERED**

STOCK CODE	SIZE	
5.5/6.3X85SSHTS16	5.5mm/6.3mm x 85mm	100
5.5/6.3X110SSHTS16	5.5mm/6.3mm x 110mm	100
5.5/6.3X125SSHTS16	5.5mm/6.3mm x 125mm	100
5.5/6.3X145SSHTS16	5.5mm/6.3mm x 145mm	100
5.5/6.3X175SSHTS16	5.5mm/6.3mm x 175mm	100
5.5/6.3X195SSHTS16	5.5mm/6.3mm x 195mm	100

**6.3 GAUGE STAINLESS BI METAL HEX SELF-DRILL**



STOCK CODE	SIZE	
6.3X35HEXSS	6.3mm x 35mm	100
6.3X47HEXSS	6.3mm x 47mm	100



**WASHERED**

STOCK CODE	SIZE	
6.3X35HEXSSS16	6.3mm x 35mm	100
6.3X47HEXSSS16	6.3mm x 47mm	100

**WING-DRILL STAINLESS BI-METAL TEK SCREW**  
UP TO 3mm STEEL



STOCK CODE	SIZE	TIMBER THICKNESS	
4.8X38SSWD	4.8mm x 38mm	6.0mm - 22.0mm	100
4.8X45SSWD	4.8mm x 45mm	6.0mm - 22.0mm	100

**HEX HALTER FIXING**  
GRADE 304SS 2PT



STOCK CODE	SIZE	
HALT6.0X35	6.0mm x 3 5mm	100

**HEX HALTER FIXING COMPLETE WITH WASHER**  
GRADE 304 SS



STOCK CODE	SIZE	
HALT6.3X50S16	6.3mm x 50mm	100

**HEAVY SECTION HEX ST/ST BI METAL**  
4mm - 12mm



**WASHERED**

STOCK CODE	SIZE	
5.5X40HSSSDS16	5.5mm x 40mm	100

**TEKCOVER**



STOCK CODE	
TEKCOVERS	1000

## INSULATION TUBE WASHER WITH INTEGRAL CAP



6mm HOLE - 15mm DEPRESSED CENTRE

STOCK CODE	SIZE	
60MMPLINSWAS	60mm	200

## INSULATION RETAINING PLATE USED IN CONJUNCTION WITH 60MMPLINSWAS



STOCK CODE	SIZE	
90MMPLINSWAS	90mm	200

## METAL INSULATION DISC

**BZP**



STOCK CODE	SIZE	
3238	35mm	100

## INSULATION WASHER



**ST/ST**

STOCK CODE	SIZE	HOLE	
70MMSSWASH8H	70mm	8mm	100
85MMSSWASH7H	85mm	7mm	100

## BONDED TEK WASHER



**ST/ST**


STOCK CODE	SIZE	
S16WASHER	16mm	100

**GALV**

STOCK CODE	SIZE	
9434	16mm	100

## SPREADER WASHER

FOR USE IN COMBINATION WITH FACADE FIXINGS



**GALV**

**ST/ST**

STOCK CODE	d	d1	t	L	
INSWAS85SS	85mm	14mm	0.5mm	2.8mm	100

**STEEL**

STOCK CODE	d	d1	t	L	
INSWAS85MET	85mm	14mm	0.5mm	2.8mm	100

## SPREADER WASHER

**ZINC**



STOCK CODE	d	h	t	
METWASH76MM	76mm	6.5mm	0.7mm	100

## ROUND INSULATION WASHER



STOCK CODE	SIZE	HOLE	
70MMGWASH62H	70mm	6.2mm	100

## INSULATION ANCHOR

PLATE DIA. 60 - ETA-07/0291    
10mm DRILL BIT FOR FIXING TO MASONRY AND CONCRETE



STOCK CODE	SIZE	
10X70INSPLAS	10mm x 70mm	100
10X90INSPLAS	10mm x 90mm	100
10X120INSPLAS	10mm x 120mm	100
10X140INSPLAS	10mm x 140mm	100

STOCK CODE	SIZE	
10X160INSPLAS	10mm x 160mm	100
10X180INSPLAS	10mm x 180mm	100
10x200INSPLAS	10mm x 200mm	100
10x220INSPLAS	10mm x 220mm	100

## EXPRESS NAIL

**BZP**



STOCK CODE	SIZE	
EXPR6X50	6.0mm x 50mm	100
EXPR6X60	6.0mm x 60mm	100
EXPR6X80	6.0mm x 80mm	100
EXPR8X70	8.0mm x 70mm	100
EXPR8X90	8.0mm x 90mm	100

STOCK CODE	SIZE	
EXPR8X110	8.0mm x 110mm	100
EXPR8X130	8.0mm x 130mm	100

## FACADE FIXING

FIRE-RESISTANT INSULATION FIXING




<b>STAINLESS STEEL</b> d 8mm / D 35mm		
STOCK CODE	LENGTH	
8X90INSSS	90mm	250
8X110INSSS	110mm	250
8X140INSSS	140mm	250
8X170INSSS	170mm	250
8X200INSSS	200mm	250
8X250INSSS	250mm	125
8X300INSSS	300mm	125

<b>STEEL</b> d 8mm / D 35mm		
STOCK CODE	LENGTH	
8X90INSMET	90mm	250
8X110INSMET	110mm	250
8X140INSMET	140mm	250
8X170INSMET	170mm	250
8X200INSMET	200mm	250
8X250INSMET	250mm	125
8X300INSMET	300mm	125

## STICK PINS

STOCK CODE	SIZE	
62MMSTICKP	62mm	500
110MMSTICKP	110mm	500
160MMSTICKP	160mm	500



## WIREHANGER



STOCK CODE	SIZE	
WIREHANG	6mm	100

## CEILING ANCHOR



STOCK CODE	SIZE	
6X40TDN	6mm x 40mm	100
6X65TDN	6mm x 65mm	100

## CEILING BRACKET



STOCK CODE	SIZE	
CB1	25mm x 25mm	1

HAMMER PURLIN CLIP  
**ZVP**

STOCK CODE	SIZE	
VF1PURL	19mm x 43mm	100

ACOUSTIC HANGER  
WITH WASHER

STOCK CODE	SIZE	
EVAB35	35mm	100

VERTICAL  
FLANGE HANGER

STOCK CODE	TYPE	SIZE	
VF1HANGER	VF1/J1	1.5mm - 4mm	100
VF2HANGER	VF12/J2	5mm - 7mm	100

## VANTAGE HOUSE

As part of Selkent's wider growth plans, we've opened Vantage House. This investment strengthens our service offering with increased stock capacity and a more efficient pick-and-dispatch operation, helping us support customers nationwide with faster, more reliable delivery and long-term, sustainable growth.

Vantage House,  
Trinity Trading Estate,  
ME10 2PD



# TECHNICAL EXPERTISE

We boost construction productivity with fast, innovative service as the trusted leader in fixings, tools, and consumables. Our team is here to help.



**NICK SEBER**  
HEAD OF TECHNICAL

Nick has over 30 years of expertise in construction fixings and fastenings. He leads the technical team, driving innovation and excellence in technical solutions. Nick is CFA-approved and has previously worked for Hilti, Fischer, and SIG.

[nick.seber@selkent.com](mailto:nick.seber@selkent.com)



**JAIME WHITEHOUSE**  
TECHNICAL SALES

With more than 22 years in the construction fixings industry, Jaime Whitehouse offers extensive technical expertise in fixings, built through long-standing experience and a successful tenure at Selkent Fastenings.

[jaime.whitehouse@selkent.com](mailto:jaime.whitehouse@selkent.com)



**PHIL HENRY**  
TECHNICAL CONSULTANT

Phil Henry is a Technical Consultant with 40 years of industry experience, MEP MMC Accredited and a BSR Advisor, providing expert technical guidance and support on product and technical specifications.

[technical@selkent.com](mailto:technical@selkent.com)



**AINSLEY WHITE**  
TECHNICAL SUPPORT  
MANAGER

Ainsley is a CFA-approved pull-out tester and construction expert with extensive on-site experience, delivering high-quality technical solutions.

[ainsley.white@selkent.com](mailto:ainsley.white@selkent.com)



**ADRIAN JONES**  
TECHNICAL SUPPORT  
MANAGER

Adrian is a CFA-approved expert in pull-out testing with 20 years of technical experience in the construction industry. He provides Toolbox Talks, ensuring high-quality solutions and technical excellence.

[adrian.jones@selkent.com](mailto:adrian.jones@selkent.com)



**RORY TAYLOR**  
INTERNAL TECHNICAL  
SALES

With 18 years at Selkent, Rory is an internal technical support expert and key point of contact for major projects, including the HS2 contract, providing expert guidance and support.

[rory.taylor@selkent.com](mailto:rory.taylor@selkent.com)



**ROUND WIRE NAIL****BRIGHT**

STOCK CODE	SIZE	
RWN40B25	40mm x 2.36mm	25kg
RWN50B25	50mm x 2.65mm	20kg
RWN65B25	65mm x 3.35mm	20kg
RWN75B25	75mm x 3.75mm	20kg
RWN100B25	100mm x 4.5mm	20kg
RWN125B25	125mm x 5.00mm	25kg
RWN150B25	150mm x 6.00mm	20kg

**ROUND LOST HEAD NAIL****BRIGHT**

STOCK CODE	SIZE	
LHN40B500G	40mm x 2.36mm	500g
LHN40B25	40mm x 2.36mm	25kg
LHN50B25	50mm x 3.00mm	25kg
LHN65B5	65mm x 3.35mm	5kg
LHN65B25	65mm x 3.35mm	25kg

**BRIGHT PANEL PIN NAIL**

STOCK CODE	SIZE	
PPN15B25	15mm x 1.25mm	25kg
PPN25B25	25mm x 1.40mm	25kg
PPN30B25	30mm x 1.60mm	25kg
PPN40B25	40mm x 1.60mm	25kg

**CLOUT HEAD NAIL****GALV**

STOCK CODE	SIZE	
CHN30G5	30mm x 2.65mm	5kg
CHN50G25	50mm x 3.35mm	25kg
CHN65G25	65mm x 3.75mm	25kg

**ROUND WIRE NAIL****GALV**

STOCK CODE	SIZE	
RWN25G25	25mm x 1.80mm	25kg
RWN40G25	40mm x 2.36mm	25kg
RWN50G25	50mm x 2.65mm	25kg
RWN65G25	65mm x 3.35mm	25kg
RWN75G25	75mm x 3.75mm	25kg
RWN100G25	100mm x 4.5mm	25kg

**OVAL BRAD NAIL****BRIGHT**

STOCK CODE	SIZE	
OBN40B5	40mm x 2.65mm	5kg
OBN50B5	50mm x 3.35mm	5kg

**ANNULAR RING SHANK NAIL****BRIGHT**

STOCK CODE	SIZE	
ARN25B5	25mm x 2mm	5kg
ARN40B5	40mm x 2.36mm	5kg
ARN50B2.5	50mm x 2.65mm	2.5kg
ARN50B5	50mm x 2.65mm	5kg
ARN50B25	50mm x 4.50mm	25kg
ARN65B5	65mm x 3.35mm	5kg
ARN65B25	65mm x 5.00mm	25kg
ARN75B5	75mm x 3.75mm	5kg
ARN75B25	75mm x 6.00mm	25kg

**GALV**

STOCK CODE	SIZE	
ARN65G25	65mm x 3.35mm	25kg

**SHERADISED SQUARE TWIST NAIL**

STOCK CODE	SIZE	
SHSQTW1.25KG	30mm x 3.75mm	1.25kg
SQTW30MM-25KG	30mm x 3.75mm	25kg

### MASONRY NAIL



STOCK CODE	SIZE	
MASNAIL25	25mm x 2.5mm	100
MASNAIL30	30mm x 2.5mm	100
MASNAIL35	35mm x 2.5mm	100
MASNAIL40	40mm x 2.5mm	100
MASNAIL50	50mm x 2.5mm	100
MASNAIL60	60mm x 3.0mm	100
MASNAIL65W	65mm x 3.0mm	100

### METAL WASHER CONCRETE PIN



STOCK CODE	SIZE	
9900	16mm	100
9901	19mm	100
9902	22mm	100
9903	27mm	100
9904	32mm	100
9905	37mm	100
9906	42mm	100
9907	47mm	100
9908	52mm	100
9909	57mm	100
9910	62mm	100
9911	72mm	100
9913	97mm	100

### PULSA NAIL PACK



STOCK CODE	SIZE	
9609	15mm	100
9610	17mm	100
9611	22mm	100
9612	27mm	100
9613	32mm	100
9636	32mm	100

### PULSA NAIL PACK



STOCK CODE	SIZE	
9607	35mm	100
9608	40mm	100

### SP-KDM-8/38 SINGLE PINS COMPLETE WITH PLASTIC WASHER BOX OF 150



STOCK CODE	
1880	150

### MASONRY NAIL WITH WASHER



STOCK CODE	SIZE	
MASNAIL25W	25mm x 3.7mm	100
MASNAIL30W	30mm x 3.7mm	100
MASNAIL35W	35mm x 3.7mm	100
MASNAIL40W	40mm x 3.7mm	100
MASNAIL50W	50mm x 3.7mm	100

### PLASTIC WASHERED PINS DX460/A40/A41



STOCK CODE	SIZE	
VPW16	16mm	100
VPW19	19mm	100
VPW22	22mm	100
VPW27	27mm	100
VPW32	32mm	100
VPW37	37mm	100
VPW42	42mm	100
VPW47	47mm	100
VPW52	52mm	100
VPW57	57mm	100
VPW62	62mm	100
VPW67	67mm	100
VPW72	72mm	100

### SHOT FIRE CARTRIDGE STRIP PACK OF 100



STOCK CODE	COLOUR	
9971	Red	1
9972	Yellow	1

**lindapter**® Established in 1934, Lindapter is a global market leader in the design, innovation and manufacture of steelwork clamping solutions, which provide a faster alternative to drilling or welding, ultimately saving contractors' time and money. Lindapter has an extensive range of Girder Clamps, Hollo-Bolts, decking fixings, floor fixings and lifting points which are available from **Selkent, your Authorised Lindapter Distributor.**

## TYPE A GIRDER CLAMP

Type A clamp allows a fast steelwork fixing connection. It has a recessed top to hold the bolt head captive whilst the nut is tightened. The skirt prevents the clamp rotating during installation.

Suitable for flanges up to 8°.



### ZINC PLATED

STOCK CODE	SIZE	
LINA08M	M8-Medium	1
LINA10L	M10-Long	1
LINA10M	M10-Medium	1
LINA10S	M10-Short	1
LINA12LW	M12-Long	1
LINA12MW	M12-Medium	1
LINA12SW	M12-Short	1
LINA16LW	M16-Long	1
LINA16MW	M16-Medium	1
LINA16SW	M16-Short	1
LINA20LW	M20-Long	1
LINA20MW	M20-Medium	1
LINA20SW	M20-Short	1
LINA24LW	M24-Long White Heart	1
LINA24MW	M24-Medium White Heart	1
LINA24SW	M24-Short White Heart	1

### HOT DIP GALV

STOCK CODE	SIZE	
LINA08MHDG	M8-Medium	1
LINA10LHDG	M10-Long	1
LINA10MHDG	M10-Medium	1
LINA10SHDG	M10-Short	1
LINA12LWHDG	M12-Long	1
LINA12MWHDG	M12-Medium	1
LINA12SWHDG	M12-Short	1
LINA16LWHDG	M16-Long	1
LINA16MWHDG	M16-Medium	1
LINA16SWHDG	M16-Short	1
LINA20LWHDG	M20-Long	1
LINA20MWHDG	M20-Medium	1
LINA20SWHDG	M20-Short	1
LINA24LWHDG	M24-Long	1
LINA24MWHDG	M24-Medium	1
LINA24SWHDG	M24-Short	1

## TYPE AAF GIRDER CLAMP

### HOT DIP GALVANISED

STOCK CODE	SIZE	
LINAAF12	M12	1
LINAAF16	M16	1
LINAAF20	M20	1



## TYPE AF GIRDER CLAMP

### HOT DIP GALV

The Type AF is a popular steelwork fixing connection with high load capacities. This high friction clamp has a recessed top to hold the bolt head captive whilst the nut is tightened. Can be combined with the Type CF. The skirt prevents the clamp rotating during installation.

The tail of the Type AF spans across slotted holes. **For flanges up to 10°.**



STOCK CODE	SIZE	
LINAF12M	M12 - MEDIUM	1
LINAF12S	M12 - SHORT	1
LINAF16M	M16 - MEDIUM	1
LINAF16S	M16 - SHORT	1

STOCK CODE	SIZE	
LINAF20M	M20 - MEDIUM	1
LINAF20S	M20 - SHORT	1
LINAF24M	M24 - MEDIUM	1
LINAF24S	M24 - SHORT	1

## TYPE AF PACKING

### P1/P2

Packing used to adjust the tail length of the AF High Friction clamps to meet differing beam flange thicknesses.



#### HOT DIP GALV

STOCK CODE	SIZE	
LINAF12P1	M12-P1	1
LINAF12P2	M12-P2	1
LINAF16P1	M16-P1	1
LINAF16P2	M16-P2	1
LINAF20P1	M20-P1	1

STOCK CODE	SIZE	
LINAF20P2	M20-P2	1
LINAAF20P3	M20-P3	1
LINAF24P1	M24-P1	1
LINAF24P2	M24-P2	1

## TYPE AF CLIPPED WASHER

Used to adjust the tail length of the AF High Friction clamps to meet differing beam flange thicknesses; has a slight bend along its centre line which flattens out during installation.



#### HOT DIP GALV

STOCK CODE	SIZE	
LINAF12CW	M12	1
LINAF16CW	M16	1
LINAF20CW	M20	1

## TYPE AF W ADAPTER WASHER

Used to fill the recess of the type AF high Friction Clamp. Additionally it features two projections which, when the AFW is inverted, will captivate the larger hexagons of 10.9 bolts. (M12 – M20 only).



#### HOT DIP GALV

STOCK CODE	SIZE	
LINAFW12	M12	1
LINAFW16	M16	1
LINAFW20	M20	1
LINAFW24	M24	1

## ADJUSTABLE LIFTING POINT

Designed to provide an adjustable lifting point for loads up to 3 t, with a  $\pm 18^\circ$  lift angle. Suitable for parallel or tapered beams with flange widths of 70–450 mm and thicknesses of 5–26 mm.

#### HOT DIP GALV

STOCK CODE	SIZE	
LINALP3T-1	Size 1	1
LINALP3T-2	Size 2	1
LINALP3T-3	Size 3	1



## ALPHA WEDGE COMPLETE WITH ALPHALOK

Designed to lock quickly and securely into the re-entrant channel of Richard Lees steel decking, Alphalok or Ribdeck AL decking. Comes with Alphalok Plate.

#### ZINC PLATED

STOCK CODE	SIZE	
LINAW06	M6	1
LINAW08	M8	1
LINAW10	M10	1



## TYPE B GIRDER CLAMP

Type B allows a fast steelwork fixing connection without the need for onsite drilling or welding. It is a steelwork clamp with flat top which allows the bolt head or nut to be rotated. **Suitable for use with all bolts, studs, tie rods and J-bolts, and flanges up to 8°**



### ZINC PLATED

STOCK CODE	SIZE	
LINB08M	M8-Medium	1
LINB10L	M10-Long	1
LINB10M	M10-Medium	1
LINB10S	M10-Short	1
LINB12LW	M12-Long	1
LINB12MW	M12-Medium	1
LINB12SW	M12-Short	1
LINB16LW	M16-Long	1
LINB16MW	M16-Medium	1
LINB16SW	M16-Short	1
LINB20LW	M20-Long	1
LINB20MW	M20-Medium	1
LINB20SW	M20-Short	1
LINB24LW	M24-Long White Heart	1
LINB24MW	M24-Medium White Heart	1
LINB24SW	M24-Short White Heart	1

### HOT DIP GALV

STOCK CODE	SIZE	
LINB08MHDG	M8-Medium	1
LINB10LHDG	M10-Long	1
LINB10MHDG	M10-Medium	1
LINB10SHDG	M10-Short	1
LINB12LWHDG	M12-Long	1
LINB12MWHDG	M12-Medium	1
LINB12SWHDG	M12-Short	1
LINB16LWHDG	M16-Long	1
LINB16MWHDG	M16-Medium	1
LINB16SWHDG	M16-Short	1
LINB20LWHDG	M20-Long	1
LINB20MWHDG	M20-Medium	1
LINB20SWHDG	M20-Short	1
LINB24LWHDG	M24-Long	1
LINB24MWHDG	M24-Medium	1
LINB24SWHDG	M24-Short	1

## TYPE BR RAIL CLIP

Versatile clamp for steel beams or rail (low speed applications only). The skirt prevents the clamp rotating during installation. The BR tail spans slotted holes. **Suitable for flanges up to 8°.**



### ZINC PLATED

STOCK CODE	SIZE	
LINBR12M	M12-Medium	1
LINBR12S	M12-Short	1
LINBR16M	M16-Medium	1
LINBR16S	M16-Short	1
LINBR20M	M20-Medium	1
LINBR20S	M20-Short	1

### HOT DIP GALV

STOCK CODE	SIZE	
LINBR12MHDG	M12-Medium	1
LINBR12SHDG	M12-Short	1
LINBR16MHDG	M16-Medium	1
LINBR16SHDG	M16-Short	1
LINBR20MHDG	M20-Medium	1
LINBR20SHDG	M20-Short	1

## TYPE CF HIGH SLIP RESISTANCE CLAMP

It allows a fast steelwork fixing connection. It is a high friction clamp which hooks over flanges of I-beams, angles and channels. Lindapter markings act as a unique anti-rotation device. Can be combined with all Lindapter Girder Clamp products including Type AF.



### HOT DIP GALV

STOCK CODE	SIZE	
LINCF12	M12	1
LINCF16	M16	1

STOCK CODE	SIZE	
LINCF20	M20	1

## TYPE CW CLIPPED WASHER

Packing used to adjust the tail length of various steelwork clamps to meet differing beam flange thicknesses.



### ZINC PLATED

STOCK CODE	SIZE	
LINCW08	M8	1
LINCW10	M10	1
LINCW12	M12	1
LINCW16	M16	1
LINCW20	M20	1
LINCW24	M24	1

### HOT DIP GALV

STOCK CODE	SIZE	
LINCW10HDG	M10	1
LINCW12HDG	M12	1
LINCW16HDG	M16	1
LINCW20HDG	M20	1
LINCW24HDG	M24	1

## TYPE D2 ADJUSTABLE CLAMP

Adjustable clamp incorporating a setscrew tail to accommodate a wide range of flange thicknesses. The type D2 has a recessed head to hold the bolt head captive. The skirt prevents the clamp rotating during installation. **Suitable for flanges up to 5°.**



### ZINC PLATED

STOCK CODE	SIZE	
LIND210	M10	1
LIND212	M12	1
LIND216	M16	1
LIND220	M20	1

### HOT DIP GALV

STOCK CODE	SIZE	
LIND210HDG	M10	1
LIND212HDG	M12	1
LIND216HDG	M16	1
LIND220HDG	M20	1

## TYPE FC FLUSH CLAMP JS500

The Flush Clamp is a Girder Clamp System without the need of a location plate. Suitable for connecting beams of varying widths and thicknesses. **Suitable for flanges up to 10° slope.**



STOCK CODE	SIZE	
LINFC16	M16	1

## DELIVERY YOU CAN COUNT ON

Selkent provides a state-of-the-art delivery platform that offers our customers real-time tracking, end-to-end traceability, and digital proof of delivery. It ensures our customers have full visibility into their deliveries with accurate time slots and live van tracking.



End-to-end traceability on every delivery



Real-time GPS precision



Instant digital sign-off



Photo-verified proof of delivery



Professional, auto-generated documentation

## TYPE F9 FLANGE CLAMP

Flange Clamp for connecting all types of parallel running steelwork with flanges of the same width. **Can be used with bolts or alternatively with threaded rod.** Not suitable for tapered flanges.



### ZINC PLATED WITH BOLT

STOCK CODE	SIZE	
LINF910NC	M10	1
LINF912NC	M12	1
LINF916NC	M16	1
LINF920NC	M20	1

### HOT DIP GALV WITH BOLT

LINF910NCHDG	M10	1
LINF912NCHDG	M12	1
LINF916NCHDG	M16	1
LINF920NCHDG	M20	1
LINF924NCHDG	M24	1

### ZINC PLATED WITHOUT BOLT

STOCK CODE	SIZE	
LINF910NB	M10	1
LINF912NB	M12	1
LINF916NB	M16	1
LINF920NB	M20	1

### HOT DIP GALV WITHOUT BOLT

LINF910NBHDG	M10	1
LINF912NBHDG	M12	1
LINF916NBHDG	M16	1
LINF920NBHDG	M20	1
LINF924NBHDG	M24	1

## TYPE T TIP

To fill the nose of type D2 and D3 making it horizontal. For parallel flanges only. The thickness "T" should be added for tail length and bolt length calculations. The product is for aesthetic purposes only and technically not necessary.



### ZINC PLATED

STOCK CODE	SIZE	
LINT12	M12	1
LINT16	M16	1
LINT20	M20	1

### HOT DIP GALV

STOCK CODE	SIZE	
LINT08HDG	M8	1
LINT12HDG	M12	1
LINT16HDG	M16	1
LINT20HDG	M20	1

## TYPE GF GRATE-FAST

Grating fixing for rectangular open bar grating with cast main body giving superior clamping force. GF10HDG with wider top-hat bracket for different grating sizes and hot dip galvanised for corrosion resistance. GF210HDG for use with 30mm width floor grating bars only. GF08 with stainless steel top-hat bracket for GRP grating. Lloyd's Register Type Approval covers clamping force and vibration.



### GALV

STOCK CODE	SIZE	TYPE	
LINGF08	M8	To Suit Bar Depth 22mm - 38mm	1
LINGF10HDG	M10	Option 1 To Suit Bar Depth 20mm - 50mm	1
LINGF210HDG	M10	Option 2 To Suit Bar Depth 19mm - 40mm	1

## FLOORFAST

### FOR 3-15 FLANGE

An innovative CE approved connection for securing steel floor plates, also known as chequer plates, Durbar floor plates, diamond plates or tread plates. The Floorfast consists of a malleable iron body casting with a countersunk socket screw; the eccentric stepped web of the casting allows it to lock under the steelwork providing full face contact when torque is applied. For thicker flanges packing pieces will be supplied. Lloyd's Register Type Approval covers clamping force and vibration.



#### ZINC PLATED

STOCK CODE	SIZE	TYPE	
LINFF08	M08	C/W 35mm CSK Skt	1
LINFF10	M10	C/W 35mm CSK Skt	1
LINFF12	M12	C/W 35mm CSK Skt	1

#### ST/ST

STOCK CODE	SIZE	TYPE	
LINFFST08	M08	35mm CSK Skt	1
LINFFST10	M10	35mm CSK Skt	1
LINFFST12	M12	35mm CSK Skt	1

#### GALV

STOCK CODE	SIZE	TYPE	
LINFF10HDG	M10	Tapped+15 C/W 35 CSK Slot	1
LINFF12HDG	M12	Tapped+10 C/W 35 CSK Slot	1

## TYPE COUNTERSUNK HOLLO-BOLT

It is suitable for hollow sections or conventional steelwork where access is available from one side only. It also ensures that the fixing protrusion from the steelwork is kept to a minimum whilst still using a plain drilled hole in the supporting section and the outer plate/bracket.



STOCK CODE	SIZE	TYPE	
LINHBCSK08-1	M8	Size 1 JS-500 for 3 - 22mm Fixing	1
LINHBCSK08-2	M8	Size 2 JS-500 for 22 - 41mm Fixing	1
LINHBCSK08-3	M8	Size 3 JS-500 for 41 - 60mm Fixing	1
LINHBCSK10-1	M10	Size 1 JS-500 for 3 - 22mm Fixing	1
LINHBCSK10-2	M10	Size 2 JS-500 for 22 - 41mm Fixing	1
LINHBCSK10-3	M10	Size 3 JS-500 for 41 - 60mm Fixing	1

STOCK CODE	SIZE	TYPE	
LINHBCSK12-1	M12	Size 1 JS-500 for 3 - 25mm Fixing	1
LINHBCSK12-2	M12	Size 2 JS-500 for 25 - 47mm Fixing	1
LINHBCSK12-3	M12	Size 3 JS-500 for 47 - 69mm Fixing	1
LINHBCSK16-1	M16	Size 1 JS-500 for 12 - 29mm Fixing	1
LINHBCSK16-2	M16	Size 2 JS-500 for 29 - 50mm Fixing	1
LINHBCSK16-3	M16	Size 3 JS-500 for 50 - 71mm Fixing	1

## TYPE FLUSH FIT HOLLO-BOLT

It is suitable for hollow sections or conventional steelwork where access is available from one side only. The bolt is concealed within the steelwork with no protruding bolt head or collar.



STOCK CODE	SIZE	TYPE	
LINHBF08-1	M8	Size 1JS-500 for 10mm - 27mm Fixing	1
LINHBF08-2	M8	Size 2JS-500 for 27mm - 45mm Fixing	1
LINHBF08-3	M8	Size 3JS-500 for 45mm - 64mm Fixing	1
LINHBF10-1	M10	Size 1JS-500 for 12mm - 27mm Fixing	1
LINHBF10-2	M10	Size 2JS-500 for 27mm - 45mm Fixing	1

STOCK CODE	SIZE	TYPE	
LINHBF10-3	M10	Size 3JS-500 for 45mm - 64mm Fixing	1
LINHBF12-1	M12	Size 1JS-500 for 12mm - 30mm Fixing	1
LINHBF12-2	M12	Size 2JS-500 for 30mm - 52mm Fixing	1
LINHBF12-3	M12	Size 3JS-500 for 52mm - 74mm Fixing	1

## FLUSHFIT HOLLO-BOLT TOOL

### ZINC PLATED

Hollo-Bolt flush fit head is an expansion bolt that only requires access from one side of the Structural Hollow Section (SHS).

STOCK CODE	SIZE	
LINHBF08KEY	M8	1
LINHBF10KEY	M10	1

STOCK CODE	SIZE	
LINHBF12KEY	M12	1



## TYPE HB HOLLO-BOLT

The Original Expansion Bolt for Structural Steel. Suitable for hollow sections, tubes and where access is available from one side only. The Hollo-Bolt (hexagonal head, HDG) is approved by ICC-ES to resist seismic loads and wind loads in all seismic design categories (A to F). For corrosion protection, the Hollo-Bolt® comes with additional JS500 protection as standard or hot dip galvanised. Sizes M16 and M20 have a patented High Clamping Force (HCF) mechanism for optimised clamping force. Speedy installation with standard tools.



### BZP

STOCK CODE	SIZE	TYPE	
LINHB08-1	M8	Size 1 JS-500 to suit 3mm - 22mm	1
LINHB08-2	M8	Size 2 JS-500 to suit 22mm - 41mm	1
LINHB08-3	M8	Size 3 JS-500 to suit 41mm - 60mm	1
LINHB10-1	M10	Size 1 JS-500 to suit 3mm - 22mm	1
LINHB10-2	M10	Size 2 JS-500 to suit 22mm - 41mm	1
LINHB10-3	M10	Size 3 JS-500 to suit 41mm - 60mm	1
LINHB12-1	M12	Size 1 JS-500 to suit 3mm - 25mm	1
LINHB12-2	M12	Size 2 JS-500 to suit 25mm - 47mm	1
LINHB12-3	M12	Size 3 JS-500 to suit 47mm - 69mm	1
LINHB16-1	M16	Size 1 JS-500 to suit 12mm - 29mm	1
LINHB16-2	M16	Size 2 JS-500 to suit 29mm - 50mm	1
LINHB16-3	M16	Size 3 JS-500 to suit 50mm - 71mm	1
LINHB20-1	M20	Size 1 JS-500 to suit 12mm - 34mm	1
LINHB20-2	M20	Size 2 JS-500 to suit 34mm - 60mm	1
LINHB20-3	M20	Size 3 JS-500 to suit 60mm - 86mm	1

### GALV

STOCK CODE	SIZE	TYPE	
LINHB08-1HDG	M8	Size 1 to suit 3mm - 22mm	1
LINHB08-2HDG	M8	Size 2 to suit 22mm - 41mm	1
LINHB08-3HDG	M8	Size 3 to suit 41mm - 60mm	1
LINHB10-1HDG	M10	Size 1 to suit 3mm - 22mm	1
LINHB10-2HDG	M10	Size 2 to suit 22mm - 41mm	1
LINHB10-3HDG	M10	Size 3 to suit 41mm - 60mm	1
LINHB12-1HDG	M12	Size 1 to suit 3mm - 25mm	1
LINHB12-2HDG	M12	Size 2 to suit 25mm - 47mm	1
LINHB12-3HDG	M12	Size 3 to suit 47mm - 69mm	1
LINHB16-1HDG	M16	Size 1 to suit 12mm - 29mm	1
LINHB16-2HDG	M16	Size 2 to suit 29mm - 50mm	1
LINHB16-3HDG	M16	Size 3 to suit 50mm - 71mm	1
LINHB20-1HDG	M20	Size 1 to suit 12mm - 34mm	1
LINHB20-2HDG	M20	Size 2 to suit 34mm - 60mm	1
LINHB20-3HDG	M20	Size 3 to suit 60mm - 86mm	1

### ST/ST

STOCK CODE	SIZE	TYPE	
LINHB16-1STST	M16	Size 1 to suit 12mm - 29mm	1

## HOLLO-BOLT

Hollo-Bolt expansion bolts provide a fast alternative to welding or through-bolting, requiring access to only one side of the SHS. Quickly installed with a torque wrench, they are ideal for blind connections. The countersunk version minimizes protrusion, while larger M16 sizes feature a High Clamping Force mechanism for high-strength structural connections.



STOCK CODE	SIZE	TYPE	
6178	M8	Size 1 to suit 3mm - 22mm	1
6179	M10	Size 1 to suit 3mm - 22mm	1
6180	M12	Size 1 to suit 3mm - 25mm	1

STOCK CODE	SIZE	TYPE	
6181	M16	Size 1 to suit 12mm - 29mm	1
6182	M20	Size 1 to suit 12mm - 34mm	1

## TYPE HW / HC HEMISPHERICAL WASHER & CUP

For vertical suspension on angled surface of up to 10° swing either side of the vertical. The hemispherical washer (HW) can be used without the cup.



### ZINC PLATED

CUP		WASHER		
STOCK CODE	STOCK CODE	SIZE		
LINHC10	LINHW10	M10	1	
LINHC12	LINHW12	M12	1	
LINHC16	LINHW16	M16	1	
LINHC20	LINHW20	M20	1	

### HOT DIP GALV

CUP		WASHER		
STOCK CODE	STOCK CODE	SIZE		
LINHC10HDG	LINHW10HDG	M10	1	
LINHC12HDG	LINHW12HDG	M12	1	
LINHC16HDG	LINHW16HDG	M16	1	
LINHC20HDG	LINHW20HDG	M20	1	

## TYPE LB2 - LINDIBOLT® 2

The original threaded stud expansion bolt. Self heading bolt suitable for fixing to hollow-sections, tubes and applications where access is available from one side only. The Lindibolt® uses a standard clearance hole.



### ZINC PLATED

STOCK CODE	SIZE	
LINLB10	M10	1
LINLB12	M12	1
LINLB16	M16	1

STOCK CODE	SIZE	
LINLB20	M20	1
LINLB24	M24	1

## TYPE LS SELF ADJUSTING CLAMP

Self adjusting clamp for various flange thicknesses and slopes up to 10°. The special serrations on the tail prevent the clamp rotating during installation. The LS tail spans over slotted holes.



### ST/ST

STOCK CODE	SIZE	TYPE	
LINLS10	M10	For flange thickness 3mm - 15mm	1
LINLS12	M12	For flange thickness 3mm - 20mm	1

STOCK CODE	SIZE	TYPE	
LINLS16	M16	For flange thickness 3mm - 25mm	1
LINLS20	M20	For flange thickness 3mm - 30mm	1

## TYPE LR SELF ADJUSTING CLAMP

Self adjusting clamp for various flange thicknesses and slopes upto 15°. The leg of the saddle prevents the clamp rotating during installation. The LR tail spans slotted holes.



### BZP

STOCK CODE	SIZE	TYPE	
LINLR12	M12	To suit 3mm - 12mm Clamping	1
LINLR16	M16	To suit 3mm - 16mm Clamping	1
LINLR20	M20	To suit 3mm - 20mm Clamping	1
LINLR24	M24	To suit 3mm - 24mm Clamping	1

### HOT DIP GALV

STOCK CODE	SIZE	TYPE	
LINLR10HDG	M10	To suit 3mm - 10mm Clamping	1
LINLR12HDG	M12	To suit 3mm-12mm Clamping	1
LINLR16HDG	M16	To suit 3mm - 16mm Clamping	1
LINLR20HDG	M20	To suit 3mm - 20mm Clamping	1
LINLR24HDG	M24	To suit 3mm -24mm Clamping	1

## TYPE LC LINDICLIP

### BZP

STOCK CODE	SIZE	TYPE	
LINLC06	M6	LC	1
LINLC08	M8	LC	1



## TYPE MF METFLOOR

Designed for MetFloor® 60 & Metfloor 80 profiles manufactured by Composite Metal Flooring (CMF®).

### ZINC PLATED

STOCK CODE	SIZE	
LINMF06	M6	1
LINMF08	M8	1

STOCK CODE	SIZE	
LINMF10	M10	1



## TYPE MW2 MULTIWEDGE 2

Designed for Multideck 60 and Multideck 80 profiles manufactured by Kingspan Structural Products.

### ZINC PLATED

STOCK CODE	SIZE	
LINMW06	M6	1
LINMW08	M8	1

STOCK CODE	SIZE	
LINMW10	M10	1



## TYPE P1 PACKING

Packing used to adjust the tail length of various steelwork clamps to meet differing beam flange thicknesses.

### ZINC PLATED

LONG		SHORT	
STOCK CODE	STOCK CODE	SIZE	
-	LINP1S08	M8	1
LINP1L10	LINP1S10	M10	1
LINP1L12	LINP1S12	M12	1
LINP1L16	LINP1S16	M16	1
LINP1L20	LINP1S20	M20	1
LINP1L24	LINP1S24	M24	1

### HOT DIP GALV

LONG		SHORT	
STOCK CODE	STOCK CODE	SIZE	
-	LINP1S08HDG	M8	1
LINP1L10HDG	LINP1S10HDG	M10	1
LINP1L12HDG	LINP1S12HDG	M12	1
LINP1L16HDG	LINP1S16HDG	M16	1
LINP1L20HDG	LINP1S20HDG	M20	1
LINP1L24HDG	LINP1S24HDG	M24	1



## TYPE P2 PACKING

Packing used to adjust the tail length of various steelwork clamps to meet differing beam flange thicknesses.

### ZINC PLATED

LONG		SHORT	
STOCK CODE	STOCK CODE	SIZE	
LINP2L10	LINP2S10	M10	1
LINP2L12	LINP2S12	M12	1
LINP2L16	LINP2S16	M16	1
LINP2L20	LINP2S20	M20	1
LINP2L24	LINP2S24	M24	1

### HOT DIP GALV

LONG		SHORT	
STOCK CODE	STOCK CODE	SIZE	
LINP2L10HDG	LINP2S10HDG	M10	1
LINP2L12HDG	LINP2S12HDG	M12	1
LINP2L16HDG	LINP2S16HDG	M16	1
LINP2L20HDG	LINP2S20HDG	M20	1
LINP2L24HDG	LINP2S24HDG	M24	1



## TYPE W DEEP WASHER

Washer to fill the recess of type A or type D2 to enable the nut to be tightened.

### ZINC PLATED

STOCK CODE	SIZE	
LINW08	M8	1
LINW10	M10	1
LINW12	M12	1
LINW16	M16	1
LINW20	M20	1

### HOT DIP GALV

STOCK CODE	SIZE	
LINW10HDG	M10	1
LINW12HDG	M12	1
LINW16HDG	M16	1
LINW20HDG	M20	1



## TYPE TC TOGGLE CLAMP

Designed for service suspension from pre-cast hollow core slabs (minimum depth of core 75mm) as well as Structural Hollow Section (SHS), steel sheeting or purlins.

STOCK CODE	SIZE	
LINTC08	M8 c/w M8 Nut	1
LINTC10	M10 c/w M10 Nut	1



## TYPE SW SWIVEL ASSEMBLY

Can be used with various fixings and allows the drop rod / setscrew to hang vertically.  
Supplied complete with GRADE 8.8 M10 X 90 SETSCREW AND NUT.

STOCK CODE		
LINSW10		1



## TYPE FL BEAM CLAMP

Suitable for use with parallel or tapered flange beams, supplied with the back hole drilled or tapped. The type FL uses a Grade 8.8 cup point setscrew for secure grip. Supplied with square or alternatively hexagon head setscrews. **Can be used with type SW - Swivel Unit** when connecting to inclined sections.

### ZINC PLATED BACK HOLE

STOCK CODE	SIZE	TYPE	
LINFL106D	M6	FL1 Boxed 68mm	 1
LINFL108D	M8	FL1 9mm	1
LINFL210D	M10	FL2 11mm	1
LINFL312D	M12	FL3 13mm	1
LINFL412D	M12	FL4 13MM	1

### ST/ST BACK HOLE

STOCK CODE	SIZE	TYPE	
LINFLST210D	M10	FL2 11mm ANC4A/B -316	 1

### BZP BACK HOLE

STOCK CODE	SIZE	TYPE	
LINFL106T	M6	FL1 Boxed Tapped 6mm	 1
LINFL108T	M8	FL1 Tapped 8mm	1
LINFL210T	M10	FL2 Tapped 10mm	1
LINFL312T	M12	FL3 TAPPED 12MM	1
LINFL410T	M10	FL4 TAPPED 10MM	1



## F3 FLANGE CLAMP

### HOT DIP GALV

A two part flange clamp with large clamping range. The bolt can be substituted with either drop rod or J bolts. **For parallel flanges only.**

STOCK CODE	SIZE	
<b>WITH BOLT</b>		
LINF308NC	M8	 1
LINF310NC	M10	1
LINF312NC	M12	1
LINF316NC	M16	1
LINF320NC	M20	1

STOCK CODE	SIZE	
<b>WITHOUT BOLT</b>		
LINF308NB	M8	 1
LINF310NB	M10	1
LINF312NB	M12	1
LINF316NB	M16	1
LINF320NB	M20	1



## SELKENT MISSION

We will go further and faster than any other supplier of Construction Fixings and Tools to help keep construction sites productive and on schedule.



## TYPE V NUT

### ZINC PLATED

It fits the re-entrant channel of several composite floor deckings including R51 (SMD), ComFlor® 51 (Tata Steel®), Holorib® (Hare Decking), Superib® (Hare Decking), Multideck® 50 (Kingspan®) and MetFloor® 55 (CMF®)



STOCK CODE	SIZE	
LINVN10	M10	1

## TYPE FLS SWIVEL CLAMP

### ZINC PLATED

For parallel and sloping flanges. Supplied with Grade 8.8 setscrew for secure grip.



STOCK CODE	SIZE	
LINFLS08	M8	1
LINFLS10	M10	1

## WMC TYPE HC30 PURLIN CLAMP

### BZP

Suitable for horizontal purlins. **Can be used with type SW-Swivel Unit** for use on inclined purlins.



STOCK CODE	TYPE	
LINHCW30	for Ward Multibeam 3 M10 Rod BZP	1

## PHC TYPE HCW31 CEILING CLIP

### BZP

A universal purlin clip suitable for multiple different applications.



STOCK CODE	TYPE	
LINHCW31	for Ward Multibeam 3 M10 Rod	1

## TYPE TR60 DECKING FIXING

### WITH ENCLOSURE PLATE ZINC PLATED

The Type TR60 is designed for TR60+ and TR80+ profiles manufactured by Structural Metal Decks.



STOCK CODE	SIZE	
LINTR6006	M6	1
LINTR6008	M8	1
LINTR6010	M10	1

## TYPE WF WEBFIX PURLIN CLIP

### ZINC PLATED

For a quick installation directly from the web of Zed purlins.



STOCK CODE	SIZE	
LINWF10	M10	1

**CONTACT OUR SALES TEAM**

 **020 8699 6777**

 **SALES@SELKENT.COM**

 **WWW.SELKENT.COM**

CASE STUDIES



ST PANCRAS STATION



CLIFTON SUSPENSION BRIDGE



ROYAL OPERA HOUSE



HARRINGAY STATION



TOWER BRIDGE WALKWAY

BLIND BOLT

Available in a wide range of sizes from M10 to M24 in diameter, with a choice of finishes, zinc and yellow passivated and stainless steel.



ZYP

STOCK CODE	SIZE	
6586	M10 x 60mm	40
6587	M10 x 130mm	20
6219	M12 x 70mm	20
6588	M12 x 120mm	25
6220	M16 x 90mm	20
6590	M16 x 130mm	15
6221	M20 x 110mm	10

ST/ST A4

STOCK CODE	SIZE	
6795	M12 x 90mm	100
6790	M16 x 100mm	100

BZP

STOCK CODE	SIZE	
6591	M16 x 180mm	10
6221	M20 x 110mm	10
6592	M20 x 140mm	10
6593	M20 x 160mm	10
6594	M20 x 180mm	10
6595	M24 x 130mm	5

GRAT1G08 GALVANISED GRATING CLIP



STOCK CODE	
5318	50

FASTENINGS, FIXINGS & ACCESSORIES

## RAWPLUG R-XPT THROUGH BOLT

BZP

ETA-08/0339 (M8 - M20)



### FEATURES AND BENEFITS

- High performance in non-cracked concrete confirmed by ETA Option 7
- High quality with cost effectiveness
- Suitable for reduced embedment to avoid contact with reinforcement
- Embedment depth markings help to ensure precise installation of the anchor
- Design allows drilling and installing directly through the fixture and helps to reduce installation effort
- Cold formed body ensures consistent dimensional accuracy
- Simple through-installation (drilling and installation through fixed material)
- Optimized expander design with six grip features allows for a high load-bearing capacity

### APPLICATIONS

- Cladding restraint
- Curtain wall
- Balustrading
- Barriers
- Handrails
- Racking
- Structural steel
- Bollards

### BASE MATERIALS

Approved for use in:

- Non-cracked concrete C20/25-C50/60
- Unreinforced concrete
- Reinforced concrete
- Also suitable for use in Natural Stone

STOCK CODE	SIZE	
<b>M6 - DRILL HOLE Ø 6mm</b>		
6258	M6 x 50mm	100
6259	M6 x 65mm	100
6260	M6 x 85mm	100
6261	M6 x 100mm	100
<b>M8 - DRILL HOLE Ø 8mm</b>		
6262	M8 x 50mm	100
6263	M8 x 60mm	100
6264	M8 x 65mm	100
6265	M8 x 75mm	100
6266	M8 x 80mm	100
6267	M8 x 85mm	100
6268	M8 x 95mm	100
6269	M8 x 105 mm	100
6270	M8 x 115mm	100
6271	M8 x 140mm	100
6272	M8 x 150mm	100
<b>M10 - DRILL HOLE Ø 10mm</b>		
6273	M10 x 65mm	50
6274	M10 x 80mm	50
6275	M10 x 95mm	50
6276	M10 x 115mm	50
6277	M10 x 130mm	50
6278	M10 x 140mm	50

STOCK CODE	SIZE	
<b>M12 - DRILL HOLE Ø 12mm</b>		
6281	M12 x 80mm	50
6282	M12 x 100mm	50
6283	M12 x 120mm	50
6284	M12 x 125mm	50
6285	M12 x 135mm	50
6286	M12 x 140mm	50
6287	M12 x 150mm	50
6288	M12 x 180mm	50
6289	M12 x 220mm	50
<b>M16 - DRILL HOLE Ø 16mm</b>		
6291	M16 x 90mm	25
6292	M16 x 100mm	25
6293	M16 x 105mm	25
6294	M16 x 125mm	25
6295	M16 x 140mm	25
6296	M16 x 150mm	25
6297	M16 x 160mm	25
6298	M16 x 180mm	25
6299	M16 x 220mm	25
6300	M16 x 280mm	25
<b>M20 - DRILL HOLE Ø 20mm</b>		
6301	M20 x 125mm	5
6302	M20 x 160mm	5
6303	M20 x 200mm	5
6304	M20 x 300mm	5
<b>M24 - DRILL HOLE Ø 24mm</b>		
6305	M24 x 180mm	5
6306	M24 x 260mm	5
6307	M24 x 300mm	5

**RAWLPLUG**  
**R-XPT THROUGH BOLT**  
**GALV**

ETA-08/0339 (M8 - M20)



**FEATURES AND BENEFITS**

- Increased corrosion resistance due to hot dip zinc external protection layer
- R-XPT is suitable for reduced embedment to avoid contact with reinforcement
- Embedment depth markings help to ensure precise installation of the anchor
- Design of R-XPTII allows drilling and installing directly through the fixture and helps to reduce installation time
- High quality with cost effectiveness
- Cold formed body ensures consistent dimensional accuracy

**APPLICATIONS**

- Cladding restraint
- Curtain wall
- Balustrading
- Barriers
- Handrails
- Racking
- Structural steel
- Bollards

**BASE MATERIALS**

- Approved for use in:
- Non-cracked concrete C20/25-C50/60
  - Unreinforced concrete
  - Reinforced concrete
  - Also suitable for use in natural stone

STOCK CODE	SIZE	
<b>M8 - DRILL HOLE Ø 8mm</b>		
6311	M8 x 50mm	100
6312	M8 x 60mm	100
6313	M8 x 65mm	100
6314	M8 x 75mm	100
6315	M8 x 80mm	100
6316	M8 x 95mm	100
6317	M8 x 105mm	100
6318	M8 x 115mm	100
6319	M8 x 140mm	100
<b>M10 - DRILL HOLE Ø 10mm</b>		
6320	M10 x 65mm	50
6321	M10 x 80mm	50
6322	M10 x 95mm	50
6323	M10 x 115mm	50
6324	M10 x 130mm	50
6325	M10 x 140mm	50
<b>M12 - DRILL HOLE Ø 12MM</b>		
6326	M12 x 80mm	50
6327	M12 x 100mm	50

STOCK CODE	SIZE	
6328	M12 x 120mm	50
6329	M12 x 125mm	50
6330	M12 x 135mm	50
6331	M12 x 150mm	50
6332	M12 x 180mm	50
6333	M12 x 220mm	50
<b>M16 - DRILL HOLE Ø 16mm</b>		
6334	M16 x 100mm	25
6336	M16 x 125mm	25
6338	M16 x 140mm	25
6339	M16 x 180mm	25
6340	M16 x 220mm	25
<b>M20 - DRILL HOLE Ø 20mm</b>		
6341	M20 x 125mm	5
6342	M20 x 160mm	5
6343	M20 x 200mm	5
<b>M24 - DRILL HOLE Ø 24mm</b>		
6344	M24 x 260mm	5



FASTENINGS, FIXINGS & ACCESSORIES

## RAWLPLUG R-XPT THROUGH BOLT

ST/ST

ETA-08/0339 (M8 - M20)



### FEATURES AND BENEFITS

- High performance in non-cracked concrete
- Stainless steel material for corrosion resistance
- Design of R-XPT allows drilling and installing directly through the fixture and helps to reduce installation effort
- Embedment depth markings help to ensure precise installation of the anchor
- R-XPT-A4 is suitable for reduced embedment to avoid contact with reinforcement
- Head marking helps to determine anchor length and setting depth after installation
- Optimized expander design with six grip features allows for a high load-bearing capacity
- Cold formed body ensures consistent dimensional accuracy

### APPLICATIONS

- Cladding restraint
- Curtain wall
- Balustrading
- Barriers
- Handrails
- Racking
- Structural steel
- Bollards

### BASE MATERIALS

Approved for use in:

- Non-cracked concrete C20/25-C50/60

STOCK CODE	SIZE	
<b>M6 - DRILL HOLE Ø 6mm</b>		
6345	M6 x 50mm	100
6346	M6 x 85mm	100
<b>M8 - DRILL HOLE Ø 8MM</b>		
6347	M8 x 60mm	100
6348	M8 x 75mm	100
6349	M8 x 85mm	100
6350	M8 x 95mm	100
6351	M8 x 105mm	100
6352	M8 x 115mm	100
<b>M10 - DRILL HOLE Ø 10mm</b>		
6353	M10 x 65mm	50
6354	M10 x 80mm	50
6355	M10 x 95mm	50
6356	M10 x 115mm	50
6357	M10 x 130mm	50
6358	M10 x 140mm	50
<b>M12 - DRILL HOLE Ø 12mm</b>		
6359	M12 x 80mm	50
6360	M12 x 100mm	50
63601	M12 x 115mm	50

STOCK CODE	SIZE	
6361	M12 x 125mm	50
6362	M12 x 150mm	50
<b>M16 - DRILL HOLE Ø 16mm</b>		
6364	M16 x 125mm	25
6367	M16 x 180mm	25
6368	M16 x 220mm	25
<b>M20 - DRILL HOLE Ø 20mm</b>		
6370	M20 X 160mm	25
6372	M20 X 300mm	10
<b>M24 - DRILL HOLE Ø 24mm</b>		
6373	M24 X 260mm	10

## RAWLPLUG R-SPL-II-C SAFETY PLUS ANCHOR

STOCK CODE	SIZE	
RSPL12125C	M12 x 125mm	25



**fischer**  **FBN II FISCHER THROUGH BOLT**

Suitable for use in concrete over 20N/mm<sup>2</sup>. The through bolt requires a hole in the concrete the same diameter as in fixture thus allowing the hole to be drilled through the fixture avoiding lengthy marking out procedures.



**BZP**

STOCK CODE	THREAD Ø	MAX. FIXTURE THICKNESS	
<b>M6</b>			
6374	M6	40mm	100
6375	M6	55mm	100
6376	M6	75mm	100
<b>M8</b>			
6377	M8	56mm	100
6378	M8	71mm	50
6380	M8	111mm	50
6381	M8	161mm	50
<b>M10</b>			
6382	M10	71mm	50
6383	M10	86mm	50
6384	M10	126mm	20
6385	M10	176mm	20
6386	M10	216mm	20
6387	M10	236mm	20
<b>M12</b>			
6388	M12	86mm	20
6390	M12	111mm	20
6389	M12	115mm	20
6391	M12	126mm	20
6392	M12	146mm	20
6393	M12	196mm	20
<b>M16</b>			
6394	M16	145mm	10
6395	M16	170mm	10
6397	M16	220mm	10
<b>M20</b>			
6398	M20	187mm	10
6399	M20	217mm	10
6400	M20	277mm	10



**GALV**

STOCK CODE	THREAD Ø	MAX. FIXTURE THICKNESS	
<b>M8</b>			
6401	M8	60mm	100
6402	M8	71mm	100
6403	M8	115mm	50
6404	M8	165mm	50
<b>M10</b>			
6405	M10	70mm	20
6406	M10	90mm	20
6407	M10	125mm	20
6408	M10	175mm	20
<b>M12</b>			
6414	M12	200mm	20
<b>M16</b>			
6415	M16	110mm	20
6416	M16	145mm	20
6417	M16	170mm	20
6418	M16	220mm	20



**ST/ST A4**

STOCK CODE	THREAD Ø	MAX. FIXTURE THICKNESS	
<b>M6</b>			
6419	M6	75mm	100
<b>M10</b>			
6424	M10	96mm	50
6425	M10	125mm	50
6426	M10	175mm	50
<b>M12</b>			
6427	M12	115mm	20
6428	M12	145mm	20
6429	M12	200mm	20
<b>M16</b>			
6430	M16	110mm	20
6431	M16	145mm	20
6432	M16	170mm	20

## fischer FAZ II PLUS FISCHER THROUGH BOLT

A Fischer through bolt is a heavy-duty fastener designed to provide a secure fixing by passing completely through the material. The bolt is tightened with a nut and washer on the opposite side, creating a strong and reliable connection suitable for a wide range of construction and structural applications.



### ST/ST A4

STOCK CODE	THREAD Ø	MAX. FIXTURE THICKNESS	
<b>M6</b>			
FAZIIP610S	M6	10mm	100
FAZIIP620S	M6	20mm	100
<b>M8</b>			
FAZIIP810S	M8	10mm	100
FAZIIP830S	M8	30mm	100
FAZIIP850S	M8	50mm	100
<b>M10</b>			
FAZIIP1010S	M10	10mm	100
FAZIIP1020S	M10	20mm	100
FAZIIP1030S	M10	30mm	100
FAZIIP1050S	M10	50mm	100
FAZIIP1070S	M10	70mm	100
FAZIIP10100S	M10	100mm	50
FAZIIP10160S	M10	160mm	50
<b>M12</b>			
FAZIIP1210S	M12	10mm	50
FAZIIP1220S	M12	20mm	50
FAZIIP1230S	M12	30mm	50
FAZIIP1250S	M12	50mm	50
<b>M16</b>			
FAZIIP165S	M16	5mm	50
FAZIIP1625S	M16	25mm	50
FAZIIP1650S	M16	50mm	50
FAZIIP16100S	M16	100mm	50
<b>M20</b>			
FAZIIP2030S	M20	30mm	50
FAZIIP2060S	M20	60mm	50
<b>M24</b>			
FAZIIP2430S	M24	30mm	50
FAZIIP2460S	M24	60mm	50

### ZINC

STOCK CODE	THREAD Ø	MAX. FIXTURE THICKNESS	
<b>M6</b>			
FAZIIP610Z	M6	10mm	100
FAZIIP620Z	M6	20mm	100
<b>M8</b>			
FAZIIP810Z	M8	10mm	100
FAZIIP830Z	M8	30mm	100
FAZIIP850Z	M8	50mm	100
FAZIIP8100Z	M8	100mm	50
FAZIIP8160Z	M8	160mm	50
<b>M10</b>			
FAZIIP1010Z	M10	10mm	100
FAZIIP1020Z	M10	20mm	100
FAZIIP1030Z	M10	30mm	100
FAZIIP1050Z	M10	50mm	100
FAZIIP1080Z	M10	80mm	100
FAZIIP10100Z	M10	100mm	50
FAZIIP10160Z	M10	160mm	50
<b>M12</b>			
FAZIIP1210Z	M12	10mm	50
FAZIIP1220Z	M12	20mm	50
FAZIIP1230Z	M12	30mm	50
FAZIIP1250Z	M12	50mm	50
FAZIIP1280Z	M12	80mm	50
FAZIIP12100Z	M12	100mm	50
FAZIIP12160Z	M12	160mm	50
FAZIIP12200Z	M12	200mm	50
<b>M16</b>			
FAZIIP1625Z	M16	25mm	50
FAZIIP1650Z	M16	50mm	50
FAZIIP16100Z	M16	100mm	50
FAZIIP16160Z	M16	160mm	50
FAZIIP16200Z	M16	200mm	50
FAZIIP16250Z	M16	250mm	50
<b>M20</b>			
FAZIIP2030Z	M20	30mm	50
FAZIIP2060Z	M20	60mm	50
FAZIIP20160Z	M20	160mm	50
<b>M24</b>			
FAZIIP2430Z	M24	30mm	50
FAZIIP2460Z	M24	60mm	50

## THROUGH BOLT

### ZYP

Suitable for use in concrete over 20N/mm<sup>2</sup>. The through bolt requires a hole in the concrete the same diameter as in fixture thus allowing the hole to be drilled through the fixture avoiding lengthy marking out procedures.



STOCK CODE	SIZE	MIN. FIXING THICKNESS	
<b>M6 - MIN. HOLE DEPTH 35MM</b>			
6063	M6 x 55mm	15mm	100
6064	M6 x 85mm	45mm	100
<b>M8 - MIN. HOLE DEPTH 40MM</b>			
6065	M8 x 50mm	5mm	100
6066	M8 x 65mm	20mm	100
6067	M8 x 80mm	35mm	50
6071	M8 x 100mm	55mm	50
6070	M8 x 115mm	70mm	50
<b>M10 - MIN. HOLE DEPTH 50MM</b>			
6073	M10 x 65mm	8mm	50
6074	M10 x 75mm	18mm	50
6075	M10 x 100mm	33mm	50
6076	M10 x 120mm	63mm	20
<b>M12 - MIN. HOLE DEPTH 65MM</b>			
6077	M12 x 80mm	25mm	20

STOCK CODE	SIZE	MIN. FIXING THICKNESS	
6078	M12 x 100mm	25mm	20
6079	M12 x 120mm	50mm	20
6080	M12 x 140mm	65mm	20
6081	M12 x 180mm	105mm	20
<b>M16 - MIN. HOLE DEPTH 85MM</b>			
6083	M16 x 125mm	30mm	20
6084	M16 x 150mm	55mm	20
6085	M16 x 175mm	80mm	20
<b>M20 - MIN. HOLE DEPTH 100MM</b>			
6086	M20 x 130mm	20mm	10
6087	M20 x 160mm	50mm	10
6088	M20 x 215mm	105mm	10



FASTENINGS, FIXINGS & ACCESSORIES

**COLLARED HAMMERSCREW****BZP** ETA APPROVED

STOCK CODE	SIZE	
6X40HAMLH	6mm x 40mm	100

**HIGH PERFORMANCE LONG PLUG**

HEX A4SS FRAME FIXING

10mm SDS PLUS DRILL BIT HOLE

TORX 40 DRIVE

13mm HEX HEAD

STOCK CODE	SIZE	
10X60HEXFRA4	10mm x 60mm	100
10X80HEXFRA4	10mm x 80mm	100
10X100HEXFRA4	10mm x 100mm	100



STOCK CODE	SIZE	
10X120HEXFRA4	10mm x 120mm	100
10X140HEXFRA4	10mm x 140mm	100
10X160HEXFRA4	10mm x 160mm	100

**NYLON FRAME FIXING****ZYP**

STOCK CODE	SIZE	
10X120FRAM	10mm x 120mm	100
10X140FRAM	10mm x 140mm	100



STOCK CODE	SIZE	
10X160FRAM	10mm x 160mm	100

**HAMMER-IN FIXING**

STOCK CODE	SIZE	
6614	5mm x 30mm	100
6615	5mm x 40mm	100

**HAMMERFIX****A2 STAINLESS**

STOCK CODE	SIZE	
6X40HAMA2	6mm x 40mm	100
6X60HAMA2	6mm x 60mm	100
8X60HAMA2	8mm x 60mm	100



STOCK CODE	SIZE	
8X80HAMA2	8mm x 80mm	100
8X100HAMA2	8mm x 100mm	100

**NYLON HAMMERSCREW****ZYP**

STOCK CODE	SIZE	
6X40HAMSC	6mm x 40mm	200
6X50HAMSC	6mm x 50mm	200
6X60HAMSC	6mm x 60mm	200
6X70HAMSC	6mm x 70mm	200
6X80HAMSC	6mm x 80mm	200



STOCK CODE	SIZE	
8X60HAMSC	8mm x 60mm	100
8X80HAMSC	8mm x 80mm	100
8X100HAMSC	8mm x 100mm	100
8X120HAMSC	8mm x 120mm	100
8X140HAMSC	8mm x 140mm	100

**RAWLPLUG CHEMICAL ANCHOR STUD**

Suitable for all capsule and cartridge resin bonded systems (except hammer capsules). M8 - M20 studs contain a socket driver system suitable for standard drill chucks. It comes with nut & washer.



<b>BZP</b>	<b>GALV</b>	<b>ST/ST A2</b>				
STOCK CODE	STOCK CODE	STOCK CODE	SIZE	MIN. HOLE DIA.	MIN. HOLE DEPTH	
6097	6474	6477	M8 x 110mm	10mm	80mm	10
6098	6225	6229	M10 x 130mm	12mm	90mm	10
6099	6226	6230	M12 x 160mm	14mm	110mm	10
6100	6227	6231	M16 x 190mm	18mm	125mm	10
6101	6228	6232	M20 x 260mm	22mm	170mm	10

**CHEMICAL ANCHOR STUD**

HT GRADE 8.8 **BZP**



STOCK CODE	SIZE	
6097HT	M8 x 110mm	10
6098HT	M10 x 130mm	10
6099HT	M12 x 160mm	10

STOCK CODE	SIZE	
6100HT	M16 x 190mm	10
6101HT	M20 x 260mm	5

**RAWLPLUG CHEMICAL ANCHOR STUD**

HT GRADE 8.8 **BZP**



STOCK CODE	SIZE	
6098HTR	M10 x 130mm	10
6099HTR	M12 x 160mm	10

STOCK CODE	SIZE	
6100HTR	M16 x 190mm	10

**fischer** **CHEMICAL ANCHOR STUD**

HT GRADE 8.8 **BZP**



STOCK CODE	SIZE	
6098HTF	M10 x 130mm	10
6099HTF	M12 x 160mm	10

STOCK CODE	SIZE	
6100HTF	M16 x 200mm	10
6101HTF	M20 x 290mm	5

FASTENINGS, FIXINGS & ACCESSORIES

## SCREWBOLT STUD

STOCK CODE	SIZE	
SCREWSTM12	M10 x 120mm (M12 x 25mm)	50
SCREWSTM16	M14 x 165mm (M16 x 25mm)	50




## WEDGE ANCHOR

The wedge anchor is a Deformation Controlled Drop-In Anchor suitable for use in concrete over 20N/mm<sup>2</sup>. This anchor must be installed using the correct setting punch.



<b>BZP</b>		<b>ST/ST A4</b>						
STOCK CODE	STOCK CODE	SIZE	ANCHOR LENGTH	ANCHOR HOLE Ø	MIN. HOLE DEPTH	INTERNAL THREAD LENGTH		
6111	-	M6	25mm	8mm	25mm	9mm	100	
6112	6650	M8	30mm	10mm	30mm	12mm	100	
6113	6651	M10	40mm	12mm	40mm	16mm	50	
6114	6652	M12	51mm	15mm	51mm	18mm	50	
6115	6653	M16	67mm	20mm	67mm	22mm	25	
6116	-	M20	83mm	25mm	83mm	30mm	25	

**fischer** 
  
**DROP IN ANCHOR**


- Suitable for non-cracked concrete and for anchoring light ceiling linings and suspended ceilings
- Suitable for all screws or studs with metric threads
- Low anchoring depth reduces drilling time and thus cost-efficient installation
- Surface-flush anchor allows the attached item to be removed and re-fitted several times

STOCK CODE	SIZE	
6780	M16	25

**SETTING OUT PUNCH**  
 WITH HANDGRIP


STOCK CODE	SIZE	
6122HG	M16	1

**fischer** 
  
**HAMMERSET ANCHOR**


- Simple Hammerset installation: no slippage during assembly due to the pronounced edge on the anchor sleeve.
- Use of standard metric screws and threaded rods lowers complexity.
- Power-saving series installation with machine setting tool EA II S-SDS.
- Visual control due to embossing.
- ETA approval for multiple fixings.

STOCK CODE	SIZE	
6780	M16	25

## SETTING PUNCH



## TO SUIT WEDGE ANCHORS

STOCK CODE	SIZE	
6117	M6	1
6118	M8	1
6119	M10	1
6120	M12	1
6121	M16	1
6122	M20	1

## CHEMICAL SOCKET

Zinc plated and yellow passivated min 6µ. Provide an internal thread in the base material.



STOCK CODE	INT. THREAD Ø mm	INT. THREAD LENGTH	OUTSIDE Ø	ANCHOR LENGTH	MIN. HOLE Ø	MIN. HOLE DEPTH	
6103	M8	25mm	12mm	75mm	14mm	75mm	10
6104	M10	30mm	16mm	75mm	18mm	75mm	10
6105	M12	35mm	20mm	100mm	22mm	100mm	10
6106	M16	50mm	24mm	125mm	28mm	125mm	10

## SLEEVE ANCHOR NUT TYPE



STOCK CODE	SIZE	
<b>M8</b>		
6004	10mm x 50mm	100
6005	10mm x 77mm	100
6006	10mm x 97mm	100
6007	10mm x 125mm	100
<b>M10</b>		
6009	12mm x 75mm	100
6010	12mm x 100mm	100
6011	12mm x 130mm	100
<b>M12</b>		
6012	16mm x 65mm	100
6013	16mm x 110mm	100

## SLEEVE ANCHOR BOLT TYPE



STOCK CODE	SIZE	
<b>M8</b>		
6021	10mm x 50-55mm	100
6022	10mm x 80mm	100
6023	10mm x 100mm	100
<b>M10</b>		
6024	12 x 60-65mm	100
6025	12 x 75-80mm	100
6026	12mm x 100mm	100
<b>M12</b>		
6027	16mm x 75mm	100
6028	16mm x 120mm	100

## Excalibur<sup>®</sup> HEXAGON ANCHOR SCREWBOLT BZP

SCREWBOLTS



STOCK CODE	SIZE	
6455	6mm x 50mm	100
6456	6mm x 75mm	100
6457	6mm x 100mm	100
6654	8mm x 50mm	100
6655	8mm x 75mm	100
6656	8mm X 100mm	100
6459	10mm x 60mm	50
6460	10mm x 75mm	50
6461	10mm x 100mm	50
6462	10mm x 120mm	50

STOCK CODE	SIZE	
6463	10mm x 150mm	50
6464	12mm x 75mm	50
6465	12mm x 100mm	50
6466	12mm x 150mm	25
64671	16mm X 120mm	25
6467	16mm x 100mm	25
6468	16mm x 150mm	25
6469	16mm x 200mm	25
6470	20mm x 100mm	25
6471	20mm x 150mm	25
6472	20mm x 200mm	25

## MULTI-SUBSTRATE ANCHOR COUNTERSUNK TORX HEAD



STOCK CODE	SIZE	ANCHOR Ø	MAX. FIXING THICKNESS	
6131	M6 x 50mm	8mm	20mm	100
6132	M6 x 75mm	8mm	40mm	100
6133	M6 x 100mm	8mm	60mm	100

STOCK CODE	SIZE	ANCHOR Ø	MAX. FIXING THICKNESS	
6134	M6 x 120mm	8mm	80mm	100
6135	M6 x 130mm	8mm	90mm	100
6136	M6 x 150mm	8mm	100mm	100

## MULTI-SUBSTRATE ANCHOR HEXAGON FLANGE HEAD



STOCK CODE	SIZE	ANCHOR Ø	MAX. FIXING THICKNESS	
6137	M6 x 50mm	8mm	20mm	100
6138	M6 x 75mm	8mm	40mm	100
6139	M6 x 100mm	8mm	60mm	100

STOCK CODE	SIZE	ANCHOR Ø	MAX. FIXING THICKNESS	
6140	M6 x 120mm	8mm	80mm	100
6141	M6 x 130mm	8mm	90mm	100
6142	M6 x 150mm	8mm	100mm	100

## MULTI-SUBSTRATE ANCHOR HEXAGON HEAD



STOCK CODE	SIZE	
6143	8mm x 60mm	100
6144	8mm x 75mm	100
6145	8mm x 100mm	100
6146	10mm x 75mm	100
6147	10mm x 100mm	100
6753	10mm x 130mm	100
6148	10mm x 150mm	100
6149	12mm x 75mm	100
6150	12mm x 100mm	100
6151	12mm x 130mm	100

STOCK CODE	SIZE	
6152	12mm x 150mm	100
6153	12mm x 200mm	100
6624	14mm x 75mm	100
6625	14mm x 100mm	100
6626	14mm x 130mm	100
6627	14mm x 150mm	100
6628	14mm x 200mm	100
6629	16mm x 100mm	100
6631	16mm x 150mm	100

**FOR FAST DELIVERY CALL OUR  
SALES TEAM ON 020 8699 6777  
OR TO ORDER ONLINE VISIT  
WWW.SELKENT.COM** 

## fischer FBS II ULTRACUT CONCRETE SCREW

The unique saw-tooth geometry cuts quickly into the substrate and can be installed several times. The special thread geometry means that the screw flanks cut deeply into the concrete and allowing for high loads.

- Expansion-free anchoring (undercut) allows for lowest edge and axle clearances
- The assessment (ETA Option 1) covers the use of single-point anchors in cracked and non-cracked concrete
- The performance categorys Seismic C1 and C2 assessment ensures that the strictest of safety standards has been fulfilled (also with high earthquake specifications)
- The countersunk head is very suitable for visually appealing
- The checking gauge allows a multiple use covered by the approval



### A4 ST/ST

STOCK CODE	SIZE	
FBSII860S	8mm x 60mm	50
FBSII870S	8mm x 70mm	50
FBSII880S	8mm x 80mm	50
FBSII890S	8mm x 90mm	50
FBSII1070S	10mm x 70mm	50
FBSII1090S	10mm x 90mm	50
FBSII10100S	10mm x 100mm	50
FBSII10120S	10mm x 120mm	50
FBSII12130S	12mm x 130mm	20

### ZINC

STOCK CODE	SIZE	
FBSII855Z	8mm x 55mm	50
FBSII870Z	8mm x 7mm	50
FBSII880Z	8mm x 8mm	50
FBSII8100Z	8mm x 100mm	50
FBSII8130Z	8mm x 130mm	50
FBSII1060Z	10mm x 60mm	50
FBSII1070Z	10mm x 70mm	50
FBSII1080Z	10mm x 80mm	50
FBSII1090Z	10mm x 90mm	50
FBSII10100Z	10mm x 100mm	50
FBSII10120Z	10mm x 120mm	50
FBSII10140Z	10mm x 140mm	50
FBSII10160Z	10mm x 160mm	50
FBSII10200Z	10mm x 200mm	20
FBSII10230Z	10mm x 230mm	20
FBSII10260Z	10mm x 260mm	20
FBSII1285Z	12mm x 85mm	20
FBSII12110Z	12mm x 110mm	20
FBSII12130Z	12mm x 130mm	20
FBSII12150Z	12mm x 150mm	20
FBSII1475Z	14mm x 75mm	20
FBSII14100Z	14mm x 100mm	20
FBSII14125Z	14mm x 125mm	10
FBSII14150Z	14mm x 150mm	10

## fischer FBS II CHECKING GAUGE FUP 14

Used to check the reliability of the Fischer Ultra Cut FBS II 14.



STOCK CODE	SIZE	
FUFBSII14CG	M14	1

## BLUE TIP SCREWBOLT

BLUE-TIP 2 SCREW-BOLTS are one-piece, heavy duty concrete screws with ETA Option 1 approval. The patented thread taps into the hole during installation to provide keyed engagement and to allow for reduced edge and spacing distances.

- Fast installation using a powered impact wrench
- Patented tough thread design for tapping high-strength concrete with low installation torque.
- Can be installed closer to edges than traditional expansion anchors.
- Fully removable and reinstallable in the same hole for maximum versatility.



STOCK CODE	SIZE	
6669	10mm x 100mm	50
6677	12mm x 100mm	50
6679	16mm x 100mm	50
6680	16mm x 130mm	50
6681	16mm x 150mm	50

## TORX 30 SELF-TAPPING COUNTERSUNK CONCRETE SCREW

6mm DRILL HOLE

STOCK CODE	SIZE	
7.5X62FRFIX	7.5 x 62mm	100
7.5X72FRFIX	7.5 x 72mm	100
7.5X82FRFIX	7.5 x 82mm	100
7.5X92FRFIX	7.5 x 92mm	100
7.5X102FRFIX	7.5 x 102mm	100
7.5X112FRFIX	7.5 x 112mm	100
7.5X122FRFIX	7.5 x 122mm	100



STOCK CODE	SIZE	
7.5X132FRFIX	7.5 x 132mm	100
7.5X152FRFIX	7.5 x 152mm	100
7.5X162FRFIX	7.5 x 162mm	100
7.5X182FRFIX	7.5 x 182mm	100
7.5X202FRFIX	7.5 x 202mm	100
7.5X212FRFIX	7.5 x 212mm	100

## HEXAGON A4 STAINLESS STEEL TAPCON

5.15 SDS PLUS DRILL BIT PILOT HOLE

STOCK CODE	SIZE	
4H32A4	6.3mm x 32mm	100
4H45A4	6.3mm x 45mm	100
4H57A4	6.3mm x 57mm	100



STOCK CODE	SIZE	
4H70A4	6.3mm x 70mm	100
4H82A4	6.3mm x 82mm	100
4H100A4	6.3mm x 100mm	100

## COUNTERSUNK TAPCON

STOCK CODE	SIZE	FIXTURE THICKNESS PART	
6694	3F32 4.8mm x 32mm	0mm - 7mm	100
6695	3F45 4.8mm x 45mm	5mm - 20mm	100
6696	3F57 4.8mm x 57mm	17mm - 32mm	100
6697	3F70 4.8mm x 70mm	30mm - 45mm	100
6698	3F82 4.8mm x 82mm	42mm - 57mm	100
6699	3F100 4.8mm x 100mm	60mm - 75mm	100
6700	4F32 6.3mm x 32mm	0mm - 7mm	100



STOCK CODE	SIZE	FIXTURE THICKNESS PART	
6701	4F45 6.3mm x 45mm	5mm - 20mm	100
6702	4F57 6.3mm x 57mm	17mm - 32mm	100
6703	4F70 6.3mm x 70mm	30mm - 45mm	100
6704	4F82 6.3mm x 82mm	42mm - 57mm	100
6705	4F100 6.3mm x 100mm	60mm - 75mm	100
6706	4F125 6.3mm x 125mm	85mm - 100mm	100

## HEXAGON HEAD TAPCON 4.8MM

STOCK CODE	SIZE	
6707	3H32 4.8mm x 32mm	100
6708	3H45 4.8mm x 45mm	100
6709	3H57 4.8mm x 57mm	100



## HEXAGON HEAD TAPCON 6.3MM

5.15 HEX HEADED SDS PLUS DRILL BIT PILOT HOLE

STOCK CODE	SIZE	
4H32TAPCON	6.3mm x 32mm	100
4H45TAPCON	6.3mm x 45mm	100
4H57TAPCON	6.3mm x 57mm	100
4H70TAPCON	6.3mm x 70mm	100
4H82TAPCON	6.3mm x 82mm	100
4H100TAPCON	6.3mm x 100mm	100




STOCK CODE	SIZE	
4H125TAPCON	6.3mm x 125mm	100
4H140TAPCON	6.3mm x 140mm	100
4H160TAPCON	6.3mm x 160mm	100
4H180TAPCON	6.3mm x 180mm	100
4H200TAPCON	6.3mm x 200mm	100
4H254TAPCON	6.3mm x 254mm	100

## MILD STEEL PACKER

STOCK CODE	THICKNESS	SLOT HOLE	GALV TYPE	
<b>50mm x 50mm</b>				
6545	1mm	14mm	Pre Galv	500
3275	2mm	14mm	Pre Galv	200
6546	3mm	14mm	Pre Galv	200
6547	5mm	14mm	Pre Galv	200
6570	10mm	14mm	Hot Dip	100
<b>50mm x 100mm</b>				
6548	1mm	14mm	Pre Galv	500
3276	2mm	14mm	Pre Galv	300
6549	3mm	14mm	Pre Galv	200
6550	5mm	14mm	Pre Galv	100
6571	10mm	14mm	Hot Dip	50
<b>75mm x 100mm</b>				
6551	1mm	22mm	Pre Galv	200
3277	2mm	22mm	Pre Galv	100
6552	3mm	22mm	Pre Galv	100
6553	5mm	22mm	Pre Galv	50
6572	10mm	22mm	Hot Dip	25

## ALUMINIUM PACKER



STOCK CODE	THICKNESS	SLOT HOLE	GALV TYPE	
<b>50mm x 50mm</b>				
6851	1mm	14mm	Pre Galv	1000
6852	2mm	14mm	Pre Galv	300
6853	3mm	14mm	Pre Galv	200
6855	5mm	14mm	Hot Dip	200
6850	10mm	14mm	Pre Galv	100

## HORSESHOE PLASTIC SHIM

LOAD BEARING  
70mm x 70mm



STOCK CODE	THICKNESS	
HPS7002	2mm	250
HPS7003	3mm	150
HPS7005	5mm	100
HPS7007	7mm	250
HPS7010	10mm	50
HPS7020	20mm	24



STOCK CODE	THICKNESS	SLOT HOLE	GALV TYPE	
<b>100mm x 100mm</b>				
6554	1mm	25mm	Pre Galv	200
3278	2mm	25mm	Pre Galv	100
6555	3mm	25mm	Pre Galv	100
6556	5mm	25mm	Pre Galv	50
6573	10mm	25mm	Hot Dip	25
<b>100mm x 150mm</b>				
6566	1mm	25mm	Pre Galv	200
3279	2mm	25mm	Pre Galv	100
6567	3mm	25mm	Pre Galv	50
6568	5mm	25mm	Pre Galv	50
6574	10mm	25mm	Hot Dip	10

## PLASTIC SHIM

LOAD BEARING  
70mm x 70mm



STOCK CODE	THICKNESS	
SPS7002	2mm	250
SPS7003	3mm	250
SPS7005	5mm	125
SPS7007	7mm	250
SPS7010	10mm	125
SPS7020	20mm	125

**CONTACT OUR SALES TEAM**

 **020 8699 6777**

 **SALES@SELKENT.COM**

 **WWW.SELKENT.COM**

**HORSESHOE PACKER**


TYPE D

**35mm x 45mm**

STOCK CODE	THICKNESS	
35X45X1PS	1mm	1000
35X45X2PS	2mm	1000
35X45X3PS	3mm	1000
35X45X4PS	4mm	1000
35X45X5PS	5mm	1000
35X45X6PS	6mm	1000
35X45X10PS	10mm	1000
35X45MIXPS	Mixed	1300

**100mm x 50mm**

STOCK CODE	THICKNESS	
100X50X1PS	1mm	1000
100X50X2PS	2mm	1000
100X50X3PS	3mm	1000
100X50X4PS	4mm	1000
100X50X5PS	5mm	1000
100X50X6PS	6mm	1000
100X50X10PS	10mm	1000
100X50MIXPS	Mixed	1300

**PLASTIC PACKER****SMALL SIZE - 55mm x 43mm****Standard Pack**

STOCK CODE	THICKNESS	COLOUR	
6486	1mm	Yellow	200
6487	2mm	Green	200
6488	3mm	Blue	200
6489	4mm	Red	200
6490	5mm	Brown	200
6491	6mm	Black	200
6492	10mm	Grey	200

**Bulk Pack**

STOCK CODE	THICKNESS	COLOUR	
6494	1mm	Yellow	1000
6495	2mm	Green	1000
6496	3mm	Blue	1000
6497	4mm	Red	1000
6498	5mm	Brown	1000
6499	6mm	Black	1000
6500	10mm	Grey	1000

**STANDARD SIZE - 101mm x 43mm****Standard Pack**

STOCK CODE	THICKNESS	COLOUR	
6502	1mm	Yellow	200
6503	2mm	Green	200
6504	3mm	Blue	200
6505	4mm	Red	200
6506	5mm	Brown	200
6507	6mm	Black	200
6508	10mm	Grey	200

**Bulk Pack**

STOCK CODE	THICKNESS	COLOUR	
6510	1mm	Yellow	500
6511	2mm	Green	500
6512	3mm	Blue	500
6513	4mm	Red	500
6514	5mm	Brown	500
6515	6mm	Black	500
6516	10mm	Grey	500

**SMALL SIZE ASSORTED- 55mm x 43mm****Standard Pack**

STOCK CODE	THICKNESS	COLOUR	
6493	-	Assorted	200
6501	-	Assorted	1000

**STANDARD SIZE ASSORTED- 101mm x 43mm****Standard Pack**

STOCK CODE	THICKNESS	COLOUR	
6509	-	Assorted	200
6517	-	Assorted	500

**FLAT GLAZING PACKER****100mm x 24mm**

STOCK CODE	THICKNESS	COLOUR	
6518	1mm	Green	1000
6519	2mm	Black	1000
6520	3mm	White	1000
6521	4mm	Grey	1000
6522	5mm	Blue	1000
6523	6mm	Red	1000

**100mm x 28mm**

STOCK CODE	THICKNESS	COLOUR	
6524	1mm	Green	1000
6525	2mm	Black	1000
6526	3mm	White	1000
6527	4mm	Grey	1000
6528	5mm	Blue	1000
6529	6mm	Red	1000
6530	ASSORTED		1000

**ASSORTED SMALL AND STANDARD PACKERS****100mm x 30mm**

STOCK CODE	THICKNESS	COLOUR	
6531	1mm	Green	1000
6532	2mm	Black	1000
6533	3mm	White	1000
6534	4mm	Grey	1000
6535	5mm	Blue	1000
6536	6mm	Red	1000

**100mm x 32mm**

STOCK CODE	THICKNESS	COLOUR	
6537	1mm	Green	1000
6538	2mm	Black	1000
6539	3mm	White	1000
6540	4mm	Grey	1000
6541	5mm	Blue	1000
6542	6mm	Red	1000

STOCK CODE	
6543	100
6544	200

**WINDOW GLAZING PACKER - CLEAR****100mm x 15mm**

STOCK CODE	THICKNESS	
100X15X1SHIM	1mm	1000
100X15X2SHIM	2mm	1000
100X15X3SHIM	3mm	1000

STOCK CODE	THICKNESS	
100X15X4SHIM	4mm	1000
100X15X5SHIM	5mm	1000
100X15X6SHIM	6mm	1000

**VANTAGE HOUSE**

As part of Selkent's wider growth plans, we've opened Vantage House. This investment strengthens our service offering with increased stock capacity and a more efficient pick-and-dispatch operation, helping us support customers nationwide with faster, more reliable delivery and long-term, sustainable growth.

Vantage House,  
Trinity Trading Estate,  
ME10 2PD



# SELV410+

Seismic C1  
Cracked and  
non-cracked  
concrete

## HYBRID VINYLESTER RESIN

STOCK CODE	SIZE	
SELV410PLUS	410ml	10

Box of 10 includes 10 mixing nozzles.

### APPLICATIONS AND USES

Structural steelwork, guardrails, façades, staircases, machines, canopies, brackets, rebar connections, safety barriers, racking systems, formwork supports, pipework and ductwork installations, fencing and gates, platforms, cable conduits, passenger lifts, street lighting columns, and heavy-duty anchoring in both concrete and masonry substrates.

### KEY BENEFITS

- ETA approved for cracked and non-cracked concrete (EAD 330499-01-0601)
- Long working life – up to 100 years service durability
- Reliable installation in dry, damp, or water-filled holes
- No hole cleaning required when used with dustless drill bits
- Extended mixer nozzle for precise and comfortable application
- Partly used cartridges can be reused with replacement nozzles
- Very high load-bearing performance for structural fixings
- Tests in fire conditions confirm the fire resistance up to R120

### GELLING AND CURING TIMES

SUBSTRATE TEMPERATURE C°	>30-40	>20-30	>10-20	>5-10	>0-5	-5-0*
PROCESSING TIME (mins)	2	4	5	9	13	-
CURING TIME (mins)	35	45	60	90	180	24hrs

### APPROVALS AND CERTIFICATES

- ETA-24/0781 Masonry.
- ETA-24/0778 Concrete.
- ETA-20/0780 Post-installed rebar connections.



### SUITABLE RESIN GUN



STOCK CODE	
6165	1

### SEL-V400+ RESIN MIXER NOZZLE



STOCK CODE	
SELV410PLUSNOZ	10



# SEL410 POL+

Non-cracked concrete for threaded rods.  
May be used in a variety of solid substrates,  
masonry and hollow walls with nylon sleeves.

## POLYESTER RESIN 10:1

STOCK CODE	SIZE	
SEL410POL	410ml	12

Box of 12 includes 12 mixing nozzles.

### APPLICATIONS AND USES

SEL410POL is a two-part chemical anchoring resin designed to anchor threaded rods in concrete and hollow walls and also has the advantage of good chemical resistance and durability in outdoor situations. This sophisticated chemical anchoring product is a fast curing injection system, delivered through a mixing nozzle directly into the fixing hole. The cartridges are extruded using specially designed fixing tools.

### KEY BENEFITS

- Ideal for hollow walls, brickwork and masonry
- Economical
- Medium duty load applications
- Also suitable as a filler for gap and crack repairs

### APPROVALS AND CERTIFICATES



# SEL410 EPA+

Non-cracked concrete for rebar and threaded rods.  
May be used in a variety of solid  
substrates, masonry and hollow walls.

## EPOXY ACRYLATE SF RESIN STYRENE FREE 10:1

STOCK CODE	SIZE	
SEL410EPA	410ml	12

Box of 12 includes 12 mixing nozzles.

### APPLICATIONS AND USES

SEL410EPA is a two-part chemical anchoring resin based on Epoxy Acrylate and designed to anchor threaded rods and rebar into concrete and also has the advantage of a European Approval covering use in masonry blocks according to the ETAG 029. This is a fast curing injection system, delivered through a mixing nozzle directly into the fixing hole. The cartridges are extruded using specially designed fixing tools.

### KEY BENEFITS

- For use in wet or damp holes
- Good chemical resistance
- Medium and heavy duty load applications
- High durability
- Ideal for indoor and outdoor usage

### APPROVALS AND CERTIFICATES



# SEL410 VYL

Non-cracked concrete  
for rebar and threaded rods.

May be used in a variety  
of solid substrates,  
masonry and hollow walls.

## SEL VINYLESTER STYRENE-FREE 10:1

STOCK CODE	SIZE	
SEL410VYL	410ml	12

Box of 12 includes 12 mixing nozzles.

### APPLICATIONS AND USES

The SEL Vinylester Styrene-Free 10:1 Resin 410ml is a two-component chemical anchoring resin designed for high-performance structural applications. With a styrene-free formula, this resin is ideal for securing threaded rods and rebar in concrete, providing exceptional bond strength and long-lasting performance. Its versatility allows it to be used in wet or damp conditions, making it suitable for a wide range of substrates, including concrete, stone, and marble.

### KEY BENEFITS

- High Load Capacity: Ensures secure and reliable anchoring with standard embedment in concrete and other substrates.
- Fast Working Times: Allows early loading for time-sensitive projects, reducing overall project time.
- Styrene-Free Formula: Ideal for use in indoor and enclosed spaces, offering reduced VOC emissions.
- Durable & Chemical-Resistant: Performs reliably in demanding environments, resistant to a range of chemicals.
- Versatile Usage: Suitable for concrete, stone, marble, rebar, wet conditions, and hollow walls.
- Approved Certifications: ETA Option 1 (Cracked Concrete), TR029 (Post-Installed Rebar), CE Certified, WRAS Approved, and R240 Fire Test Report.

### APPROVALS AND CERTIFICATES

CE 1404	CE 1404	CE 1404
Chemfix Products Ltd 2019	Chemfix Products Ltd 2019	Chemfix Products Ltd 2019
		
Chemfix EASF TOP ETA-180789 EAD 330495-00-2601 M6-M12 Masonry Option 7 Uncracked 1404-CPR-3054	Chemfix EASF TOP ETA-180789 EAD 330078-00-2604 M6 - M12 Masonry 1404-CPR-3053	Chemfix EASF TOP ETA-180789 EAD 330038-00-2601 8mm - 12mm + Fire Post-Installed Rebar 1404-CPR-3134



### SUITABLE RESIN GUN & NOZZEL FOR SEL410POL+, SEL410EPA+ & SEL410VYL

#### RESIN GUN



STOCK CODE

6165



1

#### MIXER NOZZLE



STOCK CODE

6109



10

## fischer FIS V PLUS

Universal all-rounder for the highest requirements. The styrene-free vinylester hybrid mortar with its numerous fixing elements is approved for fixations in cracked and non-cracked concrete as well as in masonry.



STOCK CODE	SIZE	
6209	360ml	6

## fischer FIS P 380 C

A polyester resin mortar for the economical fixing of gratings, cantilevers and handrails in masonry which do not require approval.



STOCK CODE	SIZE	
6214	380ml	6

## fischer FISCHER FIS EM 390S RESIN

- FIS EM Plus with optimised formulation for improved load values in cracked and non-cracked concrete
- For rebar connections from diameter 8 to 40 mm
- Can be used with threaded rod FIS A or internal threaded anchor RG M I for temporary and removable fixing points
- FIS EM Plus is to be processed at temperatures down to -5°C
- More safety due to approvals for diamond drilled and water-filled drill holes as well as seismic applications of performance categories C1, C2



STOCK CODE	SIZE	
6811	390ml	6

## fischer FISCHER FIS VL410 C VINYLESTER INJECTION RESIN

- The FIS VL 410 C is approved for use in cracked concrete and masonry, and achieves a high load-bearing capacity in these conditions
- The temperature resistance of the FIS VL injection mortar is -40 °C to +120 °C
- The FIS VL is a 2-component injection mortar based on vinylester
- Approved for water-filled holes with 410ml coaxial cartridges



STOCK CODE	SIZE	
6812	410ml	6

## fischer FISCHER FIS SB 390 S RESIN

- Extremely high load level in cracked and non-cracked concrete ensures maximum safety
- Variable anchoring depths optimise installation time and materials required
- Installation from -15 °C to 40 °C
- ETA approval for cracked concrete and seismic loads
- Silane technology enables extremely high bond strength and therefore also an extremely high load level



STOCK CODE	SIZE	
6813	390ml	6

## fischer FISCHER RESIN MIXER NOZZLE

- Ensures safe mixing of hardening agent and resin components during application
- With suitable screw connection for the cartridge
- Fischer static mixer FIS MR Plus is screwed onto Fischer injection cartridges and ensures safe, homogeneous mixing of both mortar components during extrusion from the cartridge
- Suitable for: Fischer cartridges: 100, 150, 300, 360, 390, 410 ml



STOCK CODE	
6814	10

## RAWLPLUG R-KER SF VINYLESTER RESIN

### WITH NOZZLE

High performance vinylester resin approved for use in cracked and non-cracked concrete.



STOCK CODE	SIZE	
6210	400ml	10

## RAWLPLUG R-KER-II HYBRID RESIN

High resistance vinylester hybrid resin. ETA Option 1 cracked and non-cracked concrete, rebar.



STOCK CODE	SIZE	
6800	345ml	10
6806	400ml	10

## RAWLPLUG R-KEX-II PURE EPOXY RESIN

Premium pure epoxy resin 3:1 approved for use in cracked and non-cracked concrete.



STOCK CODE	SIZE	
6222	385ml	10

## RAWLPLUG R-KEM II SF POLYESTER RESIN

### BOX OF 10 TUBES

High performance vinylester resin approved for use in cracked and non-cracked concrete.



STOCK CODE	SIZE	
6223	300ml	10
6803	410ml	10

## RAWLPLUG SPARE NOZZLE FOR RAWLPLUG RESINS

PACK OF 10

STOCK CODE	
6801	1



## DELIVERY YOU CAN COUNT ON

Selkent provides a state-of-the-art delivery platform that offers our customers real-time tracking, end-to-end traceability, and digital proof of delivery. It ensures our customers have full visibility into their deliveries with accurate time slots and live van tracking.



End-to-end traceability on every delivery



Real-time GPS precision



Instant digital sign-off




Photo-verified proof of delivery



Professional, auto-generated documentation

**PLASTIC SLEEVE**

For use when voids are encountered in the base material, used to keep resin around the stud.



STOCK CODE	SIZE	MIN. HOLE Ø	MIN. HOLE DEPTH	
6126	6-8	12mm	50mm	50
6127	10-12	15mm	85mm	20

**WIRE MESH SLEEVE**

Wire mesh is supplied 1 metre long and is cut to required length on site.



STOCK CODE	STUD SIZE	MIN. HOLE Ø	
6129	10mm - 12mm	16mm	1
6130	16mm	22mm	1

**HAND DUST BLOW OUT PUMP**

Efficient hole cleaning is crucial to obtain the full load values of any concrete anchor. Use this pump to clean any unwanted debris from the hole before injecting the resin or inserting the capsule.




STOCK CODE	
6166	1

**HOLE CLEANING BRUSH**

STOCK CODE	HOLE SIZE	
6168	8mm	1
6169	10mm	1
6170	12mm	1
6171	16mm	1
2218	20mm	1

**EXTENSION NOZZLES**

LENGTH 1M



STOCK CODE	
6752	10

## RESIN DISPENSING GUN



STOCK CODE	SIZE	
6241	400ml (for PUR400)	1
6256	385ml / 585ml	1

## JUMBO SEALANT GUN



STOCK CODE	SUITABLE FOR	
JSG	900ml	1

## FISCHER FISV HANDHELD RESIN DISPENSING GUN



STOCK CODE	SIZE	
6215	300ml / 390ml	1

## EVERBUILD HEAVY DUTY DISPENSING GUN



STOCK CODE	SIZE	
DG310HD	310ml	1

## HEAVY DUTY RESIN DISPENSING GUN



STOCK CODE	SUITABLE FOR	
6165HD	380ml / 410ml	1

## RESIN DISPENSING GUN



STOCK CODE	SIZE	
6165	410ml	1

**FOAM APPLICATOR GUN**

P65 HEAVY DUTY



STOCK CODE	
6585	1

**HEAVY DUTY MASTIC GUN**



STOCK CODE	
6165FAI	1

**DISPENSING SILICONE GUN**



STOCK CODE	SUITABLE FOR	
6243	300ml	1

**DISPENSING GUN 400ML C4**



STOCK CODE	
6165ROU	1

**PREMIUM QUALITY SIDE LEVER GREASE GUN**

- 500cc for bulk fill or 400g cartridge



STOCK CODE	
GG500	1

FASTENINGS, FIXINGS & ACCESSORIES

**CONTACT OUR SALES TEAM**

 **020 8699 6777**

 **SALES@SELKENT.COM**

 **WWW.SELKENT.COM**



## GYPROC SEALANT FOIL PACK

- Seals air gaps
- Maintains acoustic performance
- Standards conform to EN 15651-1



STOCK CODE	SIZE	
BGS600	600ml	12

## ACOUSTIC FIRE MASTIC FOIL

WHITE

- Fire rated up to 5 hours
- CE marked under ETAG 026 Part 3 European Technical Assessment 13/1058



STOCK CODE	SIZE	
AC0600ML	600ml	12

## EVER BUILD FIRE SEALANT 400 SILICONE

A neutral cure, elastic, acoustic rated silicone sealant which conforms to EN1366-4:2010 for fire retardancy and has a fire rating of up to 4 hours in certain joint configurations.



Foil Pack

STOCK CODE	SIZE	COLOUR	
6580	600ml	Grey	20

## BRICK MORTAR GUN



STOCK CODE	
BRIMORGUN	1

## FOIL PACK APPLICATOR GUN

The foil pack applicator gun is designed for use with foil packs, the enclosed aluminium barrel can also be used for standard cartridges.



STOCK CODE	
FOILGUN	1

Tube



STOCK CODE	SIZE	COLOUR	
FIRE400WHI	360ml	White	20

# LMA CONTRACTORS SILICONE

A high-quality, one-component acetoxy cure sealant that adheres to most smooth, non-porous materials. Fungistatic and chlorine resistant to prevent mold growth in high-humidity areas. Permanently elastic, colorfast and highly resistant to UV and all-weather conditions, making it suitable for interior and exterior use.

### BENEFITS

- Permanently elastic/flexible.
- Anti-fungal formula – prevents mold growth.
- UV and all-weather resistant.
- Chemical and (sea) water resistant.
- Colorfast finish.
- Excellent processing with quick curing and low dirt pick-up.
- Certified under the harmonized European standard EN15651 for façade and sanitary applications in compliance with the Construction Product Regulations.

### AREAS OF USE

- Sealing aluminium and metal sealing.
- Sealing around baths, showers, basins and other sanitary ware.
- As an adhesive for fixing PVCu trims, cladding and panels.
- Sealing around worktops and laminates.
- Pointing and door frames.
- For aluminium gutter sealing.
- General draughtproofing.



STOCK CODE	COLOR	
6188	White	24
6189	Transparent	24

## SEVER PREMIUM+ 450 BUILDERS SILICONE

A premium quality low modulus non-corrosive neutral cure silicone sealant that adheres to virtually all substrates, both porous and non-porous. Typically used for construction expansion joints and perimeter pointing of all types of door and window frames.

STOCK CODE	COLOUR	SIZE	
6192	Black	310ml	25
6196	Translucent	310ml	25
6193	Brown	310ml	25
6194	Grey	310ml	25



## LOW MODULUS PREMIUM FACADE SILICONE



STOCK CODE	COLOUR	SIZE	
LOWMODWH	White	300ml	25
LOWMODBL	Black	300ml	25
LOWMONANTH	Anthracite	300ml	25
LOWMODCLEAR	Translucent/Clear	300ml	25
LOWMODBROWN	Brown	310ml	25
LOWMODGREY	Grey	380ml	25
LOWMODLIGGREY	Light Grey	380ml	25
LOWMODRUSRED	Rustic Red	380ml	25
LOWMODBUFF	Buff	380ml	25

## SEVER SILICONE 825

A low modulus, neutral curing silicone sealant based on a filled alkoxy curing system, specially formulated to provide extra tool down time on longer joints. Conforms to ISO11600 class F25LM and G25LM when tested to ISO11600.

STOCK CODE	COLOUR	
EVBSIL825BF	Buff	25
EVBSIL825DA	Dark Anthracite	25



FASTENINGS, FIXINGS & ACCESSORIES

## CT1 SEALANT

Unique adhesion on virtually any material in most applications without the need for additional fixings. Scientifically proven to have excellent colour retention - white stays white and clear stays clear.

CT1 will successfully bond all metals (including lead), glass, mirrors, all woods, mdf, polystyrene, fibreglass, tiles, concrete, most stones (without staining), most synthetic materials, plastics (excluding PP, PE and PTFE).



STOCK CODE	CT1SCL290	CT1SBL290	CT1SWH290	CT1SGR290	CT1SBR290	
COLOUR	CLEAR	BLACK	WHITE	GREY	BROWN	12
SIZE	290ml	290ml	290ml	290ml	290ml	12

## WD40 SPECIALIST SILICONE



STOCK CODE	SIZE	
W/D44377	400ml	12

## SEVER ROOF & GUTTER SEALANT

### BLACK

Roof & Gutter Sealant is a premium quality butyl-based sealant and adhesive that provides instant, permanent weather-proofing to a wide variety of roofing applications.



STOCK CODE	SIZE	
BUTYLBKMAS	300ml	12

## SEVER FIREMATE INTUMESCENT SEALANT

An acrylic sealant that swells when exposed to temperatures in excess of 125°C to prevent the passage of fire and smoke and has a fire rating of up to 4 hours in certain joint configurations.

- Fire rated to EN1366-4 (2006). Acoustic rates to BS EN ISO 140/3
- Tested for air permeability to EN13141-1
- Overpaintable

STOCK CODE	COLOUR	SIZE	
INTUMASTWH	White	295ml	12
INTUMASTGR	Grey	295ml	12



## SCHTUK EXTREME

### MS POLYMER SEALANT

- Permanently flexible adhesive and sealant
- Bonds and seals virtually everything to anything
- Will cure even in wet weather and on damp surfaces

STOCK CODE	COLOUR	SIZE	
XTREMWHITE	White	300ml	25
XTREMBLACK	Black	300ml	25
XTREMCLEAR	Clear	300ml	25



## SANITARY SILICONE ANTI FUNGAL

- All internal sealing in areas of high humidity or subject to condensation
- Sealing around baths, showers, basins and sanitary ware
- Sealing around work tops and laminates
- Cap sealing to metal, timber and PVCu window frames
- As an adhesive for fixing PVCu trims and panels
- General weatherproofing applications

STOCK CODE	COLOUR	SIZE	
SANITCLR	Clear	280ml	12
SANITWHITE	Black	280ml	12



## SEVER EVERFLEX 145

### BUTYL RUBBER SEALANT GREY

A semi-setting jointing compound typically used for roofing, glazing, metal containers and sectional building applications. It forms a skin in approximately 24 hours but remains permanently plastic underneath.

STOCK CODE	SIZE	
BUTYLGREYMAS	300ml	12



## POLYSULPHIDE MASTIC

### BLACK

A low modulus building sealant based on polyurethane technology. Conforms ISO11600 25LM and is CE marked to EN15651-1: 2012 Type F EXT-INT CC. It is suitable for most construction expansion and dilation joints and adheres to most building surfaces such as concrete, ceramics, wood, metal, uPVC etc.

STOCK CODE	COLOUR	SIZE	
POLYSULPBLK	Black	300ml	12
POLYSULPBRN	Brown	300ml	12
POLYSULPBUF	Buff	300ml	12
POLYSULPGRE	Grey	300ml	12
POLYSULPWHI	White	300ml	12



## ACOUSTIC MASTIC

- Provides up to 5 hours fire resistance
- Non flammable
- Acoustic rated to BS EN ISO 140/3
- Tested for air permeability to EN13141-1 Ventilation for buildings

STOCK CODE	SIZE	
ACOU900ML	900ml	12



## GALVA MATE SEALANT

A high performance solvent free adhesive and sealant specifically designed for sealing high velocity duct work in heating and ventilation systems.

STOCK CODE	SIZE	COLOUR	
6245	C3	Grey	25



## GEOCEL 201 POLYSULPHIDE SEALANT

A one part, ready to use, flexible polymer sealant for expansion joints in building and construction and can be used for external perimeter pointing of door and window frames, and expansion joints in brickwork and blockwork etc.

Improved UV resistance

Conforms to ISO 11600 F 20HM

STOCK CODE	COLOUR	SIZE	
GEO201G	Grey	380ml	12



## STRONG GRIP FAST ACTION GRAB PANEL ADHESIVE

- Enhanced slump resistance and good 'nip off' qualities
- Excellent adhesive strength
- Excellent gap filling properties

STOCK CODE	SIZE	
SG350	350ml	12



## EVERFLEX INSTANT NAILS ADHESIVE

A high strength solvent free gap filling multi use adhesive that provides a quick grab and replaces mechanical fixings in many home improvement applications.

Dries white and may be overpainted if required.

STOCK CODE	SIZE	
6190	310ml	25



## MIRROR ADHESIVE

A one component solvent free adhesive based on Hybrid Polymer technology that is specially formulated for bonding mirrors to most common surfaces.

The totally neutral curing system will not attack the mirror backing.



STOCK CODE	SIZE	
MIRADH	290ml	12

## PLASTERBOARD ADHESIVE

Conforms to EN 13501-1 Class E for fire rating



STOCK CODE	SIZE	
PGDRYFIX	750ml	12

## SEVER STIXALL EXTREME POWER

- Solvent-free - provides good clarity, temperature resistance and a high humidity barrier
- Chemically curing - giving high strength and flexibility
- Biocide - prevents mould growth
- Non-staining - on surfaces like granite or marble



STOCK CODE	COLOUR	SIZE	
6201	Brown	310ml	12
6202	Crystal Clear	310ml	12
6203	White	310ml	12
6247	GREY	310ml	12

## CT1 POWER GRAB 'N' BOND

A unique solvent free construction adhesive with an exceptionally high initial grab followed by an incredible structural bond. It can be applied to Concrete, Most Stones, Ceramic, Marble, Wood, Gypsum Board, Metals, Lead, Glass, Mirror, Plastics (excluding PP, PE and PTFE) and any combination of the above without any additional fixings.



STOCK CODE	SIZE ml	
CT1GNB290	290ml	12

## SEVER BUILD GUN GRADE EXPANDING FOAM

A quick setting polyurethane based foam which expands greatly on application and yields up to 50 times. Can be cut, sawn, plastered and sealed over after approximately one hour. Fills irregular gaps, fixes framework, insulates and sound deadens.



STOCK CODE	SIZE	
6584	750ml	12

## EXPANDING FOAM B3 HAND HELD

An easy to use, one part PU Expanding Foam ideal for general construction and home improvement uses. It is designed for easy dispensing through the straw adapter included with each can. Higher yield with expansion up to 1.5 times, easy application and reusability.

Conforms to fire class B3 according to DIN 4102-1. Mould proof, waterproof and overpaintable.



STOCK CODE	SIZE	
6582	750ml	12

**SEVER BUILD FIRE FOAM B1\***  
HAND HELD



It expands on application to yield up to 50 times the can contents and meets the extremely stringent requirements of the test criteria BS476 Part 20; Class B1. Fire rated up to 4 hours in certain joint configurations.

STOCK CODE	SIZE	TYPE	
FFB1G	750ml	HAND HELD	12
FFB1	750ml	GUN GRADE	12

\*Please note: FIRE FOAM SUPPLY MAY VARY, PLEASE ASK AT TIME OF ORDERING FOR CORRECT BRAND AND SPECIFICATION.

**BLUE 60 FIRE RATED PU FOAM**  
GUN GRADE

Blue 60 is a specially formulated expanding foam that achieves up to 60 minute fire protection for timber fire doorsets when used in conjunction with Blue 60 Fire Rated Packers. Tested with softwood, MDF and hardwood frame sections.



STOCK CODE	SIZE	
FFB60GG	750ml	12

**SEVER BUILD FOAM CLEANER**

Dual Purpose Foam Cleaner is used to remove wet and uncured foam.

Includes spray nozzle for use without applicator to remove wet foam from outside of the gun and from most building substrates.

Areas for Use

- Cleaning Pu foams from guns and nozzles.
- Cleaning spilt PU foam from surrounding areas.



STOCK CODE	SIZE	
FFCL500	500ml	12

**CAULKING ROD FOAM POLY BACKING**



- Quick and easy to apply
- Reduces sealant usage
- Improves sealant performance by obtaining the correct joint dimensions
- Flexible – won't bubble or blister

STOCK CODE	SIZE	
CALUKING10	10mm x 1100m	1
CAULKING12	12mm x 900m	1
CAULKING15	15mm x 500m	1
CAULKING20	20mm x 300m	1
CAULKING25	25mm x 200m	1

**P65 FOAM APPLICATOR GUN**



STOCK CODE	
6585	1

**FOAM NOZZLE**



STOCK CODE	
FOAMNOZ	1

## PVA ALL PURPOSE WEATHERPROOF WOOD ADHESIVE

- Excellent rate of bond strength development.
- High degree of water resistance to D3 Classification
- Joints may be subject to short term water contact or exposure to high humidity.
- Interior & exterior use
- Low timber staining characteristics.
- Creep Resistant
- Dries clear
- Water based.
- Environmentally friendly
- Easy clean up
- Suitable for radio frequency cure

STOCK CODE	SIZE	
PVA1L	1 ltr	12



## D4 WOOD ADHESIVE

- Liquid PU adhesive
- Conforms to DIN EN 204 grade D4
- Foaming action to fill gaps
- 15 - 30 minute open time
- Pressing time - 6 hours

STOCK CODE	SIZE	
D4WOODADH	750ml	12



## PRO 40 P EXPANDING WOOD GLUE BOX OF 6

Water resistant timber adhesive Professional quality, high strength and fast drying, PU liquid timber adhesive.

- Excellent water resistance: D4 (DIN EN 204)
- Easy application
- Foaming penetration action to fill uneven surfaces
- Can be used on damp/humid wood surfaces
- 15 minute open time

STOCK CODE	
P40PADH	1



## MITRE FAST BONDING KIT

- Suitable for bonding of MDF, rubber, PVCu, metals etc.
- Available in an industrial shrink-wrapped pack
- Bonds within 10 seconds
- High viscosity adhesive – low soak in to give greater bond strength than conventional cyanoacrylates on porous surfaces
- Economical in use

STOCK CODE	SIZE	
MITREBOND	400ml	6



## LUMBERJACK 5 MIN POLYURETHANE ADHESIVE

- Sets hard in 5 minutes
- Conforms to EN 204
- D4 strength

STOCK CODE	SIZE	
PU750ML	750g	25



## WOOD FILLER

Fast-drying exterior and interior wood filler easy to mix and apply and completely weatherproof.



STOCK CODE	COLOUR	SIZE	
2PARTFILMH	MAHOGANY	500G	6
2PARTFILNT	NATURAL	500G	6
2PARTFILWH	WHITE	500G	6

### SCHTUK D3 PVA

All purpose weatherproof wood adhesive, high quality resin based adhesive for all wood to wood bonding. Internal and external use. Dries clear, easy water clean-up. Conforms to the international standard EN 204 (D3) BSEN 14256.



STOCK CODE	SIZE	
PVAWG1L	1 ltr	12
PVAWG5L	5 ltr	4

### EVO BOND PVA GLUE

- For plastering, rendering, sealing and dust-proofing
- Excellent primer for most surfaces - improves adhesion
- Improves workability and adhesion when used as an admixture
- Seals concrete floors, plaster and rendering
- Standard and Waterproof PVA grades available



STOCK CODE	SIZE	
EVOEPVA5L	5 ltr	1

### PVA BOND / SEALER

For use with:

- Plaster
- Cement
- Timber



STOCK CODE	SIZE	
PVA5L	5 ltr	1

### UNIVERSAL PVA BOND 501



STOCK CODE	SIZE	
EVBPVA5L	5 ltr	1

### PVA SEALER 506 SEALING ADDITIVE

- Improves adhesion to most common building surfaces
- Improves flexibility of mortars and screeds
- Ideal for priming and dust sealing on flaking surfaces
- Ideal for adhesive on wood, cork, paper, textiles etc



STOCK CODE	SIZE	
PVABOND5L	5 ltr	1

### ISOPON P38 EASY SANDING BODY FILLER TIN



U-POL P38 polyester filler is a two component chemical paste used for the filling of holes and imperfections in surfaces such as steel and GRP. Its special formula combines good filling and smooth spreading properties together with ease of sanding.

STOCK CODE	SIZE	
UPOP38S	250ml	1

FASTENINGS, FIXINGS & ACCESSORIES

## BOSTIK FAST TAK CONTACT ADHESIVE

- Repositionable aerosol adhesive
- Ideal for presentations, crafts and minor household repairs
- Good for bonding a variety of materials and mounting paper onto card



STOCK CODE	SIZE	
BST80215	500ml	6

## SEVER STICK2 CONTACT ADHESIVE SPRAY

Stick 2 Spray Contact Adhesive is a sprayable glue which bonds to most common materials including wood, concrete, stone, tiles, rubber, foam, metals, rigid plastics, canvas fabrics, cardboard, paper and cork.



STOCK CODE	SIZE	
CONAD500	500ml	12

## THREAD LOCK GP BLUE

A medium strength, self curing, anaerobic adhesive for locking threads on most nuts, bolts and screws which may need to be disassembled. Can be used on "as received" and oil contaminated threads/nuts.

- Medium strength for easy disassembly if necessary
- Gap filling to 0.25mm
- Quick initial bond (5-10 minutes)



STOCK CODE	SIZE	
THL01	10ml	10

## TECHNICAL SUPPORT SERVICES

We offer comprehensive support for all your current applications, including:

- On-site advice
- Pull-out testing
- Load calculation services
- Specialist guidance on Gateway 2 compliance and assist in maintaining a fully compliant Golden Thread of information.

Contact the Selkent technical team:

[technical@selkent.com](mailto:technical@selkent.com)



### HD EPDM ROLLER

For use with EPDM system, self adhesive tapes, foils and rubber sheets. Once the adhesive, tape or foil has been applied to the substrate, use the roller improve contact with the substrate and expel any trapped air pockets.



STOCK CODE	SIZE	
100MMEPROLL	100mm	1
150MMEPROLL	150mm	1

### EPDM PASTE ADHESIVE



STOCK CODE	SIZE	
EPDMADH	600ml	1

### EPDM ADHESIVE/PRIMER

CT113 EPDM membrane adhesive is suitable for use in a variety of adhesive projects, particularly ME220 EPDM membranes such as façade applications. This high-quality adhesive can be used with a range of substrates such as wood, metal, masonry and other building materials.



STOCK CODE	SIZE	
CT113EPDM	5 ltr	1

### EPDM MEMBRANE

Ethylene Propylene Diene Monomer, or EPDM, is a synthetic rubber. It is extremely durable and used across a wide range of applications. EPDM is weather & heat resistant. Its two main ingredients are derived from natural gas and oil, making it an ideal flat roofing material.



STOCK CODE	SIZE	
EPDM100	100m x 0.75mm x 20m	1
EPDM150	150m x 0.75mm x 20m	1
EPDM200	200m x 0.75mm x 20m	1
EPDM250	250m x 0.75mm x 20m	1
EPDM300	300m x 0.75mm x 20m	1
EPDM400	400m x 0.75mm x 20m	1
EPDM500	500m x 0.75mm x 20m	1
EPDM600	600m x 0.75mm x 20m	1

### DAMP PROOF COURSE

Damp proof course made from 100% recycled polythene, conforms to BS 6515 (1984) and is CE marked to EN14909 2012. For use in brick, stone and concrete walls DPC provides a robust damp proof barrier to prevent the rise of damp in structure walls. To be compliant with current building regulations a damp proof course should be built into the mortar bed approximately 150mm above the structure base. It is flexible and has a bold embossing to both sides to promote improved adhesion to mortar.



STOCK CODE	SIZE	
DPC100MM	100mm x 30m	1
DPC150MM	150mm x 30m	1
DPC225MM	225mm x 30m	1
DPC300MM	300mm x 30m	1
DPC450MM	450mm x 30m	1
DPC600MM	600mm x 30m	1
DPC900MM	900mm x 30m	1

## ZEDEX DPC CPT HIGH PERFORMANCE



- BBA certified - third party accreditation
- Flexible cavity tray system - easy to detail and install on site
- Gas resistant - part of the Visqueen Low Permeability Gas Membrane system to provide gas protection to NHBC Amber 1
- Multi functional - also acts as a radon resistant damp proof course and can be used in conjunction with the Visqueen Radon membranes to form a complete system for basic radon protection
- Excellent tear resistance - robust and resistant to on site damage
- Versatile applications - widths from 100mm to 1400mm
- Visqueen Preformed Units available - simplifies complex or awkward detailing

STOCK CODE	SIZE	
ZX100DPC	100mm x 20m	1
ZX112.5DPX	112.5mm x 20m	1
ZX150SPC	150mm x 20m	1
ZX225DPC	225mm x 20m	1
ZX300DPC	300mm x 20m	1
ZX450DPC	450mm x 20m	1
ZX600DPC	600mm x 20m	1
ZX900DPC	900mm x 20m	1
ZX1000DPC	1000mm x 20m	1
ZX1200DPC	1200mm x 20m	1
ZX1400DPC	1400mm x 20m	1

## ZEDEX FIXING STRIP

STOCK CODE	SIZE	
ZXFIXSTRIP	2m	1



## TYVEK FIRECURB

- Tyvek® FireCurb® Housewrap is a fire retardant membrane for commercial and residential buildings that uses new, patented technology. DuPont™ Tyvek® FireCurb® Housewrap is a lightweight, advanced, fire retardant membrane that self-extinguishes when ignited. It uses a halogen-free flame retardant coating to reduce the formation of droplets and smoke with minimal environmental impact.
- Self-extinguishes when ignited
- Forms no droplets when fire starts and limits the propagation of flames
- Reduces smoke
- Up to Euroclass B (free-hanging) classification, which nearly no other membrane can reach
- Made with halogen-free flame retardant coating for limited impact on the environment
- Includes the same product benefits as the existing Tyvek® product range with the addition of flame retardancy
- Low flammability with very limited contribution to fire
- Long-term investment protection
- Greater safety during and after installation
- BBA certificate: 90/2548

STOCK CODE	SIZE	
TYVFIRECURB	1.5 m x 50m	1



### TYVEK HOUSEWRAP

- Water resistant
- Breathable wall membrane



STOCK CODE	SIZE	
HOUSEWRAP	100m x 1.4 m	1

### TYVEK SINGLE SIDED ACRYLIC TAPE



STOCK CODE	SIZE	
TYVSINGTAPE	75mm x 25m	1

### TYVEK DOUBLE SIDED ACRYLIC TAPE



STOCK CODE	SIZE	
TYVDOUBTAPE	50mm x 25m	1

### FEBMIX ADMIX

- Air entraining plasticiser
- Prevents shrinking and cracking during curing
- Water reducing
- Chloride free



STOCK CODE	SIZE	
FEBMIX5	5 ltr	6
FEBMIX25	25 ltr	6

### CONCRETE RETARDE SPRAY ON



STOCK CODE	SIZE	
CONSPRET25	25 ltr	1

FASTENINGS, FIXINGS & ACCESSORIES

## VANTAGE HOUSE

As part of Selkent's wider growth plans, we've opened Vantage House. This investment strengthens our service offering with increased stock capacity and a more efficient pick-and-dispatch operation, helping us support customers nationwide with faster, more reliable delivery and long-term, sustainable growth.

Vantage House,  
Trinity Trading Estate,  
ME10 2PD



### British Gypsum PAPER JOINT TAPE

Paper tape designed for reinforcing flat joints and internal angles. Can be applied manually or with the mechanical jointing systems. It has a centre crease, chamfered edges and spark perforations, making it easy to use in a variety of applications.



STOCK CODE	SIZE	
BGPJT150	50mm x 150m	1

### PAPER JOINT TAPE



STOCK CODE	SIZE	
PAPERTAPE	50mm x 150m	1


### British Gypsum GYPROC CORNER TAPE



British Gypsum Gyproc corner tape is a paper joint tape bonded to two corrosion resistant steel strips for reinforcing internal and external angles in plasterboard constructions. The high performance, low friction paper gives a crisp, perfect straight edge while simultaneously reducing friction burn to fingers during application. Conforms to EN 13963.

STOCK CODE	SIZE	
BGCT30	50mm x 30m	1

### METAL CORNER TAPE



STOCK CODE	SIZE	
METCORTAPE	50mm x 30m	1

### British Gypsum GYPROC THISTLE PROTAPPE FT50 SCRIM FIBRE TAPE



STOCK CODE	SIZE	
BGTPF	48mm x 90m	1

### FIBRE SCRIM TAPE



STOCK CODE	SIZE	
SCRIMTAPE48	48mm x 90m	1

### British Gypsum GYPROC EASI-FILL 60



STOCK CODE	SIZE	
BGEF60	10kg	1




FASTENINGS, FIXINGS & ACCESSORIES



INTELLIGENT REAL - TIME CONCRETE MONITORING

SEE PAGE 374

## PLASTER STOP BEAD

**GALV**

STOCK CODE	SIZE	
BEAD10S3.0	10mm x 3.0m	50
BEAD13S3.0	13mm x 3.0m	50

## ANGLE FILLET WITH FLANGE



STOCK CODE	SIZE	
ANGFIL25	25mm	50

## HAND NAIL PLATE



STOCK CODE	SIZE	
NAILPL5080	50mm x 80mm	50
NAILPL50150	50mm x 150mm	50
NAILPL80200	80mm x 200mm	50
NAILPL100150	100mm x 150mm	50
NAILPL150150	150mm x 150mm	50

## FRAMING ANCHOR UNIVERSAL



STOCK CODE	SIZE	
FRAMANCH	125mm x 42mm x 42mm	200

## GYPLINER BRACKET



STOCK CODE	SIZE	MAX. STAND OFF	
GL2BRACK	GL2 - 195mm	75mm	100
GL9BRACK	GL9 - 295mm	125mm	100


## PERFORATED THIN COAT BEAD

**GALV**

STOCK CODE	LENGTH	
BEADTCA2.4	2.4m	50
BEADTCA2.7	2.7m	50
BEADTCA3.0	3.0m	50

**ANGLE BEAD 43mm WING**


**GALV**



STOCK CODE	SIZE	
BEADGA2.4	2.4m	50
BEADGA2.7	2.7m	50
BEADGA3.0	3.0m	50

**PLASTERBOARD EDGE BEAD**

**GALV**



STOCK CODE	SIZE	
BEADEDG9.5	9.5mm x 3.0m	50
BEADEDG12.5	12.5mm x 3.0m	50
BEADEDG15	15mm x 3.0m	50

**DRYWALL ARCH STOP BEAD**

*THIN COAT*

**GALV**



STOCK CODE	SIZE	
BEADTCS2.4	3mm x 2.4m	50
BEADTCS3.0	3mm x 3.0m	50


**CEILING WIRE**

**GALV**



STOCK CODE	SIZE	
CEILINGWIRE	0.9mm / 0.5kg	25

**EXPANDED LATH**



STOCK CODE	SIZE	
<b>STAINLESS STEEL</b>		
SSLATH	2440mm x 685mm	10
<b>GALVANISED</b>		
GVLATH	2440mm x 685mm	10

**RIB LATH**



STOCK CODE	SIZE	
<b>STAINLESS STEEL</b>		
SSRIBLATH	2440mm x 685mm	10
<b>GALVANISED</b>		
GVRIBLATH	2440mm x 685mm	10

FASTENINGS, FIXINGS & ACCESSORIES

## RESTRAINT STRAP



FLAT

STOCK CODE	SIZE	
<b>HEAVY DUTY</b>		
RSHD800F	800mm	20
RSHD1000F	1000mm	20
RSHD1200F	1200mm	20
RSHD1500F	1500mm	20
<b>LIGHT DUTY</b>		
RSLD800F	800mm	20
RSLD1000F	1000mm	20
RSLD1200F	1200mm	20
RSLD1500F	1500mm	20



TWIST

STOCK CODE	SIZE	
<b>HEAVY DUTY</b>		
RSHD800T	800mm x 100mm	20
RSHD1000T	1000mm x 100mm	20
RSHD1200T	1200mm x 100mm	20
RSHD1500T	1500mm x 100mm	20
<b>LIGHT DUTY</b>		
RSLD800T	800mm x 100mm	20
RSLD1000T	1000mm x 100mm	20
RSLD1200T	1200mm x 100mm	20
RSLD1500T	1500mm x 100mm	20



BEND

STOCK CODE	SIZE	
<b>HEAVY DUTY</b>		
RSHD800B	800mm x 150mm	20
RSHD1000B	1000mm x 150mm	20
RSHD1200B	1200mm x 150mm	20
RSHD1500B	1500mm x 150mm	20
<b>LIGHT DUTY</b>		
RSLD300B	300mm x 100mm	20
RSLD800B	800mm x 100mm	20
RSLD1000B	1000mm x 100mm	20
RSLD1200B	1200mm x 100mm	20
RSLD1500B	1500mm x 100mm	20

BESPOKE SIZES AVAILABLE ON REQUEST FOR THE WHOLE RANGE

## MEDIUM DUTY LONG LEG HANGER

STOCK CODE	SIZE	
LLJIF47	47mm x 460mm	30
LLJIF50	50mm x 460mm	30
LLJIF63	63mm x 460mm	30
LLJIF75	75mm x 460mm	30
LLJIF88	88mm x 460mm	30
LLJIF100	100mm x 460mm	30
LLJIF125	125mm x 460mm	30
LLJIF150	150mm x 460mm	30



## LIGHT DUTY STANDARD LEG HANGER

STOCK CODE	SIZE	
ST38	38mm x 270mm	50
ST47	47mm x 270mm	50
ST50	50mm x 270mm	50
ST63	63mm x 270mm	50
ST75	75mm x 270mm	50
ST100	100mm x 270mm	50
ST125	125mm x 270mm	50
ST150	150mm x 270mm	50



## PIGTAIL FIXING SCREW



STOCK CODE	SIZE	
PTAILSCR100	100mm	100

## LIGHT DUTY BENT WINDOW BRACKET



STOCK CODE	SIZE	
RSLD150B	150mm x 25mm x 13mm	100

## SCREW-IN FRAME TIE



STOCK CODE	SIZE	
OWLSCRFRTIE	145mm	50

## MASONRY HANGER

STOCK CODE	SIZE	
SMH38X100	38mm mm x 100mm	30
SMH38X125	38mm mm x 125mm	30
SMH38X150	38mm mm x 150mm	30
SMH38X175	38mm mm x 175mm	30
SMH38X200	38mm mm x 200mm	30
SMH38X225	38mm mm x 225mm	30
SMH38X250	38mm mm x 250mm	30
SMH38X275	38mm mm x 275mm	30
SMH44X100	44mm mm x 100mm	30
SMH44X125	44mm mm x 125mm	30
SMH44X150	44mm x 150mm	30
SMH44X175	44mm x 175mm	30
SMH44X200	44mm x 200mm	30
SMH44X225	44mm x 225mm	30
SMH44X250	44mm x 250mm	30
SMH44X275	44mm x 275mm	30
SMH47X100	47mm x 100mm	30
SMH47X125	47mm x 125mm	30
SMH47X150	47mm x 150mm	30
SMH47X175	47mm x 175mm	30
SMH47X200	47mm x 200mm	30
SMH47X225	47mm x 225mm	30
SMH47X250	47mm x 250mm	30
SMH47X275	47mm x 275mm	30
SMH50X100	50mm x 100mm	30
SMH50X125	50mm x 125mm	30
SMH50X150	50mm x 150mm	30
SMH50X175	50mm x 175mm	30
SMH50X200	50mm x 200mm	30
SMH50X225	50mm x 225mm	30
SMH50X250	50mm x 250mm	30
SMH50X275	50mm x 275mm	30
SMH63X100	63mm x 100mm	30
SMH63X125	63mm x 125mm	30
SMH63X150	63mm x 150mm	30
SMH63X175	63mm x 175mm	30
SMH63X200	63mm x 200mm	30
SMH63X225	63mm x 225mm	30
SMH63X250	63mm x 250mm	30
SMH63X275	63mm x 275mm	30



STOCK CODE	SIZE	
SMH75X100	75mm x 100mm	30
SMH75X125	75mm x 125mm	30
SMH75X150	75mm x 150mm	30
SMH75X175	75mm x 175mm	30
SMH75X200	75mm x 200mm	30
SMH75X225	75mm x 225mm	30
SMH75X250	75mm x 250mm	30
SMH75X275	75mm x 275mm	30
SMH100X100	100mm x 100mm	30
SMH100X125	100mm x 125mm	30
SMH100X150	100mm x 150mm	30
SMH100X175	100mm x 175mm	30
SMH100X200	100mm x 200mm	30
SMH100X225	100mm x 225mm	30
SMH100X250	100mm x 250mm	30
SMH125X125	125mm x 125mm	30
SMH125X150	125mm x 150mm	30
SMH125X175	125mm x 175mm	30
SMH125X200	125mm x 200mm	30
SMH125X225	125mm x 225mm	30
SMH125X250	125mm x 250mm	30
SMH150X150	150mm x 150mm	30
SMH150X175	150mm x 175mm	30
SMH150X200	150mm x 200mm	30
SMH150X225	150mm x 225mm	30
SMH150X250	150mm x 250mm	30

## MULTI TRUSS HANGER

STOCK CODE	SIZE	
FFH240/38	240mm x 38mm	30
FFH240/44	240mm x 44mm	30
FFH240/47	240mm x 47mm	30
FFH240/50	240mm x 50mm	30
FFH340/38	340mm x 38mm	30
FFH340/44	340mm x 44mm	30
FFH340/47	340mm x 47mm	30
FFH340/50	340mm x 50mm	30
FFH340/63	340mm x 63mm	30
FFH340/75	340mm x 75mm	30
FFH380/100	380mm x 100mm	30
FFH380/38	380mm x 38mm	30
FFH380/44	380mm x 44mm	30
FFH380/47	380mm x 47mm	30
FFH380/50	380mm x 50mm	30
FFH380/63	380mm x 63mm	30
FFH380/75	380mm x 75mm	30
FFH380/88	380mm x 88mm	30
FFH440/38	440mm x 38mm	30
FFH440/47	440mm x 47mm	30
FFH440/50	440mm x 50mm	30
FFH440/63	440mm x 63mm	30
FFH440/75	440mm x 75mm	30
FFH440/100	440mm x 100mm	30
FFH440/125	440mm x 125mm	30
FFH440/150	440mm x 150mm	30
FFH500/38	500mm x 38mm	20
FFH500/44	500mm x 44mm	20
FFH500/47	500mm x 47mm	20
FFH500/50	500mm x 50mm	20
FFH500/63	500mm x 63mm	20
FFH500/75	500mm x 75mm	20
FFH500/88	500mm x 88mm	20
FFH500/91	500mm x 91mm	20



STOCK CODE	SIZE	
FFH500/100	500mm x 100mm	20
FFH500/125	500mm x 125mm	20
FFH500/150	500mm x 150mm	20
FFH560/38	560mm x 38mm	20
FFH560/44	560mm x 44mm	20
FFH560/47	560mm x 47mm	20
FFH560/50	560mm x 50mm	20
FFH560/63	560mm x 63mm	20
FFH560/75	560mm x 75mm	20
FFH560/88	560mm x 88mm	20
FFH560/100	560mm x 100mm	20
FFH560/125	560mm x 125mm	20
FFH560/150	560mm x 150mm	20
FFH560/200	560mm x 200mm	20
FFH620/38	620mm x 38mm	20
FFH620/44	620mm x 44mm	20
FFH620/47	620mm x 47mm	20
FFH620/50	620mm x 50mm	20
FFH620/63	620mm x 63mm	20
FFH620/75	620mm x 75mm	20
FFH620/88	620mm x 88mm	20
FFH620/91	620mm x 91mm	20
FFH620/100	620mm x 100mm	20
FFH620/125	620mm x 125mm	20
FFH620/150	620mm x 150mm	20
FFH620/200	620mm x 200mm	20
FFH620/225	620mm x 225mm	20

CORNER STRETCHER  
PLATE

STOCK CODE	SIZE	
STRETCHPL	38mm x 25mm x 25mm	100

## CORNER BRACKET



STOCK CODE	SIZE	
75MMCORNBRAC	75mm x 75mm x 15mm	100
100MMCORNBRAC	100mm x 100mm x 18mm	100

### MENDING PLATE



STOCK CODE	SIZE	
MEND75	75mm	100
MEND100	100mm	100

### ANGLE BRACKET



STOCK CODE	SIZE	
ANGBR606040	60mm x 60mm x 40mm	50
ANGBR909060	90mm x 90mm x 60mm	50
ANGBR505060	50mm x 50mm x 60mm	50
ANGBR1509060	150mm x 90mm x 60mm	50
ANGBR15015060	150mm x 150mm x 60mm	50

### HELICAL STITCHING BAR

Helical bars are chemically bonded into horizontal slots, cut in bed joints, which stitch across the crack.



STOCK CODE	SIZE	FINISH	
HSB6X1000	6mm x 1000mm	Stainless	10

### FIXING BAND



STOCK CODE	SIZE	FINISH	
FIXBANDSS	20mm x 10m	Stainless	1
FIXBG20X10M	20mm	Galv	1

### TIMBER CONNECTOR

**BZP**



STOCK CODE	TYPE	SIZE	
3196	SINGLE SIDED	M12 x 50mm	100

### CORNER PLATE

**BZP**



STOCK CODE	SIZE	
CORBZP75	75mm	100
CORBZP100	100mm	100

### BRICK REINFORCEMENT COIL

For internal and external plaster key applications and anti-crack control.

Galvanised materials are manufactured from steel to DX51.BSEN 10142 (g 275).

Stainless steel materials are manufactured from steel to EN 10088-2 grade 1.4301 standard supersedes BS1449 Part 2: 1983 grade 304 S15).



STOCK CODE	SIZE	
<b>GALV</b>		
GBR65MM	65mm x 20m	1
GBR100MM	100mm x 20m	1
GBR175MM	175mm x 20m	1
GBR225MM	225mm x 20m	1
GBR305MM	305mm x 20m	1
<b>STAINLESS</b>		
SBR65MM	65mm x 20m	1
SBR100MM	100mm x 20m	1
SBR175MM	175mm x 20m	1
SBR225MM	225mm x 20m	1

FASTENINGS, FIXINGS & ACCESSORIES


**CONTACT OUR SALES TEAM**

 **020 8699 6777**

 **SALES@SELKENT.COM**

 **WWW.SELKENT.COM**


## SURFACE FIXED CHANNEL SYSTEM



STOCK CODE	SIZE	
25/14SSCHANN	2.7m	1

## SLOTTED INTERNAL HEAD RESTRAINT

STAINLESS STEEL




STOCK CODE	
IHRHEADRES	1

## STAINLESS STEEL STRUCTURAL BED JOINT REINFORCEMENT



STOCK CODE	SIZE	
LADREIN60	60mm x 3mm x 2.7m	20
LADREIN100	100mm x 3mm x 2.7m	20
LADREIN150	150mm x 3mm x 2.7m	20
LADREIN175	175mm x 3mm x 2.7m	20


## 2 PART HEAD RESTRAINT FHR



STOCK CODE	
FHRHEADRES	10

## CHANNEL TIE


HADLEY ULTRA BRICK TIE 25/14 COLD ROLL-FORMED STEEL CHANNEL




STOCK CODE	OPEN CAVITY	TIE LENGTHS	
25/14-100MM	35mm - 59mm	100mm	250
25/14-125MM	60mm - 84mm	125mm	250
25/14-150MM	85mm - 109mm	150mm	250
25/14-175MM	110mm - 134mm	175mm	250
25/14-200MM	135mm - 159mm	200mm	250

STOCK CODE	OPEN CAVITY	TIE LENGTHS	
25/14-225MM	160mm - 184mm	225mm	250
25/14-250MM	185mm - 209mm	250mm	100
25/14-275MM	210mm - 234mm	275mm	100
25/14-300MM	235mm - 259mm	300mm	100

## FRAME CRAMP




STOCK CODE	SIZE	
<b>NO DRIP</b>		
SAFCRAM75SS	75mm	250
SAFCRAM100SS	100mm	250
SAFCRAM125SS	125mm	250
SAFCRAM150SS	150mm	250
SAFCRAM175SS	175mm	250
SAFCRAM200SS	200mm	250
SAFCRAM225SS	225mm	250




STOCK CODE	SIZE	
<b>WITH DRIP</b>		
SAFCRAM100SSD	100mm	250
SAFCRAM125SSD	125mm	250
SAFCRAM150SSD	150mm	250
SAFCRAM175SSD	175mm	250
SAFCRAM200SSD	200mm	250
SAFCRAM225SSD	225mm	250

## TIMBER FRAME TIE






STOCK CODE	SIZE	CAVITY	
TIMFRAMTIE125	125mm	50mm	250
TIMFRAMTIE150	150mm	75mm	250
TIMFRAMTIE175	175mm	100mm	250

## CHANNEL END CAP BLACK



STOCK CODE	SIZE	
3224	41mm x 21mm	100
3225	41mm x 41mm	100

## WALL TIE




STOCK CODE	SIZE	
<b>TYPE 1</b>		
TYPE1TIE-200	200mm	250
TYPE1TIE-225	225mm	250
TYPE1TIE-250	250mm	250
TYPE1TIE-275	275mm	250
TYPE1TIE-300	300mm	250

STOCK CODE	SIZE	
<b>TYPE 2</b>		
TYPE2TIE-200	200mm	250
TYPE2TIE-225	225mm	250
TYPE2TIE-250	250mm	250
TYPE2TIE-275	275mm	250
TYPE2TIE-300	300mm	250

STOCK CODE	SIZE	
<b>TYPE 4</b>		
TYPE4TIE-200	200mm	250
TYPE4TIE-225	225mm	250
TYPE4TIE-250	250mm	250
TYPE4TIE-275	275mm	250

## DOUBLE TRIANGLE CAVITY WALL TIE

ST/ST



STOCK CODE	SIZE	
DOUBTRI200	200mm	250
DOUBTRI225	225mm	250
DOUBTRI250	250mm	250
DOUBTRI300	300mm	250

NEED IT FAST?  
CONTACT OUR SALES TEAM ON  
 **020 8699 6777**

OR PLACE YOUR ORDER ONLINE AT  
 **WWW.SELKENT.COM**

**DE-BONDING SLEEVE**

PACK OF 250



STOCK CODE


DEBONDSL



250

**WALL TIE INSULATION CLIP**

UNIVERSAL - PACK OF 250




STOCK CODE

TIEINSULCLIP



1

**CAVITY CLOSER**

STOCK CODE

CAVCLOSE100

SIZE

100mm x 2.4m



20

CAVCLOSE150

150mm x 2.4m

20

**TIE SAFETY PLAIN END**

SLEEVE NOT INCLUDED



STOCK CODE

SPE150

SIZE

150mm



250

SPE200

200mm

250

SPE225

225mm

250

SPE250

250mm

250

SPE300

300mm

250

**EXPANSION JOINT FOAM**

10 METRE ROLL

STOCK CODE

10X100EXPJOINT

SIZE

10mm x 100mm



1

10X140EXPJOINT

10mm x 140mm

1



**PLASTIC AIRBRICK**

PACK OF 20




STOCK CODE	COLOUR	SIZE	
AIRBRICKBUFF	Buff	218mm x 69mm x 60mm	1
AIRBRICKGREY	Grey	219mm x 69mm x 60mm	1
AIRBRICKTERRAC	Terracotta	220mm x 69mm x 60mm	1
AIRBRICKWHITE	White	221mm x 69mm x 60mm	1

**DUO CAVITY SOCKS**


Thermal and acoustic 60 minute fire rated fire stops for installation within external cavity and timber frame walls to restrict the spread of smoke and flames and minimise the effect of flanking noise at wall junctions.

Lengths of low resin, non-combustible Rockfibre mineral wool, sleeved in 50 micron polythene for on-site weather protection. Designed to friction fit within the cavity and can be installed both vertically and horizontally during construction.



STOCK CODE	SIZE	CAVITY SIZE	
FIRESOCK100	1200mm	100mm	20

OTHER SIZES AVAILABLE UPON REQUEST

**CAVITY WALL WEEP**

H 65 x W 10 x L 100mm

STOCK CODE	COLOUR	
WEEPBUF	Buff	50
WEEPTERA	Terracotta	50
WEEPCLR	Clear	50
WEEPBROWN	Brown	50

**WALL STARTER KIT**

- 2x1165mm profiles designed to be overlapped
- 10 twist and slide wall ties
- 5 Coach screws to secure profile to existing wall
- Wallplugs & Washers



STOCK CODE	SIZE	
WALLSTART	KIT x 2.4m	10

**INVISIWEEP**

STOCK CODE	SIZEmm	COLOUR	
PEEPTERA	H65mm x W10mm x L102mm	Terracotta	50

**METAL FIRE RATED WEEP VENT**

STOCK CODE	
PEEPMETAL	50

**PEEP/INVISI WEEP VENT ULTRA CLEAR**

STOCK CODE	SIZE	
PEEPULTCLR	L101mm x H66mm x W10mm	200



## A1 FIRE-RATED METAL AIR BRICK AND DUCTING KIT



### A must for multi-storey developments

- A1 fire-rated ducting kits in a range of sizes and finishes
- A1 fire-rated cavity weep hole duct
- Compliant to 18m Regulation 7(2) and Document B
- Compliant to 11m Building Standards Scotland 2.7

Custom sizing and bespoke design service available

### INTERMEDIATE TRAY



STOCK CODE	TYPE	
INTTRAYRH	RH	25
INTTRAYLH	LH	25

### COMPRESSION SLEEVES

ST/ST



STOCK CODE	SIZE	
COMSLEEV75SS	75mm	1
COMSLEEV100SS	100mm	1
COMSLEEV125SS	125mm	1
COMSLEEV150SS	150mm	1
COMSLEEV180SS	180mm	1



AJ

AK

AL



# SURE SNAP

Fire Collars

# THE ONLY SMOKE & FIRE COLLAR

## ADVANCED TECHNOLOGY





SURE SNAP FIRE COLLARS


✓	EN 15882-3	✓	EN 13501-2	✓	EN 1366-3	✓	BS476:PART20:1987
---	------------	---	------------	---	-----------	---	-------------------



### FULL COMPLIANCE

Sure Snap Collars are the only smoke & fire collars. Smoke is the biggest cause of fatalities in high rise fires. **Most fire deaths are not caused by burns, but by smoke inhalation**, National Fire Protection Association.

Sure Snap collars meet the requirements of **BS EN 15882-3:2009** (tested under EN1366 Part 3:2009). **BRE Global** have issued independent compliance reports in relation to this testing.



### INNOVATIVE SNAP OFF NAIL POINTS

The snap off nail points mean that when the formwork is struck, the nails come off with it, leaving a clean finish, with no exposed nails from the slab above.

#### ◀ AVOIDS THIS SITUATION




### PATENTED SPRING ACTIVATION TECHNOLOGY

In a fire, the patented fusible links melt and the loaded springs activate to compress the intumescent material around the penetrating pipe. As the pipe softens in the fire, the springs quickly force the pipe to collapse and the penetration is then immediately sealed with the intumescent plug that swells and protects the penetration for up to 4 hours.




### PATENTED INTUMESH TECHNOLOGY

We use patented Intumesh™, a mesh-backed intumescent, to guarantee the intumescent plug remains intact and the penetration remains closed in the event of a fire.



### SLAB THICKNESS

For use on slabs 150mm thickness and up. With a standard height of 250mm, Selkent offers custom cut down solutions, and collar extensions for slabs thicker than 250mm.



### LOCATOR PLATE

This locator plate ensures accurate and effortless positioning of the collar during construction. The unique locator plate also ensures no slurry enters the inside of the collar during construction, ensuring correct collar performance.



### INNOVATIVE CAP SYSTEM

A heavy duty reinforced removable cap, designed not to break during the construction process. A broken cap on site is a safety issue. The cap prevents any foreign materials and water from entering the collar.



### STRONG HIGHLY VISIBLE CASING

Robust casing protects against the rigours of construction traffic and the pressure of concrete pours. The bright colour of the collar means it is highly visible onsite once installed.



### SEALING RUBBER RING

The internal rubber ring is to seal against the pipe to prevent the ingress of foreign materials and water after the pipe is installed.



### ROBUST EXTENSIONS

For larger concrete slabs like a transfer slab this is no issue when using Sure Snap, as we have stackable reinforced plastic sleeves which are 50mm high each.



### RAPID CLOSING COLLAR

Our 3 minute rapid closing makes this the fastest closing collar in the world today.



SELFC-H65S



SELFC-H110S





SELFC-H150S

SIZE		SIZE		SIZE	
65mm	18	110mm	12	150mm	6

SURE SNAP FIRE COLLARS

SELFC-H65S 65mm





LPS 1132: Issue 4.2 Cert/LPCBref. C1833a/01



**SELFC-H110S 110mm**



LPS1132:Issue4.2Cert/LPCBRef.C1833a/03




SELFC-H110S Connection Clips, the ingenious connection system that firmly joins collars neatly and safely, in no time at all.

**SELFC-H150S 150mm**



LPS1132:Issue4.2Cert/LPCBRef.C1833a/04



SURE SNAP FIRE COLLARS

## EXTENSIONS

### 50mm height stackable extension pieces

Designed to extend the height of the collar for thicker slabs.

STOCK CODE	DESCRIPTION
SELFC-65EXT	suitable for SELFC-H65S
SELFC-110EXT	suitable for SELFC-H110S
SELFC-150EXT	suitable for SELFC-H150S



## MANIFOLD RECESS FORMER

Designed to enhance the installation of pipework in fire-rated penetrations. Specifically engineered for use with the SELFC-H110S fire collar.

STOCK CODE	SIZE
SELFC-110MRF	110mm



## COLLAR CAP

Designed to protect the fire collar during construction and installation.

STOCK CODE	SIZE
SELFC-65CAP	65mm
SELFC-110CAP	110mm
SELFC-150CAP	150mm



## LOCATOR PLATE

Designed to ensure accurate placement of Sure Snap cast-in fire collars during installation.


STOCK CODE	SIZE
SELFC-LP65	65mm
SELFC-LP110	110mm
SELFC-LP150	150mm



**SELKENT OFFER A BESPOKE CUTTING DOWN SERVICE  
TO MATCH YOUR REQUIRED HEIGHT TO SUIT YOUR SLAB DEPTH.**

# HANDRAIL SYSTEMS

## 3 WAY TEE CONNECTOR GRP



STOCK CODE	COLOUR	
MH3W	YELLOW	1
MH3WG	GREY	1

## LONG 4 WAY CONNECTOR GRP



STOCK CODE	COLOUR	
MH4W	YELLOW	1
MH4WG	GREY	1

UNIVERSAL  
3 WAY GRP

STOCK CODE	COLOUR	
MH3WUY	YELLOW	1
MH3WUG	GREY	1

UNIVERSAL  
4 WAY GRP

STOCK CODE	COLOUR	
MH4WUY	YELLOW	1
MH4WUG	GREY	1

## 90° ELBOW GRP



STOCK CODE	COLOUR	
MH90E	YELLOW	1
MH90EG	GREY	1

## 120° DEG ELBOW GRP



STOCK CODE	COLOUR	
MHA120E	YELLOW	1

## 60° 3 WAY TEE GRP



STOCK CODE	COLOUR	
MHA3E	YELLOW	1

## 60° 4 WAY TEE GRP



STOCK CODE	COLOUR	
MHA4W	YELLOW	1

**TRIANGULAR BASE FOOT GRP**



STOCK CODE	COLOUR	
MHABF	YELLOW	1

**ROUND HOLE BASE FOOT GRP**



STOCK CODE	COLOUR	
MHBF	YELLOW	1
MHBFG	GREY	1

**BOLT SET GRP**



STOCK CODE	
MHBOLT	1

**3 WAY CORNER GRP**



STOCK CODE	COLOUR	
MHCORNER3W	YELLOW	1
MHCORNER3WG	GREY	1

**4 WAY CORNER GRP**




STOCK CODE	COLOUR	
MHCORNER4W	YELLOW	1
MHCORNER4WG	GREY	1

**BASE FOOT PAD GRP**



STOCK CODE	SIZE	
MHFP5MM	5mm	1


**3 WAY LONG TEE GRP**



STOCK CODE	COLOUR	
MHL3WY	YELLOW	1
MHL3WG	GREY	1

**P JOINT GRP**

*IN PAIR*



STOCK CODE	COLOUR	
MHPJY	YELLOW	1
MHPJG	GREY	1

HANDRAIL SYSTEMS

## SPIGOT GRP



STOCK CODE	COLOUR	
SPIGOTY	YELLOW	1
SPIGOTG	GREY	1

## HANDRAIL TUBE



STOCK CODE	COLOUR	LENGTH	
TU550IY	YELLOW	5m	1
TU550IG	GREY	5m	1

## RIGHT ANGLE BEND GRP



STOCK CODE	COLOUR	
MHRABY	YELLOW	1
MHRABG	GREY	1

## SIDE FIT BASE GRP




STOCK CODE	COLOUR	
MHSF	YELLOW	1
MHSFG	GREY	1

## BLACK TUBE END CAP GRP



STOCK CODE	
MHTC	1

## UNIVERSAL JOINT CONNECTOR GRP



STOCK CODE	COLOUR	
MHUJ	YELLOW	1 pair
MHUJG	GREY	1 pair



FastClamp fittings require no welding, drilling or special tools, simply use a hexagon key to tighten the special setscrews that embed into the tube. FastClamp fittings will support an axial load of up to 900 kg when tightened to a torque of 39Nm.




## APPLICATIONS

- Handrailing
- Polytunnels
- Barriers
- Frames
- Work Benches
- Security Screens
- Guardrailing
- Fruit Cages
- Disabled Ramps
- Canopies
- Exhibition Stands
- Stables
- Tyre Racks
- Garment Racks
- Sheds
- Market Stalls
- Cattle Pens
- Climbing Frames
- Car Ports
- Greenhouses
- Roof Edge Protection
- Storage Racks
- Cricket Screens
- Goalposts

## KEE CLAMP COMPATIBLE TUBE




STOCK CODE	TYPE	TUBE Ø	LENGTH	
5800	G25	33.7mm	3.2m	1
5801	G32	42.4mm	3.2m	1
5802	G40	48.3mm	3.2m	1
58026.4M	G40	48.3mm	6.4m	1

**CA03 ADD ON SHORT TEE**


It allows existing structures to be added to without the need for any dismantling. Tubes must not be jointed within this fitting.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5527	CA03G32	42.4	60	55	1
5528	CA03G40	48.3	68	60	1

**CA40 ADD ON 90° CROSSOVER**


It allows existing structures to be added to without the need for any dismantling. This fitting is designed to give a 90° offset crossover joint. Tubes must not be joined within this fitting.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5768	CA40G32	42.4	49	46	1
5769	CA40G40	48.3	55	50	1

**C00 SLEEVE JOINT**


It provides an in line joint between two tubes of the same diameter.

STOCK CODE	TYPE	TUBE Ø mm	A	
5770	C00G20	26.9	76	1
5771	C00G25	33.7	89	1
5772	C00G32	42.4	102	1
5773	C00G40	48.3	100	1
5774	C00G50	60.3	120	1

**C01 EXPANDING CONNECTOR**

Providing an in line joint between tubes of the same diameter, and a wall thickness of 3.2mm. It fits flush with the tube surface and can be located inside other fittings. It must not be used as a load-bearing joint, in these applications use a FastClamp type C00.


STOCK CODE	TYPE	TUBE Ø mm	A	B	
5529	C01G25	33.7	75	19	1
5530	C01G32	42.4	75	19	1
5531	C01G40	48.3	75	19	1
5796	C01G20	60.3	75	19	1

**C02 90° ELBOW**

It provides a joint between two tubes at right angles to each other. Often used for railing ends and corners.

STOCK CODE	TYPE	TUBE Ø mm	A	
5532	C02G20	26.9	40	1
5533	C02G25	33.7	48	1
5534	C02G32	42.4	60	1
5535	C02G40	48.3	67	1
5536	C02G50	60.3	86	1


**C03 SHORT TEE**



It provides a butt joint between two tubes at right angles to each other. Often used for railing ends and tops. If tubes need to be joined inside the fitting then a C04 type should be used.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5537	C03G20	26.9	40	38	1
5538	C03G25	33.7	48	45	1
5539	C03G32	42.4	60	54	1
5540	C03G40	48.3	67	60	1
5541	C03G50	60.3	86	71	1


**C04 LONG TEE**



Designed to provide a butt joint between two tubes at right angles to each other. Often used for railing ends and tops. It allows the through tube to be joined inside the fitting.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5542	C04G20	26.9	40	80	1
5543	C04G25	33.7	48	96	1
5544	C04G32	42.4	60	120	1
5545	C04G40	48.3	67	134	1
5546	C04G50	60.3	86	172	1


**C05 VARIABLE ELBOW**



The Variable Elbow is designed to make joints at an angle of between 15° and 60°.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	
5547	C05G25	33.7	65	60	13	50	1
5548	C05G32	42.4	80	66	16	55	1
5549	C05G40	48.3	95	75	17	55	1


**C06 INTERNAL T JOINT**



Designed to provide an angled joint between a tube and a FastClamp fitting when used in conjunction with C02 and C03 type fittings. Often used for railing tops and midrails to accommodate a slope as offset railing.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	
5550	C06G25	33.7	23	33	34	1
5551	C06G32	42.4	29	42	40	1
5552	C06G40	48.3	31	48	44	1


**C07 45° TEE**



The 45° Tee is used as a bracing and strut component for strengthening structures.

STOCK CODE	TYPE	TUBE Ø mm	A	
5553	C07G25	33.7	45	1
5554	C07G32	42.4	54	1
5555	C07G40	48.3	60	1


### C10 SWIVEL BASE



The Swivel Base is designed to provide a base fixing. It is usually used in conjunction with a C36 type fitting to make a C46 type base swivel combination. This fitting does not provide sufficient rigidity to be used as a railing base without other means of support.

STOCK CODE	TYPE	A	B	C	D	E	Ø	
5556	C10G	50	40	50	81	111	10	1


### C11 WALL FLANGE



Designed to provide a positional wall or base fixing. It is not recommended to use this fitting as a structural railing base.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	Ø	
5557	C11G20	26.9	86	42	57	4	9	1
5558	C11G25	33.7	89	45	64	6	9	1
5559	C11G32	42.4	102	50	76	6	9	1
5560	C11G40	48.3	114	57	89	6	9	1
5561	C11G50	60.3	127	64	95	6	9	1


### C12 RAILING BASE FLANGE



It provides a positional wall or base fixing. It is not recommended to use this fitting as a structural railing base.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	E	Ø	
5562	C12G20	26.9	76	65	8	76	114	11	1
5563	C12G25	33.7	89	76	9	89	128	14	1
5564	C12G32	42.4	89	80	10	102	140	14	1
5565	C12G40	48.3	89	89	10	114	152	14	1
5566	C12G50	60.3	128	88	9	127	165	18	1


### C13 RAILING VERTICAL SIDE SUPPORT



The Railing Vertical Side Support is designed to provide a base for railings and other structures that need a side mounted fixing.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	E	Ø	
5567	C13G25	33.7	45	96	67	28	104	14	1
5568	C13G32	42.4	50	109	78	30	114	14	1
5569	C13G40	48.3	60	123	86	34	120	14	1


### C14 RAILING HORIZONTAL SIDE SUPPORT



It provides a base for railings and other structures that need a side mounted fixing.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	Ø	
5570	C14G25	33.7	90	30	12	18	1
5571	C14G32	42.4	90	35	12	18	1
5572	C14G40	48.3	90	41	15	18	1


**C15 SIDE PALM FIXING**



It provides a base for railings and other structures that need a side mounted fixing.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	E	Ø	
5573	C15G25	33.7	76	89	71	63	97	11	1
5574	C15G32	42.4	84	98	82	72	108	11	1
5575	C15G40	48.3	92	104	86	78	112	11	1


**C16 HANDRAIL BRACKET**



Designed to secure handrail tube to a wall. It can also be used on top of walls as a fixing for a low rail.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	Ø	
5576	C16G20	26.9	44	57	55	78	9	1
5577	C16G25	33.7	44	63	57	82	11	1
5578	C16G32	42.4	44	76	63	102	11	1
5579	C16G40	48.3	48	85	67	108	11	1


**C17 GROUND SUPPORT**



Designed to provide a base that can be cast into the ground to support a post.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	
5580	C17G25	33.7	60	140	130	4.5	1
5581	C17G32	42.4	60	140	130	4.5	1
5582	C17G40	48.3	60	140	130	4.5	1


**C18 BASE FLANGE INTEGRATED TOEBOARD**



Ideal for guardrailing and balustrading applications where the addition of a toeboard is required. The side plates have slotted holes to allow for a degree of sideways movement for ease of installation.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	E	Ø	
5583	C18G32	42.4	45	90	58	30	100	18	1
5584	C18G40	48.3	45	90	58	30	100	18	1


**C20 3 WAY 90° ELBOW**



Designed to provide a neat corner for the upper rail of guardrail or frames.

STOCK CODE	TYPE	TUBE Ø mm	A	
5585	C20G20	26.9	40	1
5586	C20G25	33.7	48	1
5587	C20G32	42.4	61	1
5588	C20G40	48.3	67	1
5589	C20G50	60.3	84	1


### C21 CORNER C/W THROUGH TUBE



The Corner complete with through tube is designed to provide a 90° corner for the intermediate rail of guardrail or frames.

STOCK CODE	TYPE	TUBE Ø mm	A	L	
5590	C21G20	26.9	40	38	1
5591	C21G25	33.7	48	45	1
5592	C21G32	42.4	60	54	1
5593	C21G40	48.3	67	60	1
5594	C21G50	60.3	86	71	1


### C22 TWO SOCKET CROSS



It provides the midrail joint for handrail and other structures. It is recommended that the handrail post is continuous through the fitting.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5595	C22G20	26.9	40	80	1
5596	C22G25	33.7	48	95	1
5597	C22G32	42.4	60	120	1
5598	C22G40	48.3	67	134	1
5599	C22G50	60.3	86	172	1


### C23 SIDE OUTLET TEE 45°



It provides a three way midrail joint for handrail and other structures. It is recommended that the handrail post is continuous through the fitting..

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5600	C23G20	26.9	40	38	1
5601	C23G25	33.7	48	45	1
5602	C23G32	42.4	60	54	1
5603	C23G40	48.3	66	60	1
5604	C23G50	60.3	86	71	1


### C24 4 WAY CROSS PLUS CENTRAL TUBE



It provides a four way midrail joint for handrail and other structures. It is recommended that the handrail post is continuous through the fitting. This fitting may also be used for the top rail with the centre post capped with a C65 Plastic Stop End.

STOCK CODE	TYPE	TUBE Ø mm	A	L	
5605	C24G20	26.9	41	59	1
5606	C24G25	33.7	48	65	1
5607	C24G32	42.4	60	80	1
5608	C24G40	48.3	67	85	1
5609	C24G50	60.3	86	90	1


**C25 SHORT TEE SWIVEL**



Short Tee Swivel fittings are normally used in pairs to facilitate corner angles of 90° to 180°. It is also used on staircases with a C02 and C03 fittings in conjunction with a short piece of tube and a C65 Plastic Stop End in landing areas.

STOCK CODE	TYPE	TUBE Ø mm	A	
5610	C25G20	26.9	65	1
5611	C25G25	33.7	66	1
5612	C25G32	42.4	73	1
5613	C25G40	48.3	81	1
5614	C25G50	60.3	110	1


**C26 ANGLE CROSS UP TO 45°**



Typically used for guardrail when connecting the mid or lower rails to uprights. The upright tube must remain continuous with the mid and lower rails cut to suit. The C26 is normally used in conjunction with a C27. Fittings are stocked as blanks and are machined to the customer's specified angle between 0° and 45°.

STOCK CODE	TYPE	TUBE Ø mm	A	
5615	C26G25	33.7	162	1
5616	C26G40	48.3	218	1


**C27 ANGLE TEE UP TO 45°**



Typically used for guardrail when connecting top rails to uprights. The C27 is normally used in conjunction with a C26. Fittings are stocked as blanks and are machined to the customer's specified angle between 0° and 45°.

STOCK CODE	TYPE	TUBE Ø mm	A	
5617	C27G25	33.7	162	1
5618	C27G40	48.3	218	1


**C28 ADJUSTABLE 2 SOCKET CROSS 30°-45°**



The Adjustable 2 Socket Cross fitting will accommodate any rake angle from 30° to 45°. This fitting is not recommended as the top fitting on a guardrail or balustrade system, use the C29 Adjustable Short Tee.


STOCK CODE	TYPE	TUBE Ø mm	A	
5619	C28G25	33.7	162	1
5620	C28G32	42.4	190	1
5621	C28G40	48.3	218	1

**C29 ADJUSTABLE SHORT TEE (30° TO 60°)**




It will accommodate any rake angle from 30° to 60°. Commonly used for the top rail of handrail to accommodate the rake angle on slopes, it can also be used for any Tee Joint that needs to make at an angle of between 30° and 60° for lightweight structures.

STOCK CODE	TYPE	TUBE Ø mm	A	L	
5622	C29G25	33.7	74	54	1
5623	C29G32	42.4	85	63	1
5624	C29G40	48.3	102	68	1

**C30 COLLAR**


The Collar fitting can be used to support the C03 fitting when the latter is used as a hinge. It can also be used to increase the load capacity of another fitting when used together. This fitting can be used as a stop for a sliding tube.

STOCK CODE	TYPE	TUBE Ø mm	A	
5625	C30G20	26.9	22	1
5626	C30G25	33.7	25	1
5627	C30G32	42.4	25	1
5628	C30G40	48.3	25	1
5629	C30G50	60.3	40	1

**C31 GATE EYE**


This fitting is designed as a gate eye for lightweight gates. If a heavy gate is being used we recommend that C03 and C30 type fittings are used to support the gate.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	
5630	C31G20	26.9	25	30	15	1
5631	C31G25	33.7	25	33	15	1
5632	C31G32	42.4	25	38	15	1
5633	C31G40	48.3	25	41	15	1

**C32 GATE HINGE**


This fitting is designed as a gate hinge for lightweight gates. If a heavy gate is being used we recommend that C03 and C30 type fittings are used to support the gate.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	
5634	C32G20	26.9	30	25	13	38	1
5635	C32G25	33.7	33	25	13	38	1
5636	C32G32	42.4	38	25	13	38	1
5637	C32G40	48.3	41	25	13	38	1

**C33 HOOK**

The fitting is designed to provide an attachment for chain.


STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	
5638	C33G20	26.9	32	25	10	25	1
5639	C33G25	33.7	34	25	13	21	1
5640	C33G32	42.4	39	25	13	25	1
5641	C33G40	48.3	41	25	13	25	1

**C34 FIXING PAD**

The fitting is designed to provide an attachment for flat sheets or board. It may also be used as a gate stop. An alternative fitting for the attachment of boards is the C35 type.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	Ø	
5642	C34G25	26.9	45	25	5	6	1
5643	C34G32	33.7	53	40	5	11	1
5644	C34G40	42.4	56	40	5	11	1


**C35 MALE SWIVEL**



The Male Swivel can be used on its own for use with a shackle and chain or with the C36 female swivel to mount rails at any angle for slopes. It can also be used for attaching flat sheets or boards to a structure and is available assembled with the C36 fittings as a C45 single swivel combination.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	Ø	
5645	C35G20	26.9	32	38	5	6	1
5646	C35G25	33.7	32	42	5	6	1
5647	C35G32	42.4	32	47	5	6	1
5648	C35G40	48.3	32	50	5	6	1
5649	C35G50	60.3	48	60	5	6	1


**C36F FEMALE SWIVEL**



The Female Swivel is designed as part of the swivel combination group of fittings. It can be used with the C10, C35, C37, C38 or C39 male swivel fittings.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	
5650	C36G20F	26.9	39	35	53	10	1
5651	C36G25F	33.7	41	35	60	10	1
5652	C36G32F	42.4	44	35	63	10	1
5653	C36G40F	48.3	50	35	70	10	1
5654	C36G50F	60.3	70	40	95	10	1


**C36M MALE SWIVEL**



The Male Swivel is designed as part of the swivel combination group of fittings. It can be used with C36F fittings.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5655	C36G25M	33.7	30	60	1
5656	C36G32M	42.4	40	70	1
5657	C36G40M	48.3	45	75	1


**C37 DOUBLE MALE SWIVEL**



Designed as part of the swivel combination group of fittings. It can be used with two C36 female swivel fittings. The double swivel combination is also available assembled as a type C47 fitting.

STOCK CODE	TYPE	TUBE Ø mm	A	B	Ø	
5658	C37G20	26.9	40	32	10	1
5659	C37G25	33.7	44	32	10	1
5660	C37G32	42.4	49	32	10	1
5661	C37G40	48.3	52	32	10	1
5662	C37G50	60.3	63	50	10	1


**C38 90° CORNER MALE SWIVEL**



The 90° Corner Male Swivel is designed as part of the swivel combination group of fittings. It can be used with two C36 female swivel fittings to make a corner combination fitting which is also available assembled as a type C48 fitting.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	Ø	
5663	C38G20	26.9	40	39	8	10	1
5664	C38G25	33.7	44	38	8	10	1
5665	C38G32	42.4	49	48	8	10	1
5666	C38G40	48.3	53	48	8	10	1


### C40 90° CROSSOVER



The 90° Crossover connects two rails at 90° to each other and is often used for the handrailing when continuous standard lengths of tube are used. Please note that tube joints should use the C00 or C01 type fitting, and not the C40 type fitting.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5667	C40G20	26.9	36	35	1
5668	C40G25	33.7	40	40	1
5669	C40G32	42.4	45	50	1
5670	C40G40	48.3	51	56	1
5671	C40G50	60.3	61	64	1
5672	C40G25-32	33.7 / 42.4	45	45	1
5673	C40G25-40	33.7 / 48.3	51	48	1
5674	C40G32-40	42.2 / 48.3	51	52	1


### C41 CLAMP ON TEE



The Clamp on Tee is designed to allow a new tube to be joined to an existing structure. Torque maximum 15Nm. This uses an M10 stainless steel bolt.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5675	C41G20	26.9	50	25	1
5676	C41G25	33.7	53	25	1
5677	C41G32	42.4	67	35	1
5678	C41G40	48.3	77	35	1
5679	C41G50	60.3	90	45	1


### C42 CLAMP ON CROSSOVER



Designed to allow a new tube to be joined to an existing structure.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	
5680	C42G20	26.9	37	28	27	27	1
5681	C42G25	33.7	44	34	34	34	1
5682	C42G32	42.4	53	43	43	43	1
5683	C42G40	48.3	58	49	49	49	1
5684	C42G50	60.3	70	62	61	61	1


### C43 COMBINATION SOCKET



The Combination Socket is designed for racking and similar systems to allow a crossover to be combined with a cross tie.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	
5685	C43G20	26.9	31	35	40	1
5686	C43G25	33.7	42	40	48	1
5687	C43G32	42.4	54	50	60	1
5688	C43G40	48.3	60	56	67	1
5689	C43G50	60.3	72	68	86	1


**C45 SINGLE SWIVEL COMBINATION**



The Single Swivel Combination is designed to provide an angled tee between two tubes. It can be used to construct sloping handrails and for providing bracing struts to structures.

STOCK CODE	TYPE	TUBE Ø mm	
5690	C45G20	26.9	1
5691	C45G25	33.7	1
5692	C45G32	42.4	1
5693	C45G40	48.3	1
5694	C45G50	60.3	1


**C46 BASE SWIVEL COMBINATION**



It is designed to provide an angled wall or floor mounting. This fitting should not be used as a railing base without suitable support.

STOCK CODE	TYPE	TUBE Ø mm	
5695	C46G20	26.9	1
5696	C46G25	33.7	1
5697	C46G32	42.4	1
5698	C46G40	48.3	1
5699	C46G50	60.3	1


**C47 DOUBLE SWIVEL COMBINATION**



The Double Swivel Combination is designed to provide an in-line angled joint as a post, this is suitable for the mid rail of a sloping handrail or to provide bracing to a structure.

STOCK CODE	TYPE	TUBE Ø mm	
5700	C47G20	26.9	1
5701	C47G25	33.7	1
5702	C47G32	42.4	1
5703	C47G40	48.3	1
5704	C47G50	60.3	1


**C48 90° CORNER SWIVEL COMBINATION**



Designed to provide an angled joint at a post, this is suitable for the mid rail of sloping handrail or to provide bracing to a structure.

STOCK CODE	TYPE	TUBE Ø mm	
5705	C48G20	26.9	1
5706	C48G25	33.7	1
5707	C48G32	42.4	1
5708	C48G40	48.3	1

**C50 SLOPE ELBOW 0° TO 11°**




Designed to provide an elbow for use on ramps. The variable angle allows the fitting to accommodate slopes up to 11°.

STOCK CODE	TYPE	TUBE Ø mm	A	
5709	C50G32	42.4	60	1
5710	C50G40	48.3	67	1

**C51 SHORT SLOPE TEE 0° TO 11°**


The Slope Short Tee is designed to provide a T joint between two tubes for use on ramps. The variable angle allows the fitting to accommodate slopes up to 11°.



STOCK CODE	TYPE	TUBE Ø mm	A	B	
5711	C51G32	42.4	68	60	1
5712	C51G40	48.3	72	68	1

**C52 LONG SLOPE TEE 0° TO 11°**


The Slope Long Tee is designed to provide a T joint between two tubes for use on ramps. The variable angle allows the fitting to accommodate slopes up to 11°.



STOCK CODE	TYPE	TUBE Ø mm	A	B	
5713	C52G32	42.2	144	60	1
5714	C52G40	48.3	159	67	1

**C53 SLOPE BASE 0° TO 11°**


Designed to provide a base for use on ramps. The variable angle allows the fitting to accommodate slopes up to 11°.



STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	E	Ø	
5715	C53G32	42.2	91	140	79	102	10	14	1
5716	C53G40	48.3	96	152	80	114	10	14	1

**C54 SLOPE 2 SOCKET CROSS 0° TO 11°**


Designed to provide a joint for the midrail for use on ramps. The variable angle allows the fitting to accommodate slopes up to 11°.



STOCK CODE	TYPE	TUBE Ø mm	A	B	
5717	C54G32	42.4	144	72	1
5718	C54G40	48.3	158	79	1

**C55 27.5° RIDGE FITTING**


A four way socket fitting used to construct the ridge of a roof structure.



STOCK CODE	TYPE	TUBE Ø mm	A	B	
5719	C55G40	48.3	67	89	1


**C56 27.5° EAVES FITTING**

A four way socket fitting used to construct the eaves of a roof structure.



STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	
5720	C56G40	48.3	67	89	83	51	1


**C57 THREE SOCKET TEE**  
11° TO 30°



Similar to a type C27, it is used on safety railing with slopes between 11°-30° and fixes the top rail to a vertical intermediate upright. Unlike the type C27 these components are ex-stock and do not require machining.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5721	C57G32	42.4	180	35	1
5722	C57G40	48.3	216	40	1


**C58 TWO SOCKET CROSS**  
11° TO 30°



Similar to a type C26, it is used on safety railing with slopes between 11°-30° and fixes the mid rail to a vertical intermediate upright. Unlike the type C26 these components are ex-stock and do not require machining.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5723	C58G32	42.4	180	55	1
5724	C58G40	48.3	216	60	1

**C59 ANGLE BASE FLANGE**  
11° TO 30°



Similar to a type C53, it is used to set the upright at an angle between 11°-30°. This fitting should only be subjected to light loads which cannot be positioned at 90° to the applied load. For greater loads or other tube sizes, a type C12 flange should be used with the upright bent to the required angle.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	Ø	
5725	C59G32	42.4	76	114	85	146	14	1
5726	C59G40	48.3	89	124	95	164	14	1

**C60 SPARE SCREWS**



Spare screws come in two sizes, 1/4" BSP for the 20 and 25 NB range and 3/8" BSP for the 32, 40 and 50 NB ranges.

STOCK CODE	TYPE	TUBE Ø mm	
5727	C60S25	26.9 & 33.7	1
5728	C60S32/40	42.4, 48.3 & 60.3	1


**C61 ALLEN KEYS**



Allen keys are available in two sizes, the first is suitable for the 20 and 25 NB fitting and the other for the 32, 40 and 50 NB fittings.


STOCK CODE	TYPE	TUBE Ø mm	
5729	C61S25	26.9 & 33.7 & 42.4	1
5730	C61S32/40	48.3 & 60.3	1

**C65P PLASTIC END CAP**




Plastic End Caps are available for finishing plain end tubes. Available in grey plastic they will fit medium and heavy gauge tube.

STOCK CODE	TYPE	TUBE Ø mm	
5731	C65P20	26.9	1
5732	C65P25	33.7	1
5733	C65P32	42.4	1
5734	C65P40	48.3	1
5735	C65P50	60.3	1

**C65G METAL END CAP**


This metal plug is hard to remove once it has been driven in. Note this metal insert can only be used in conjunction with tube with a wall thickness of 3.2mm. There is an alternative plastic version, look at our C65P above.

STOCK CODE	TYPE	TUBE Ø mm	
5736	C65G20	26.9	1
5737	C65G25	33.7	1
5738	C65G32	42.4	1
5739	C65G40	48.3	1
5740	C65G50	60.3	1

**C66 SINGLE MESH CLIP**


The Single Mesh Clip is designed to provide a fixing for standard mesh panels. It is recommended that the clips be spaced at a maximum of 450mm apart.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	
5741	C66G20	26.9	27	26	58	1
5742	C66G25	33.7	30	26	61	1
5743	C66G32	42.4	33	26	64	1
5744	C66G40	48.3	38	26	68	1
5745	C66G50	60.3	44	26	75	1

**C67 DOUBLE MESH CLIP**


The Double Mesh Clip is designed to provide a fixing for standard mesh panels. It is recommended that the clips be spaced at a maximum of 450mm apart.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	
5746	C67G20	26.9	27	26	58	1
5747	C67G25	33.7	30	26	61	1
5748	C67G32	42.4	33	26	64	1
5749	C67G40	48.3	38	26	68	1
5750	C67G50	60.3	44	26	75	1

**C68 WEATHER COWL**

Designed to cover the railing base and provides a weatherproof seal when used with a suitable flexible sealant.


STOCK CODE	TYPE	TUBE Ø mm	A	B	C	
5751	C68G20	33.7	140	25	125	1
5752	C68G25	42.4	150	25	150	1
5753	C68G40	48.3	166	25	150	1

**C69 SQUARE PLASTIC END CAP**

Available for finishing plain end square tubes. Available in grey plastic. They will fit medium and heavy tube gauges.

STOCK CODE	TYPE	TUBE Ø mm	B	C	
5754	C69P40x40	40x40SHS	40	3.2	1
5755	C69P50x50	50x50SHS	50	3.2	1
5756	C69P70x70	70x70SHS	70	3.2	1


**C70 FASTCLAMP CRIMP STRAIGHT**



It provides a permanent in-line connection for 33.7mm diameter x 3.2mm thick tube. A crimping tool is necessary.

STOCK CODE	TYPE	AØ	B	
5757	C70G25	26.0	34.0	1

**C71 FASTCLAMP CRIMP ELBOW**



Crimp Elbow provides a permanent 90° connection for 33.7mm diameter x 3.2mm thick tube, a crimping tool is necessary.

STOCK CODE	TYPE	A	B	C	
5758	C71G25	26.0	38.0	34.0	1

**FLAT ROOF COUNTERWEIGHT**



STOCK CODE	DESCRIPTION	LENGTH	
CW1M	Flat Roof Counterweight	1m	1
CW2M	Flat Roof Counterweight	2m	1
CWRE2M	Flat Roof Run End Counterweight	2m	1

**UPRIGHT & CURVED POST**



STOCK CODE	DESCRIPTION	HEIGHT	
UP1100	Upright	1100mm	1
CP1100C	Curved	1100mm	1

**The DDA Range**

Designed to satisfy the requirements of Part 'M' of the Building Regulations 2004


**ACCESSIBLE HANDRAILING**

Under the terms of the Equality Act 2010 (previously the Disability Discrimination Act), reasonable adjustments need to be made to public and commercial buildings to overcome physical barriers which prevent disabled access. The Building Regulations recommend an outside diameter tube size for installations of between 40-45mm.

Our DDA Range has been designed to meet these requirements by providing a non-discriminatory handrail solution that complies with the Equality Act and Part "M" of the Building Regulations. The range allows construction of a smooth continuous handrail of 42.4mm Ø. DDA fittings are supplied hot dip galvanised as standard but can be supplied in a powder coated finish to RAL standard colours (subject to quantity and availability from the coaters). In cold temperatures a powder coated finish will give the impression of being warmer to the touch.

**DDA01 UPRIGHT CONNECTOR**

Connector for attaching the DDA04 intermediate bracket or the DDA02 handrail connector to the 48.3mm o/d upright.



STOCK CODE	TYPE	A	B	C	
5759	DDA01	55	60	50	1

**DDA02 HANDRAIL CONNECTOR**


Connector (made from ductile iron) for attaching the end of the 42.4mm o/d handrail tube at 90° to the 48.3mm o/d upright. This bracket is used in conjunction with DDA01 and DDA07.



STOCK CODE	TYPE	A	B	C	D	
5760	DDA02	51	86	30	38	1

**DDA03 WALL BRACKET**


Bracket (made from ductile iron) for supporting the 42.4mm o/d handrail tube to a wall. The 42.4mm o/d tube is fixed to the DDA03 using either 2 x self tapping screws or 2 x pop rivets.



STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	E	
5761	DDA03	42.4	88	82	90	8	84	1


**DDA04 INTERMEDIATE BRACKET**

Bracket (made from ductile iron) for supporting the top or middle rail tube at an upright in conjunction with a DDA01. The 42.4mm o/d tube is fixed to the DDA04 using either 2 x self tapping screws or 2 x pop rivets.



STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	E	
5762	DDA04	42.4	30	81	84	38	88	1


**DDA05 END RETURN**



Bracket (made from ductile iron) for terminating the 42.4mm o/d handrail tube back to a wall. This bracket is used in conjunction with a DDA07.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	D	E	
5763	DDA05	42.4	90	82	8	86	46	1


**DDA06 90° BEND**



Expanding elbow (made from ductile iron) for creating a smooth 90° bend in the 42.4mm o/d tube.

STOCK CODE	TYPE	TUBE Ø mm	A	B	C	
5764	DDA06	42.4	33.7	35	50	1


**DDA07 EXPANDING CONNECTOR**



Expanding internal connector for joining sections of 42.4mm o/d tube, or other DDA fittings as and when required.

STOCK CODE	TYPE	TUBE Ø mm	A	B	
5765	DDA07	42.4	42.4	75	1


**DDA08 PLASTIC END CAP**



48.3mm o/d plastic end cap for inserting into the open tube on the top of the upright. For a permanent fix, a suitable adhesive should be used.

STOCK CODE	TYPE	TUBE Ø mm	A	
5766	DDA08	42.4	42.4	1

**DDA09 ADJUSTABLE BEND**




Fitting (made from ductile iron) for creating an adjustable bend between the horizontal and the vertical.

STOCK CODE	TYPE	A	B	
5767	DDA09	31	86	1

**SHALLOW CHANNEL**


STANDARD GAUGE (2.5mm) 41X21mm

**PRE GALV**

STOCK CODE	LENGTH	DESCRIPTION	
1748	3m	Plain	1
1751	3m	Slotted	1

**DEEP CHANNEL**

STANDARD GAUGE (2.5mm) 41x41mm

**PRE GALV**

STOCK CODE	LENGTH	DESCRIPTION	
1753	3m	Plain	1
1756	3m	Slotted	1

**PLAIN****BZP**


STOCK CODE	SIZE	
2168	M6	100
2169	M8	100
2170	M10	100
2171	M12	100

**SHORT SPRING****BZP**


STOCK CODE	SIZE	
2172	M6	100
2173	M8	100
2174	M10	100
2175	M12	100

**LONG SPRING****BZP**


STOCK CODE	SIZE	
2176	M6	100
2177	M8	100
2178	M10	100
2179	M12	100

**4 HOLE FLAT PLATE****GALV**

STOCK CODE	HOLE Ø	SIZE	
P1067HG	14mm	160mm x 41mm	1

**P1026 2 HOLE 90° ANGLE BRACKET****GALV**

STOCK CODE	
P1026HG	100

**P1074 4 HOLE 45° ANGLE BRACKET****GALV**


STOCK CODE	
P1074HG	1

# HAND TOOLS, POWER TOOLS & ACCESSORIES




 **SELKENT**

## GENERAL PURPOSE 10MM DIAMOND BLADE



STOCK CODE	SIZE	BORE	
13822	115mm	22.2mm	1
13823	125mm	22.2mm	1
13824	230mm	22.2mm	1
13825	300mm	20.0mm	1
13826	350mm	20.0mm	1


## DX10 TURBO UNIVERSAL DIAMOND BLADE



STOCK CODE	SIZE	BORE	
13730	105mm	16.0mm	1
13731	115mm	22.2mm	1
13732	125mm	22.2mm	1
13735	230mm	22.2mm	1

STOCK CODE	SIZE	BORE	
13736	300mm	20.0mm	1
13737	350mm	20.0mm	1
13738	350mm	25.4mm	1

SEGMENTED TURBO CONCRETE DIAMOND BLADE



General purpose blade

15mm Segment

Excellent value long life general purpose blade

Suitable for both wet and dry cutting

For use on: concrete products such as pavements, slabs, kerbs and general building materials


Conforms to EN13236

Precise cuts

STOCK CODE	SIZE	BORE	
13765	115mm	22.2mm	1
13766	125mm	22.2mm	1
13767	230mm	22.2mm	1

STOCK CODE	SIZE	BORE	
13768	300mm	20.0mm	1
13769	350mm	20.0mm	1
13770	350mm	25.4mm	1

DCA ZEBRA ABRASIVE DIAMOND BLADE



Abrasive and general purpose blade

Segmented diamond blade with gullets allow for efficient debris removal & faster cooling

10mm Segment height, with durable laser welded segments for long-lasting performance

Segments are laser welded onto a precision-tensioned steel core, enabling the blade to stay straight during cutting

For use on: general and abrasive building products, concrete pavements, concrete roof tiles, hard asphalt, breeze blocks

Suitable for both wet and dry cutting

Conforms to EN13236

STOCK CODE	SIZE	BORE	
13745	105mm	16.0mm	1
13746	115mm	22.2mm	1
13747	125mm	22.2mm	1
13750	230mm	22.2mm	1

STOCK CODE	SIZE	BORE	
13751	300mm	20.0mm	1
13752	350mm	20.0mm	1
13753	350mm	25.4mm	1
13782	450mm	25.4mm	1

## MCA ZEBRA SUPERIOR ABRASIVE DIAMOND BLADE



Segmented diamond blade with gullets allow for efficient debris removal & faster cooling.

10mm Segment height, with durable laser welded segments, made with premium-grade diamond bond to deliver fast cutting, durability, and long-lasting performance.

Conforms to EN13236

Narrow gullets between segments help minimize chipping and reduce vibrations so you get cleaner smooth cuts on hard materials.

Suitable for both wet and dry cutting

STOCK CODE	SIZE	BORE	
13780	400mm	20.0mm	1
13781	450mm	25.4mm	1
13834	500mm	25.4mm	1

## DA SHARK ABRASIVE DIAMOND BLADE



Asphalt blade with 10mm wedge segment undercut protection


Suitable for both wet and dry cutting

Conforms to EN13236

For use on: asphalt and extremely abrasive materials, render


STOCK CODE	SIZE	BORE	
13754	300mm	20.0mm	1
13755	350mm	25.4mm	1
13814	450mm	25.4mm	1

### DIAMOND MORTAR RAKE BLADE



STOCK CODE	SIZE	BORE	
MRDIA115	115mm	22.2mm	1

### DOUBLE DIAMOND ROW CUP GRINDING WHEEL



STOCK CODE	SIZE	
DRCG100	105mm	1
DRCG115	115mm	1
DRCG125	125mm	1

STOCK CODE	SIZE	
DRCG180	180mm	1
DRCG230	230mm	1

HAND TOOLS, POWER TOOLS & ACCESSORIES

## TCT CIRCULAR SAW BLADE 0 DEGREE

7mm tungsten carbide tips for long life, laser-cut expansion slots for accuracy and reduced heat, ideal for mitre and radial arm saws.

STOCK CODE	SIZE	BORE	TEETH	
216TCT48Z0DEG	216mm	30mm	48	1



## MILD STEEL CUTTING 50T TCT CIRCULAR SAW BLADE

Faster than a band saw, less dust, heat & mess than abrasive discs, designed to deliver maximum cutting performance and precision to metalworkers and fabricators.

STOCK CODE	SIZE	BORE	TEETH	
10069	180mm / 7"	20mm	36	1
210TCT24	210mm / 8"	25.4mm	24	1
10072	230mm / 9"	25.4mm	44	1
10075	305mm / 12"	25.4mm	60	1
10076	355mm / 14"	25.4mm	80	1



## evolution<sup>®</sup> STAINLESS STEEL CUTTING BLADE

Designed to deliver maximum performance by using the highest grade carbide, hardened blade bodies & ultra high-grade brazing techniques. All offer premium quality to increase production & performance. Designed specifically to cut 302, 303 & 304 grades of Stainless Steel only.

STOCK CODE	SIZE	BORE	TEETH	
10078	355mm / 14"	25.4mm	90	1



## ✦ DART. GOLD PMC METAL BLADE

Quality TCT blades featuring a Triple Chip Ground (TCG) tooth configuration for fast and clean cuts in various metal sections. Featuring an anti-kick tooth for smooth action and increased safety during use and a hardened steel body with lock embedded tungsten tip giving a spark free cut. Reamed.

### Applications:

Construction steel, aluminium, stainless steel, metal tube, U-steel, H-profiles and sheet metal cased insulation panels.

STOCK CODE	SIZE	BORE	TEETH	
136TCT32METAL	136mm	30mm	32	1
165TCT40METAL	165mm	20mm	40	1
305TCT60METAL	305mm	25.4mm	60	1
355TCT72METAL	355mm	25.4mm	72	1



## TCT WOOD CIRCULAR SAW BLADES

### FOR WOOD

Alternate Top Bevel (ATB) tooth configuration for the pro tradesperson, reamed bore to ensure precision fit to spindle expansion slots, embedded tungsten tip. Supplied with reducing rings.

STOCK CODE	SIZE	BORE	TEETH	
13831	136mm	20mm	20	1
13828	165mm	20mm	24	1
13835	180mm	30mm	40	1
13836	190mm	30mm	24	1
13829	230 mm	30mm	24	1
13830	230mm	30mm	40	1
13827	235mm	30mm	28	1
13832	235 mm	30mm	40	1



## Makita B-47151 TCT SAW BLADE

For cutting pipe, angle iron, channel and more.

Modified triple chip grind for increased efficiency and life, ultra-thin kerf design provides smoother cuts with less drag on the motor and minimal material loss.

Fully hardened steel saw plates are individually hand-hammered for flatness and expertly tensioned for true cuts.

STOCK CODE	SIZE	BORE	TEETH	
13833	136mm	20mm	30	1
MAKB46296	150mm	20mm	32	1



## EVOLUTION TCT ALUMINIUM CUTTING CIRCULAR SAW BLADE

This blade uses the highest-grade Japanese sourced carbide, a hardened steel blade body and ultra-precise brazing to create a fast cutting, long-lasting and vibration free saw blade.

Designed with a tooth count and profile designed to maximise cutting life this Aluminium Circular Saw blade is ideal for all grades of aluminium and suitable for Non-ferrous metals.

It has a narrow Kerf design that keeps wasted material to a minimum and saves you money with every cut.

STOCK CODE	SIZE	BORE	TEETH	
10070	180mm / 7"	20mm	54	1
10073	230mm / 9"	25.4mm	80	1
10077	355mm / 14"	25.4mm	80	1



## ✦ DART GOLD TCG ALUMINIUM SAW BLADE

Professional TCT blades featuring a Triple Chip Grind (TCG) tooth configuration for a professional finish and long cutting life. A unique 'gold' coating creates ultra low friction and wear resistance.

The blades are body hardened and tempered to maintain trueness whilst cutting. A reamed bore

### Applications:

Aluminium, plastic and wood laminates.

STOCK CODE	SIZE	BORE	TEETH	
216TCT60ALI	216mm	30mm	60	1
250TCT80ZALI	250mm	30mm	80	1
300TCT100ALI	300mm	30mm	100	1



## MITRE SAW BLADE

Blade with impact-resistant carbide teeth and ATB grind for fast, clean cuts in rough timber, even with embedded nails.

Features a wedge shoulder for added durability, ultra-thin kerf for reduced cutting force, and is optimised for Flexvolt tools to deliver extended runtime and long life in demanding jobsite applications.

STOCK CODE	SIZE	BORE	TEETH	
DEWDT1959QZ	305mm	30mm	48	1



## TCT SAW BLADE

The 190mm x 30mm TCT Saw Blade for Wood is crafted for precision cutting in timber and wood-based materials. Featuring 20 tungsten carbide-tipped teeth, it offers exceptional durability and delivers clean, smooth cuts every time.

The TCT (Tungsten Carbide Tipped) construction ensures the blade maintains its sharpness for longer, providing extended cutting life even with regular heavy use. The 30mm arbor size ensures compatibility with a range of circular saws, making it a versatile choice for woodworkers and DIY enthusiasts alike.

Ideal for cutting through softwood, hardwood, and plywood, this saw blade offers precise, professional-quality results, making it a must-have tool for any woodworking project.



### FOR WOOD

STOCK CODE	SIZE	BORE	TEETH	
190TCT28ZWOOD	190mm	30mm	20	1
190TCT40ZWOOD	190mm	30mm	40	1
210TCT28ZWOOD	210mm	30mm	28	1
250TCT60ZWOOD	250mm	30mm	60	1
300TCT60ZWOOD	300mm	30mm	60	1

### FOR ALUMINIUM

STOCK CODE	SIZE	BORE	TEETH	
165TCT48ZMLT	165mm	20mm	48	1

## TCT PLUNGE SAW BLADE

*THIN KERF FOR WOOD*

### FOR WOOD

STOCK CODE	SIZE	BORE	TEETH	
165TCT40ZWOOD	165mm	20mm	40	1



## + DART. PCD FIBRE CEMENT SAW BLADE

Quality Poly Crystalline Diamond (PCD) fibre cement saw blades with flat teeth configuration for use in specialist applications, providing durability and long life. Cutting is smoother, cleaner, and more accurate with an extra large gullet design minimises dust and improves removal of material.

STOCK CODE	SIZE	BORE	TEETH	
160PCD4ZFCB	160mm	20mm	4	1
165PCD4ZFCB	165mm	20mm	4	1
190PCD4ZFCB	190mm	30mm	4	1
235PCD6ZFCB	235mm	30mm	6	1



### STONE CUTTING DISC

Produced with premium quality raw materials that give significant increases in product lifespan, performance and quality. Manufactured to European safety standards and marked with EN12413.



STOCK CODE	SIZE	THICKNESS	BORE	
13819	115mm	3.0mm	22.2mm	25
13821	230mm	3.0mm	22.2mm	25
138211	300mm	3.5mm	20mm	25

### STONE DPC GRINDING DISC

Heavy-duty abrasive grinding, professional performance and outstanding product life. Manufactured to European safety standards and marked with EN12413.



STOCK CODE	SIZE	THICKNESS	BORE	
13818	115mm	6.0mm	22.2mm	25
13820	230mm	6.0mm	22.2mm	25

### SEMI FLEXIBLE STONE GRINDING DISC

Designed for aggressive stock removal on stone applications & cast iron. Extremely durable and heavy duty silicon carbide grinding products are premium quality and have an exceptionally long service life. The contoured surface is designed to consistently remove high levels of stock over a wide range of applications.



STOCK CODE	SIZE	BORE	GRIT	
SFSD11536	115mm	22mm	36	10
SFSD11560	115mm	22mm	60	10

### BACKING PAD

Medium flexibility grinder pads for fibre discs.



STOCK CODE	SIZE	THREAD	
13150	115mm	M10	10
13151	115mm	M14	10
13152	125mm	M14	10

### BLUE RIPPER FLAP DISC

Premium quality Zirconium grain flap discs are engineered for maximum performance stock removal, blending and finishing. The lightweight fibreglass backing absorbs vibration and makes this product incredibly strong and durable. Pro-line Zirconium flap discs are long life & suitable for a full range of metal applications including stainless steel.

STOCK CODE	SIZE	GRIT	
13650	100mm	40	10
13653	100mm	120	10
13654	115mm	40	20
13655	115mm	60	20
13656	115mm	80	20

STOCK CODE	SIZE	GRIT	
13657	115mm	120	20
13658	125mm	40	20
13659	125mm	60	20
13660	125mm	80	20
13661	125mm	120	20



## METAL CUTTING DISC

STOCK CODE	SIZE	THICKNESS	BORE	
13700	100mm	2.5mm	16.0mm	50
13701	115mm	2.5mm	22.2mm	50
13702	125mm	2.5mm	22.2mm	50
13703	180mm	2.5mm	22.2mm	50
13704	230mm	2.5mm	22.2mm	50
13728	300mm	3.5mm	20.0mm	30
13729	300mm	3.5mm	22.2mm	30

## METAL DPC CUTTING DISC

STOCK CODE	SIZE	THICKNESS	BORE	
13706	115mm	2.5mm	22.2mm	50
13707	125mm	2.5mm	22.2mm	50
13709	230mm	2.5mm	22.2mm	50

## METAL DPC GRINDING DISC

STOCK CODE	SIZE	THICKNESS	BORE	
13711	115mm	6.4mm	22.2mm	25
13712	125mm	6.4mm	22.2mm	25
13714	230mm	6.5mm	22.2mm	25

## INOX SLITTING DISC

STOCK CODE	SIZE	THICKNESS	BORE	
13715	100mm	1.0mm	16.0mm	100
13717	115mm	1.0mm	22.2mm	100
13718	115mm	1.6mm	22.2mm	100
13719	125mm	1.0mm	22.2mm	100
13720	125mm	1.6mm	22.2mm	100
13722	230mm	1.9mm	22.2mm	50

## **Makita** B-10665 CHOP SAW

Metal-cutting blade engineered for precision and durability.

Delivers smooth, accurate cuts in steel, aluminum, and non-ferrous metals, with a robust design built to withstand heavy-duty, continuous use.

STOCK CODE	SIZE	BORE	TEETH	
B10665	355mm	25.4mm		1



## CHOP SAW WHEEL

STOCK CODE	SIZE	THICKNESS	BORE	
13724	350mm	3.0mm	25.4mm	5
13726	350mm	4.0mm	25.4mm	5



### HOOK & LOOP SANDING DISC PERFORATED

PACK OF 25



STOCK CODE	SIZE	GRIT	
FLEX125120	125mm	120	25
FLEX225100	225mm	100	25
FLEX225120	225mm	120	25
FLEX225150	225mm	150	25
FLEX225220	225mm	220	25
FLEX22540	225mm	40	25
FLEX22560	225mm	60	25
FLEX22580	225mm	80	25

### ALUMINIUM OXIDE ABRASIVE SANDING DISC


Aluminium oxide abrasive on a flexible paper backing with the added convenience of the hook and loop quick change system. Pre-punched for use on random orbital sanders with integral dust extraction systems. Suitable for use on wood, metal, plastics and filler.



STOCK CODE	SIZE	GRIT	
FLEX12580	125mm	80	25

### GOLD DRYWALL SANDING DISC


Durable, all-round sanding material, very well suited for high speed sanding in a multitude of applications.



STOCK CODE	SIZE	GRIT	
GOLDP40	225mm	40	25
GOLDP60	225mm	60	25
GOLDP80	225mm	80	25
GOLDP100	225mm	100	25
GOLDP120	225mm	120	25
GOLDP150	225mm	150	25
GOLDP180	225mm	180	25
GOLDP240	225mm	240	25

### YELLOW ABRASIVE SOFT GRIP

Ideal for plaster sanding and compatible with the most common wall sanders.



STOCK CODE	SIZE	GRIT	
YELLOW120	225mm	120	25

### BLUE RIPPER ZIRCONIUM SANDING DISC

Zirconium maximum performance Fibre Discs are premium quality and suitable for stainless steel. Abracs Zirconium Fibre discs have a unique resin bond that holds the grit to the disc surface with heavy-duty fibre backing for increased strength, durability and tear resistance.



STOCK CODE	SIZE	GRIT	
13012	115mm / 4½"	36	25
13015	115mm / 4½"	60	25
13016	115mm / 4½"	80	25
13017	115mm / 4½"	100	25
13018	115mm / 4½"	120	25

HAND TOOLS, POWER TOOLS & ACCESSORIES

**NEED IT FAST?**  
**CONTACT OUR SALES TEAM ON**  
 **020 8699 6777**  
**OR PLACE YOUR ORDER ONLINE AT**  
 **WWW.SELKENT.COM**

## RUBBING BRICKS/ CARBORUNDUM STONE

### RIBBED

For cleaning and dressing floor tiles and concrete floors.



STOCK CODE	SIZE	
FRB150	150mm x 50mm x 50mm	1

## RUBBING BRICKS/ CARBORUNDUM STONE

### FLUTED

Deep angled fluted base and comfortable D-handle. Cleans concrete and plaster splashes, mould marks and high spots.



STOCK CODE	SIZE	
FRB150H	155mm x 78mm x 25mm	1

## ALUMINIUM OXIDE COMBINATION SHARPENING STONE



STOCK CODE	
PRB150	1

## POLE SANDING SHEET

For product info refer to page 323



STOCK CODE	GRIT	
POLESS100	100	25
POLESS120	120	25

## OXIDE ROLL SANDPAPER

Manufactured using a robust E-Weight paper, these Aluminium Oxide abrasive rolls are ideal for preparing surfaces before painting, and can be used on wood, metal or plastics.

The rolls are ideally suited for tradesmen and regular users. Coarse grades are extremely efficient for the quick removal of old paint or tackling rough surfaces. Fine grades are used for achieving smooth finishes.

The rolls are 115mm wide and can therefore be used on half sheet sanders when cut to the appropriate length.



STOCK CODE	WIDTH	LENGTH	GRIT	
SPR40G	115mm	50m	40	1
SPR60G	115mm	50m	60	1
SPR80G	115mm	50m	80	1
SPR100G	115mm	50m	100	1
SPR120G	115mm	50m	120	1

STOCK CODE	WIDTH	LENGTH	GRIT	
SPR180G	115mm	50m	180	1
SPR240G	115mm	50m	240	1
SPR320G	115mm	50m	320	1

### TWIST KNOT CUP BRUSHES

High tensile steel wire, 0.5mm diameter, for rust and paint removal, descaling, deburring and preparation of welding seams. For metal and stone working, cleaning, surface preparation and fabrication tasks. Use with angle grinders.



STOCK CODE	SIZE	THREAD	MAX RPM	
14440	70mm	M10	12,500	1
14441	70mm	M14	12,500	1
14442	95mm	M14	8,500	1
14443	120mm	M14	6,500	1

### CRIMP WIRE CUP BRUSHES

High tensile crimped brass steel wire, 0.3mm diameter, for rust and paint removal, descaling, deburring and preparation of welding seams. For metal and stone working, cleaning, surface preparation and fabrication tasks. Use with angle grinders.



STOCK CODE	SIZE	THREAD	MAX RPM	
14444	70mm	M10	12,500	1
14445	70mm	M14	12,500	1
14446	95mm	M14	8,500	1
14448	100mm	M14	6,500	1
14447	120mm	M14	6,500	1

### STEEL TWIST-KNOT BRUSH



High tensile steel wire, 0.5mm diameter, for rust and paint removal, descaling, deburring and preparation of welding seams. For metal and stone working, cleaning, surface preparation and fabrication tasks. Use with angle grinders.

STOCK CODE	SIZE	THREAD	MAX RPM	
14451	115mm	M14	12,500	1

### STEEL END BRUSH

This product is made of high quality copper coated steel wire, surface treated with green rust, applicable to metal and non-metallic surface polishing, cleaning, polishing, electric drill, special equipment etc and other electric tools in use.



STOCK CODE	SIZE	
BROSE	24mm	1

### RESIN BONDED CUP STONE

Designed for heavy duty flat surface grinding with an angle grinder. This products ultimate performance and consistent stock removal at an exceptional rate makes them ideal for coarse and aggressive grinding applications.



STOCK CODE	SIZE	THREAD	
CCG110M14	110mm x 55mm	M14	1


### CRIMP WIRE BEVELED BRUSH



High tensile crimped steel wire, 0.3mm diameter, for rust and paint removal, descaling, deburring and preparation of welding seams. For metal and stone working, cleaning, surface preparation and fabrication tasks. Use with angle grinders.

STOCK CODE	SIZE	THREAD	MAX RPM	
14450	115mm	M14	12,500	1

### CARBORUNDUM CUP WHEEL RESIN BONDED FOR STONE C24R



STOCK CODE	SIZE	THREAD	
CCG110	110mm x 55mm	M14	1

### ✦ DART. T118A JIGSAW BLADE FOR METAL CUT

Precision made jigsaw blade. Suitable for cutting: Mild steel, non-ferrous and aluminium 1.5mm - 4.0mm, acrylic to 3mm, HSS blade. Equivalent to Bosch T118A. 21 TPI, 50mm working length.



STOCK CODE

JBDARM



5

### ✦ DART. T101B JIGSAW BLADE FOR WOOD CUT

Precision made Jigsaw Blades. Suitable for cutting: Wood to 30mm, plastics, finer cut. Equivalent to Bosch T101B. 10 TPI, 75mm working length.



STOCK CODE

JBDARW



5

### ✦ DART. T101AO JIGSAW BLADE

Precision made jigsaw blade. Suitable for cutting: Wood and laminated chipboard to 25mm, plastics, curve cuts. Equivalent to Bosch T101AO. 20 TPI, 50mm working length.



STOCK CODE

JBT101AO

BLADE TOOTH SET

Pointed ground teeth

EFFECTIVE LENGTH

58mm

PITCH

1.35mm



5

### T101B JIGSAW BLADE

Softwood, chipboard, woodcore plywood, fibreboards <30mm, plastics <30mm.



STOCK CODE

JBT101B

BLADE TOOTH SET

Taper ground teeth

EFFECTIVE LENGTH

58mm

PITCH

2.5mm



5

## SELKENT MISSION

We will go further and faster than any other supplier of Construction Fixings and Tools to help keep construction sites productive and on schedule.



### T101BIF JIGSAW BLADE

Plywood, laminated fibre wood board, plastics <30mm, blockboard & glass fibre reinforced plastic <15mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT101BIF	Taper ground teeth	58mm	2.5mm	5

### T101BR JIGSAW BLADE

Splinter-free cuts (down cutting teeth). Hardwood, softwood, plywood, laminated chipboard, plastic



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT101BR	Taper ground teeth	75mm	2.5mm	5

### T101D JIGSAW BLADE

Blade tooth set - Large progressive tooth, pitch 4mm. Effective length 75mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT101D				5

### T111C JIGSAW BLADE

Coarse cutting. Hardwood, softwood & plastic <60mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT111C	Side set & milled	75mm	3.0mm	5

### T118A JIGSAW BLADE

Mild steel, aluminium, aluminium alloy 1.5mm - 4mm, acrylic glass 1.5mm - 3mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT118A	Wavy set & milled	67mm	1.2mm	5

### T118AF JIGSAW BLADE

For curved cutting. Mild steel, non-ferrous metal, sheet metal 1.5mm - 3mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT118AF	Wavy set & milled	67mm	1.2mm	5

**T118AHM JIGSAW BLADE**

Stainless steel sheet 1.5mm - 4mm (reduce stroke rate without orbital action), mild steel 1.5mm - 4mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT118AHM	Tungsten carbide	58mm	1.06mm	5

**T118B JIGSAW BLADE**

Mild steel 3mm - 6mm, non-ferrous metal, aluminium, aluminium alloy 3mm - 10mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT118B	Wavy set & milled	67mm	2.0mm	5

**T119B JIGSAW BLADE**

Hardwood, softwood, plywood &amp; chipboard &lt;30mm. Plastic, perspex &amp; insulating materials &lt;20mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT119B	Wavy set & milled	67mm	2.0mm	5

**T119BO JIGSAW BLADE**

Tight curved cuts in hard &amp; softwood, plywood chipboard 3mm - 20mm, plastic, perspex &amp; insulating materials 2mm - 20mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT119BO	Wavy set & milled	58mm	2.0mm	5

**T123X JIGSAW BLADE**

Sheet metal: 1.5mm - 10mm, pipes, profiles (closed): &lt;30mm, aluminium: &lt;30mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT123X	Wavy set & milled	67mm	1.2mm - 2.6mm	5

**T127D JIGSAW BLADE**

Aluminium, aluminium alloy, non-ferrous metal 3mm - 15mm, mild steel 3mm - 6mm, lead &amp; tin &gt;20mm, plastic &gt;30mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT127D	Side set & milled	75mm	3.0mm	5

### T141HM JIGSAW BLADE

Glassfibre reinforced plastics 5mm - 50mm., plasterboard, fibre cement board <80mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT141HM	Side Set	75mm	4.3mm	5

### T144D JIGSAW BLADE

Quick cutting. Hardwood, softwood & chipboard <60mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT144D	Side set & ground	75mm	4mm - 5.2mm	5

### T144DF JIGSAW BLADE

Blade tooth - Side set, ground, Pitch - 5.2mm Effective length 100mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT144DF				5

### T301CD JIGSAW BLADE


Fast clean cutting. Hardwood, softwood, blockboard, plywood, chipboard & plastic >60mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT301CD	Taper ground teeth	92mm	3.0mm	5

### T301CDF JIGSAW BLADE

Hardwood and softwood 4mm - 65 mm, laminated panels/hpl



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT301CDF	Taper ground teeth	92mm	3.0mm	5

### T308B JIGSAW BLADE

Softwood and non-abrasive wooden materials



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT308B	Taper ground teeth	92mm	2.2mm x C	5

**T318A JIGSAW BLADE**

Mild steel, non-ferrous metal, aluminium, aluminium alloy 1.5mm - 4mm, acrylic glass 1.5mm - 3mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT318A	Wavy set & milled	107mm	1.2mm	5

**T318AF JIGSAW BLADE**Thin sheet metals 1mm - 3mm, pipes + profiles, including aluminium  $\varnothing < 65$ mm

STOCK CODE	BLADE TOOTH SET	LENGTH mm	PITCH	
JBT318AF	Wavy set, milled	132mm	1.1mm	5

**T344D JIGSAW BLADE**

Thick construction timber, softwood 5mm - 100mm, chipboard, wood core plywood, fibre board



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT344D	Ground edge	127mm	4.0mm	5

**T344DP JIGSAW BLADE**

Thick construction timber, softwood 5mm - 100 mm, chipboards, wood core plywood, fibre boards



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT344DP	Side set, ground	127mm	4.0mm	5

**T345XF JIGSAW BLADE**

For metal &gt;10mm, wood with nails, chipboard, blockboard &gt;90mm. Non-ferrous metals, plastics &gt;30mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT345XF	Side set & milled	107mm	2.4mm - 5mm	5

**T744D JIGSAW BLADE**

Softwood/boards, thick construction timber, sandwich materials



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
JBT744D	Side set, ground	155mm	4.0mm	5

### S2345X SABRE SAW BLADES

Construction wood <150mm, boards: chipboard, MDF 6mm - 60mm, plywood, plastic <150mm, wooden wall <150mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
13815	Side set, ground	200mm	2.5mm - 4.3mm / 6mm - 10mm	5

### S123XF SABRE SAW BLADES

Thin to thick sheet metals 1mm - 8mm, thin to thick profiles Ø <100mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
13816	Side set, milled	200mm	1.8mm - 3.2mm / 8mm - 14mm	5

### S3456XF SABRE SAW BLADES

Wood with nails/metal, chipboard <150mm, sheet metals, aluminium profiles 3mm - 18mm, glass fibre reinforced plastic/epoxy <150mm



STOCK CODE	BLADE TOOTH SET	EFFECTIVE LENGTH	PITCH	
13817	Side set, milled	200mm	2.1mm - 4.3mm / 6mm - 12mm	5

### HEAVY DUTY METAL CUTTING RECIP SAW BLADES

Featuring advanced carbide technology for superior performance, these blades deliver clean, efficient cuts through even the toughest metals. They slice smoothly through cast iron, stainless steel, and other hard materials, making them an essential choice for professionals.

Each blade is fitted with ultra-hard carbide tips engineered to resist heat and impact, significantly improving durability and service life. Individually welded teeth ensure precise, controlled cutting and maintain performance even when the blade is flexed.



STOCK CODE	SIZE	
RSB6MHD	150mm / 6"	3
RSB9MHD	225mm / 9"	3

### ✦ DART METAL CUTTING RECIPROCATING BLADE

Ideal for wood with nails. Flexible and shatter-proof, metals, non-ferrous metals, aluminium, sheet metal, pipes and profiling. Equivalent to Bosch S922HF.



150mm / 6"

STOCK CODE	EFFECTIVE LENGTH	PITCH	
RSBDAR6M	130mm	2.54mm	5

225mm / 9"

STOCK CODE	EFFECTIVE LENGTH	PITCH	
RSBDAR9M	205mm	2.54mm	5

### ✦ DART WOOD CUTTING RECIPROCATING BLADE

High quality HCS Reciprocating Saw blade. For straight and curved cuts. For fast, clean cuts in hardwoods, softwoods, chipboard, plywood and synthetics. Equivalent to Bosch S644D.



150mm / 6"

STOCK CODE	EFFECTIVE LENGTH	PITCH	
RSBDAR6W	130mm	4.2mm	5

225mm / 9"

STOCK CODE	EFFECTIVE LENGTH	PITCH	
RSBDAR9W	205mm	4.2mm	5

### BOSCH S1122 BF FLEXIBLE RECIPROCATING SAW BLADE

**FOR METAL**

STOCK CODE	SIZE	
SS1122BF	225mm / 9"	5



### BOSCH S922EF FLEXIBLE RECIPROCATING SAW BLADE

**FOR METAL**

STOCK CODE	SIZE	
RSB6MB	150mm / 6"	5




### RECIPROCATING BI-METAL SAW BLADE

METAL

STOCK CODE	SIZE	
RSB12M	300mm / 12"	5

WOOD

STOCK CODE	SIZE	
RSB12W	300mm / 12"	5



### IRWIN RECIPROCATING SAW BLADE

Durable 9" blades designed for fast, efficient cutting through masonry, brick, and block. Made from high-quality materials for long life and consistent performance

**FOR MASONRY**

STOCK CODE	SIZE	
RSB9MAS	225mm / 9"	5



### IRWIN 818R 200MM METAL CUT RECIP SAW BLADE

**FOR METAL**

STOCK CODE	SIZE	
RSBIWN8M	200mm / 8"	25



### IRWIN 810R 200MM METAL & WOOD RECIP SAW BLADE

**FOR METAL & WOOD**

STOCK CODE	SIZE	
RSBIWN8WM	200mm / 8"	25



### **BOSCH S 1531 L RECIPROCATING SAW BLADE**

The S 1531 L Top for Wood Reciprocating Saw Blade makes cuts in wood. Its milled, side-set teeth enable cuts without special requirements.

STOCK CODE	SIZE	
RSB9WB	240mm	5



### **DART PLANER BLADES PB82**

**PACK OF 2**

High quality, solid tungsten carbide reversible blades. Precision ground with two cutting edges and reversible for extended life. Suitable for most makes of portable electric planers.

STOCK CODE	SIZE	
PLANBLADE	82mm	1



**FOR FAST DELIVERY CALL OUR SALES TEAM ON 020 8699 6777 OR TO ORDER ONLINE VISIT [WWW.SELKENT.COM](http://WWW.SELKENT.COM)**

HAND TOOLS, POWER TOOLS & ACCESSORIES

## Rotabroach® RAPTOR MAGNETIC CUTTERS

Rotabroach M2AL Raptor cutters have a unique and exclusive geometry that you will only find on genuine Rotabroach cutters.

Our M2AL Raptor cutters have been designed to ensure that they will last longer, cut faster and give a better and more accurate finished hole than any other annular cutter.

Manufactured from M2AL material. Heat treated to a higher temperature, ensuring a greater hardness of cutter.



Stage hardened allowing for greater flexibility than other hardening processes.



Unique tooth design to give less wear over time than other available geometries.



Weldon shank with low tolerances for increased stability.

Suitable for Drilling:  Steel  Aluminium  Copper / Brass  Plastics

### DEPTH OF CUT

25mm		50mm	
STOCK CODE	STOCK CODE	SIZE	
12008	-	10mm	1
12009	12049	12mm	1
12010	12050	13mm	1
12011	12051	14mm	1
12012	-	15mm	1
12013	12053	16mm	1
12014	12054	17mm	1
12015	12055	18mm	1
12016	12056	19mm	1
12017	12057	20mm	1
12018	12058	21mm	1
12019	12059	22mm	1
12020	12060	23mm	1
12021	12061	24mm	1
12022	12062	25mm	1
12023	12063	26mm	1
12024	12064	27mm	1
12025	12065	28mm	1

### DEPTH OF CUT

25mm		50mm	
STOCK CODE	STOCK CODE	SIZE	
12026	12066	29mm	1
12027	12067	30mm	1
12028	12068	31mm	1
12029	12069	32mm	1
12030	12070	33mm	1
12031	12071	34mm	1
12032	12072	35mm	1
12033	12073	36mm	1
12035	12075	38mm	1
12036	12076	39mm	1
12037	12077	40mm	1
12038	12078	41mm	1
12039	12079	42mm	1
12040	12080	43mm	1
12041	12081	44mm	1
12042	12082	45mm	1
12047	12087	50mm	1

## PILOT PINS

Short pin for short depth cutters.  
Long pin for long depth cutters.

STOCK CODE	SIZE	
12088	Suits Short Cutters	1
12089	Suits Long Cutters	1



**MAG DRILL COUNTERSINK BIT**  
 90° COUNTERSINK BIT FOR MAGNETIC DRILLING MACHINES



STOCK CODE	SIZE	
12137	30mm	1
12090	50mm	1

**HSS COUNTERSINK BIT**  
 STEEL/PLASTIC/WOOD

The High Speed Steel Rosehead Chubby 90° included angle Countersink. For countersinking screw holes for flush fitting of screw heads in mild steel, plastics and non-ferrous metals. Also suitable for working in wood, plywood, MDF and other man made boards. Can be used in both hand tools and power drills.



STOCK CODE	SIZE	
13MMHSSCS	13mm	1

**TREND SNAPPY TCT COUNTERSINK**  
 5 PIECE SET

The Trend Countersink Set contains five heat treated tool steel countersinks with hex shafts. They are fitted with High Speed Steel drill bits to cover the full range of screw sizes and are self clearing. They are adjustable for different length screws and will produce a 9.5mm / 3/8 inch or 12.7mm / 1/2 inch diameter counterbored hole to fit standard woodplugs. Tungsten carbide tipped version, these tools can be used in abrasive materials such as laminated chipboard. The drills produce pilot holes only.

**Contains:**

- 1 x 2.0mm / 5/64 inch Drill and C/S Size No.4
- 1 x 2.4mm / 3/32 inch Drill and C/S Size No.6
- 1 x 2.8mm / 7/64 inch Drill and C/S Size No.8
- 1 x 3.2mm / 1/8 inch Drill and C/S Size No.10
- 1 x 3.6mm / 9/64 inch Drill and C/S Size No.12



STOCK CODE	
TRESNAPCSTCS	1

**90° HSS COUNTERSINK BIT**

Precision engineered, high speed ground steel countersink bits. Three 90° cutting edges for rapid swarf clearance. Suitable for use on metal, non-ferrous metals, aluminium, sheet metal, veneered wood, laminated chipboard and PVC



STOCK CODE	SIZE	
14209	6.3mm	1
14210	8.3mm	1
14211	10.4mm	1
14212	12.4mm	1

STOCK CODE	SIZE	
14213	16.5mm	1
14214	20.5mm	1
14215	25.0mm	1

## HSS STEP DRILL

Step drills are used for cutting varying hole sizes in material up to 4mm thick without changing the drill bit. Each drill cuts parallel holes within a specific size range, rising in 2mm increments.


STOCK CODE	SIZE	
STEPDR4X22	4mm - 22mm	1
FAISD630	6mm - 30mm	1



## VERSADRIVE STEP DRILL

suitable for use with impact tools to quickly create perfect holes. These step drills have a spiral flute design and a self-starting drill tip, so there is no need for a pilot hole first. The Holemaker Technology range also has a market-leading 5mm thick drilling capacity.

STOCK CODE	SIZE	
VERSADRIVE	6mm - 40mm	1



## TORX® BITS

Ideal for use with screws to reduce drive wear, offers more positive drive and prevent camming out.

STOCK CODE	SIZE	
9963	T10	10
9964	T15	10
9965	T25	10
9966	T30	10



STOCK CODE	SIZE	
9967	T40	10
9968	T45	10
9969	T50	10

## VANTAGE HOUSE

As part of Selkent's wider growth plans, we've opened Vantage House. This investment strengthens our service offering with increased stock capacity and a more efficient pick-and-dispatch operation, helping us support customers nationwide with faster, more reliable delivery and long-term, sustainable growth.

Vantage House,  
Trinity Trading Estate,  
ME10 2PD



### DECKING NO2 SQUARE BIT

Forged tip for greater impact resistance and a longer lifetime. Specially designed for use with impact drivers. S2 grade steel.



STOCK CODE	SIZE	
9985	No.2	1

### POZI BITS

Designed for general purpose and soft screwing application. 25mm long.



STOCK CODE	SIZE	
9955	PZ1	1
9473	PZ2	1
9957	PZ3	1
9958	PZ4	1

### PHILLIPS DRIVER BIT NO.2 LONG

Phillips Extended-length PH2 drive bit designed for deep or hard-to-reach fastening applications. Manufactured from hardened steel for maximum strength and torque transmission.



STOCK CODE	SIZE	
PH2X157MM	PH3	5

### HEX IMPACT SCREWDRIVER BIT

High-performance hex impact bit engineered for maximum torque and durability. Made from premium steel for extended life and precision fit in high-torque impact applications.



STOCK CODE	SIZE	
IMPSBH06	6mm	2
IMPSBH08	8mm	2

### PHILLIPS BITS

Designed for general purpose and soft screwing application. 25mm long.



STOCK CODE	SIZE	
9959	PH1	1
9960	PH2	1
9438	PH3	1
9962	PH4	1

### SELKENT IMPACT DRIVER BITS

#### 1/4" HEXAGON DRIVE 25mm

Engineered for power and durability, these premium 25mm impact-resistant screwdriver bits are built to excel in the toughest fastening applications. Designed specifically for impact drivers, each bit delivers exceptional strength, torque absorption, and long-lasting performance.

Manufactured using a tough, shock-absorbing construction and finished with a magnesium phosphate coating, these bits provide outstanding wear resistance and corrosion protection, ensuring consistent reliability even under heavy daily use.



STOCK CODE	TYPE	
PH2X25IMPBIT	PH2	10
PH3X25IMPBIT	PH3	10
PZ2X25IMPBIT	PZ2	10
PZ3X25IMPBIT	PZ3	10
T20X25IMPBIT	T20	10
T25X25IMPBIT	T25	10
T30X25IMPBIT	T30	10
T40X25IMPBIT	T40	10

## QUICK LOCK IMPACT BIT HOLDER HEAVY DUTY 75MM

The Selkent Quick Lock Impact Bit Holder is purpose-built for professional tradespeople working in high-demand construction and fit-out environments. With its robust 75mm extended profile and quick-lock mechanism, it provides fast, secure bit changes while allowing access to recessed or awkward fixings without compromising control.

STOCK CODE

IMPBHL75




1



## MAGNETIC BIT HOLDER

Secures screwdriver bits for accurate driving. Add a bit extension to access awkward and hard to reach screws.



STOCK CODE

1/4X57MMBIT

SIZE

1/4" x 57mm



1

## MAGNETIC IMPACT HOLDER

Impact grade bit holders featuring a versatile quick release chuck accepts all standard 1/4in hex shank bits of 25mm & 50mm length or double ended format.



STOCK CODE

MAGBHL

SIZE

150mm x 1/4"



1

## IMPACT BIT HOLDER

Specially designed towards the needs and practise of the tradesman. Tough and absorbing, ideal for difficult and general screw driving applications. Our magnetic bit holders are suitable for all 1/4 inch hexagon insert bits with quick change shank. Impact holder has quick release mechanism.



STOCK CODE

IMPBITH



1

## MAGNETIC BIT HOLDER SET 2 PIECE

High strength magnets for a secure hold. Suitable for use with all standard 1/4 inch hex driver bits. 150mm extension is ideal for accessing hard to reach areas.

### Contains:

60mm & 150mm with 1/4 inch shank



STOCK CODE

MAGBHSET

SIZE

1 x 60mm + 1 x 150mm



1

## MAGNETIC BIT HOLDER QUICK RELEASE

For use in handheld drivers or power drills, this 1/4 inch female by 1/4 inch male magnetic bit holder has a hardened and tempered steel shaft with a quick-release chuck.



STOCK CODE

MAGBHQ

SIZE

60mm



1

## LOCK-N-LOAD QUICK CHANGE EXTENSION BIT HOLDER



STOCK CODE

9988

SIZE

150mm



1

## MAGNETIC DRIVER BIT 5/16 INCH



STOCK CODE

9432



1

## MAGNETIC HAND DRIVER



STOCK CODE

8179



1

## 15 PIECE INSERT BIT SET

- 2 x 25mm Phillips Bits: PH1 and PH2
- 2 x 25mm Pozidriv Bits: PZ1 and PZ2
- 3 x 25mm Hex Bits: H3, H4 and H5
- 2 x 25mm Slotted Bits: SL4 and SL6
- 5 x 25mm TORX Bits: TX10, TX15, TX20, TX25 and TX30
- 1 x Quick-Release Bit Holder

STOCK CODE

9970



1



## 100 PIECE POWER TOOL ACCESSORY SET

- 6 x Flat Bits: 10mm, 13mm, 16mm, 19mm, 22mm & 25mm
- 6 x HSS Brad Point Wood Drill Bits: 3mm, 4mm, 5mm, 6mm, 8mm & 10mm
- 5 x TCT Masonry Drill Bits: 5mm, 5.5mm, 6mm, 6.5mm, & 7mm
- 13 x HSS Titanium Coated Drill Bits: 1.5mm, 2mm, 2.5mm, 3mm, 3.3mm, 3.5mm, 4mm, 4.2mm, 4.5mm, 5mm, 5.5mm, 6mm & 6.5mm
- 3 x 25mm Phillips Bits: PH1, PH2 & PH3
- 3 x 25mm Pozi Bits: PZ1, PZ2 & PZ3
- 2 x 25mm Slotted Bits: 4 & 6mm
- 2 x 25mm Torx Bits: T20 & T30.3 x 50mm
- 3 x 50mm Phillips Bits: PH1, PH2 & PH3
- 3 x 50mm Pozi Bits: PZ1, PZ2 & PZ3
- 2 x 50mm Slotted Bits: 4mm & 6mm
- 2 x 50mm Torx Bits: T20 & T30
- 1 x 1/4 inch Hex Drive Magnetic Adaptor

STOCK CODE

FAIPTASET51



1



## 33 PIECE SECURITY BIT SET

33 piece security bit set. Ideal for cordless screwdrivers and drills comprising

- 60 mm magnetic bit holder
- 4, 6, 8, 10mm Flat Security
- 1, 2, 3, 4mm Tri
- 6, 8, 10mm cross
- 2, 2.5, 3, 4, 5, 6mm Hex security (metric)
- 5/64, 3/32, 7/64, 1/8, 9/64, 5/32in Hex Security (imperial)
- T8, T10, T15, T20, T25, T27, T30, T35, T40. Torx Security

STOCK CODE

23004



1



## SCREWDRIVER BIT 61 PIECE SET

The Faithfull Security Bit Set contains just about every screwdriver bit most tradesmen will ever need. With sixty Chrome Vanadium steel bits covering all popular drive systems. Supplied in a sturdy plastic storage case.

### Contains:

- 6 x Phillips Screwdriver Bits: PH0, PH1, PH2(3) & PH3
- 6 x Pozidrive Screwdriver Bits: PZ0, PZ1, PZ2(3) & PZ3
- 5 x Slotted Screwdriver Bits: 3, 4, 5, 6 & 7mm
- 12 x Hex Screwdriver Bits: 1.5mm, 2mm, 2.5mm, 3mm, 3.5mm, 4mm, 4.5mm, 5mm, 5.5mm, 6mm, 7mm & 8mm
- 13 x Star Screwdriver Bits: T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T35 & T40
- 7 x Tamperproof Star Screwdriver Bits: TT10, TT15, TT20, TT25, TT27, TT30 & TT35
- 6 x Hex Security Screwdriver Bits: 2, 2.5, 3, 4, 5 & 6mm
- 5 x Spanner Bits: 4mm (x 2), 6mm, 8mm & 10mm
- 1 x Magnetic Bit Holder 60mm

STOCK CODE



BIT61SET

1



## SCREWDRIVER BIT 61 PIECE SET

The Faithfull Security Bit Set contains just about every screwdriver bit most tradesmen will ever need. With sixty Chrome Vanadium steel bits covering all popular drive systems. Supplied in a sturdy plastic storage case.

### Contains:

- 6 x Phillips Screwdriver Bits: PH0, PH1, PH2(3) & PH3
- 6 x Pozidrive Screwdriver Bits: PZ0, PZ1, PZ2(3) & PZ3
- 5 x Slotted Screwdriver Bits: 3, 4, 5, 6 & 7mm
- 12 x Hex Screwdriver Bits: 1.5mm, 2mm, 2.5mm, 3mm, 3.5mm, 4mm, 4.5mm, 5mm, 5.5mm, 6mm, 7mm & 8mm
- 13 x Star Screwdriver Bits: T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T35 & T40
- 7 x Tamperproof Star Screwdriver Bits: TT10, TT15, TT20, TT25, TT27, TT30 & TT35
- 6 x Hex Security Screwdriver Bits: 2, 2.5, 3, 4, 5 & 6mm
- 5 x Spanner Bits: 4mm (x 2), 6mm, 8mm & 10mm
- 1 x Magnetic Bit Holder 60mm

STOCK CODE



BIT61SET

1



## DELIVERY YOU CAN COUNT ON

Selkent provides a state-of-the-art delivery platform that offers our customers real-time tracking, end-to-end traceability, and digital proof of delivery. It ensures our customers have full visibility into their deliveries with accurate time slots and live van tracking.



End-to-end  
traceability on  
every delivery



Real-time GPS  
precision



Instant digital  
sign-off



Photo-verified  
proof of delivery



Professional,  
auto-generated  
documentation

### HEXAGON KEY WRENCH SHORT ARM



STOCK CODE	SIZE	
4372	3.0mm	1
4373	4.0mm	1
4374	5.0mm	1
4375	6.0mm	1
4376	8.0mm	1
4377	10.0mm	1
4378	12.0mm	1
4379	14.0mm	1
4380	17.0mm	1
4381	19.0mm	1

### HEXAGON KEY WRENCH

#### 10 PIECE SET

Chrome vanadium steel. Hardened and tempered. 10 different sizes. Includes storage clip.

**Sizes:**

- 1 x 2mm
- 1 x 2.5mm
- 1 x 3mm
- 1 x 4mm
- 1 x 5mm
- 1 x 5.5mm
- 1 x 6mm
- 1 x 7mm
- 1 x 8mm
- 1 x 10mm



STOCK CODE	SIZE	
HEXKEYSET10	10mm	1

### T HANDLE HEX KEY



STOCK CODE	SIZE	
TEN510506	6mm	1

### HEXAGON KEY WRENCH SHORT ARM SET

#### 10 PIECE SET

A 10-piece set of standard hex keys in high tensile steel. All keys are stored in a size marked and colour coded plastic holder for easy selection.

**Sizes:**

- 1 x 1.5mm
- 1 x 2mm
- 1 x 2.5mm
- 1 x 3mm
- 1 x 4mm
- 1 x 5mm
- 1 x 5.5mm
- 1 x 6mm
- 1 x 8mm
- 1 x 10mm



STOCK CODE	SIZE	
23272	1.5mm - 10mm	1

### BALL HEXAGON KEY WRENCH LONG ARM SET

#### 13 PIECE SET

This Faithfull Long Arm Hex Key Set contains a selection of professional quality keys made from fully hardened chrome vanadium steel. All keys from 4mm have chamfered edges to prevent damage to blade and fittings. Long arm design allows access to deep set screws or difficult to reach places. Ball end keys allow angle entry to 25°. Works in hard to reach areas. Faster insertion and removal.

Supplied in an ergonomic double layer, open out storage caddy which allows easy access to the smaller keys. Each key has a dedicated and clearly marked space for easy identification and is safely stored and ready for use.

**Sizes:**

- 1 x 1.3mm
- 1 x 1.5mm
- 1 x 2mm
- 1 x 2.5mm
- 1 x 3mm
- 1 x 3.5mm
- 1 x 4mm
- 1 x 4.5mm
- 1 x 5mm
- 1 x 5.5mm
- 1 x 6mm
- 1 x 8mm
- 1 x 10mm



STOCK CODE	SIZE	
23274	1.3mm - 10mm	1

### HEXAGON KEY WRENCH

#### 8 PIECE FOLDING SET

Hardened chrome vanadium steel.

**Sizes:**

- 1 x 1.5mm
- 1 x 2mm
- 1 x 2.5mm
- 1 x 3mm
- 1 x 4mm
- 1 x 5mm
- 1 x 6mm
- 1 x 8mm

STOCK CODE	
HEXWRESETE	1



## METRIC & IMPERIAL HEXAGON KEY WRENCH LONG SERIES

### 25 PIECE SET

Metric and imperial long series hex keys. Includes 12 x long arm metric and 13 x long arm imperial wrenches.

#### Metric sizes:

1 x 1.27mm  
1 x 1.5mm  
1 x 2mm  
1 x 2.5mm  
1 x 3mm  
1 x 3.5mm  
1 x 4mm  
1 x 4.5mm  
1 x 5mm  
1 x 5.5mm  
1 x 6mm  
1 x 8mm  
1 x 10mm

#### Imperial AF sizes:

1 x 1/20"  
1 x 1/16"  
1 x 5/64"  
1 x 3/32"  
1 x 7/64"  
1 x 1/8"  
1 x 5/32"  
1 x 3/16"  
1 x 7/32"  
1 x 1/4"  
1 x 5/16"  
1 x 3/8"



STOCK CODE

HEXKEYSET



1

## HSS JOBBER DRILL BIT

High Speed Steel drill bits for general purpose applications. They are right hand cutting at 30°. Suitable for drilling sheet metal, non-ferrous metal, hard and soft wood and PVC.



STOCK CODE

SIZE



12200

1.0mm

1

12202

2.0mm

1

12203

2.5mm

1

12204

3.0mm

1

12205

3.2mm

1

12206

3.5mm

1

12207

4.0mm

1

12208

4.2mm

1

12209

4.5mm

1

12210

4.8mm

1

12211

5.0mm

1

12271

5.2mm

1

12212

5.5mm

1

12213

6.0mm

1

STOCK CODE

SIZE



12214

6.5mm

1

12215

6.8mm

1

12216

7.0mm

1

12218

8.0mm

1

12219

8.5mm

1

12220

9.0mm

1

12222

10.0mm

1

12223

10.2mm

1

12224

10.5mm

1

12225

11.0mm

1

12227

12.0mm

1

12228

12.5mm

1

12229

13.0mm

1

## SELKENT MISSION

We will go further and faster than any other supplier of Construction Fixings and Tools to help keep construction sites productive and on schedule.



## HSS COBALT DRILL BIT

Precision engineered steel drill bits, with 5% cobalt shaft, for use on tough materials and hard steel, including stainless steel. Manufactured to DIN338 standards, with a 135° split point tip for drilling without pre-centring. The M35 Shaft with 5% Cobalt gives excellent resistance to heat.



STOCK CODE	SIZE	
12231	1.5mm	1
12232	2.0mm	1
12233	2.5mm	1
12234	3.0mm	1
12235	3.2mm	1
12236	3.5mm	1
12263	3.8mm	1
12237	4.0mm	1
12238	4.2mm	1
12239	4.5mm	1
12240	4.8mm	1
12262	4.9mm	1
12241	5.0mm	1
12261	5.1mm	1
12242	5.5mm	1

STOCK CODE	SIZE	
12243	6.0mm	1
12244	6.5mm	1
12245	6.8mm	1
12246	7.0mm	1
12247	7.5mm	1
12248	8.0mm	1
12249	8.5mm	1
12250	9.0mm	1
12251	9.5mm	1
12252	10.0mm	1
12254	10.5mm	1
12255	11.0mm	1
12256	11.5mm	1
12257	12.0mm	1
12258	12.5mm	1
12259	13.0mm	1

## BLACKSMITH DRILL BIT

Precision engineered HSS-G twist drill bits with reduced shank and split point for drilling. Manufactured with a milled flute and 135 degree split point for spot drilling without pre-centring. Right hand cutting at 30 degrees. Suitable for drilling cast iron, non-ferrous metals, sheet metals, mild metals, steel, wood and PVC.



STOCK CODE	SIZE	
12400	14mm	1
12401	15mm	1
12402	16mm	1
12403	17mm	1
12404	18mm	1

STOCK CODE	SIZE	
12405	19mm	1
12406	20mm	1
12407	21mm	1
12408	22mm	1
12410	24mm	1

## HSS LONG SERIES DRILL BIT



STOCK CODE	SIZE	LENGTH	
HSS2X85	2.0mm	85mm	1
HSS2.5X95	2.5mm	95mm	1
HSS3X100	3.0mm	100mm	1
HSS3.2X106	3.2mm	106mm	1
HSS3.5X112	3.5mm	112mm	1
HSS3.8X119	3.8mm	119mm	1
HSS4.2X119	4.2mm	119mm	1
HSS4.5X116	4.5mm	116mm	1
HSS4X119	4.0mm	119mm	1
HSS4.9X132	4.9mm	132mm	1

STOCK CODE	SIZE	LENGTH	
HSS5X132	5.0mm	132mm	1
HSS5.5X139	5.5mm	139mm	1
HSS6X139	6.0mm	139mm	1
HSS7X156	7.0mm	156mm	1
HSS7.5X156	7.5mm	156mm	1
HSS8X165	8.0mm	165mm	1
HSS8.5X165	8.5mm	165mm	1
HSS10X184	10.0mm	184mm	1
HSS11X195	11.0mm	195mm	1
HSS12X205	12.0mm	205mm	1
HSS13X205	13.0mm	205mm	1

## HSS EXTRA LONG SERIES DRILL BIT



High Speed Steel drill bits for general purpose applications. They are right hand cutting at 30 degrees. Suitable for drilling sheet metal, non-ferrous metal, hard and soft wood and PVC. Extra long for long reach applications.

STOCK CODE	SIZE	LENGTH	
HSSXL3MM	3.00mm	190mm	1
HSSXL3.5MM	3.50mm	210mm	1
HSSXL4MM	4.00mm	220mm	1
HSSXL4.2MM	4.20mm	220mm	1
HSSXL4.5MM	4.50mm	235mm	1
HSSXL4.8MM	4.80mm	195mm	1
HSSXL4.9MM	4.90mm	195mm	1
HSSXL5MM	5.00mm	245mm	1

STOCK CODE	SIZE	LENGTH	
HSSXL5.5MM	5.50mm	260mm	1
HSSXL5.8MM	5.80mm	205mm	1
HSSXL6MM	6.00mm	260mm	1
HSSXL6.5MM	6.50mm	275mm	1
HSSXL7MM	7.00mm	290mm	1
HSSXL8MM	8.00mm	305mm	1
HSSXL9MM	9.00mm	320mm	1
HSSXL10MM	10.00mm	340mm	1
HSSXL12MM	12.00mm	295mm	1

## HSS DORMER A002 DRILL BIT



Premium performance drill bits. Suitable for steel, stainless steel, cast iron, titanium nickel, copper, brass, aluminium & thermoplastics.

STOCK CODE	Ø x LENGTH	
12604	2mm x 49mm	1
12605	2.5mm x 57mm	1
12606	3mm x 61mm	1
12607	3.2mm x 65mm	1
12608	3.5mm x 39mm	1
12609	4mm x 75mm	1
12610	4.2mm x 75mm	1
12611	4.5mm x 80mm	1
12612	4.8mm x 86mm	1
12613	5mm x 86mm	1
12615	5.2mm x 86mm	1
12616	5.5mm x 93mm	1
12617	6mm x 93mm	1
12618	6.5mm x 101mm	1
12619	6.8mm x 109mm	1
12620	7mm x 109mm	1

STOCK CODE	Ø x LENGTH	
12621	7.5mm x 109mm	1
12622	8mm x 117mm	1
12623	8.5mm x 117mm	1
12624	9mm x 125mm	1
12625	9.5mm x 125mm	1
12626	10mm x 133mm	1
12627	10.2mm x 133mm	1
12628	10.5mm x 133mm	1
12629	11mm x 142mm	1
12630	11.5mm x 142mm	1
12631	12mm x 151mm	1
12632	12.5mm x 151mm	1
12633	13mm x 151mm	1
12634	14mm x 160mm	1

## 25 PIECE HSS DRILL BIT SET

### 1-13 mm

Faithfull Professional high speed steel (HSS) drill bits are manufactured from high quality M2 grade tool steel, to meet the requirements of the DIN 338 standard. Each bit has a fully ground flute and cutting tip, featuring a 135 degree point angle and split point providing easy non-slip starting and precision drilling. All these great features help you to achieve superior performance in most materials.

Suitable for use in: Alloy Steels, Carbon Steels, Cast Iron, Hardened Alloy Steels, Stainless Steels. Supplied in heavy gauge metal storage case. Display packed.

No. of drills: 25

Sizes: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5 and 13mm



#### STOCK CODE



HSSDRILLSET13

1

## 19 PIECE HSS DRILL BIT SET

### M2 1-10mm & CASE

Faithfull Professional high speed steel (HSS) drill bits are manufactured from high quality M2 grade tool steel, to meet the requirements of the DIN 338 standard.

Each bit has a fully ground flute and cutting tip, featuring a 135 degree point angle and split point providing easy non-slip starting and precision drilling. All these great features help you to achieve superior performance in most materials.

Suitable for use in: Alloy Steels, Carbon Steels, Cast Iron, Hardened Alloy Steels, Stainless Steels.

Supplied in heavy gauge metal storage case. Display packed.

No. of drills: 19

Sizes: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, and 10mm



#### STOCK CODE



HSSDRILLSET19

1

## AUGER DRILL BIT

Precision ground, hardened high carbon steel hex shank auger bit. Fine pitch spiral pulls auger into workpiece and single spur slices timber ahead of the cutting edge, for accurate holes.



STOCK CODE	Ø x LENGTH	
14148	6mm x 235mm	1
14149	6mm x 300mm	1
3280	6mm x 450mm	1
14151	8mm x 235mm	1
14152	8mm x 300mm	1
14156	10mm x 235mm	1
14157	10mm x 300mm	1
14158	10mm x 450mm	1
14161	12mm x 235mm	1
14162	12mm x 300mm	1
14163	12mm x 450mm	1
14164	12mm x 600mm	1
14165	14mm x 235mm	1
14166	14mm x 300mm	1

STOCK CODE	Ø x LENGTH	
14167	14mm x 450mm	1
14168	14mm x 600mm	1
14171	16mm x 235mm	1
14172	16mm x 300mm	1
14173	16mm x 450mm	1
14174	16mm x 600mm	1
14175	18mm x 235mm	1
14176	18mm x 300mm	1
14177	18mm x 450mm	1
14178	18mm x 600mm	1
14179	19mm x 235mm	1
14180	20mm x 100mm	1
14182	20mm x 235mm	1
14183	20mm x 300mm	1

[cont.] →

## AUGER DRILL BIT



STOCK CODE	Ø x LENGTH	
14184	20mm x 450mm	1
14185	20mm x 600mm	1
14187	22mm x 235mm	1
14188	22mm x 300mm	1
14189	22mm x 450mm	1
14190	22mm x 600mm	1
14191	24mm x 235mm	1
14192	24mm x 450mm	1
14193	24mm x 600mm	1
14195	25mm x 235mm	1
14196	25mm x 400mm	1
2224	25mm x 450mm	1

STOCK CODE	Ø x LENGTH	
14197	26mm x 235mm	1
14198	26mm x 450mm	1
14199	26mm x 600mm	1
14200	28mm x 235mm	1
14201	28mm x 450mm	1
14202	28mm x 600mm	1
14203	30mm x 235mm	1
14204	30mm x 450mm	1
14205	30mm x 600mm	1
14206	32mm x 235mm	1
14207	32mm x 450mm	1
14208	32mm x 600mm	1

## WOOD AUGER SET 6-25MM

## SET OF 8

The Set is made from high-quality carbon steel and suitable for use in hand or low-speed power drills. Each bit features a pitched screw point for accurate starts and a wide spiral for stability, straight tracking, and fast waste removal. Ideal for timber, plywood, MDF, and block wood, and can be resharpened with a hand file.



STOCK CODE	
FAICASET8	1

 SDS PLUS AUGER BIT

Precision ground, hardened high carbon steel. Fine pitch spiral pulls auger into workpiece and single spur slices timber ahead of the cutting edge, producing accurate holes.

Use in all SDS Plus with hammer set to "Stop"



STOCK CODE	Ø x LENGTH	
SDSAUG6230	6mm x 230mm	1
SDSAUG8230	8mm x 235mm	1
SDSAUG10235	10mm x 235mm	1
SDSAUG10450	10mm x 450mm	1
SDSAUG12235	12mm x 235mm	1
SDSAUG12450	12mm x 450mm	1
SDSAUG14235	14mm x 235mm	1
SDSAUG14450	14mm x 450mm	1
SDSAUG16235	16mm x 235mm	1
SDSAUG16450	16mm x 450mm	1
SDSAUG18235	18mm x 235mm	1
SDSAUG18450	18mm x 450mm	1
SDSAUG19235	19mm x 235mm	1

STOCK CODE	Ø x LENGTH	
SDSAUG20235	20mm x 235mm	1
SDSAUG20450	20mm x 450mm	1
SDSAUG22235	22mm x 235mm	1
SDSAUG22450	22mm x 450mm	1
SDSAUG24235	24mm x 235mm	1
SDSAUG24450	24mm x 450mm	1
SDSAUG25235	25mm x 235mm	1
SDSAUG25450	25mm x 450mm	1
SDSAUG26235	26mm x 235mm	1
SDSAUG26450	26mm x 450mm	1
SDSAUG28235	28mm x 235mm	1
SDSAUG28400	28mm x 400mm	1
SDSAUG32235	32mm x 235mm	1

### FLAT WOOD DRILL BIT

Precision engineered flat bit for fast and exact cutting. Designed to ensure faster and easier drilling, with double side spurs providing cleaner holes and reduced vibration. Side scoops optimise removal of wood chippings. 1/4" Hex quick change shank. Suitable for general use in drilling wood, plastic and plasterboard.



STOCK CODE	Ø	
FWB06	6mm	1
FWB08	8mm	1
FWB10	10mm	1
FWB12	12mm	1
FWB13	13mm	1
FWB14	14mm	1
FWB16	16mm	1
FWB18	18mm	1
FWB19	19mm	1
FWB20	20mm	1
FWB22	22mm	1

STOCK CODE	Ø	
FWB24	24mm	1
FWB25	25mm	1
FWB26	26mm	1
FWB28	28mm	1
FWB30	30mm	1
FWB32	32mm	1
FWB34	34mm	1
FWB35	35mm	1
FWB36	36mm	1
FWB38	38mm	1
FWB40	40mm	1

### FLAT WOOD BIT SET

#### SET OF 8

The Faithfull 8 Piece Impact Rated Flat Bit Set. The 1/4in hex shank fits quick-release systems and suits both mains and cordless drills. Supplied in a sturdy case. Sizes: 10, 13, 16, 20, 22, 25, 32, 38mm.



STOCK CODE	
WOODSET	1

### ULTIMATE SDS PLUS DRILL BIT

Hardened steel hammer masonry drill bits for general purpose applications. Hardened steel body for extra strength and reduced breakage. The Super Flute spiral aids consistent drilling speed and efficient debris removal. Tungsten carbide tipped for longer life. Suitable for Masonry, concrete and stone.



STOCK CODE	Ø x LENGTH	WORKING LENGTH	
SDSP4110	4mm x 110mm	50mm	1
SDSP4160	4mm x 160mm	100mm	1
SDSP5110	5mm x 110mm	50mm	1
SDSP5160	5mm x 160mm	100mm	1
SDSP5210	5mm x 210mm	150mm	1
SDSP5310	5mm x 310mm	250mm	1
SDSP5460	5mm x 460mm	400mm	1
SDSP5.5110	5.5mm x 110mm	50mm	1

STOCK CODE	Ø x LENGTH	WORKING LENGTH	
SDSP5.5160	5.5mm x 160mm	100mm	1
SDSP5.5260	5.5mm x 260mm	100mm	1
SDSP6110	6mm x 110mm	50mm	1
SDSP6160	6mm x 160mm	100mm	1
SDSP6210	6mm x 210mm	150mm	1
SDSP6260	6mm x 260mm	200mm	1
SDSP6310	6mm x 310mm	250mm	1
SDSP6460	6mm x 460mm	400mm	1

[cont.] →

 **ULTIMATE SDS PLUS DRILL BITS**


STOCK CODE	Ø x LENGTH	WORKING LENGTH	
SDSP6.5110	6.5mm x 110mm	50mm	1
SDSP6.5160	6.5mm x 160mm	100mm	1
SDSP6.5210	6.5mm x 210mm	150mm	1
SDSP6.5260	6.5mm x 260mm	200mm	1
SDSP7110	7mm x 110mm	50mm	1
SDSP7160	7mm x 160mm	100mm	1
SDSP7210	7mm x 210mm	150mm	1
SDSP7260	7mm x 260mm	200mm	1
SDSP7310	7mm x 310mm	250mm	1
SDSP8110	8mm x 110mm	50mm	1
SDSP8160	8mm x 160mm	100mm	1
SDSP8210	8mm x 210mm	150mm	1
SDSP8260	8mm x 260mm	200mm	1
SDSP8310	8mm x 310mm	250mm	1
SDSP8460	8mm x 460mm	400mm	1
SDSP8610	8mm x 610mm	550mm	1
SDSP9160	9mm x 160mm	100mm	1
SDSP9210	9mm x 210mm	150mm	1
SDSP10110	10mm x 110mm	50mm	1
SDSP10160	10mm x 160mm	100mm	1
SDSP10210	10mm x 210mm	150mm	1
SDSP10260	10mm x 260mm	200mm	1
SDSP10310	10mm x 310mm	250mm	1
SDSP10460	10mm x 460mm	400mm	1
SDSP10610	10mm x 610mm	550mm	1
SDSP101000	10mm x 1000mm	940mm	1
SDSP11160	11mm x 160mm	100mm	1
SDSP11210	11mm x 210mm	150mm	1
SDSP11310	11mm x 310mm	250mm	1
SDSP12160	12mm x 160mm	100mm	1
SDSP12210	12mm x 210mm	150mm	1
SDSP12260	12mm x 260mm	200mm	1
SDSP12310	12mm x 310mm	250mm	1
SDSP12460	12mm x 460mm	400mm	1
SDSP12610	12mm x 610mm	550mm	1
SDSP121000	12mm x 1000mm	940mm	1
SDSP13160	13mm x 160mm	100mm	1
SDSP13210	13mm x 210mm	150mm	1
SDSP13260	13mm x 260mm	200mm	1
SDSP13310	13mm x 310mm	250mm	1
SDSP14160	14mm x 160mm	100mm	1
SDSP14210	14mm x 210mm	150mm	1
SDSP14260	14mm x 260mm	200mm	1
SDSP14310	14mm x 310mm	250mm	1
SDSP14460	14mm x 460mm	400mm	1
SDSP14610	14mm x 610mm	550mm	1

STOCK CODE	Ø x LENGTH	WORKING LENGTH	
SDSP141000	14mm x 1000mm	940mm	1
SDSP15210	15mm x 210mm	150mm	1
SDSP16160	16mm x 160mm	100mm	1
SDSP16210	16mm x 210mm	150mm	1
SDSP16260	16mm x 260mm	200mm	1
SDSP16310	16mm x 310mm	250mm	1
SDSP16460	16mm x 460mm	400mm	1
SDSP16610	16mm x 610mm	550mm	1
SDSP161000	16mm x 1000mm	940mm	1
SDSP18210	18mm x 210mm	150mm	1
SDSP18260	18mm x 260mm	200mm	1
SDSP18310	18mm x 310mm	250mm	1
SDSP18460	18mm x 460mm	400mm	1
SDSP18610	18mm x 610mm	550mm	1
SDSP181000	18mm x 1000mm	940mm	1
SDSP201000	20mm x 1000mm	940mm	1
SDSP20210	20mm x 210mm	150mm	1
SDSP20260	20mm x 260mm	200mm	1
SDSP20310	20mm x 310mm	250mm	1
SDSP20460	20mm x 460mm	400mm	1
SDSP20610	20mm x 610mm	550mm	1
SDSP221000	22mm x 1000mm	940mm	1
SDSP22210	22mm x 210mm	150mm	1
SDSP22260	22mm x 260mm	200mm	1
SDSP22310	22mm x 310mm	250mm	1
SDSP22410	22mm x 410mm	350mm	1
SDSP22460	22mm x 460mm	400mm	1
SDSP22610	22mm x 610mm	550mm	1
SDSP24210	24mm x 210mm	150mm	1
SDSP24260	24mm x 260mm	200mm	1
SDSP24310	24mm x 310mm	250mm	1
SDSP24460	24mm x 460mm	400mm	1
SDSP24610	24mm x 610mm	550mm	1
SDSP251000	25mm x 1000mm	940mm	1
SDSP25210	25mm x 210mm	150mm	1
SDSP25260	25mm x 260mm	200mm	1
SDSP25310	25mm x 310mm	250mm	1
SDSP25460	25mm x 460mm	400mm	1
SDSP25610	25mm x 610mm	550mm	1
SDSP26310	26mm x 310mm	250mm	1
SDSP26460	26mm x 460mm	400mm	1
SDSP26610	26mm x 610mm	550mm	1
SDSP28310	28mm x 310mm	250mm	1
SDSP28460	28mm x 460mm	400mm	1
SDSP30460	30mm x 460mm	400mm	1
SDSP32460	32mm x 460mm	400mm	1

## SELKENT SDS MAX CROSS TIP HAMMER DRILL BIT

Cross Head Hammer Drill bits for very heavy duty work that requires large diameters and deep hole drilling. Cross Head design ensures all 4 cutting edges work at the same time to provide an even drilling action for accurate, rounder holes. Suitable for use in reinforced concrete, concrete masonry and natural stone.



STOCK CODE	Ø x LENGTH	WORKING LENGTH	
SDSM120340	12mm x 340mm	200mm	1
SDSM120540	12mm x 540mm	400mm	1
SDSM140340	14mm x 340mm	200mm	1
SDSM140540	14mm x 540mm	400mm	1
SDSM160340	16mm x 340mm	200mm	1
SDSM160540	16mm x 540mm	400mm	1
SDSM160690	16mm x 690mm	550mm	1
SDSM160920	16mm x 920mm	780mm	1
SDSM180340	18mm x 340mm	200mm	1
SDSM180540	18mm x 540mm	400mm	1
SDSM180690	18mm x 690mm	550mm	1
SDSM180920	18mm x 920mm	780mm	1
SDSM200340	20mm x 340mm	200mm	1
SDSM200540	20mm x 540mm	400mm	1
SDSM200690	20mm x 690mm	550mm	1
SDSM200920	20mm x 920mm	780mm	1
SDSM201300	20mm x 1300mm	160mm	1
SDSM220340	22mm x 340mm	200mm	1
SDSM220540	22mm x 540mm	400mm	1
SDSM220690	22mm x 690mm	550mm	1
SDSM220920	22mm x 920mm	780mm	1
SDSM221300	22mm x 1300mm	1160mm	1
SDSM240340	24mm x 340mm	200mm	1
SDSM240540	24mm x 540mm	400mm	1
SDSM240690	24mm x 690mm	550mm	1
SDSM240920	24mm x 920mm	780mm	1
SDSM250340	25mm x 340mm	200mm	1
SDSM250540	25mm x 540mm	400mm	1
SDSM250690	25mm x 690mm	550mm	1
SDSM250920	25mm x 920mm	780mm	1
SDSM251300	25mm x 1300mm	1160mm	1
SDSM260340	26mm x 340mm	200mm	1
SDSM260540	26mm x 540mm	400mm	1
SDSM260690	26mm x 690mm	550mm	1
SDSM260920	26mm x 920mm	780mm	1
SDSM280340	28mm x 340mm	200mm	1
SDSM280540	28mm x 540mm	400mm	1
SDSM280690	28mm x 690mm	550mm	1

STOCK CODE	Ø x LENGTH	WORKING LENGTH	
SDSM280920	28mm x 920mm	780mm	1
SDSM281300	28mm x 1300mm	1160mm	1
SDSM300340	30mm x 340mm	200mm	1
SDSM300540	30mm x 540mm	400mm	1
SDSM300690	30mm x 690mm	550mm	1
SDSM300920	30mm x 920mm	780mm	1
SDSM320340	32mm x 340mm	200mm	1
SDSM320540	32mm x 540mm	400mm	1
SDSM320690	32mm x 690mm	550mm	1
SDSM320920	32mm x 920mm	800mm	1
SDSM321300	32mm x 1300mm	1160mm	1
SDSM350340	35mm x 340mm	200mm	1
SDSM350540	35mm x 540mm	400mm	1
SDSM350690	35mm x 690mm	550mm	1
SDSM350920	35mm x 920mm	780mm	1
SDSM351300	35mm x 1300mm	1160mm	1
SDSM360340	36mm x 340mm	200mm	1
SDSM360540	36mm x 540mm	400mm	1
SDSM360690	36mm x 690mm	550mm	1
SDSM360920	36mm x 920mm	780mm	1
SDSM361300	36mm x 1300mm	1160mm	1
SDSM380340	38mm x 340mm	200mm	1
SDSM380540	38mm x 540mm	400mm	1
SDSM380690	38mm x 690mm	550mm	1
SDSM380920	38mm x 920mm	780mm	1
SDSM400340	40mm x 340mm	200mm	1
SDSM400540	40mm x 540mm	400mm	1
SDSM400690	40mm x 690mm	550mm	1
SDSM400920	40mm x 920mm	780mm	1
SDSM420540	42mm x 540mm	400mm	1
SDSM420690	42mm x 690mm	550mm	1
SDSM420920	42mm x 920mm	780mm	1
SDSM421300	42mm x 1300mm	1160mm	1
SDSM450340	45mm x 340mm	200mm	1
SDSM450540	45mm x 540mm	400mm	1
SDSM450690	45mm x 690mm	550mm	1
SDSM450920	45mm x 920mm	780mm	1
SDSM451300	45mm x 1300mm	1160mm	1

## ENDURO SDS MAX HAMMER DRILL BIT



The Enduro Trijet SDS-max hammer drill bit perfectly unites speed and robustness - even in reinforced concrete. The embedded carbide tip makes this drill bit extremely resilient. Users also benefit from very low vibration and especially easy positioning.

- With recessed carbide tip for extreme resilience in reinforcement steel and powerful drilling progress
- Maximum effectiveness and speed thanks to the stable tips plus optimised helix design
- Best possible drill dust transport without risk of explosion thanks to large-volume, low-vibration triple helix, also in deep holes
- Lowest vibration thanks to computer-simulated helix reduces the load on the user
- Particularly easy positioning and avoids spalling even after drilling many holes

STOCK CODE	Ø x LENGTH	WORKING LENGTH	
14083	12mm x 340mm	200mm	1
14084	12mm x 540mm	400mm	1
14085	12mm x 740mm	600mm	1
14088	14mm x 340mm	200mm	1
14089	14mm x 540mm	400mm	1
14090	14mm x 740mm	600mm	1
14093	16mm x 340mm	200mm	1
14094	16mm x 540mm	400mm	1
14095	16mm x 740mm	600mm	1
14096	16mm x 940mm	800mm	1
14097	16mm x 1340mm	1200mm	1
14098	18mm x 340mm	200mm	1
14099	18mm x 540mm	400mm	1
14100	18mm x 740mm	600mm	1
14101	18mm x 940mm	800mm	1
14104	20mm x 320mm	200mm	1
14105	20mm x 520mm	400mm	1
14106	20mm x 720mm	600mm	1
14107	20mm x 920mm	800mm	1
14108	22mm x 320mm	200mm	1
14109	22mm x 520mm	400mm	1
14110	22mm x 720mm	600mm	1
14111	22mm x 920mm	800mm	1
14112	22mm x 1320mm	1200mm	1
14113	24mm x 320mm	200mm	1
14114	24mm x 520mm	400mm	1
14115	25mm x 320mm	200mm	1
14116	25mm x 520mm	400mm	1
14117	25mm x 720mm	600mm	1

STOCK CODE	Ø x LENGTH	WORKING LENGTH	
14118	25mm x 920mm	800mm	1
14119	25mm x 1320mm	1200mm	1
14120	26mm x 320mm	200mm	1
14121	26mm x 520mm	400mm	1
14122	28mm x 320mm	200mm	1
14123	28mm x 520mm	400mm	1
14124	28mm x 740mm	600mm	1
14125	28mm x 920mm	800mm	1
14126	30mm x 320mm	200mm	1
14127	30mm x 520mm	400mm	1
14128	30mm x 720mm	600mm	1
14129	32mm x 320mm	200mm	1
14130	32mm x 520mm	400mm	1
14131	32mm x 720mm	600mm	1
14132	32mm x 920mm	800mm	1
14133	32mm x 1320mm	1200mm	1
14134	35mm x 320mm	200mm	1
14135	35mm x 520mm	400mm	1
14136	35mm x 720mm	600mm	1
14137	38mm x 320mm	200mm	1
14138	38mm x 520mm	400mm	1
14139	38mm x 720mm	600mm	1
14141	40mm x 520mm	400mm	1
14142	40mm x 720mm	600mm	1
14143	40mm x 920mm	800mm	1
14144	40mm x 1320mm	1200mm	1
14145	45mm x 520mm	400mm	1
14146	50mm x 520mm	400mm	1



BRICKWORK



BRICK



CONCRETE



MARBLE

NATURAL  
STONEREINFORCED  
CONCRETESAND LIME  
BRICK

## SDS PLUS 4 CUTTING EDGES TUNGSTEN CARBIDE TIP



High performance drill bit with 4 tungsten carbide cutting edges and new progressive spiral design for problem-free drilling in reinforced concrete. Hammer Action due to vacuum hardening, robust due to high strength tungsten carbide tip, dowel length indicator for exact drilling depth.

STOCK CODE	Ø x LENGTH	
5X110REB4CUT	5mm x 110mm	1
5X160REB4CUT	5mm x 160mm	1
5X210REB4CUT	5mm x 210mm	1
5.5X110REB4CUT	5.5mm x 110mm	1
5.5X160REB4CUT	5.5mm x 160mm	1
6X110REB4CUT	6mm x 110mm	1
6X160REB4CUT	6mm x 160mm	1
6X210REB4CUT	6mm x 210mm	1
6X260REB4CUT	6mm x 260mm	1
6X310REB4CUT	6mm x 310mm	1
6.5X160REB4CUT	6.5mm x 160mm	1
6.5X210REB4CUT	6.5mm x 210mm	1
6.5X260REB4CUT	6.5mm x 260mm	1
6.5X310REB4CUT	6.5mm x 310mm	1
7X110REB4CUT	7mm x 110mm	1
7160REB4CUT	7mm x 160mm	1
8X110REB4CUT	8mm x 110mm	1
8X160REB4CUT	8mm x 160mm	1
8X210REB4CUT	8mm x 210mm	1
8X260REB4CUT	8mm x 260mm	1
8X310REB4CUT	8mm x 310mm	1
8X460REB4CUT	8mm x 460mm	1
9X160REB4CUT	9mm x 160mm	1
9X260REB4CUT	9mm x 260mm	1
10X160REB4CUT	10mm x 160mm	1
10X210REB4CUT	10mm x 210mm	1
10X260REB4CUT	10mm x 260mm	1
10X310REB4CUT	10mm x 310mm	1
10X450REB4CUT	10mm x 450mm	1
12X160REB4CUT	12mm x 160mm	1
12X210REB4CUT	12mm x 210mm	1
12X260REB4CUT	12mm x 260mm	1

STOCK CODE	Ø x LENGTH	
12X310REB4CUT	12mm x 310mm	1
12X450REB4CUT	12mm x 450mm	1
14X160REB4CUT	14mm x 160mm	1
14X210REB4CUT	14mm x 210mm	1
14X260REB4CUT	14mm x 260mm	1
14X310REB4CUT	14mm x 310mm	1
14X450REB4CUT	14mm x 450mm	1
14X600REB4CUT	14mm x 600mm	1
15X260REB4CUT	15mm x 260mm	1
16X160REB4CUT	16mm x 160mm	1
16X210REB4CUT	16mm x 210mm	1
16X260REB4CUT	16mm x 260mm	1
16X310REB4CUT	16mm x 310mm	1
16X450REB4CUT	16mm x 450mm	1
16X600REB4CUT	16mm x 600mm	1
18X250REB4CUT	18mm x 250mm	1
18X450REB4CUT	18mm x 450mm	1
18X600REB4CUT	18mm x 600mm	1
20X250REB4CUT	20mm x 250mm	1
20X450REB4CUT	20mm x 450mm	1
20X600REB4CUT	20mm x 600mm	1
22X250REB4CUT	22mm x 250mm	1
22X450REB4CUT	22mm x 450mm	1
22X600REB4CUT	22mm x 600mm	1
24X250REB4CUT	24mm x 250mm	1
24X450REB4CUT	24mm x 450mm	1
25X250REB4CUT	25mm x 250mm	1
25X450REB4CUT	25mm x 450mm	1
28X450REB4CUT	28mm x 450mm	1
30X450REB4CUT	30mm x 450mm	1
32X450REB4CUT	32mm x 450mm	1

## SDS PLUS TAPCON DRILL BIT

Hardened steel hammer masonry drill bits. Hardened steel body for extra strength and reduced breakage. Tungsten carbide tipped for longer life. Suitable for Masonry, concrete and stone.



STOCK CODE	Ø x LENGTH	
5.15X180SDS	5.15mm x 180mm	1
5.15X310SDS	5.15mm x 310mm	1



## POINTED CHISEL



Hardened steel hammer masonry chisel bits for general purpose applications. Hardened steel body for extra strength and reduced breakage. Suitable for masonry, concrete and stone.

STOCK CODE	WIDTH	LENGTH	
 <b>SDS PLUS</b>			
14417	14	250mm	1
 <b>SDS MAX</b>			
14425	18	280mm	1
14426	18	400mm	1
14427	18	600mm	1

## FLAT CHISEL



Hardened steel hammer masonry flat chisel bits for general purpose applications. Hardened steel body for extra strength and reduced breakage. Suitable for masonry, concrete and stone.

STOCK CODE	WIDTH	LENGTH	
 <b>SDS PLUS</b>			
14418	20mm	250mm	1
14542	20mm	400mm	1
 <b>SDS MAX</b>			
14428	25mm	280mm	1
14429	25mm	400mm	1
14430	25mm	600mm	1

## VANTAGE HOUSE

As part of Selkent's wider growth plans, we've opened Vantage House. This investment strengthens our service offering with increased stock capacity and a more efficient pick-and-dispatch operation, helping us support customers nationwide with faster, more reliable delivery and long-term, sustainable growth.

Vantage House,  
Trinity Trading Estate,  
ME10 2PD



### SPADE CHISEL



Hardened steel hammer masonry spade chisel bits for general purpose applications. Hardened steel body for extra strength and reduced breakage. Suitable for masonry, concrete and stone.

**SDS PLUS**

STOCK CODE	WIDTH	LENGTH	
14419	40mm	250mm	1

**SDS MAX**

STOCK CODE	WIDTH	LENGTH	
14431	40mm	250mm	1
14432	80mm	300mm	1
14433	115mm	350mm	1

### SDS MAX CLAY SPADE



STOCK CODE	
14465	1

### TE1000 CHISEL



STOCK CODE	
TE1000C	1

### TE1000 CHISEL WIDE



STOCK CODE	SIZE	
TE1000CW	75mm x 360mm	1

### TE1000 POINT



STOCK CODE	
TE1000P	1


### SDS PLUS TILE CHISEL



Ideal for light chipping and chiselling of tile, mortar, glazing compounds and other masonry products with hammers with a rotation stop feature.

STOCK CODE	LENGTH	
14421	40mm x 250mm	1

### 3 PIECE SDS PLUS CHISEL SET



This 3 Piece SDS Plus Chisel Set has been designed for SDS Plus drills with a roto-stop function. They have been heat treated for increased strength and durability. Ideal for chasing out, cleaning bricks or breaking.

Contains: 2 x Flat Chisels 20 and 40mm- 1 x Point Chisel

STOCK CODE	
SDSPCHISEL	1

### SK12/FL22 ROUND SHANK CHISEL

25mm Diameter x 75mm above the collar, 330mm below the collar.



STOCK CODE	
SK12C	1

### SK12/FL22 ROUND SHANK POINT

25mm Diameter x 75mm above the collar, 320mm below the collar.



STOCK CODE	
SK12	1

HAND TOOLS, POWER TOOLS & ACCESSORIES

## CHUCK, KEY AND SDS PLUS ADAPTOR SET



Heavy-Duty keyed chuck for use on both Rotary and Impact drills. Fitted with an anti-thrust bearing to increase the amount of grip and to prevent slipping when under load.

Comes complete with key and adaptor for use with SDS and SDS Plus machines. When used with SDS machines, the drill MUST NOT be used in hammer mode

½ x 20 UNF thread. Capacity 13mm. Complete with chuck key

STOCK CODE	SIZE	
SDSPCAS	13mm	1

## SDS PLUS KEYLESS CHUCK



It allows you to convert your SDS Plus Chuck into a 13mm Keyless Chuck.

For use with SDS Plus Drill to allow you to use conventional drill bits.

STOCK CODE	SIZE	
SDSPCKL	13mm	1

## SDS MAX - PLUS ADAPTOR



The SDS Max to SDS Plus Adaptor has a 225mm overall length. It enables the use of SDS Plus shanked drill accessories with an SDS Max machine.

STOCK CODE	
SDSMPA	1

## M14 SDS PLUS DRIVER ADAPTER



Designed to convert M14 paddles for use with SDS+ drills.

STOCK CODE	
PAIM14SDS	1

## SDS MAX BUSH SCABBLER TOOL HOLDER



STOCK CODE	
14463	1

## BUSH HAMMER HEAD SCABBLER



STOCK CODE	
14462	1

## HSS BOTTOMING TAP

High speed steel (HSS) ground thread engineering threading taps. Suitable for general purposes. ISO 529.

STOCK CODE	SIZE	
14650	M4 x 0.7mm	1
14651	M5 x 0.8mm	1
14652	M6 x 1.0mm	1
14653	M8 x 1.25mm	1
14654	M10 x 1.5mm	1
14655	M12 x 1.75mm	1



STOCK CODE	SIZE	
14656	M16 x 2.0mm	1
14657	M20 x 2.5mm	1
14658	M22 x 2.5mm	1
14659	M24 x 3.0mm	1

## HSS 2ND STAGE TAP

High speed steel (HSS) ground thread engineering threading taps. Suitable for general purposes. ISO 529.

STOCK CODE	SIZE	
14638	M4 x 0.7mm	1
14639	M5 x 0.8mm	1
14640	M6 x 1.0mm	1
14641	M8 x 1.25mm	1
14642	M10 x 1.5mm	1
14643	M12 x 1.75mm	1



STOCK CODE	SIZE	
14644	M16 x 2.0mm	1
14645	M20 x 2.5mm	1
14646	M22 x 2.5mm	1
14647	M24 x 3.0mm	1

## HEX ARBOR

Fit all DART holesaws and will also fit most other holesaws available. Supplied with our standard 90mm long pilot drill, which can also be interchanged with the other holesaw pilot drills available from our range. This arbor has a 9.5mm Hex shank, and can be used on holesaws from 14 to 30mm.



STOCK CODE	CHUCK	SIZE	
12192	3/8" HEX	14mm - 30mm	1
12193	3/8"HEX	32mm - 152mm	1

## SDS PLUS HOLESAW ARBOR

Fit all DART holesaws and will also fit most other holesaws available. Supplied with our standard 90mm long pilot drill, which can also be interchanged with the other holesaw pilot drills available from our range. This arbor has a 9.5mm Hex shank, and can be used on holesaws from 14 to 30mm.



STOCK CODE	CHUCK	SIZE	
SDSDPA1	SDS plus	14mm - 30mm	1
SDSDPA2	SDS plus	32mm - 210mm	1

## PILOT DRILL BIT ARBOR



STOCK CODE	SIZE	
12199	32mm - 152mm	1

## 14-210MM ARBOR EXTENSION 300MM

The Faithfull FAIHSEXT300 Arbor Extension is designed for use with hex shank arbors, providing an extended reach of 300mm for cutting in hard-to-access areas. Suitable for holesaws ranging from 14mm to 210mm in diameter, it ensures secure and stable connection for accurate drilling.



STOCK CODE	SIZE	
FAIHSEXT300	14mm - 210mm	1

## COBALT HOLESAW

Variable pitched premium cobalt holesaw suitable for professional use. This cobalt holesaw offers a smooth and fast cutting action. The cobalt holesaw has a 38mm cutting depth and precision set teeth for aggressive material penetration and swarf clearance. The cobalt holesaw can be used to cut a wide range of thin and thick gauge materials including Steel, Aluminium, Sheet Metals, Mild Metals, Non-ferrous Metals, Cast Iron, Hard and Soft Wood and PVC.



STOCK CODE	Ø	
12138	14mm	1
12139	16mm	1
12140	17mm	1
12141	19mm	1
12142	20mm	1
12143	21mm	1
12144	22mm	1
12145	24mm	1
12146	25mm	1
12147	27mm	1
12148	29mm	1
12149	30mm	1
12150	32mm	1
12151	33mm	1
12152	35mm	1
12153	37mm	1
12154	38mm	1
12156	40mm	1
12157	41mm	1
12158	43mm	1
12159	44mm	1
12160	46mm	1
12161	48mm	1
12162	51mm	1
12163	52mm	1
12164	54mm	1
12165	55mm	1
12166	57mm	1

STOCK CODE	Ø	
12167	59mm	1
12168	60mm	1
12169	64mm	1
12170	65mm	1
12171	67mm	1
12172	68mm	1
12173	70mm	1
12174	73mm	1
12175	76mm	1
12176	79mm	1
12177	83mm	1
12178	86mm	1
12179	89mm	1
12180	92mm	1
12181	95mm	1
12182	98mm	1
12183	102mm	1
12184	105mm	1
12185	108mm	1
12186	111mm	1
12187	114mm	1
12188	121mm	1
12189	127mm	1
12190	140mm	1
12191	152mm	1
12196	168mm	1
12195	177mm	1
12197	200mm	1

### DEEP CUT BIMETAL HOLESAW

The Starrett Deep Cut Bi-Metal Holesaws offer aggressive material penetration and kerf clearance. Improved tooth material for enhanced heat and wear resistance and greater product life. Ideal for solid materials or tubes with a wall thickness greater than 3mm.

STOCK CODE	SIZE	
STRHS177DC	177mm	1



### HSS MULTI-TOOL BLADE

Precision engineered multi-tool oscillating blades designed for excellent cutting and efficiency for soft plastic, fibreglass, plasterboard, interior linings, non-ferrous metals and thin metals.

STOCK CODE	SIZE	
90MULTIHSS	90mm	1



### TUNGSTEN CARBIDE MULTI-TOOL BLADE

Precision engineered multi-tool oscillating blades designed for quick and effective grout removal from between tiles.

STOCK CODE	SIZE	
90MULTIGROUT	90mm	1



### MULTI-TOOL SAWBLADE

Precision engineered multi-tool oscillating blades designed for excellent cutting and efficiency for detailed cutting in timber and plastics.



**FINE**

STOCK CODE	SIZE	
63MULTIFINE	63mm	1

**COARSE**

STOCK CODE	SIZE	
68MULTICOARSE	68mm	1

### BI-METAL MULTI-TOOL SAWBLADE

**WOOD & NAILS**

Precision engineered multi-tool oscillating blades. Designed for excellent cutting and efficiency for general purpose cutting in wood, wood with nails, soft plastic and non-ferrous metals.



STOCK CODE	SIZE	
32MULTIWM	32mm	1
44MULTIWM	44mm	1

HAND TOOLS, POWER TOOLS & ACCESSORIES

**STANDARD CDC5 - DRY CORE CASE****38, 52, 65, 117, 127 MM HEX & SDS ADAPTERS AND EXTENSIONS**

The new CDC5 contractor core case provides exceptional value for money and considerably outperforms other manufacturers 'mainstream' products.



STOCK CODE



14216

1

**ADAPTORS – 1/2" BSP (M)**

With 1/2" BSP male fitting to suit BD, BX10 and BLU cores

STOCK CODE	TYPE	DESCRIPTION		
14220	JX01	HEX ADAPTOR ONLY		1
14222	JS01	SDS PLUS ADAPTOR ONLY		1
14223	JS25	SDS PLUS 250mm LONG ADAPTOR		1
14224	JM01	SDS MAX ADAPTOR ONLY		1

**PILOTS & DRIFTS**

STOCK CODE	TYPE	DESCRIPTION		
14234	JB13	13mm A TAPER DRILL x 210mm		1
14235	JB05	DRIFT KEY 4.67		1

**EXTENSIONS**

STOCK CODE	TYPE	DESCRIPTION		
14238	JB26	1/2" BSP 250mm SOLID EXTENSION + A TAPER		1
14239	JB25	1/2" BSP 250mm HOLLOW EXTENSION		1

### TRADE BD - DRY CORE DRILL

Universal dry diamond core drill in all popular plumbers sizes up to 182mm. 1/2" BSP female thread takes Spectrum dry core accessories. Slotted barrel provides efficient dust clearance and ease of removing drilled core. For brick and blockwork.



- Precision engineering
- Core diameter visually shown
- Slotted core design: efficient dust clearance and core removal
- Highest grade steel construction
- Distinctive barrel colour
- Laser welded - for ultimate strength. No segment loss GUARANTEED!
- High concentration self sharpening segment

STOCK CODE	Ø	LENGTH	BACK END	
14246	22mm	300mm	HEX	1
14247	28mm	300mm	HEX	1
14248	32mm	150mm	1/2" BSP (F)	1
14250	48mm	150mm	1/2" BSP (F)	1
14251	52mm	150mm	1/2" BSP (F)	1
14252	65mm	150mm	1/2" BSP (F)	1
14253	78mm	150mm	1/2" BSP (F)	1
14254	91mm	150mm	1/2" BSP (F)	1
14255	102mm	150mm	1/2" BSP (F)	1
14256	107mm	150mm	1/2" BSP (F)	1
14257	117mm	150mm	1/2" BSP (F)	1
14258	127mm	150mm	1/2" BSP (F)	1
14259	142mm	150mm	1/2" BSP (F)	1
14260	152mm	150mm	1/2" BSP (F)	1
14261	162mm	150mm	1/2" BSP (F)	1
14262	172mm	150mm	1/2" BSP (F)	1
14263	182mm	150mm	1/2" BSP (F)	1

### ULTIMATE BX10 - DRY DIAMOND CORE

Universal dry core for long life in most building materials including semi-engineering bricks, clay products, and limestone aggregate concrete.



- Precision engineering
- Angled slots extend through back end to expel dust
- Unique Helix barrel design draws dust down the barrel
- Immediate 100% surface cutting
- 10mm segment height. High diamond concentration
- Laser welded - for ultimate strength. No segment loss GUARANTEED!
- Friction reduced

STOCK CODE	Ø	LENGTH	BACK END	
14264	22mm	300mm	HEX	1
14265	22mm	300mm	1/2" BSP (F)	1
14266	28mm	300mm	HEX	1
14267	28mm	300mm	1/2" BSP (F)	1
14268	32mm	150mm	1/2" BSP (F)	1
14269	38mm	150mm	1/2" BSP (F)	1
14271	52mm	150mm	1/2" BSP (F)	1
14272	65mm	150mm	1/2" BSP (F)	1
14273	78mm	150mm	1/2" BSP (F)	1
14275	102mm	150mm	1/2" BSP (F)	1
14276	107mm	150mm	1/2" BSP (F)	1
14277	117mm	150mm	1/2" BSP (F)	1
14280	152mm	150mm	1/2" BSP (F)	1
14281	162mm	150mm	1/2" BSP (F)	1
14282	172mm	150mm	1/2" BSP (F)	1
14283	182mm	150mm	1/2" BSP (F)	1

## PCX-S ULTIMATE ½" BSP WET CORE

Ultimate wet diamond core drill for professional hand held and rig mounted use. ½" BSP (male) back end. 300mm drilling length. 10mm segment height. Universal/all concrete.

APPLICATIONS: flint and limestone aggregate concrete; reinforced concrete; universal building products.

STOCK CODE	Ø	
14373	14mm	1
14374	16mm	1
14375	18mm	1
14376	20mm	1
14377	22mm	1
14378	24mm	1
14379	25mm	1
14380	28mm	1
14381	30mm	1
14382	32mm	1
14383	36mm	1
14384	40mm	1
14385	45mm	1
14386	52mm	1



LASER WELDED  
'ROOFTOP' SEGMENT

## JN - WET CORE ACCESSORIES

STOCK CODE	TYPE	DESCRIPTION	
14413	JN25	1/2" BSP 250mm HOLLOW EXTENSION	 1
14409	JN56	½" BSP(F) - ½" BSP(F) ADAPTOR	 1
14410	JN65	½" BSP(M) - 1/4" UNC(M) ADAPTOR	 1
14411	JN66	½" BSP(F) - 1 ¼" UNC(F) ADAPTOR	 1
14541	DD130	6 SPLINES X11/4"UNCM 1/2" BSPF ADAPTOR	 1

## XT2 ULTIMATE DIAMOND DRILL

Superfast drilling for all tiles however hard.  
Guaranteed to drill porcelain, marble, granite and ceramic without the need to use water.  
Fits almost any drill motor including a cordless with long life use.

STOCK CODE	Ø	
14334	6mm	1
14335	7mm	1
14336	8mm	1
14337	10mm	1
14338	14mm	1



## TILE/GLASS DRILL

Tungsten carbide bit heads, suitable for drilling through glass, tiles, mirror and ceramics

STOCK CODE	SIZE	
5MMT&GBIT	5mm	1
6MMT&GBIT	6mm	1
7MMT&GBIT	7mm	1



STOCK CODE	SIZE	
8MMT&GBIT	8mm	1
10MMT&GBIT	10mm	1



## SELKENT PRO TAPE MEASURE 5M/16' NYLON COATED 27MM BLADE WIDTH

The Selkent Pro Tape Measure is a durable, high-performance tool designed for professionals in various fields such as construction, carpentry, plumbing, and industrial applications. Featuring a 27 mm wide Class II blade with a 2.8-meter standout, it is perfect for solo use and measuring difficult angles. The blade is nylon-coated for enhanced durability, offering superior wear resistance and longevity. The impact-resistant ABS casing with a soft-grip TPR (Thermoplastic Rubber) coating ensures comfort and protection during use. A thumb lock secures the blade in place, providing stability and precision. Additionally, the pointed end hook easily attaches to overhead objects, making this tape measure a reliable and versatile tool for any job.



STOCK CODE	SIZE	
TM5M	5m / 16'	1
TM8M	8m / 26'	1

## STANLEY TYLON TAPE MEASURE

The Stanley Tylon™ Pocket Tape has a corrosion resistant, long-life Tylon™ coated blade with positive blade lock for accurate measurements. Shows both metric and imperial graduations. Fitted with a Tru-zero hook, that compensates accurately for internal and external measurements, with triple rivet construction for improved strength and durability. The impact resistant ABS plastic case is fitted with an ergonomic overmould for all day comfort.



STOCK CODE	SIZE	
TMSTA5MTY	5m / 16'	1
TMSTA8MTY	8m / 26'	1

## STANLEY POWERLOCK TAPE MEASURE

The Stanley PowerLock® Classic Pocket Tape has a Mylar® coated steel blade that is up to 10 times more resistant to abrasion than normal lacquered blades. Tipped by a super-strong 3 rivet, automatically adjustable, tru-zero end hook. Supplied in a high-impact, chrome plated ABS plastic case with a smooth, quick-grab autolocking mechanism and a conventional steel belt clip. This Stanley PowerLock® Classic Pocket Tape has metric and imperial graduations.



STOCK CODE	SIZE	
TMSTA5MPL	5m / 16'	1
TMSTA8MPL	8m / 26'	1
TMSTA10MPL	10m / 33'	1

## STANLEY FIBREGLASS CLOSED TAPE MEASURE

Fully enclosed fibreglass tape measure with a 15mm wide blade clearly marked in both metric and imperial measurements. The fibreglass blade is resistant to stretching, impervious to moisture and resistant to scuffs and fitted with an ABS end loop.

STOCK CODE	SIZE	
TMSTA30MFC	30m / 100'	1



## STEEL RULE

Stainless steel rules with an anti-glare pearl chrome finish and clear, black-etched graduations. Marked in Inches and Center miters. zeroing from the left end, with a convenient hanging hole.

STOCK CODE	SIZE	
RULE300	300mm	1



**Hultafors**  **CLOSED STEEL TAPE MEASURE**

The Hultafors CC Steel Long Tape has a unique one-hand grip which allows for optimal handling. Features both metric and imperial measurements on a white steel blade that has been graduated using highly accurate inkjet printing and is protected by a matt polyester lacquer that also helps to reduce glare. It is resistant to corrosion and can withstand contact with moisture and the majority of solvents.



The tapes have a solid high-impact case made from ABS plastic with a unique loop, a mouthpiece with anti-wear and a hole hanger for working at heights.

Made in Britain.

The Hultafors CX30ME Steel Long Tape has both metric and imperial measurements.

- Blade Width: 13mm
- Accuracy: EC Class I

STOCK CODE	SIZE	
TM30MCS	30m / 100'	1
TM50MCS	50m / 165'	1

**FIBREGLASS CLOSED TAPE MEASURE**

The Faithfull Fibreglass Long Tape features a 13mm wide blade clearly marked in both metric and imperial measurements.



The fibreglass tape is resistant to stretching, impervious to moisture and resistant to scuffs and fitted with a folding metal end claw for a firm grip. The large clear measurement increments are easy to read in most conditions and the tape is also easy to wipe clean after use.

The tape is stored in a tough closed ABS case with a hand strap and a folding metal rewind handle, with a rotating winding knob that allows the tape to be quickly rewound after use.

The Tape 50m/165ft Fibreglass Long Tape has both metric and imperial measurements. Accuracy: EC Class III.

STOCK CODE	SIZE	
TM50MCFG	50m / 165'	1

**KOMELON**  **STEEL OPEN REEL TAPE MEASURE**



The Komelon Unigrip Long Steel Tape has a heavy-duty ABS open frame with a built-in wire guard for added protection. The 3x high speed gear mechanism and dual rollers, guide the blade and prevent twisting. It has a Dura NY nylon coated steel blade, with metric measurements on the front and imperial measurements on the back. The coating helps it to last up to 15x longer than standard tapes. It also features a true zero claw end hook.

Accuracy: Class II

This Komelon Unigrip Long Steel Tape has metric measurements on the front and imperial measurements on the back.

Blade Width: 13mm

Accuracy: Class II.

STOCK CODE	SIZE	
TM30MOS	30m / 100'	1
TM50MOS	50m / 165'	1
TM100MOS	100m / 325'	1

**HEAVY DUTY OPEN REEL TAPE MEASURE**

The OX 30m/100ft Open Reel Tape Measure features a professional 3:1 geared closed reel with metric/imperial 30m double nylon coated fibreglass tape housed in a heavy-duty casing. An ergonomically designed rubber grip handle ensures comfort during use.



STOCK CODE	SIZE	
23047	30m / 100'	1
23048	50m / 165'	1
23049	100m / 330'	1



## Hultafors OPEN REEL FIBREGLASS TAPE MEASURE

The Hultafors Ranger Tape is a heavy-duty, open frame surveyor's tape with a spade handle grip, which is ultrasonically welded for added strength. It has a PVC overcoated, fibreglass blade that is electronically non-conductive when dry, corrosion-resistant and resistant to breakage.

Features both metric and imperial measurements. The twin mouth rollers, low friction centre bearing, long winding lever and easy-grip winding handle, all ensure that a smooth and effective rewind is achieved. Its long winding lever and easy grip knob make rewinding easier and faster. There is also a corrosion-resistant end-piece.

Made in Britain.

This Hultafors RN30/79 Ranger Tape has both metric and imperial measurements.

- Blade Width: 13mm
- Accuracy: EC Class II



STOCK CODE	SIZE	
TM30MOFG	30m / 100'	1
TM50MOFG	50m / 164'	1

## FOLDING SQUARE

90° AND 45° MARKINGS



A heavy-duty aluminium construction folding square with 90° and 45° angles for greater versatility. Ideal for use when laying floors, patios and for other similar building work where measuring accuracy is a major consideration. Quick and easy to fold and comes complete with a carry case. Supplied with carry case.

STOCK CODE	SIZE	
FSQ600	600mm / 24"	1
FSQ1200	1200mm / 48"	1

## Richter STEEL OPEN REEL TAPE MEASURE



- White enameled steel - with abrasion-resistant coating.
- EC Class II accuracy
- 13mm blade width. 0.2mm thickness
- Graduated in mm, figured in cm

STOCK CODE	SIZE	
RICH100	100m / 325'	1

## FOLDABLE HANDLE DISTANCE MEASURING WHEEL



Ideal for the precision measurement of roads, pavements or land, in addition for surveyors, builders, farmers etc. Simply reset the counter to zero and then start to walk over the area that you want to measure and it will automatically record measurements as you walk. Counter adds when moving forward and subtracts when reversing. Super clear and easy to read display with light facility for use in low light conditions.

STOCK CODE	
MSRWHL	1

## COMBI SQUARE



Combination square with metal body with three machined faces. The steel blade is stamped with metric and imperial sizes and is easy to read. Fitted with a 360° vial for all-round visibility and a scribe for convenience and marking out. Can be used as a try and mitre square, depth or height gauge and spirit level.

STOCK CODE	SIZE	
CSQ12	300mm / 12"	1

## DEWALT DW088K 2 WAY SELF LEVELLING LINE LASER



The DEWALT DW088K 2-Way Self-Levelling Line Laser is accurate to  $\pm 0.3\text{mm/m}$  in levelling applications. Self-levelling up to 4° surface angle with automatic out of level indication. It uses a simple 2 button operation with a low battery indication for ease of use.

The built-in magnetic pivot bracket mounts easily on metal surfaces, whilst the overmoulded housing and thick glass protects the tool and helps maintain calibration under jobsite conditions. The included kit box helps to protect the unit and helps maintain calibration when stored in the gang box. Supplied with: 1 x Wall Mount Bracket, 1 x Heavy-Duty Carry Case and 3 x AA Batteries.

- Laser Class: 2, Level Accuracy:  $\pm 0.3\text{mm/m}$
- Self-Levelling Range: 4°
- Visibility Indoor: 15m (50m with Detector)
- Power: 3 x AA batteries (supplied)
- Thread: 1/4inch
- Weight: 0.46kg

STOCK CODE	
DEW088K	1

## BOX SPIRIT LEVEL



Extruded aluminium construction (1.1mm thick). Milled V-groove bottom face for accuracy and pipework applications. Ribbed sides, protective end caps and hanging hole. Highly visible, UV-resistant 45°, 90° and 180° vials. Accurate to 1mm/m.

STOCK CODE	SIZE	
BSL18CE	450mm / 18"	1
BSL24CE	600mm / 24"	1
BSL36CE	900mm / 36"	1
BSL40CE	1000mm / 40"	1
BSL48CE	1200mm / 48"	1
BSL72CE	1800mm / 72"	1

## STANLEY CLASSIC BOX SPIRIT LEVEL

ACCURACY:  $\pm 0.5\text{MM/M}$



The Stanley Classic Box Levels have a strong construction to withstand demands of the worksite. Their soft end caps add durability and resistance to shock. The levels have a block magnified central vial to make reading easier. In addition, they have a large tubular side vial for vertical measurements.

STOCK CODE	SIZE	
BSLSTA24C	600mm / 24"	1
BSLSTA48C	1200mm / 48"	1
BSLSTA72C	1800mm / 72"	1

## TORPEDO LEVEL

Magnetic Torpedo Level with a sturdy plastic body and aluminium frame for increased durability. Ideal for small building projects. Magnetic base allows for hands-free operation. Features three spirit level vials set at horizontal, vertical and 45° angles. Includes mini level with a magnetic base and horizontal spirit level vial.



STOCK CODE	SIZE	
BL230MM	230mm / 9"	1

## STANLEY FATMAX PRO TORPEDO LEVEL

A die-cast aluminum body for long lasting durability. The solid block vial provides accuracy of 0.5mm/m (0.0005in/in), and a 180° rotating vial is designed to duplicate angles. It includes a magnified centre vial for improved visibility. Its magnetic base features a pipe groove for use on rounded surfaces. Ideal for scaffolders, plus it is also perfect for installing machinery, air conditioning ducting or shelving.



STOCK CODE	SIZE	
MLSTA250MMFX	250mm / 10"	1

## IRWIN WORKSHOP VICE



The IRWIN® Record® Pro Entry Mechanic's Vice is fully machined on all load bearing surfaces for smooth and trouble free operation. It features a safety stop to prevent the slide being separated from body and a fused handle, Acme twin start thread for smooth and fast operation and replaceable hardened steel jaws (55 HRC).

- Clamping Force: up to 1.5 tons
- Jaw Width: 100mm
- Jaw Capacity: 83mm

STOCK CODE	
RECPEV1	1

## G-CLAMP



The G-Clamp is made from malleable SG iron, making it suitable for a wide variety of metalworking and woodworking applications. Accurately machined spindles provide a smooth operation and maximum clamping pressure. The frames have a powder coated finish for increased resistance to corrosion.

STOCK CODE	SIZE	
GC3	75mm / 3"	1
GC4	100mm / 4"	1
GC6	150mm / 6"	1
GC8	200mm / 8"	1
GC10	250mm / 10"	1
GC12	300mm / 12"	1

## BAR CLAMP & SPREADER

The Bar Clamp & Spreader is made from heavy-duty ABS plastic with a high-tensile steel bar. Easy-to-use, single handed operation. Cushion gripped jaw pads help to protect the workpiece from damage. Tool-free head release allows the clamp to be quickly turned into a spreader, with a trigger operation to release the force, freeing it for adjustment.

### Clamping force

- Heavy Duty 230kg
- Standard 70kg

### STANDARD

STOCK CODE	SIZE	
BCL150	150mm / 6"	1
BCL300	300mm / 12"	1

### HEAVY DUTY

STOCK CODE	SIZE	
BCLHD150	150mm / 6"	1
BCLHD300	300mm / 12"	1
BCLHD450	450mm / 18"	1
BCLHD600	600mm / 24"	1



## IRWIN QUICK-GRIP BAR CLAMP

IRWIN QUICK-GRIP® Quick-Change™ Medium-Duty Bar Clamps can be converted from a clamp to a spreader in seconds, with a clamping hold load of 136kg. The lockable swivel jaw enables uneven surfaces to be clamped and it is fitted with square XP-style protective pads to protect the work surface from damage.

Enhance your clamps with a wide range of QUICK-GRIP® Clamp Accessories.

STOCK CODE	SIZE	
Q/G524QCN	600mm / 24"	1



## Estwing CURVED CLAW HAMMER

### VINYL GRIP

The Estwing E3 Series Curved Claw Hammers have a vinyl grip made from liquid vinyl bonded on to the shaft during production, which offers the utmost in both comfort and durability, while reducing vibrations caused by impact.

The conventional carpenter's curved claw hammer offers unsurpassed balance and temper.

Made in the USA from high-quality steel.



STOCK CODE	WEIGHT	
CLHEST16OZ	16oz	1
CLHEST20OZ	20oz	1
CLHEST24OZ	24oz	1

## STANLEY BLUE STRIKE CLAW HAMMER

### VINYL GRIP

The curved claw head is made from forged, heat-treated steel and the oval tubular steel shaft combines strength with a lightweight feel. The flock filled vinyl grips are impervious to heat, oil and most solvents.



STOCK CODE	WEIGHT	
CLHSTA16OZ	16oz	1
CLHSTA20OZ	20oz	1

## FIBREGLASS CLAW HAMMER

Forged steel head and shock-absorbing, high-strength fibreglass shaft with nylon surround.

Polished and lacquered head and claw. High-grip handle is resistant to oil and chemicals.

For fixing and removing nails.



STOCK CODE	WEIGHT	
CLH16OZF	16oz	1
CLH20OZF	20oz	1

## STEEL SHAFT CLAW HAMMER

Forged steel head and chrome-plated tubular steel shaft.

Polished and lacquered head and claw. High-grip handle is resistant to oil and chemicals.

For fixing and removing nails.



STOCK CODE	WEIGHT	
CLH16OZSS	16oz	1
CLH20OZSS	20oz	1

## DOUBLE HEAD SCUTCH HAMMER

- Scutch Hammer Tubular
- Forged steel head and chrome-plated tubular steel shaft
- Powder-coated head
- High-grip handle is resistant to oil and chemicals.
- For cutting and shaping masonry



STOCK CODE	WEIGHT	
SCH25OZSS	25oz	1

## SCUTCH COMBS

Scutch Combs are designed to fit into a scutch comb holder when preparing stone and masonry etc. The size of the scutch comb must be the same width as the comb holder being used. Can also be used in scutch hammers.



STOCK CODE	SIZE	
SCC25MM	25mm	Pack 5 1
SCC38MM	38mm	Pack 5 1
SCC25MM3	25mm	Set of 3: 1 Plain & 2 Comb 1

## THOR COPPER/HIDE HAMMER

General-purpose, soft-faced hammer for automotive and general engineering applications in assembly, repair and maintenance operations.

The malleable iron head is fitted with one hide and one copper face on a polished wooden handle.

No.4 size hammer has a slip-on handle - all other sizes have the usual wedge type handle fitted.

Ideal for use where a heavy blow is required in a relatively small striking area. One face is made from pure copper, the other from highly compressed buffalo hide and are both designed to wear and be replaced - spare faces are available.



STOCK CODE	SIZE	
THO212	Size 2 38mm	1
THO216	Size 4 50mm	1

## HEAVY DUTY CHIPPING/SCALING HAMMER

The Faithfull Boiler Scaling Hammer, specially designed for removing deposits and scale from metalwork. The head is ground to a chisel shape, one end vertical and the other horizontal to the handle. Fitted with a hickory handle.



STOCK CODE	SIZE	
SCAH16OZH	16oz	1

### WELDERS CHIPPING HAMMER

The Welders Chipping Hammer has an all steel construction that makes it both solid and strong. It features a striking head with a sharp conical point and a flat chisel bevelled end. The unique helical barrel spring handle helps to prevent kickback and reduces resonance, helping to avoid fatigue during long periods of use. The hammer is fitted with an integral hanging hook for easy storage.



STOCK CODE	
WCH01	1

### BRICK CHIPPING HAMMER

- Forged steel head with polished striking face
- Hardwood shaft



STOCK CODE	SIZE	
BH200ZH	24oz	1

### BLACK RUBBER MALLET

Solid rubber head and hardwood shaft. Head secured with glue and pin. For soft striking of woodworking chisels, forming sheet metal, and easing components.



STOCK CODE	WEIGHT	
RM160ZB	16oz	1
RM240ZB	24oz	1
RM400ZB	40oz	1

### ROUGHNECK NON MARKING WHITE RUBBER MALLET

Single piece rubber head with a steel and soft grip handle. For general industrial use, these semi-hard rubber mallets give a gentle but firm blow with little rebound, ideal for use under damp conditions or outdoors.



These rubber mallets will not discolour or leave marks on work surfaces. Used as a general-purpose mallet in automotive, industrial, brewery, DIY and camping, garden landscape or work site application when hard materials need to be installed like concrete slabs, patios etc.

t grip handle and a strong steel shaft, that is moulded together to make a one piece tool.

STOCK CODE	WEIGHT	
RM240ZSH	680g / 24oz	1

### OX PRO WHITE RUBBER MALLET

Quality, durable rubber mallet.



STOCK CODE	WEIGHT	
23129	24oz	1
23130	30oz	1

### FIBREGLASS CLUB HAMMER

Forged steel head and shock-absorbing, high-strength fibreglass shaft with nylon surround. Powder-coated head with polished striking faces. High-grip handle is resistant to oil and chemicals. For demolition and striking of cold chisels and brick bolsters.



STOCK CODE	WEIGHT	
CBU2LBF	1.13kg / 2½ lb	1
CBU4LBF	1.81kg / 4 lb	1

**SPEAR & JACKSON INSULATED SLEDGE HAMMER**

A heavy duty hammer for maximising the strength of each blow when working near live cables.

STOCK CODE	SIZE	
SLH7LBSJ	7 lb	1
SLH14LBSJ	14 lb	1

**PAVING MAUL**

Solid rubber head and hardwood shaft. Face diameter 130mm. Head length 325mm. For easing and tapping down slabs, kerbs and flagstones.

STOCK CODE	SIZE	
PAVMAUL	15 lb	1

**FIBREGLASS SLEDGE HAMMER**

Forged steel head and shock-absorbing, high-strength fibreglass shaft with nylon surround. Powder-coated head with polished striking faces. High-grip handle is resistant to oil and chemicals. For general demolition and the driving of posts and stakes.

STOCK CODE	WEIGHT	
SLH7LBF	7 lb	1
SLH10LBF	10 lb	1
SLH14LBF	14 lb	1

**STANLEY SHARPCUT™ HANDSAW**

A heavy-duty saw with hardened teeth ground on 3 edges for faster, easier cutting and a longer working life. It will cut on push and pull strokes and is fitted with a bi-material handle that is welded and screwed for comfort and security. The soft grip handle is for improved comfort and control.

STOCK CODE	SIZE	TEETH	
23291	550mm / 22"	11 TPI	1

**BAHCO HARDPOINT HANDSAW**

Universal tooth set with high frequency hardened teeth giving up to 5 times the life of conventional teeth. Particularly effective for cross cut and rip performance on chipboard, hardboard and hardwood. The plastic handle incorporates 45° and 90° marking guides and is securely screwed to the blade.

STOCK CODE	SIZE	TEETH	
SAWBAH22	550mm / 22"	8 TPI	1



## HARDPOINT HANDSAW

Hardened and tempered steel blade and cross-ground, induction-hardened teeth for faster cutting and longer-lasting sharpness compared to conventional handsaws.

STOCK CODE	SIZE	TEETH	
SAWBAH22E	550mm / 22"	7 TPI	1



## BAHCO PRIZE CUT HANDSAW

The Bahco BAHSE22 PrizeCut Hardpoint Handsaw is a professional handsaw for cutting all types of wood. Universal toothting with hard point teeth for long lasting sharpness. The handsaw has a screwed one-piece plastic handle.

STOCK CODE	SIZE	TEETH	
SAWBAH22PC	550mm / 22"	7 TPI	1



## IRWIN JACK UNIVERSAL HANDSAW

IRWIN Jack Universal Handsaw offering all round cutting performance, ideally suited for softwoods and board material. The 1mm thick rigid nose blade is designed to offer maximum blade stability and features triple ground teeth 8 TPI for ultimate cutting performance. The soft grip handle with finger guide is designed to offer maximum comfort during prolonged use and is securely fixed to the blade for added safety.

Suitable for cutting: Hardwood, Softwood, Rough Timber, Board Sheet, Worktop, Floorboard, Melamine.

STOCK CODE	SIZE	TEETH	
JAK10505538	380mm / 15"	8 TPI	1



## OX PRO JAB SAW

Professional metal heavy duty jab saw with ergonomic soft grip handle. Hardened & tempered blade for aggressive cutting, triple ground teeth, sharp point for piercing board. Fast cutting for drywall, wood & plastic. Supplied with heavy duty holster for safe storage when not in use.

STOCK CODE	SIZE	TEETH	
23147	165mm / 6.5"	8TPI	1



## BAHCO 317 HACKSAW FRAME

The Bahco 317 Hacksaw is suitable for all-round use. It has a slim, comfortable frame design to improve access in confined spaces and to allow easier storage. The special grip at the front of the frame provides good support for the guiding hand to ensure superb performance. The hacksaw frame has an alternative 90° blade mounting for flush cutting. It is supplied complete with a 300mm / 12 inch 24 TPI reliable and shatterproof Sandflex® bi-metal blade for excellent cutting performance. Weight: 470g, Frame Length 432mm

STOCK CODE	BLADE SIZE	TEETH	
HACBAH12	300mm / 12"	24TPI	1



## BAHCO 239 JUNIOR HACKSAW

Bahco 239 Junior Saw is a wire framed junior hacksaw with an orange lacquered finish.

STOCK CODE	BLADE SIZE	TEETH	
HACBAH6	150mm / 6"	32TPI	1



## PROFESSIONAL HACKSAW

The Faithfull Professional Hacksaw with a rectangular section frame to ensure a combination of rigidity and balance. Features include a comfort grip handle, easy blade changing system and a secondary blade position for flush cutting.

STOCK CODE	SIZE	TEETH	
HACFRAMEPRO	300mm / 12"	24 TPI	1



## Starrett HACKSAW BLADE

STRBS1232P2 Bi-Metal Unique Safe-Flex Hacksaw Blades 300mm / 12 inch Pack 2.

Precision ground, super-efficient bi-metal blade that is faster and lasts longer on tough materials. The high-speed steel cutting edge is welded to a tough alloy steel back that provides optimum tool life together with a high resistance to breakage. Blade cross section 13 x 0.65mm / 1/2 inch x 0.025 inch.

STOCK CODE	BLADE SIZE	TEETH	
HAC18TPIB	300mm / 12"	18TPI	2
HAC24TPIB	300mm / 12"	24TPI	2
HAC32TPIB	300mm / 12"	32TPI	2



## STANLEY SLIDING POCKET KNIFE

Compact all-metal utility knife with a tool-free blade change and one-handed slide operation. Features a push-down safety slider to prevent accidental extension and a metal belt clip for easy carrying.



STOCK CODE	
STA010810	1

## RETRACTABLE KNIFE

Strong aluminium body and heavy duty 0.5mm blade. Integral blade storage and hanging hole.



STOCK CODE	
KNISTA99E	1

## STANLEY 99E RETRACTABLE KNIFE

The Stanley 99E Original Retractable Blade Knife is made from grey painted die-cast metal body, which is ergonomically shaped for a good, comfortable grip. The blade extension can be controlled by the blade shifter, and 5 blade position allows a wider usage for a variety of cutting applications. The interlock nose firmly secures the blade into knife. For safety, the blade can be fully retracted into the body. Supplied with 3 blades, stored in the handle for safety and convenience. Size 155mm

STOCK CODE	
KNISTA99	1



## STANLEY SNAP OFF BLADE KNIFE

Impact resistant, high-quality ABS plastic body. The rear body removes for access to blade carrier and snapping slot. Secure, multi-position slide button. Pocket clip. Blade size 18mm.



STOCK CODE	
KNISTA18	1

## AUTO RETRACTABLE KNIFE

Lightweight knife with strong, zinc alloy body and extra-safe, automatically retracting blade. Interlock nose for blade security. Internal blade storage. Includes 3 x hardened steel blades.



STOCK CODE	
AUTKNI	1

**IRWIN FOLDING RETRACTING KNIFE**

It features a spring return shuttle that ensures the blade automatically retracts at the end of a cutting action. It is made of strong diecast Aluminium with a 19° angled nose for more comfortable cutting and to reduce strain. The knives multi-functional design gives it two blade settings that include normal use and use as a box cutter. The blade holder is magnetic and prevents the blade from falling out and has built in storage for up to three blades.

Includes 1 shatterproof Bi-Metal safety blade with 3 times longer life.



STOCK CODE

KNIIRWWSL



1

**STANLEY FATMAX® RETRACTABLE FOLDING UTILITY KNIFE**

This Stanley 010825 FatMax retractable folding knife has an ergonomic grip and is rugged in design. It is suitable for all job applications from carpet fitting, model making and craft design to electrical installation - the list is endless.

It offers safety and convenience. With instant blade change, it will take seconds to change the blade on this knife.

Blades can be stored in the handle for safe keeping.

Length 140mm.



STOCK CODE

STA010825



1

**FOLDING RETRACTABLE UTILITY KNIFE**

Ergonomic grip and rugged construction. Locking action secures blade in open position. Quick-change blade mechanism and blade retractor. Cuts a wide range of material. Features internal storage for up to 3 blades.



STOCK CODE

KNIFR



1

**UTILITY KNIFE BLADE****10 PACK**

Hardened steel utility blades in plastic safety dispenser. Use with general or fixed knives for cutting and trimming.



STOCK CODE

BLASTAE

SIZE

62mm x 19mm x 0.65mm



1

**HEAVY DUTY KNIFE BLADE****STANLEY 10 BLADES DISPENSER.**

Heavy-duty, general-purpose which fit all standard Stanley knives. Highly resistant and reversible, deal for carpet, vinyl and any other material requiring a stiffer and stronger blade.

STOCK CODE

BLASTA

SIZE

62mm x 19mm x 0.65mm



1

**100 PACK**

Hardened steel utility blades in plastic safety dispenser. Use with general or fixed knives for cutting and trimming. Compatible with Retractable Knives.

STOCK CODE

23150

SIZE

62mm x 19mm x 0.65mm



1

**STANLEY WINDOW SCRAPER**

This Stanley 028590 Window Scraper is ideal for removing excess paint, glue, stickers etc from windows. It has a strong yellow plastic handle for a long life. Supplied with 1 x heavy duty knife blade.

STOCK CODE

SCRSTAW

SIZE

Length 170mm - Blade 60mm



1



**HEAVY DUTY FLOOR SCRAPER****FIXED WOODEN HANDLE**

Heavy duty scraper with steel blade and lacquered, profiled wooden handle for comfort. Ideal for removing adhesives, paint, tiles and flooring. Head weight 0.45kg.



STOCK CODE	LENGTH	BLADE	
FLO200WH	1320mm	90mm x 180mm	1

**BIG MUTT HEAVY DUTY FLOOR SCRAPER WOODEN HANDLE**

This Roughneck Big Mutt Multi-Purpose Scraper has a long wooden handle. Its heat treated roll forged steel blade has a bevelled cutting edge for durability and clean cutting. With a polished tip for easy cleaning. The blade can be re-sharpened to maintain its cutting edge.



STOCK CODE	SIZE	
FLO9X7	225mm / 9"	1

**HEAVY DUTY HAND SCRAPER**

Heavy duty scraper with tubular steel shaft and rubber grip. Sharp 100mm blade mounted on angled head for effective scraping. Lightweight for comfortable use. Removes wallpaper, coverings, tiles, paint and adhesives.



STOCK CODE	SIZE	
HDS100M	100mm	1

**SELKENT HEAVY DUTY FLOOR SCRAPER**

The Floor Scraper is used for removing grease and dirt from workshop floors, preparation areas and shopping arcades etc.

The steel blade is designed not to damage tiled flooring or laminates and is fitted with fibreglass handles for strength and easy sterilisation.



STOCK CODE	SIZE	
FLO200S	200mm / 8"	1
FLO300S	300mm / 12"	1
FLO400S	400mm / 16"	1

**HEAVY DUTY FLOOR SCRAPER BLADE**

This Spare Blade is manufactured from stainless steel, which is tough, durable and resistant to corrosion.



STOCK CODE	SIZE	
FLO200B	200mm / 8"	1
FLO300B	300mm / 12"	1
FLO400B	400mm / 16"	1

**HEAVY DUTY SCRAPER BLADE****PACK 5 IN PLASTIC STORAGE TUBE**

High-carbon steel replacement blades are designed to fit Heavy-Duty Long Handle Scrapers.



STOCK CODE	SIZE	
SCRBLAD100MM	100mm / 4"	1

### SQUARE MOUTH SHOVEL

**SOLID FORGED NO.2 HEAD**

Used for trench work, concrete mixing, tarmac & shovelling.



STOCK CODE	
23187	1

### CABLE LAYING SHOVEL

**SOLID FORGED HEAD**

Slightly dished blade and round cutting. Ideal for breaking up stubborn ground when digging clay or stone.



STOCK CODE	
23188	1

### TAPER MOUTH SHOVEL

**SOLID FORGED HEAD**

Sometimes preferred to the square mouth for shovelling out or backfilling trenches, concrete mixing and working tarmac



STOCK CODE	
23185	1

### TRENCHING SHOVEL

**HD ALL-STEEL SOLID FORGED NO.2 HEAD**

Ideal for digging narrow trenches when laying cables or pipes. It has a metal YD handle with a wooden cross dowel for comfort.



STOCK CODE	BLADE	
23186	190mm x 280mm	1

### SOLID DIGGING SPADE


Epoxy-coated hammer-finished head. Hardened and tempered for long life. Polypropylene-coated steel shaft with PY D-handle. For digging, soil preparation and planting.



STOCK CODE	BLADE	
FSK1003456	230mm x 140mm	1

### DRAIN SPADE

Pressed steel head with corrosion-resistant finish, tubular steel handle and PY D-handle. Treaded head for extra force. Long narrow blade suitable for digging drains and fence post holes.



STOCK CODE	BLADE	
GRODS01	440mm x 160mm (top), 120mm (bottom)	1

### OPEN SOCKET ROUND MOUTH SHOVEL

**T HANDLE, NO.2 HEAD**

Pressed from high-quality manganese steel and fitted with an FSC European Ash shaft and T hilt. Socket polished for comfort in use. 700mm / 28 inch shaft.



STOCK CODE	BLADE	
FAIOSR2T	300mm x 240mm / 12" x 9.1/2"	1

### DIGGING SPADE

This Digging Spade has a head manufactured from heat-treated, hardened carbon steel to provide both strength and durability.



STOCK CODE	
GRODS02	1

HAND TOOLS, POWER TOOLS & ACCESSORIES

**INSULATED****NEWCASTLE DRAINER**

Manufactured to BS8020, individually tested and guaranteed to 1,000 Volts. This tool is designed with a narrow blade allowing you to dig cable trenches without taking too much material. The 72 inch insulated handle allows extra leverage and makes it easier to dig deeper without putting as much strain on your back.

- One piece heavy duty fibreglass handle
- Tempered for strength & rigidity
- Epoxy paint coated



STOCK CODE



BUL5TM2IN

1

**INSULATED****TAPER MOUTH SHOVEL**

Manufactured to BS8020, individually tested and guaranteed to 1,000 Volts. The perfect tool for any contractor in need of a reliable and heavy duty shovel. Its round cornered blade dramatically reduces penetration damage to underground pipes and cable. The treads on this tool enables you to use more force and also acts as boot protection.

- One piece heavy duty fibreglass YD handle
- One piece solid forged blade
- Tempered for strength & rigidity
- Epoxy paint coated
- The collar incorporates a protective wear sleeve



STOCK CODE



SH0101

1

**INSULATED SPADE**

Integrated tread design. Head forged from carbon manganese steel. Solid-forged, fully-insulated, doubly protected by twin layers of polymer sheathing moulded over a rigid fibreglass core. Polyfibre shocksafe insulated. 700mm / 28 inch shaft.



STOCK CODE

BLADE



SPA101

150mm x 300mm / 6" x 12"

1

**STEEL GRAFTING SHOVEL**

Dished blade and a curved cutting edge makes it ideal for clay digging and heavy ground breaking work. Forged blade, steel shaft and metal YD grip with wooden cross piece. Metal construction, metal 'D' grip. 700mm / 28 inch shaft.



STOCK CODE

BLADE



SGSH001

320mm x 165mm / 12.5" x 6.5"

1

**PREMIER INSULATED TAPER MOUTH SHOVEL**

STOCK CODE



SH0102

1

**IRISH SHOVEL**

Hammer-finished, heat-treated, pressed steel head and lacquered hardwood handle with dome end. V-shaped head and pointed blade for improved penetration. Long handle for greater leverage.



STOCK CODE

BLADE

HEAD WEIGHT



GROIS01

350mm x 240mm

1.28 kg

1

**INSULATED CABLE LAYING SHOVEL**

STOCK CODE



BUL5CLIN

1

**INSULATED GRAFTING SHOVEL**

STOCK CODE



GSHI001

1

**SQUARE MOUTH SHOVEL INSULATED**

STOCK CODE



SH0103

1

### POST HOLE DIGGER

Hardened and stamped oval-shaped steel blades are parallel-riveted to reduce backfill. 220mm deep powder-coated blades suitable for digging 6 inch diameter post holes. 1200mm hardwood shaft with soft-grip handle. Weight 5kg.



STOCK CODE	
POSTDIG	1

### WOODEN SHAFT STANDARD SHOVEL

Pressed steel head with corrosion-resistant finish, polished wooden shaft and PYD handle. Suitable for shovelling, mixing and backfilling trenches.



STOCK CODE	
SH0960	1

### DIGGING FORK

All-steel fork with painted, hammer finished tines, tubular steel shaft and varnished MYD handle. Heat treated for strength and durability. For gardening and light general building work. 720mm shaft, 2.2kg weight.



STOCK CODE	TINES	
GRODF01	4mm x 280mm x 180mm	1

### PREMIER INSULATED TRENCH FORK

Solid forged manganese steel head and socket. It has a solid fibreglass shaft and a rubber collar to protect and insulate your hand. It is the ideal tool for breaking up hard and compacted lumps and hard ground. Each tool is tested to 10,000 volts and guaranteed to 1,000 volts. Individually Certificated. Forged in Britain. 700mm / 28 inch shaft.



STOCK CODE	TINES	
BUL5TFIN	310mm x 210mm / 12¼" x 8¼"	1

### ROUNDED TARMAC RAKE

Heavy duty forged steel rake with long, heavy-gauge tubular handle. Suitable for even spreading of tarmac over paths, driveways and roads. Head width 435mm. 16 rounded teeth.



STOCK CODE	SIZE	
GROR16	435mm	1

HAND TOOLS, POWER TOOLS & ACCESSORIES

**FROM OUR WAREHOUSE TO YOUR SITE - FAST, ON-TIME DELIVERY FROM OUR WAREHOUSE TO YOUR SITE.**

**ORDER BEFORE 5:30PM FOR NEXT DAY DELIVERY**



**4 ROW WIRE SCRATCH BRUSH**

- Heavy duty steel wire brush with wooden handle
- Bristle length 25mm
- Length 290mm



STOCK CODE

ROW4



1

**4 ROW WIRE SCRATCH BRUSH WITH SCRAPER**

- Heavy duty steel wire brush with wooden handle
- Bristle length 25mm
- Length 290mm



STOCK CODE

ROW4S



1

**SHORT HANDLED TAR BRUSH**

STOCK CODE

TARBS



1

**6 ROW WIRE BRUSH WITH SCRAPER**

- Weight: 0.158kg
- Heavy duty steel bristles
- Wooden handle with scraper
- Bristle length 25mm



STOCK CODE

ROW6SE

LENGTH

290mm



1

**COCO SOFT HAND BRUSH**

Natural bristle.



STOCK CODE

BRO11C

SIZE

275mm / 11"



1

**HAND BRUSH STIFF BASSINE**

Hand brush made from bassine. Provides good sweeping performance.



STOCK CODE

HBB11

SIZE


275mm / 11"



1

## SOFT COCO BROOM

WITH HANDLE & STAY



STOCK CODE	SIZE	
BRO12C	30cm / 12"	1
BRO18C	45cm / 18"	1
BRO24C	60cm / 24"	1
BRO36C	90cm / 36"	1

## STIFF BASSINE BROOM

WITH HANDLE & STAY



STOCK CODE	SIZE	
BRO12B	30cm / 12"	1
BRO18B	45cm / 18"	1
BRO24B	60cm / 24"	1
BRO36B	90cm / 36"	1

## STIFF AND SOFT PVC BROOM

YELLOW

- Dual PVC bristles for light and heavy duty tasks
- Ideal for all weather conditions
- Suitable for indoor and outdoor hard floors



STOCK CODE	SIZE	
BRO24PVC	24"	1

## STEEL CONCRETE BROOMS

C/W FIXED HANDLES

Primarily used for concrete texturing.



STOCK CODE	SIZE	
BROSTE600	600mm	1

## HD WOODEN BROOM HANDLE

Suitable for larger broom heads.



STOCK CODE	SIZE	
BRO01	4ft x Ø 15/16" / 1200mm x Ø 24mm	1
BRO02	4ft x Ø 1.1/8" / 1220mm x Ø 28mm	1

## FLOOR SQUEEGEE

COMPLETE WITH HANDLE

Wooden squeegee head fitted with a rubber blade, widely used in the cleaning of tiled and concrete floors. Particularly suitable for the removal of oil, water and most types of spilt liquids.



STOCK CODE	SIZE	
SQE18	450mm	1

## LONG HANDLED DUST PAN

- Soft flagged bristles suitable for a wide range of surfaces
- Lightweight for easy use
- Protects against back strain
- Easy click-in brush handle when not in use



STOCK CODE	
CLEDBLH	1

## DUST PAN & BRUSH

- Material PP with rubber lip
- Approximate measurements: 32cm x 22.5cm x 10cm



STOCK CODE	
CLEDB	1

### **ROUGHNECK® FIBREGLASS HANDLE MATTOCK PICK**

Head made from roll forged alloy steel, hardened and tempered and with a black painted finish. Pointed pick at one end and mattock on the other, ideal for cutting roots and breaking up soil. The fibreglass handle has a solid core and polypropylene cover. Supplied in a handy carry box.



STOCK CODE	WEIGHT	
MAT5LBF	5 lb	1

### **INSULATED PICK AXE**

Solid-forged, fully-insulated digging tool doubly protected by twin layers of polymer sheathing moulded over a rigid fibreglass core.



STOCK CODE	SIZE	
PICKAIN	7 lb	1

### **CHISEL & POINT CROW BAR**

Forged, hardened, tempered and ground steel hex bar with 50mm flat chisel end for cutting roots, digging and prying. Square point end for breaking hard materials and prying. Ideal for general demolition work.



STOCK CODE	SIZE	
CRB1200	1200mm x 25mm	1
CRB1525	1525mm x 28mm	1
CRB1830	1830mm x 28mm	1

### **FIBREGLASS HANDLE PICKAXE**

A high quality solid eye navy pick head with chisel and point for the breaking of concrete. This tool is virtually unbreakable and incorporates a soft-grip, non-slip fibreglass handle.



STOCK CODE	WEIGHT	
PICK7LBFH	15 lb	1

### **FORGED TAMPER**

Solid steel head with heavy duty tubular steel handle and 130mm base for access into corners. Strong and lightweight. For compacting areas of earth, tarmac, asphalt and hardcore. Weight 5kg.



STOCK CODE	SIZE	
GROFT01	1500mm	1

### **INSULATED CROW BAR**

Fully insulated crow bar is made to BS8020 standards. With a pencil point at one end and a flat chisel edge at the other. The insulated shaft is manufactured using a solid fibreglass core which is coated with an abrasive resistant orange polymer coating. These insulated tools conform to BS8020:2002 for working on or near live cables. They are individually tested to 10,000 volts, and guaranteed to 1,000 volts.



STOCK CODE	SIZE	
CRBINS	155mm x 32mm	1

### DIGGING BAR

Manufactured from high grade heat treated steel bar with a hexagonal shank. It has a pencil point at one end and a 50mm/ 2 inch flat chisel edge at the other. Used for breaking rock or concrete and for levering heavy objects.



STOCK CODE	SIZE	
FAIDIGBAR60	25mm x 1.5m / 6.4kg	1

### FLAT WRECKING BAR

The 36" / 900mm Wrecking Bar is a powerful and reliable tool designed for heavy-duty demolition, prying, and dismantling tasks. Constructed from solid forged hexagonal steel, it is hardened and tempered to deliver superior strength and durability in demanding environments.



STOCK CODE	SIZE	
WBF36	90cm / 36"	1
WBF48	1220cm / 48"	1

### COLD CHISEL

Made from high-quality grade steel which is hardened and ground to maximise safety and to ensure longer lasting cutting edges. For cutting brick, concrete and paving slabs. The cutting edge has an angle of approximately 60°. Manufactured to BS 3066.



STOCK CODE	SIZE	
CCH25020	250mm x 20mm / 10" x 3/4"	1
CCH25025	250mm x 25mm / 10" x 1"	1
CCH30020	300mm x 20mm / 12" x 3/4"	1
CCH30025	300mm x 25mm / 12" x 1"	1

### WRECKING BAR

Solid forged, hardened and tempered from hexagonal steel. Powder-coated with ground claw and chisel. For general wrecking and demolition work. Angled chisel end for leverage and claw with integrated nail puller.



STOCK CODE	SIZE	
WB12	300mm / 12"	1
WB18	450mm / 18"	1
WB24	600mm / 24"	1
WB30	750mm / 30"	1
WB36	915mm / 36"	1

### ROUGHNECK GORILLA BAR

The Roughneck Gorilla Bar® has a low profile claw that fits further under the workpiece for increased prying power and the wider claw surface offers better control whilst resisting sinking into the support surface. Made from drop-forged alloy steel hardened and tempered, with polished tips, and oval shaped for better control and strength.



STOCK CODE	SIZE	
ROU64407	60cm / 24"	1
ROU64409	90cm / 36"	1
ROU64410	1220cm / 48"	1

### BEVEL EDGE WOOD CHISEL

The Stanley DYNAGRIP™ Wood Chisel is fitted with a steel striking cap handle which can be used with a steel hammer. with a longer, soft grip handle for improved grip and control, forged high carbon steel blades for reassurance of strength and durability. The pre-sharpened blade is ready for immediate use.



STOCK CODE	SIZE	
BEC18	18mm / 3/4"	1
BEC25	25mm / 1"	1

**STANLEY. BEVEL EDGE WOOD CHISEL****INCLUDING STRIKECAP**

The Stanley DYNAGRIP™ Wood Chisel is fitted with a steel striking cap handle which can be used with a steel hammer. with a longer, soft grip handle for improved grip and control, forged high carbon steel blades for reassurance of strength and durability. The pre-sharpened blade is ready for immediate use.

**SET OF 3**

- 1 x DYNAGRIP™ Bevel Edge Chisel 12mm (1/2in)
- 1 x DYNAGRIP™ Bevel Edge Chisel 18mm (11/16in)
- 1 x DYNAGRIP™ Bevel Edge Chisel 25mm (1in)



STOCK CODE

BECSET3



1

**SET OF 5**

- 1 x DYNAGRIP™ Bevel Edge Chisel 6mm (1/4in)
- 1 x DYNAGRIP™ Bevel Edge Chisel 12mm (1/2in)
- 1 x DYNAGRIP™ Bevel Edge Chisel 18mm (11/16in)
- 1 x DYNAGRIP™ Bevel Edge Chisel 25mm (1in)
- 1 x DYNAGRIP™ Bevel Edge Chisel 32mm (1.1/4in)



STOCK CODE

BECSET5



1

**INTELLIGENT REAL - TIME CONCRETE MONITORING****SEE PAGE 374**

### BRICK BOLSTER

Forged, single-piece solid steel with a ground, hardened and tempered cutting edge. Octagonal shaft. Powder coated for corrosion resistance. For demolition, cutting and shaping of bricks and blocks.



STOCK CODE	SIZE	
BB4E	100mm / 4"	1

### BRICK BOLSTER WITH GUARD

Suited to cutting bricks during building work. This chisel has a suitably hardened cutting edge, but should not be used on concrete containing reinforcing bars. Fitted with plastic safety grip.



STOCK CODE	SIZE	
BB3HG	75mm x 225mm / 3" x 9"	1
BB4HG	100mm x 225mm / 4" x 9"	1

### TRADE BRICK BOLSTER

The OX 2 1/4" Trade Brick Bolster With Guard allows you to split and clean bricks while keeping your hand safe from injury with its hand guard. On top of the added protection, this tool is made from is forged from a single piece of hardened and tempered steel for extreme toughness.



STOCK CODE	SIZE	
23176		1

### DOUBLE TOOL AND NAIL POUCH WITH 10 POCKETS

Double Tool & Nail Pouch made from heavy-duty leather this tool pouch is double stitched for strength and riveted at stress points. It has a webbing belt and 10 pockets for tools and nails, tape clip and two hammer loops.



STOCK CODE	SIZE	
TOOLBELT	Fits waists sizes: 29" - 46"	1

### ROUGHNECK BOLSTER AND CHISEL SET

#### 3 PIECE SET

Made from drop-forged steel, heat-treated and tempered. Each piece has a black powder-coated finish and a dual-component soft grip with safety guard.

Set contains:

- 1 x Cold Chisel 25mm x 254mm (1 inch x 10inch)
- 1 x Brick Bolster 70mm x 216mm (2.3/4 inch x 8.1/2inch)
- 1 x Electrician's Bolster 76mm x 254mm (3 inch x 10inch)



STOCK CODE	
ROU31993	1

**CONTACT OUR SALES TEAM**

 **020 8699 6777**

 **SALES@SELKENT.COM**

 **WWW.SELKENT.COM**

## MONUMENT PRO GAS TORCH AND BOTTLE

Quick Pro Auto Power Torch is a powerful, high performance gas torch designed for the professional user and packed with all the features expected from a top of the range product.

Features of this torch include automatic piezo ignition, an advanced gas control system that offers both a 'Dead Man's Handle' function and a fine flame adjustment valve with an instant FLARESAFE function, making the torch safe to use at any angle immediately after start up.

The burner head creates a swirl effect flame to help ensure that the flame is evenly distributed around a pipe when carrying out plumbing work. This ergonomic designed Swirl torch is ideally suited to skilled plumbing, soldering and brazing work.

Specifications:

Max. operating temperature	1,610°C
Optimum power output	1,900 Watt
Gas consumption	136 g/h.
Connection	CGA600
Gas category	MAP/PRO



STOCK CODE



GASTORCH

1

A robust steel cylinder fitted with a standard CGA600 cylinder connection. MAPP gas is manufactured from a stable mixture of different proprietary gases and is the hottest commercially available gas and will provide a working temperature of up to 1600°C in conditions down to minus 20 degrees C.

Can be used with torches that use CGA600 valves.

Ideal for use when brazing or soldering large diameter copper pipes.

Size: 400g

## PROPANE GAS CYLINDER 400G CGA600 FITTING

Propane Gas Cylinder has a robust steel cylinder fitted with a standard CGA600 connection. Higher pressure and hotter flame than mixed gas cartridges.



STOCK CODE

SIZE



GASPNE400

400g

1

## AUTO START BLOW TORCH

The Faithfull Auto Start Blow Torch is a high temperature, all-purpose gas torch designed for home use. The blow torch has an automatic piezo ignition, fine flame adjustment valve and a rapid one minute warm up. It also has a highly ergonomic, shock-resistant polypropylene handle, making it comfortable to use. Suitable for use with Butane Propane Mix Gas Cartridges, not included.

Supplied with a stability base.

Applications:

- Soft Soldering
- Aluminium Welding
- Paint Stripping
- Pipe Bending
- Loosening Bolts
- Defrosting Pipes
- Brazing.
- Lighting Barbecues



Specifications:

Max. operating temperature	1600°C
Optimum power output	1,230 Watts
Gas consumption	88 g/h
Connection	EN417

STOCK CODE



GASTCHAS

1

## IRWIN STRAIGHT TIN SNIPS

These IRWIN Gilbow straight cutting snips have accurately ground edges that ensure the material being cut does not slip out of the jaws and become damaged. The hollow ground jaw faces provide a longer life to the cutting edge.

Gilbow tin snips are jointed with a nut and bolt design essential in ensuring the longest possible life of the joint, whilst keeping a good easy smooth cutting movement. Irwin Gilbow snips and shears have a great cutting capability which is much greater than the strength of the user and will provide a good, clean, easy cut edge to any workpiece.

The original Gilbow cutting snips were first designed many years ago, and have dominated the sheet metal cutting industry to such an extent that today, snips and shears are referred to as 'Gilbows'.

STOCK CODE	SIZE	
TS10GILS	250mm / 10"	1
TS12GILS	300mm / 12"	1



## IRWIN STRAIGHT HANDLE TIN METAL CUTTING SHEARS

The IRWIN Gilbow G950 is a straight shear with no crank to the handle and slightly longer jaws. As with the entire Gilbow range, the blades are hardened and tempered ensuring a keen long lasting cutting edge.

These Irwin Gilbow G950 12 inch straight cutting shears have no crank to the handle and accurately ground edges that ensure the material being cut does not slip out of the jaws and become damaged. The jaw faces are hollow ground to preserve the life of the cutting edge. Gilbow G950 are jointed with a nut and bolt design essential in ensuring the longest possible life of the joint, whilst keeping a good easy smooth cutting movement. Irwin Gilbow snips and shears have a great cutting capability which is much greater than the strength of the user and will provide a good, clean and easy cut edge to any workpiece.

STOCK CODE	SIZE	
TS12GILCS	300mm / 12"	1



## AVIATION SNIPS STRAIGHT CUT

Faithfull Lightweight Aviation Tinsnips manufactured to a high specification which includes a safety locking latch, strong opening spring and slip guards for protection on each handle.

Designed to cut up to 1.2mm sheet steel, non-ferrous material, vinyls, plastic and rubber. Formed blades in satin finish are serrated to prevent sheet metal slipping.

Cutting Capacity Sheet Steel: 1.2mm.

STOCK CODE	SIZE	
AS250	250mm / 10"	1



## AVIATION SNIPS RIGHT CUT

Faithfull Lightweight Aviation Tinsnips manufactured to a high specification which includes a safety locking latch, strong opening spring and slip guards for protection on each handle. Designed to cut up to 1.2mm sheet steel, non-ferrous material, vinyls, plastic and rubber. Formed blades in satin finish are serrated to prevent sheet metal slipping.

Cutting Capacity: Sheet Steel: 1.2mm.

STOCK CODE	SIZE	
AS250RFF	250mm / 10"	1



## BOLT CROPPER

The Faithfull Centre Cut High-Tensile Bolt Cutters with cutting blades forged entirely from heavily alloyed steel which produces a thoroughly hardened blade with a sound structure. The ground edges of the cutting blades are subjected to a second hardening process which ensures maximum hardness of the cutting surface. The cutter head may be adjusted to compensate for blade wear. Suitable for cutting High-Tensile steel bars, bolts, chain and metal sections.

These Faithfull Centre Cut High Tensile Bolt Cutters have the following specification:

Length: 1060mm (42in).

Capacity: Mild Steel: 16mm, High Tensile: 13mm.

STOCK CODE	SIZE	
BC1060	1060mm / 42"	1



## BOLT CUTTERS/CROPPERS

The light-duty Bolt Cutters, tubular shafted with soft handles for comfort. Suitable for cutting low tensile material. Bolt Cutters with heat treated, high carbon steel compound action blades. Tubular steel handles with non-slip rubber grips. Ideal for cutting wire, chain, and bolts. Heat treated alloy jaws - fully adjustable and replaceable rated to cut hrc40.

STOCK CODE	SIZE	
BC450	450mm / 18"	1
BC600	600mm / 24"	1
BC750	750mm / 30"	1
BC915	915mm / 36"	1



## BOLT CUTTER

Olympia Tools Centre Cut Bolt Cutters with heat treated, high carbon steel compound action blades. Tubular steel handles with non-slip rubber grips. Ideal for cutting wire, chain, and bolts.

These Olympia Centre Cut Bolt Cutters have the following specification:

Capacity: Soft: 7mm, Medium: 5mm

STOCK CODE	SIZE	
BC350	350mm / 14"	1



## SIDE CUT PLIERS

Faithfull Diagonal Cutting Pliers are ideal for cutting medium and medium-hard wire close to the surface. Manufactured from chrome vanadium steel with a rustproof, satin nickel finish. The cutting edges on the jaws are induction hardened for maximum performance. With a tapered head profile, ideal for accessing confined spaces. Fitted with cushion grip sleeves for user comfort.

Tested and certified to the GS standard. ROHS compliant.

Cutting Capacity: 1.6mm.

STOCK CODE	SIZE	
PLI140D	140mm / 5"	1
PLI170D	170mm / 7"	1



## SELKENT MISSION

We will go further and faster than any other supplier of Construction Fixings and Tools to help keep construction sites productive and on schedule.



## COMBINATION PLIERS

Faithfull Combination Pliers are designed to grip and cut. Manufactured from chrome vanadium steel with a rustproof, satin nickel finish. Induction hardened jaws are suitable for cutting a wide range of materials including medium and medium-hard wire. The front section of the serrated jaws is ideal for gripping flat surfaces and the serrated section matches the profiles of rods, pipes and tubing. Fitted with cushion grip sleeves for user comfort. Tested and certified to the GS standard. ROHS compliant

STOCK CODE	SIZE	
PLI160C	160mm / 6"	1
PLI200C	200mm / 8"	1



## LONG NOSE PLIERS

Faithfull Long Nose Pliers feature long serrated jaws to maximise grip. They are tapered to a fine end for accessing and manoeuvring small objects in confined spaces.

Manufactured from chrome-vanadium steel with a rustproof satin nickel finish and fitted with cushion-grip sleeves for user comfort. Tested and certified to the GS standard. ROHS compliant.

STOCK CODE	SIZE	
PLI160N	160mm / 6"	1
PLI200N	200mm / 8"	1



## GROOVE JOINT PLIERS

These Faithfull Water Pump Pliers are made from chrome vanadium steel with a rustproof, satin nickel finish and fitted with cushion grip sleeves for user comfort. Ideal for gripping pipes, nuts and bolts. A quick-action, sliding pivot provides a wide range of jaw settings. The offset jaws are angled to ensure a positive action with extra power when leverage and grip are applied.

These Faithfull Soft Grip Water Pump Pliers have the following specification:

Capacity: 44mm.

STOCK CODE	SIZE	
PLI250G	250mm / 10"	1



## END CUTTING PLIERS

Faithfull End Cutting Pliers are ideally suited for cutting soft, medium and medium-hard wire extrusions close to the surface. Manufactured from chrome vanadium steel with a rustproof, satin nickel finish. The hardened cutting jaws are set at 90° to the handle for cutting wire in otherwise inaccessible areas. Fitted with cushion grip sleeves for user comfort.

Tested and certified to the GS standard. ROHS compliant.

STOCK CODE	SIZE	
FAIPLEC8	170mm	1



## CONCRETTERS

Durable, zinc-plated nippers made from forged, oil-hardened tool steel for strength and longevity. The high-leverage design reduces effort by up to 25%, making wire binding and cutting easier and less tiring. Features hardened cutting edges and a slender shape for working in tight reinforcement areas.

STOCK CODE	SIZE	
KPX9914300	300mm / 12"	1



### KNIPEX HIGH LEVERAGE COMBINATION PLIERS

The Knipex 02 01 range of combination pliers have high leverage with the added eccentric joint for powerful gripping and seizing. With 50% easier cutting ability on all work applications, the 02 01 come in 180 and 200mm versions with soft cushion grip handles for added comfort and a better grip. The 02 01 series are ideal for soft, hard and even piano wire cutting. The strong durable edges will make an easy and clean cut, with long lasting results even under the toughest conditions. Like most the Knipex range of nippers and cutters the 02 01 range are oil hardened and tempered for longer life, with cutting edges separately induction-hardened to approx. 64hrc.



STOCK CODE	SIZE	
KPX200	200mm / 8"	1

### KNIPEX END CUTTING NIPPERS

The Knipex 6801200 Plier is suited to cutting and twisting wire for reinforced concrete work or binding wire. Manufactured from high quality hardened tool steel with plastic coated handles. The head shape provides optimised movement when tightening steel mesh knots during reinforced concrete work.

With cutting edges for soft and hard wire, also suitable for twisting and cutting binding wire. Cutting edges additionally hardened; cutting edge hardness approx. 61 HRC. High-grade special tool steel, forged, multi stage oil-hardened.

STOCK CODE	SIZE	
PLI200K	200mm / 8"	1
KPX280ECN	280 mm / 11"	1



### KNIPEX END CUTTERS LONG HANDLED

To twist and cut wire in one operation, then the Knipex 99 01 250 Concreter's nippers are the ones for you. They are fast, reliable and economical and will make light work of the toughest of job applications.

The 99 01 250 nippers are precision made to give a long service life, making these the most widely purchased Concreter's Nippers in the world. The cutting edges, with hardness to approx 61 HRC, will help make light work on soft and annealed tie wire used on reinforced rods or large braided reinforced concrete mesh.

Knipex 99 01 250 Concreter's nippers are made up from high-grade special tool steel, forged and then oil-hardened for reliability and durability. They have plastic moulded handles for added grip and user comfort.

KPX9901250 Concreter's Nipping Pliers.

STOCK CODE	SIZE	
PLI250K	250mm / 10"	1



### END CUTTING NIPPERS/PLIERS

Hardened and tempered steel jaws with induction-hardened cutting edges. Moulded plastic handles with slip guards.

STOCK CODE	SIZE	
PLI200KE	200mm / 8"	1



### STANLEY CURVED JAW LOCKING PLIERS

The Stanley Curved Jaw Mole Grips are ideal for gripping pipes or hexagon nuts. The forged and machined jaws offer maximum durability and there is also a built-in wire cutter.

The body is chrome plated to resist corrosion and the knurled screw at the base of the handle adjusts the clamping pressure and the non-pinching pull jaw release lever improves safety and ease of opening.

STOCK CODE	SIZE	
PLIMOL230	230mm / 9"	1



### COBRA WATERPUMP PLIERS 3 PIECE

The Knipex 87 01 Cobra Series Water Pump Pliers are made from chrome vanadium electric steel, which has been forged and multi-stage oil-hardened for excellent durability. The gripping surfaces have special hardened teeth, with hardness approx. 61 HRC to ensure high wear resistance and stable gripping.



STOCK CODE	ICON
KPX002009V02	1

### ELECTRICIANS WIRE CUTTING SCISSORS

A high-quality traditional scissor manufactured from stainless steel with precision ground blades for accurate cutting. All Faithfull scissors feature a centre adjustment screw, allowing the blades to be tightened or taken apart for sharpening. The Electricians Scissors can be used for cutting thin section wire, small diameter cable, fibre optic cable, insulation, string, cord and thread.



STOCK CODE	SIZE	ICON
FAISCWC5	125mm / 5"	1

### ADJUSTABLE WRENCH

The Teng Tools Industrial Adjustable Wrench made of chrome vanadium steel for increased strength and durability. Graduated markings on the jaw allow the size of the fastening to be accurately measured and the wrench to be set at the right size. The 15° jaw angle allows the wrench to be used in narrow spaces, as only 30° turning is needed. Faithfull scissors feature a centre adjustment screw, allowing the blades to be tightened or taken apart for sharpening. The Electricians Scissors can be used for cutt

STOCK CODE	SIZE	ICON
TEN4008	24"	1



### ADJUSTABLE WRENCH

Drop-forged chrome plated. Polished jaw face. Smooth jaw adjustment. Adjustable wrench, manufactured from drop forged carbon steel with heat treated offset jaws, chrome plated.



STOCK CODE	SIZE	ICON
WR150A	150mm / 6"	1
WR200A	200mm / 8"	1
WR250A	250mm / 10"	1
WR300A	300mm / 12"	1
WR380A	380mm / 15"	1
WR450A	450mm / 18"	1
WR600A	600mm / 24"	1
WR600A	600mm / 24"	1

#### SET OF 3 ADJUSTABLE WRENCHES

STOCK CODE	SIZES	ICON
ADJSPASET3	150mm & 200mm & 300mm	1

### STILLSON WRENCH

Heavy-duty wrench with drop-forged handles and jaws, and a durable cast malleable iron frame. Features accurately machined threads and a sprung jaw that stays open until pressure is applied, ensuring reliable grip and easy use across a range of industrial applications.



STOCK CODE	SIZE	ICON
REC30024	600mm/24"	1

## TORQUE WRENCH

This Torque Wrench is manufactured from chrome vanadium for increased durability. Designed to be utilised where fixings are required to be tightened to a predetermined torque load. Comes complete with a useful storage case.

Warning: All torque wrenches must be stored on the lowest torque setting to avoid a set in the spring. Failure to do so can result in a loss of accuracy over time.



STOCK CODE	SIZE	
WRETHD210	1/2" 40-210Nm M8-M16	1
WRETHD350	1/2" 70-350Nm M10-M18	1
WRETHD450	3/4" 90-450Nm M12-M18	1
WRETHD700	3/4" 140-700Nm M16-M24	1

## COMBINATION SPANNER

These Faithfull professional, high quality Combination Spanners are forged from chrome vanadium steel, which is hardened, tempered and satin chrome plated for corrosion protection. Manufactured to DIN 3113 standards.

The broached jaws and rings ensure a consistent tolerance and a guaranteed accurate fit. Both the jaw and ring end are set at a 15 degree offset for ease of use in awkward positions.



STOCK CODE	SIZE	
SPA8C	8mm	1
SPA10C	10mm	1
SPA13C	13mm	1
SPA14C	14mm	1
SPA15C	15mm	1
SPA16C	16mm	1
SPA17C	17mm	1
SPA18C	18mm	1
SPA19C	19mm	1
SPA22C	22mm	1
SPA23C	23mm	1
SPA24C	24mm	1
SPA26C	26mm	1
SPA30C	30mm	1
SPA32C	32mm	1
SPA36C	36mm	1
SPA41C	41mm	1
SPA46C	46mm	1
SPA51C	51mm	1
SPA55C	55mm	1

## HEAVY DUTY PIPE WRENCH

Faithfull Stillsons have been designed to cope with the exacting needs of today's trades person. The handle and moving jaw of each Stillson is forged from high-quality steel which has been heat-treated to ensure maximum strength. The steel adjustment nut has been both hardened and tempered to promote longer life. The dual coil springs on Faithfull Stillsons ensure that an instant grip of the pipe and a ratcheting action is achieved.



STOCK CODE	SIZE	
WRES8	200mm / 8"	1
WRES10	250mm / 10"	1
WRES12	300mm / 12"	1
WRES14	350mm / 14"	1
WRES18	450mm / 18"	1
WRES24	600mm / 24"	1
WRES36	900mm / 36"	1
WRES48	1200mm / 48"	1

## RATCHETING COMBINATION SPANNER

These Faithfull Chrome Vanadium spanners have flexible ratchet heads, which can turn through 180°, allowing them to be used in more awkward to reach places at any angle.

Each spanner has a 72 fine-tooth mechanism. A useful arrow illustration is etched in the spanner to indicate the direction of torque.

180° head for access into tight places.  
5° Fine Ratchet Mechanism.



STOCK CODE	SIZE	
SPA8RAT	8mm	1
SPA9RAT	9mm	1
SPA10RAT	10mm	1
SPA12RAT	12mm	1
SPA13RAT	13mm	1
SPA14RAT	14mm	1
SPA15RAT	15mm	1
SPA16RAT	16mm	1
SPA17RAT	17mm	1
SPA18RAT	18mm	1
SPA19RAT	19mm	1
SPA22RAT	22mm	1
SPA24RAT	24mm	1
SPA27RAT	27mm	1
SPA30RAT	30mm	1

### TORX WRENCH/PLUG SPANNER

Durable steel service tool for maintaining Stihl TS410, TS420, and similar machines. Combines Torx and dual-size box spanners (13mm & 19mm) for common service tasks such as wheel nuts and spark plug removal.



STOCK CODE	SIZE	Icon
23250	1	

### BAHCO RATCHET 1/2" SQUARE DRIVE

High-quality sockets with an imperial hex profile, designed for strength, precision, and durability. Ideal for heavy-duty applications, providing a secure fit and reliable performance with 1/2" drive tools.



STOCK CODE	SIZE	Icon
BAH8155-1/2	1/2"	

### RATCHET SPANNER SCAFFOLD

Discover the Box Type Steel Scaffolding Ratchet, one of the most popular scaffolding ratchets available. A lot of effort has gone in to ensuring this ratchet is engineered to the very highest standard. It'll help you get the job done.



STOCK CODE	SIZE	Icon
SPA1921RAT	19mm - 21mm	

### RING SLOGGING SPANNER



STOCK CODE	SIZE	Icon
SPA24S	24mm	
SPA27S	27mm	
SPA30S	30mm	
SPA32S	32mm	
SPA36S	36mm	
SPA41S	41mm	
SPA46S	46mm	
SPA50S	50mm	
SPA55S	55mm	
SPA60S	60mm	

### BAHCO BLACK ADJUSTABLE SPANNER

Bahco 80 Series Adjustable Wrench with a phosphated finish and tapered jaws that feature a measurement scale on the fixed jaw. They have a 16° head angle with no protruding shank when fully open and a strong I-section handle with a spring-loaded square section, and a knurled adjusting nut.



STOCK CODE	SIZE	Icon
BAH8070	150mm / 6"	
BAH8071	200mm / 8"	
BAH8072	250mm / 10"	
BAH8073	300mm / 12"	
BAH8074	375mm / 15"	
BAH8075	450mm / 18"	

### RING SPANNER



STOCK CODE	SIZE	Icon
SPA2424R	24mm x 27mm	

### BAHCO RATCHET COMBINATION SPANNER



STOCK CODE	SIZE	Icon
BAH22CSR	22mm	
BAH24CSR	24mm	
BAH27CSR	27mm	
BAH30CSR	30mm	

HAND TOOLS, POWER TOOLS & ACCESSORIES

## RING PODGER SPANNER

- Industrial Quality Podger Spanners.
- Perfect for tough applications.
- Manufactured to DIN 475.



STOCK CODE	SIZE	
SPA17RING	17mm	1
SPA19RING	19mm	1
SPA22RING	22mm	1
SPA24RING	24mm	1
SPA27RING	27mm	1
SPA30RING	30mm	1
SPA32RING	32mm	1
SPA36RING	36mm	1
SPA46RING	46mm	1

## OPEN ENDED PODGER SPANNER

- Industrial Quality Podger Spanners.
- Perfect for tough applications.
- Manufactured to DIN 475.



STOCK CODE	SIZE	
SPA24OE	24mm	1
SPA27OE	27mm	1
SPA30OE	30mm	1
SPA32OE	32mm	1
SPA36OE	36mm	1
SPA41OE	41mm	1
SPA46OE	46mm	1

## FLEXI HEAD RATCHET SPANNER

### 6 PIECE SET

The Faithfull Ratchet Combination Spanner Set contains a selection of chrome vanadium spanners with flexible ratchet heads, which can turn through 180°. Allowing them to be used in more awkward to reach places at any angle. Each spanner has a 72 fine-tooth mechanism that only needs a 5° turning space. A useful arrow illustration is etched in the spanner to indicate the direction of torque. Supplied in a handy carry case

Sizes: 8mm  
10mm  
13mm  
15mm  
17mm  
19mm



STOCK CODE	
RATSPANSET	1

## COMBINATION SPANNER

### 18 PIECE SET

Professional high-quality combination spanners, forged from chrome vanadium steel, hardened, tempered and satin chrome plated for corrosion protection.

Manufactured to DIN 3113 .

Broached jaws and rings to ensure a consistent tolerance and a guaranteed accurate fit. Both the jaw and ring end are set at a 15° offset for ease of use in awkward positions.

Sizes: 6mm	12mm	18mm
7mm	13mm	19mm
8mm	14mm	20mm
9mm	15mm	21mm
10mm	16mm	22mm
11mm	17mm	24mm

STOCK CODE	
COMBISET	1



## COMBINATION SPANNER

### 25 PIECE SET

Metric chrome vanadium plated combination spanner sets with hardened and tempered mirror polished heads. Nickel chrome plated. Supplied in a durable plastic carrying/storage case and arranged in size order.

Contents:

- 1 each - 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30 and 32mm
- Supplied in a handy storage wallet.



STOCK CODE	
COMBISET25	1

## FLAT SMOOTH CUT FILE



Faithfull Engineer's Hand files fitted with a comfortable handle, for professional and frequent DIY use. They are parallel in width, slightly tapered in thickness and have a double cut with safe edge. Blade width 23mm / 15/16 inch.

STOCK CODE	SIZE	
FIL10SC	250mm / 10"	1

## SECOND CUT FLAT FILE



Case hardened steel. Soft-grip handle with hanging hole.

STOCK CODE	SIZE	
FIL10SDC	250mm / 10"	1


## FLAT WOOD RASP



The Faithfull flat wood rasp is for use on wood or soft metals, for professional or frequent DIY use. This range of rasps has coarse bastard teeth with single cut edges and is fitted with a comfortable handle. Blade width 27mm

STOCK CODE	SIZE	
FAIFWR12	300mm / 12"	1

## 10 INCH BASTARD CUT



STOCK CODE	TYPE	
FIL10BH	Flat	1
FIL10BHR	Half Round	1

**STANLEY WOOD RASPS**

3 PIECE SET



For woodwork applications. High carbon steel blade for strength and durability. Fitted with a bi-material handle with a hang hole for convenient storage. These rasps will give a good professional finish to any work piece.

- 1 x Round Rasp 200mm/8 inch
- 1 x Half-Round Rasp 200mm/8 inch
- 1 x Flat Rasp 200mm/8 inch

STOCK CODE

FIL3PRS



1

**FILES**

3 PIECE SET



Soft-grip handles with hanging hole

- 1 x Flat File second cut file
- 1 x Round File second cut file
- 1 x Half-Round second cut file

STOCK CODE

FIL3PFS



1

**ENGINEERS HANDLED FILES**

5 PIECE SET

A selection of Engineer's Files manufactured from carbon steel for durability. Soft grip handles for increased comfort. Set contains:


- 1 x Round File 200mm / 8 inch
- 1 x Half-Round File 200mm / 8 inch
- 1 x Triangular File 200mm / 8 inch
- 1 x Flat File 200mm / 8 inch
- 1 x Square File 200mm / 8 inch

STOCK CODE

FIL6SET




1

**LINE PINS**

PAIRS

The Footprint 620 Line Pins are made from drop-forged, hardened steel with a chrome plated finish. Designed for use when building a wall. Use in conjunction with a length of nylon cord or builder's string to make sure that a course of bricks is straight and true.



STOCK CODE

BRLP

SIZE

155mm



1

**SPOOLED BRICK LINE**

Orange polyethylene ranging line is heavier gauge than the brick line and is commonly used for marking out ground on building sites.



STOCK CODE

STL30

SIZE

30m



1

### SPOOLED BRICK LINE

#### DISPLAY BOX 24 PIECE

Strong, high-visibility, stretch-resistant line with integrated spinning storage spool and line pin. For marking out and bricklaying applications. Use the pin in soft mortar and earth. Breaking strain 10kg.



STOCK CODE	SIZE	
BNCL100REEL	100m	1

### BRAIDED NYLON CHALK LINE

For use with powdered chalk for marking between two points to give a straight line. Braided line resists fraying, and is also useful for a plumb line as it does not spin round as conventional twisted cord. Braided nylon has less stretch than other lines and is also the strongest.



STOCK CODE	SIZE	
BNCL100	100m	6

### HI-VIS STRING LINE

#### FLUORESCENT YELLOW

This Marshalltown Mason's Line is made from twisted nylon that has been heat set after winding to increase stability. Not affected by mortar, oil or mildew and will not absorb water. Suitable for staking out sites, concrete and landscaping layout and brick/block laying. Made in the U.S.A



STOCK CODE	SIZE	
HSTRINGL	76.2m / 250ft	1

### POLYETHYLENE BRICK LINE

These lines are normally used for giving a straight edge for laying bricks etc.



STOCK CODE	SIZE	
BRI100ML	100m	1

### STRING LINE NYLON BRAIDED

Ideal for most applications in the building trade and can be used as chalk or brick lines.



STOCK CODE	SIZE	
STL18	18m	1

### HI-VIS STRING LINE REEL

#### PINK

Ideal for general bricklaying and marking out. Braided nylon line is strong and flexible with less stretch than other types of line. It resists fraying and is also useful for a plumb line as it does not spin around like conventional twisted cord. Rot proof, waterproof, and resistant to mildew, dryness and heat.



STOCK CODE	SIZE	
STL105HV	105m	1

### CHALK LINE METAL CASING



STOCK CODE	SIZE	
CLK30ME	30m	1

**FATMAX XTREME CHALK**

Durable die-cast aluminum housing with a chalk view window and 100ft polyester/nylon line. Features a 5:1 gear ratio for fast rewind and a release button for easy line extension. Holds over 1.5oz of chalk.



STOCK CODE	SIZE	
CLK30MFM	30m	1

**CHALK LINE PLASTIC CASING****3 PIECE SET**

Set contains 50ft chalk line, chalk and line level.



STOCK CODE	SIZE	
CLK16M	15m	1

**CHALK LINE KIT****CHALK LINE AND LEVEL**

This chalk line has an ergonomic design, with a high impact ABS case for durability. It has an on-board hook storage, a crank which folds into case for storage and a sliding door which allows for quick and easy refill (30g. Chalk Capacity). It has a stainless steel end hook for added durability and rust prevention and can hold 30m of string. Supplied with 113g blue chalk and line level.



STOCK CODE	SIZE	
CLK30M	30m	1

**CHALK REFILL**

High-grade chalk designed to be used with chalk line reels. It is specifically packaged in a square bottle which is designed to not roll off work surfaces. The bottle features an easy-pouring, twist-to-open spout.



STOCK CODE	COLOUR	SIZE	
CHA4B	Blue	4oz	1
CHA4R	Red	4oz	1
CHA4W	White	4oz	1

**BRICK JOINTER**

For a professional finish to joints between bricks

- Heavy duty design
- High quality steel



STOCK CODE	SIZE	
BRI34J	3/4" x 7/8"	1

**PRO TUCK POINTER**

- One piece high quality carbon steel blade
- Duragrip handle with finger protection
- Soft grip handle for extreme comfort



STOCK CODE	SIZE	
23097	6 3/4" x 3/8"	1

## PHILADELPHIA BRICK TROWEL

A DIY Philadelphia pattern brick trowel with a polished steel ferrule, metal tang, hardened and tempered blade and a wooden handle. This shape trowel is better suited to laying blocks allowing more mortar to be placed on the blade.



STOCK CODE	SIZE	
TRO10PB	250mm / 10"	1

## BRICK TROWEL

Hardened and tempered carbon steel blade. Features profiled wooden handle with crimped ferrule. Fully lacquered finish. Long service life when regularly maintained. For laying bricks and blocks.



STOCK CODE	SIZE	
TRO10PBE	200mm	1

## PHILADELPHIA BRICK TROWEL

RTR101 DIY Philadelphia pattern pointing trowels with a hardened and tempered steel blade and soft touch handle.



STOCK CODE	SIZE	
TRO6B	180mm / 6"	1

## GAUGING TROWEL


R.S.T. gauging trowel with a carbon steel blade and soft touch handle. Used primarily for mixing and applying small quantities of cement.



STOCK CODE	SIZE	
TRO7G	180mm / 7"	1

## EDGING TROWEL

Hardened and tempered carbon steel blade. Profiled wooden handle with double hang shank. Long service life when regularly maintained. For forming curved edges.



STOCK CODE	SIZE	
TROE	250mm x 100mm / 10" x 4"	1

## EDGING TROWEL

Faithfull edging trowels are commonly use to apply a rounded finished edge to concrete and render. The carbon steel blade with one long curved edge is fitted with a full-sized soft grip handle for user comfort.



STOCK CODE	SIZE	
TRO6E	6" x 3"	1

## STAINLESS STEEL PLASTERERS TROWEL

The R.S.T. Soft-Touch Finishing Trowel has a stainless steel blade, offering resistance to corrosion, with invisible rivets. Its handle is ergonomically shaped with soft-grip for comfort.



STOCK CODE	SIZE	
TR011SS	114mm x 280mm / 4½" x 11"	1
TR014SS	120mm x 360mm / 4¾" x 14"	1
TR016SS	114mm x 457mm / 4½" x 16"	1

## CARBON STEEL PLASTERERS TROWEL

Constructed with a moulded plastic handle in dark blue this is an ideal D.I.Y. product and excellent value for money.



STOCK CODE	SIZE	
TR014CS	120mm x 360mm / 4¾" x 14"	1

## PLASTERING TROWEL

Hardened and tempered carbon steel blade. Features profiled wooden handle and 5 rivet fixing for stability and flexibility. Long service life when regularly maintained. For levelling, smoothing and finishing large flat areas.



STOCK CODE	SIZE	
TR011PFE	280mm / 11"	1

## SOFT GRIP BUCKET TROWEL

This Welded Bucket Trowel has a tapered blade that has been cut square and is designed for removing mortar from the sides and bottom of buckets. The handle is made of a soft grip material which provides a better hold and increased comfort.



STOCK CODE	SIZE	
TROFB7	7"	1

## STANLEY WINDOW MARGIN TROWEL

The Stanley 0-05-897 Margin / Window Trowel with stainless steel blade to prevent rust and provide durability. It has a bi-material handle for comfort and protection and a smooth zinc alloy cap for durability. A hang hole in the handle provides easy storage.



STOCK CODE	SIZE	
STA005897	82mm x 101mm / 3.1/4" x 4"	1

## SOFT TOUCH HANDLE FLOORING TROWEL

Hardened and tempered carbon steel blade. Comfortable, soft-grip handle for prolonged use. Pointed for corner finishing. Pistol grip for controlled use. For rendering, levelling, smoothing and finishing large, flat areas.



STOCK CODE	SIZE	
TR016ST	114mm x 457mm / 4½" x 16"	1

## WOOD HANDLE FLOORING TROWEL

Hardened and tempered carbon steel blade. Features profiled wooden handle and 5-rivet fixing for stability and flexibility. Long service life when regularly maintained. For rendering, levelling, smoothing and finishing large, flat areas.



STOCK CODE	SIZE	
TR016WH	114mm x 457mm / 4½" x 16"	1



## FINISHING TROWEL

Hardened, tempered carbon steel blade. Features profiled hardwood handle with crimped ferrule. Fully lacquered finish. Long service life when regularly maintained. For pointing brick, block, paving and stonework.



STOCK CODE	SIZE	
TROMARMXS1D	275mm / 11"	1

## POINTING TROWEL

Hardened, tempered carbon steel blade. Features profiled hardwood handle with crimped ferrule. Fully lacquered finish. Long service life when regularly maintained. For pointing brick, block, paving and stonework.



STOCK CODE	SIZE	
23111	150mm / 6"	1

## SOFT GRIP POINTING TROWEL

The Pointing Trowel is manufactured from hardened and tempered steel for increased durability. Ideal for DIY. For comfort, it has a soft grip rubber handle.



STOCK CODE	SIZE	
TROFPT6E	150mm / 6"	1

## PLASTIC PLASTERERS FLOAT

This sturdy float is a lightweight one piece polyurethane moulding. The pattern face is non-absorbent and is used for applying plaster, cement and other building materials.




STOCK CODE	SIZE	
FLOP01	140mm x 280mm / 5.5" x 11"	1
FLOP02	180mm x 320mm / 7" x 12½"	1



## WOODEN FLOAT

This Marshalltown 44 wood hand float is ¾ inch thick and made of seasoned redwood. It is ideal for skimming and to give a sandy surface finish to rendering concrete or plaster.



STOCK CODE	SIZE	
FLOW01	300mm x 125mm / 12" x 5"	1

## PLASTERERS HAWK

The Faithfull extremely lightweight hawk in moulded polyurethane with a smooth surface finish. A hawk is a useful tray from which to apply plaster or cement quickly to a wall by using a trowel.



STOCK CODE	SIZE	
PLAH01	330mm x 330mm / 13" x 13"	1

## 5 PIECE SOFT GRIP TROWEL SET

- Brick jointer 12mm x 15mm (1/2in x 5/8in)
- -Pointing trowel 150mm (6in)
- -Gauging trowel 175mm (7in)
- -Brick trowel 275mm (11in)
- -Plastering trowel 275mm (11in)



STOCK CODE	
TRO5SET	1

**MIXING PADDLE****ZINC PLATED**

For mixing paint, cement slurries and textured coatings. For use with most powered mixers. M14 thread.



STOCK CODE	SIZE	
PAIMP14	M14 - 115mm x 600mm	1
PAIMP14SDS	SDS PLUS 100mm x 500mm	1

**UNIVERSAL MIXING PADDLE**

For use with electric drills. To mix paint, plaster, cement slurries and textured coatings. Requires 10mm or larger chuck. Max. 600rpm.



STOCK CODE	SIZE	
PAIMPU	100mm x 600mm	1

**STANLEY FATMAX POZI SCREWDRIVER**

STOCK CODE	SIZE	
SCR75P	75mm	1
SCR100P	100mm	1
SCR125P	125mm	1
SCR150P	150mm	1
SCR200P	200mm	1

**STANLEY FATMAX FLARED SCREWDRIVER**

STOCK CODE	SIZE	
SCR55F	5.5mm x 125mm	1
SCR75F	3.0mm x 75mm	1
SCR125F	4.0mm x 125mm	1
SCR150F	6.5mm x 150mm	1
SCR175F	8.0mm x 175mm	1
SCR200F	10.0mm x 200mm	1
SCR250F	12.0mm x 250mm	1

**SOFT GRIP SCREWDRIVER****6 PIECE SET**

Chrome vanadium screwdriver set with hardened, blackened tips and soft-grip handles.

- Slotted Flared 3 x 75mm  
5 x 100mm  
6 x 100mm
- Pozidriv PZ0 x 75mm  
PZ1 x 100mm  
PZ2 x 100mm

STOCK CODE	
SCR6SET	1



**STANLEY FATMAX SCREWDRIVER****12 PIECE SET**

The Stanley FatMax® Screwdriver sets have a chrome vanadium steel bar allows high torque and reduces the risk of tip breakage and the handle is moulded directly to shaft for a virtually unbreakable bond - gives long life and durability. The soft grip handle gives a perfect combination of great grip and reduced fatigue in use and is colour coded for easy identification of the right tip type for the application. The smooth domed end offers fast, comfortable spinning action and the large diameter handle offers higher torque when driving wood screws.

- **Parallel:** 2.5 x 50mm  
4.0 x 100mm  
5.5 x 150mm  
6.5 x 30mm (stubby).
- **Flared:** 5.5 x 100mm  
8.0 x 150mm
- **Phillips:** PH0 x 75mm  
PH1 x 100mm  
PH2 x 125mm
- **Pozidriv:** PZ0 x 75mm  
PZ1 x 100mm  
PZ2 x 125mm



STOCK CODE




SCR12SET

1

**SOFT GRIP SCREWDRIVER****19 PIECE SET**

Chrome vanadium satin chrome plated steel blades hardened and tempered with sand blasted tips. Soft grip handles with inserts.

- 8 x plain slot
- 6 x cross slot
- 2 x PZ TYPE screwdrivers
- 2 x Draper TX-STAR® drivers and angle screwdriver



STOCK CODE



SCR19SET

1

**STANLEY FATMAX INSULATED SCREWDRIVER****10 PIECE SET**

The Stanley FatMax® VDE Insulated Screwdrivers have a VDE insulated screwdriver tip, that is individually tested to 10,000 volts and guaranteed to 1,000 volts. The soft grip handle gives the perfect combination of great grip plus reduced fatigue and its large diameter offers greater torque needed for driving wood screws. The handle is moulded directly to the bar giving a virtually unbreakable bond. A heavy-duty plastic sheath running the length of the bar protects the user from live current.

- **3 x Parallel:** 2.5mm x 50mm  
3.5mm x 75mm  
5.5mm x 150mm
- **3 x Phillips:** PH0 x 75mm  
PH1 x 100mm  
PH2 x 125mm
- **3 x Pozidriv:** PZ0 x 75mm  
PZ1 x 100mm  
PZ2 x 125mm
- **1 x Voltage Tester**



STOCK CODE



SCR10SET

1

**1/2 INCH IMPACT SOCKET SET****10 PIECE**

This Teng Impact Socket set is manufactured from top grade chrome molybdenum alloy steel in accordance with GGG-W-660A to give top quality, professional sockets. The set contains 10 regular metric 1/2 inch drive 6-point impact sockets supplied on a clip rail. These sockets are ANSI standard and are suitable for automotive use.

Contents:

10, 11, 12, 13, 14, 17, 19, 21, 22 and 24mm.



STOCK CODE	SIZE	
ISSET10	10mm - 24mm	1

**1/2 INCH DRIVE IMPACT SOCKET**

STOCK CODE	SIZE	
ISHD10	10mm	1
ISHD11	11mm	1
ISHD12	12mm	1
ISHD13	13mm	1
ISHD14	14mm	1
ISHD15	15mm	1
ISHD16	16mm	1
ISHD17	17mm	1
ISHD18	18mm	1
ISHD19	19mm	1
ISHD20	20mm	1
ISHD21	21mm	1
ISHD22	22mm	1
ISHD23	23mm	1



STOCK CODE	SIZE	
ISHD24	24mm	1
ISHD26	26mm	1
ISHD27	27mm	1
ISHD28	28mm	1
ISHD30	30mm	1
ISHD32	32mm	1
ISHD34	34mm	1
ISHD36	36mm	1
ISHD40	40mm	1
ISHD41	41mm	1
ISHD46	46mm	1

**SELKENT 1/2 INCH DRIVE DEEP IMPACT SOCKET**

STOCK CODE	SIZE	
ISHDD7	7mm	1
ISHDD8	8mm	1
ISHDD9	9mm	1
ISHDD10	10mm	1
ISHDD11	11mm	1
ISHDD12	12mm	1
ISHDD13	13mm	1
ISHDD14	14mm	1
ISHDD15	15mm	1
ISHDD16	16mm	1
ISHDD17	17mm	1
ISHDD18	18mm	1
ISHDD19	19mm	1
ISHDD21	21mm	1
ISHDD22	22mm	1
ISHDD23	23mm	1
ISHDD24	24mm	1
ISHDD25	25mm	1
ISHDD26	26mm	1
ISHDD27	27mm	1



STOCK CODE	SIZE	
ISHDD28	28mm	1
ISHDD30	30mm	1
ISHDD32	32mm	1
ISHDD35	35mm	1
ISHDD36	36mm	1
ISHDD40	40mm	1
ISHDD41	41mm	1
ISHDD46	46mm	1
ISHDD50	50mm	1
ISDDSET15	Set 10mm - 27mm	1

3/4 INCH DRIVE IMPACT SOCKET



STOCK CODE	SIZE	
ISTD13	13mm	1
ISTD14	14mm	1
ISTD15	15mm	1
ISTD16	16mm	1
ISTD17	17mm	1
ISTD18	18mm	1
ISTD19	19mm	1
ISTD20	20mm	1
ISTD21	21mm	1
ISTD22	22mm	1
ISTD24	24mm	1
ISTD25	25mm	1
ISTD26	26mm	1
ISTD27	27mm	1
ISTD28	28mm	1
ISTD30	30mm	1

STOCK CODE	SIZE	
ISTD32	32mm	1
ISTD33	33mm	1
ISTD34	34mm	1
ISTD35	35mm	1
ISTD36	36mm	1
ISTD38	38mm	1
ISTD39	39mm	1
ISTD40	40mm	1
ISTD41	41mm	1
ISTD45	45mm	1
ISTD46	46mm	1
ISTD47	47mm	1
ISTD50	50mm	1
ISTD55	55mm	1
ISTD60	60mm	1
ISTD65	65mm	1
ISTD70	70mm	1

3/4 INCH DRIVE DEEP IMPACT SOCKET



STOCK CODE	SIZE	
ISTDD16	16mm	1
ISTDD17	17mm	1
ISTDD18	18mm	1
ISTDD19	19mm	1
ISTDD20	20mm	1
ISTDD21	21mm	1
ISTDD22	22mm	1
ISTDD24	24mm	1
ISTDD25	25mm	1
ISTDD26	26mm	1
ISTDD27	27mm	1
ISTDD28	28mm	1
ISTDD30	30mm	1
ISTDD32	32mm	1

STOCK CODE	SIZE	
ISTDD33	33mm	1
ISTDD34	34mm	1
ISTDD35	35mm	1
ISTDD36	36mm	1
ISTDD38	38mm	1
ISTDD40	40mm	1
ISTDD41	41mm	1
ISTDD43	43mm	1
ISTDD45	45mm	1
ISTDD46	46mm	1
ISTDD48	48mm	1
ISTDD50	50mm	1
ISTDD55	55mm	1
ISTDD65	65mm	1
ISTDD70	70mm	1

HAND TOOLS, POWER TOOLS & ACCESSORIES

## 1 INCH DRIVE IMPACT SOCKET



STOCK CODE	SIZE	
ISOD19	19mm	1
ISOD20	20mm	1
ISOD21	21mm	1
ISOD22	22mm	1
ISOD24	24mm	1
ISOD25	25mm	1
ISOD30	30mm	1
ISOD32	32mm	1
ISOD33	33mm	1
ISOD36	36mm	1
ISOD40	40mm	1
ISOD50	50mm	1
ISOD52	52mm	1
ISOD55	55mm	1
ISOD60	60mm	1
ISOD65	65mm	1
ISOD70	70mm	1
ISOD75	75mm	1
ISOD80	80mm	1
ISOD85	85mm	1
ISOD90	90mm	1

## MAGNETIC HEX DRIVER

STOCK CODE	SIZE	
8HEXDRIVE14	1/4" x 8mm	1



## HEXAGON DRIVE ADAPTOR

STOCK CODE	SIZE	
10HEXDRIVE14	1/4" x 10mm	1



## DRIVE IMPACT EXTENSION BAR

STOCK CODE	SIZE	
<b>1/2 INCH</b>		
IEBHD75	75mm	1
IEHD100	100mm	1
IEHD125	125mm	1
IEHD250	250mm	1
IEHD600	600mm	1

STOCK CODE	SIZE	
<b>3/4 INCH</b>		
IEBTD150	150mm	1
IEBTD175	175mm	1
IEBTD250	250mm	1
IEBTD300	300mm	1



STOCK CODE	SIZE	
<b>1 INCH</b>		
IEBOD175	175mm	1
IEBOD250	250mm	1

## 1 INCH DRIVE DEEP IMPACT SOCKET



STOCK CODE	SIZE	
ISODD30	30mm	1
ISODD46	46mm	1
ISODD50	50mm	1
ISODD52	52mm	1
ISODD55	55mm	1
ISODD60	60mm	1
ISODD62	62mm	1
ISODD65	65mm	1
ISODD70	70mm	1
ISODD75	75mm	1
ISODD80	80mm	1
ISODD85	85mm	1

## HEXAGON TO SQUARE DRIVE ADAPTOR

The Adaptor is for use with standard and impact sockets, etc. on electric and rechargeable screwdrivers (not impact tools). Designed for use with the most common machine fittings.



STOCK CODE	SIZE	
1/4-1/2SQDR	1/4" Hexagon to 1/2" Square	1

### IMPACT ADAPTOR



STOCK CODE	SIZE	
1/4X65IMPADAPT	1/4" X 65mm	1
IAF12M34	1/2" Female 3/4" Male	1
IAF34M12	3/4" Female 1/2" Male	1
IAF1M34	1" Female 3/4" Male	1

### 5/16 INCH IMPACT TEK ADAPTOR

1/4 inch hex quick change shank is designed to work with impact drivers and reduces slipping in standard drill chucks. Rare earth magnets hold fasteners securely with four times the hold of standard magnets. Lobular design drives fastener on the side instead of the corner for less stripping and longer life.



STOCK CODE	SIZE	
IMPTEKAD	5/16" Tek Adaptor	1

### 1/2 INCH SQUARE DRIVE HEX SOCKET

These Faithfull Hexagon Sockets are professional, high quality metric sockets, forged from chrome vanadium steel which is hardened, tempered and satin chrome plated for corrosion protection.

1/2in Square Drive is the most popular drive size used in the UK and Ireland, due to its strength and durability. Faithfull sockets have a hexagon design that gives an accurate fit on both nuts and bolts and the chamfered end allows easy nut location and entry.

STOCK CODE	SIZE	
HSHD13	13mm x M8	1
HSHD14	14mm x M18	1
HSHD17	17mm x M10	1
HSHD19	19mm x M12	1
HSHD22	22mm x M14	1

### 1/2 INCH DEEP DRIVE 12 POINT SOCKET



STOCK CODE	SIZE	
HSHD1210	10mm	1
HSHD1213	13mm	1
HSHD1217	17mm	1
HSHD1219	19mm	1
HSHD1221	21mm	1
HSHD1222	22mm	1
HSHD1224	24mm	1
HSHD1227	27mm	1
HSHD1230	30mm	1
HSHD1232	32mm	1

### UNIVERSAL IMPACT JOINT 1/2 INCH



STOCK CODE	
IMPACTJOINT	1

### IN HEX SOCKET 1/2 DRIVE



STOCK CODE	SIZE	
9987	6mm	1

### 3/4 INCH SQUARE DRIVE HEX SOCKET



STOCK CODE	SIZE	
HSTD22	22mm x M14	1
HSTD24	24mm x M16	1
HSTD27	27mm x M18	1
HSTD30	30mm x M20	1
HSTD32	32mm x M20	1
HSTD36	36mm x M24	1
HSTD41	41mm x M27	1
HSTD46	46mm x M30	1
HSTD50	50mm x M33	1

HAND TOOLS, POWER TOOLS & ACCESSORIES

## SQUARE SOCKET DRIVER

Versatile adapter set for converting 1/4" hex drives to 1/2" square sockets. Made from durable, hardened steel for strength and long life.



STOCK CODE	SIZE	
SKTADAPT	1/4" - 1/2"	1

## 1/2 INCH EXTENSION BAR

1/2in Square Drive standard and wobble extension bars made from chrome vanadium steel in a satin finish.



STOCK CODE	SIZE	
EBHD75	75mm	1
EBHD125	125mm	1
EBHD250	250mm	1

## RETAINING RING AND PIN



STOCK CODE	SIZE	
RETRP1/2	For 1/2" Socket	1
RETRP3/4	For 3/4" Socket	1

## 1/2 INCH SQUARE DRIVE SOCKET

### 25 PIECE SET

Includes:

- 13 x bi - hexagon metric socket: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm
- 6 x bi - hexagon imperial socket: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- 2 x spark plug socket: 10, 14mm
- 1 x reversible ratchet
- 1 x sliding 'T' bar
- 2 x extension bars: 7 5, 250mm



STOCK CODE	
SOC12SQ25	1

## REVERSIBLE RATCHET



Slim, ergonomic, hardened and tempered chrome vanadium handle. Single-handed reversible ratchet mechanism and positive socket locking mechanism with single-handed push-to-release. Features tough Cro-Mo gears for high torque application and 72 teeth for fine, 5° ratchet action. Manufactured to DIN 3122.

STOCK CODE	SIZE	
23270	1/2"	1
RATTD250	1/2"	1
RATTD500	3/4"	1

## 1/2 INCH SQUARE DRIVE SOCKET

### 42 PIECE SET

- 2 x spark plug sockets reversible ratchet
- speed brace
- sliding T-bar
- universal joint
- 2 x extension bars (125mm and 250mm)
- 2 x adaptors (1/2 inch female - 3/8 inch male and 3/8 inch female - 1/4 inch male),
- 17 x metric sockets (10 - 27mm)
- 15 x AF sockets (3/8 inch, 7/16 inch, 15/32 inch, 1/2 inch, 9/16 inch, 19/32 inch, 5/8 inch, 11/16 inch, 3/4 inch, 25/32 inch, 13/16 inch, 7/8 inch, 15/16 inch, 1 inch, 1-1/8 inch)



STOCK CODE	
SOC12SQ42	1

### 1/4 INCH METRIC SOCKET

#### 15 PIECE SET

Contains:

- 12x 1/4" Hex Sockets, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 1x 1/4" Ratchet Quick Release, 60 Teeth 6° Action Angle
- 1x 1/4" Sliding T-Bar, 100mm/4"
- 1x 1/4" Extension Bar 75mm/3"
- 1x 1/4" Flexible Extension Bar 150mm/6"
- 2x Removable Three Section Plastic Box with Lid

STOCK CODE	
STA086775	1



### **BAHCO** 3/4 INCH SOCKET

#### 17 PIECE SET

Contains:

- 11 x 3/4in Hex Sockets: 22, 24, 30, 32, 33, 34, 36, 38, 41, 46 & 50mm.
- 2 x 3/4in Extension Bars: 200 & 400mm.
- 1 x 3/4in Reversible Ratchet Head.
- 1 x 3/4in Ratchet Handle 500mm (20in).
- 1 x 3/4in to 1/2in Adaptor.
- 1 x Impact & Oil Resistant Case.

STOCK CODE	
SOCBAH17S	1



### **BAHCO** 1/2 INCH SOCKET

#### 24 PIECE SET

The Bahco S240 1/2in Drive Socket Set contains sockets made from high performance alloy steel. With a Dynamic Drive™ profile to protect the sockets from wear and damage. Supplied in an oil and temperature resistant polypropylene case. Conforms to DIN 3120 / ISO 1174.

Contains:

- 18 x 1/2in Hex Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30 & 32mm
- 2 x 1/2in Extension Bars: 125mm (5in) and 250mm (10in)
- 1 x 1/2in Universal Joint
- 1 x 1/2in T-Adaptor
- 1 x 1/2in Flexible Handle 250mm (10in)
- 1 x 1/2in Ratchet Handle 54-Teeth

STOCK CODE	
SOCBAH24S	1



HAND TOOLS, POWER TOOLS & ACCESSORIES

**BAHCO 1/4 INCH & 3/8 INCH SOCKET****34 PIECE SET**

The Bahco S330 Socket Set contains sockets made from high performance alloy steel. With a Dynamic Drive™ profile to protect the sockets from wear and damage. Supplied in an oil and temperature resistant polypropylene case. Conforms to DIN 3120 / ISO 1174. Contains:

- 12 x 3/8in Hex Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 & 22mm
- 1 x 3/8in 60 Teeth Quick Release Ratchet
- 2 x 3/8in Extension Bars: 75mm (3in) & 150mm (6in).
- 1 x 3/8in Universal Joint
- 1 x 3/8in x 1/4in Bit Holder
- 2 x 3/8in Spark Plug Sockets Hex: 16mm (5/8in) & 21mm (13/16in)
- 1 x 1/4in Spinner Handle, 2-Component Handle
- 1 x 1/4in x 1/4in Bit Holder
- 3 x 1/4in Slotted Bits: 4, 5.5 & 7mm
- 4 x 1/4in Phillips Bits: PH1, PH2, PH3 & PH4
- 6 x 1/4in Hex Bits: 3, 4, 5, 6, 7 & 8mm

STOCK CODE

BAHS330



1

**BAHCO 1/2 INCH SOCKET & SPANNER****40 PIECE SET**

Bahco S400 1/2in Drive 40 piece metric socket and spanner set supplied in an impact and oil resistant case.

Contains:

- 21 x 1/2in Hex Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30 & 32mm.
- 2 x 1/2in Extension Bars: 125mm & 250mm.
- 1 x 1/2in Universal Joint, 1 x 1/2in T Adaptor.
- 1 x 1/2in 250mm Breaker Bar.
- 1 x 1/2in Reversible Ratchet.
- 13 x Metric Combination Spanners 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm.

STOCK CODE

BAHS400



1

**1/4 INCH, 3/8 INCH & 1/2 INCH SOCKET****52 PIECE SET**

Blue Spot 01746 1/4, 3/8 and 1/2 in Drive metric and AF socket set 52 piece consisting of:

- 12 x 1/4 Hex sockets 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32 and 1/2 AF.
- 13 x 1/4 Hex sockets 4, 4.5, 5, 5.5, 6, 6.5, 7, 8, 9, 10, 11, 12 and 13mm.
- 3 x 1/4 8 Pt sockets 1/4, 5/16 and 3/8 in
- 1 x 1/4 Spinner handle 1 x 1/4 to 3/8 Adaptor
- 1 x 1/4 Hex bit holder
- 3 x 1/4 Hex Phillips screwdriver bits PH1, PH2 and PH3.
- 2 x 1/4 Hex Slotted screwdriver 3/16 and 9/32 in.
- 3 x 3/8 Hex sockets 7/16, 9/16 and 1/2 AF
- 3 X 3/8 Hex sockets 11, 12 and 13mm
- 1 x 3/8 Reversible ratchet handle.
- 1 x 3/8 Extension bar 3 in 1 x 3/8 Spin disc
- 1 x 3/8 Spark plug socket 13/16 in.
- 4 x 1/2 Hex sockets 5/8, 11/16, 3/4 and 13/16 AF.
- 1 x 1/2 Reversible ratchet handle

STOCK CODE

SOCSET52



1



**BAHCO 1/4 INCH, 3/8 INCH & 1/2 INCH SOCKET**

**138 PIECE SET**

Bahco 1/4in, 3/8in, and 1/2in Drive 138 Piece metric and imperial socket set supplied in a high density polythene case:

Contains:

- 12 x 1/4in Hexagon Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 10 x 1/4in Hexagon Deep Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 1 x 1/4in 150mm Reversible Ratchet 60 Teeth
- 1 x 1/4in 150mm Spinner
- 1 x 1/4in 106mm Sliding T-Bar
- 2 x 1/4in Extension Bars: 50 & 100mm
- 1 x 1/4in Universal Joint
- 1 x 1/4in Bit Holder
- 1 x 1/4in 150mm Flexible Extension Bar
- 16 x 3/8in Hexagon Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm
- 1 x 3/8in 200mm Reversible Ratchet 60 Teeth
- 3 x 3/8in Spark Plug Sockets: 16 (5/8in), 18 & 21mm (13/16in)
- 1 x 3/8in Universal Joint
- 2 x 3/8in Extension Bars: 75 & 150mm
- 18 x 1/2in Metric Hexagon Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 32, 34mm
- 9 x 1/2in Imperial Hexagon Sockets: 3/8, 7/16, 1/2, 9/16, 11/16, 3/4, 13/16, 7/8, 1.3/16in
- 1 x 1/2in 250mm Reversible Ratchet 60 Teeth
- 1 x 1/2in Sliding T-Bar, 1/2in Head 3/8F-1/2in Male Adaptor
- 2 x 1/2in 125mm Extension Bars: 125 & 250mm
- 1 x 1/2in Universal Joint
- 1 x 1/4in Square Drive Bit Adaptor
- 4 x Pozidriv Bits: PZ0, PZ1, PZ2, PZ3
- 5 x Phillips Bits: PH0, PH1, PH2, PH3, PH4
- 3 x Flat Bits: 4, 5.5, 7mm
- 6 x Insert Bits: 3, 4, 5, 6, 8, 10mm
- 9 x TORX Bits: 8, T10, T15, T20, T25, T27, T30, T40, T45
- 1 x Bit Ratchet
- 3 x Hexagon Keys: 1.5, 2, 2.5mm
- 8 x Crow Foot Wrenches: 0, 11, 13, 14, 15, 17, 18, 19mm
- 13 x Combination Spanners: 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



STOCK CODE	
SOCBAH138	1

HAND TOOLS, POWER TOOLS & ACCESSORIES

**TECHNICAL SUPPORT SERVICES**

We offer comprehensive support for all your current applications, including:

- On-site advice
- Pull-out testing
- Load calculation services
- Specialist guidance on Gateway 2 compliance and assist in maintaining a fully compliant Golden Thread of information.

Contact the Selkent technical team:

**[technical@selkent.com](mailto:technical@selkent.com)**





**DGA452RTJ 4½ INCH ANGLE GRINDER**

18 V



- Lithium-ion batteries have greater life spans than their Ni-MH or Ni-Cad counterparts giving 430% greater run time
- Lithium-ion's 40% weight saving means 18 volt power can be obtained by a battery that weighs the same as a 12 volt Ni-MH battery
- 4 pole motor.
- Anti-restart function with warning lamp
- Capable of using wheels or discs for mains grinders
- Easy grip body
- Electronic current limiter with warning lamp
- High comfort grips

STOCK CODE	
MAKAG41/218V	1

**9557NBR 4½ INCH ANGLE GRINDER**

110 V



- Compact & lightweight
- Ideal for general grinding & cutting applications
- Anti-restart function
- Soft start feature
- Side handle for operator control
- Higher motor power
- Lock-on switch to reduce user fatigue

STOCK CODE	
MAKAG41/202	1

**ADJUSTABLE PIN KEY FOR ANGLE GRINDERS**

Fully adjustable pin wrench from 15-52mm. Stepped handle can be used as a spanner to undo nuts from 10-19mm. Can also be used as wrench to replace pins in angle grinders, bench grinders, mitre saws and circular saws.



STOCK CODE	
PINKEY	1

**GA4530R 4½ INCH ANGLE GRINDER**

110 V



- Small gear housing for easy handling and manoeuvrability
- Anti-restart function
- Machined bevel gears
- Powerful 720W motor with excellent heat-resistance
- Soft start feature
- Ergonomic 20 degree side grip angle
- Lock-on switch to reduce user fatigue

STOCK CODE	
MAKAG41/201	1

**GA 9020 9 INCH ANGLE GRINDER**

110 V



- Large trigger switch
- Double Insulation
- Machined bevel gear.
- Gear housing can be positioned at every 90 degrees

STOCK CODE	
MAKAG901	1

**GA5030 ANGLE GRINDER**

- Ergonomically balanced for easy handling
- Anti-restart function minimises accidental start-up
- Soft start minimises start-up shock and makes the tool start smoothly
- Labyrinth construction seals and protects the drive gear and bearings from contamination for longer tool life
- Max. Depth of Cut 35 mm
- Disc Diameter 25 mm



STOCK CODE	SIZE	
MAKAG501	5"	1



### HM0870C DEMOLITION HAMMER

SDS MAX



110 V

- Double Insulation
- Variable speed
- Constant speed under load
- Soft start
- One touch sliding chuck for easy bit installation and removal
- LED lamp indicates when to replace carbon brush.

STOCK CODE

MAKSDSMB01



1

### HR3210C ROTARY HAMMER

SDS PLUS



110 V

- Torque limiter: The drill stops when the bit hits against reinforcements
- Triple operation mode: Rotary only, hammer only and rotary hammer
- Soft start
- Constant speed under load
- Built-in job light
- Anti vibration technology

STOCK CODE

MAKSDSPHM03



1

### HR2630 ROTARY HAMMER

SDS PLUS



110 V

- Modified operation-mode change lever enables switch from 'Rotation' to 'Hammering' mode and vice-versa without rotating the chuck
- 3 mode operation: Rotation only / Rotation with hammering / Hammering only
- One touch sliding chuck for easy bit installation and removal.
- Variable speed control by trigger
- Forward / reverse rotation
- Torque limiter
- Double Insulation
- 40 different bit angle settings
- Depth stop
- Ergonomically designed handle with rubberised soft grip fits your hand perfectly to provide maximum control and comfort

STOCK CODE

MAKSDSPHM02



1

### DHR202RTJ ROTARY HAMMER

SDS PLUS



18 V Li-ion

- Lithium-ion's 40% weight saving means 18 volt power can be obtained by a battery that weighs the same as a 12 volt Ni-MH battery
- Lithium-ion batteries have greater life spans than their Ni-MH or Ni-Cad counterparts giving 430% greater run time
- Conveniently located push button for forward and reverse
- High comfort grips
- LED job light with afterglow
- One-touch sliding chuck for easy bit changes
- Triple operation mode: Rotary only, hammer only and rotary hammer
- Rotation mode: The chisel can rotate a full 360 degrees with 40 different locking positions

STOCK CODE

MAKSDSPHD18V



1



### HR2811F ROTARY HAMMER SDS PLUS



- Double Insulation
- Variable speed
- With reversing function
- Torque limiter: The drill stops when the bit hits against reinforcements
- Improved dust collection
- LED job light for improved work visibility

110 V

STOCK CODE



MAKSDSPHM04

1

### DTD152RTJ 1/4 INCH HEX IMPACT DRIVER



- 1/4" hex Drive Shank
- Forward/reverse rotation for versatile applications
- Electric brake
- Variable speed control via trigger
- Ergonomic soft grip
- T-mode: Tightening mode for self-drilling screw
- Electronic 3-stage impact power selection
- Brushless motor
- LED job light

STOCK CODE



MAKID18V

1

### DTD154RTJ 1/4 INCH IMPACT DRIVER



18 V Li-ion

- T-mode: Tightening mode for self-drilling screw
- Electronic 3-stage impact power selection (Hard/ Medium/Soft)
- Brushless motor
- LED job light
- Ergonomic soft grip
- Electric brake
- Variable speed control by trigger
- Forward / reverse rotation
- Compact overall length

STOCK CODE



MAKID18V5AH

1

### HR4013C SDS MAX HAMMER DRILL



- SDS-MAX tool holder for quick bit changes
- Anti-Vibration Technology
- Variable speed control
- Heavy duty construction
- High torque capacity
- Ideal for industrial applications
- Reversible

STOCK CODE



MAKSDSMHD02

1

### JR3070CT AVT RECIPROCATING SAW



- Tool-less blade change
- Variable speed
- Anti vibration technology
- Constant speed under load
- Double Insulation

110 V

STOCK CODE



MAKRS

1

### TW0200 1/2 INCH IMPACT WRENCH



- Forward / reverse rotation
- Variable speed
- Double Insulation

110 V

STOCK CODE



MAKIW1/201

1



**TW0350 1/2 INCH DRIVE IMPACT WRENCH**

- Forward / reverse rotation
- Double Insulation

110 V



STOCK CODE	
MAKIW1/202	1

**TW0250 1/2 INCH DRIVE IMPACT WRENCH**

- Forward / reverse rotation
- Variable speed
- Double Insulation

110 V



STOCK CODE	
MAKIW1/203	1

**DTW1002RTJ 1/2 INCH DRIVE IMPACT WRENCH**

- Extra-high max tightening torque
- Brushless motor
- Electric brake
- Variable speed control by trigger
- Forward / reverse rotation
- Twin LED job light
- Electronic 3-stage impact power selection (Hard/Medium/Soft)
- Compact and lightweight design
- Ergonomic soft grip

18 V Li-ion



STOCK CODE	
MAKIW1/204	1

**DTW251RTJ 1/2 INCH DRIVE IMPACT WRENCH**

- 4 pole motor
- Lithium-ion batteries have greater life spans than their Ni-MH or Ni-Cad counterparts giving 430% greater run time
- Lithium-ion's 40% weight saving means 18 volt power can be obtained by a battery that weighs the same as a 12 volt Ni-MH battery
- Conveniently located push button for forward and reverse
- High comfort grips
- LED job light with afterglow

18 V Li-ion



STOCK CODE	
MAKIW1/218V	1

**6906 3/4 INCH IMPACT WRENCH**

- Heavy duty construction
- High torque capacity
- Ideal for industrial applications
- Reversible

110 V



STOCK CODE	
MAKIW3/4	1

HAND TOOLS, POWER TOOLS & ACCESSORIES

NEED IT FAST?  
 CONTACT OUR SALES TEAM ON  
**020 8699 6777**  
 OR PLACE YOUR ORDER ONLINE AT  
**WWW.SELKENT.COM**

# Makita

## DHP482RTJ COMBI DRILL

- Electric brake
- 2 mechanical gears
- Variable speed control by trigger
- Forward / reverse rotation
- Twin LED job light
- Ergonomic soft grip
- Keyless Chuck
- Compact and lightweight design
- Equipped with Battery protection circuit: designed to protect the battery from damages due to overdischarge, high temperature or overload current
- Metal gears



18 V Li-ion

STOCK CODE

MAKCD18V



1

## DDF453RFE DRILL DRIVER

- 22 minute charge time with the air cooled Makstar Optimum Charging System
- Keyless chuck
- Lithium-ion batteries have greater life spans than their Ni-MH or Ni-Cad counterparts giving 430% greater run time
- Lithium-ion's 40% weight saving means 18 volt power can be obtained by a battery that weighs the same as a 12 volt Ni-MH battery
- Two speed gear box



18 V Li-ion

STOCK CODE

MAKDD18V



1

## 4350FCT ORBITAL ACTION JIGSAW

- Quick release tool-less blade change
- Sturdy adjustable base for accurate cutting
- Variable electronic speed control
- Built-in job light

110 V

STOCK CODE

MAKJIG



1

## DLX2145TJ 18V LXT 2 PIECE COMBO KIT



- Stacking cases with connecting clips, compatible with other makes of case system
- 3.0Ah-22 min. 4.0Ah-36 min. 5.0Ah-45 min. 6.0Ah-55 min.
- Enhanced dust and drip-proof performance for use in outdoor applications or harsh environments
- Single sleeve keyless chuck allows for easy bit installation/removal by one hand
- Twin LED Job light with pre-glow and afterglow functions
- Battery fuel gauge The power remaining in the battery can be indicated in 3 stages simply by pushing a button; 3 lights on: more than 50% of full battery capacity. 2 lights on: 20% to 50% of full battery capacity. 1 light on: less than 20% of full battery capacity
- Electric brake
- Variable speed control by trigger
- Forward / reverse rotation
- Twin LED job light
- Ergonomic soft grip
- Compact and lightweight design
- Equipped with Battery protection circuit: designed to protect the battery from damages due to overdischarge, high temperature or overload current.
- High rotation speed

STOCK CODE

MAKCK18V



1





**DJV180RTJ JIGSAW**

- Tool-less blade change
- Lithium-ion batteries have greater life spans than their Ni-MH or Ni-Cad counterparts giving 430% greater run time
- Lithium-ion's 40% weight saving means 18 volt power can be obtained by a battery that weighs the same as a 12 volt Ni-MH battery
- High comfort grips
- LED job light that creates an easy to trace cutting line
- Smooth and powerful cutting at the high stroke speed of 2,600spm



18 V Li-ion

STOCK CODE	
MAKJIG18V	1

**5903R CIRCULAR SAW**

110 V



- Dust extraction facility
- Ideal for general timber cutting
- Powerful motor
- Quick release height adjustment

STOCK CODE	
MAKCS23501	1

**DSS611RTJ CIRCULAR SAW**



18 V Li-ion

- Lithium-ion batteries have greater life spans than their Ni-MH or Ni-Cad counterparts giving 430% greater run time
- Lithium-ion's 40% weight saving means 18 volt power can be obtained by a battery that weighs the same as a 12 volt Ni-MH battery
- Double safety trigger
- High comfort grips
- Removable dust nozzle

STOCK CODE	
MAKCS16518V	1

**DUST BAG 122852-0**



STOCK CODE	
MAKCSDB	1

HAND TOOLS, POWER TOOLS & ACCESSORIES

**CONTACT OUR SALES TEAM**

020 8699 6777

SALES@SELKENT.COM

WWW.SELKENT.COM

# Makita

## UT1400 PADDLE MIXER

- Double Insulation
- Compact and lightweight

**110 V**


STOCK CODE

MAKUT1400



1

## DISPOSAL BAGS

- Pack of 5 high-quality disposable vinyl dust bags
- Designed for Makita vacuum and dust extraction systems
- Durable and tear-resistant construction for reliable use



STOCK CODE

MAKVC4210B

SIZE

5"



5

## DEWALT DCB184 18V 5.0AH BATTERY

- DeWalt DCB184-XJ 18V 5.0Ah XR Li-Ion Battery – High-capacity 18V lithium-ion battery delivering 66% more runtime than 3.0Ah packs
- LED charge indicator
- Overload protection
- Lightweight design compatible with all DeWalt 18V XR tools



STOCK CODE

DEW18V5AB



1

## VC3012M M CLASS DUST EXTRACTOR



- Push and clean system: takes just seconds to clean the filter
- Washable PET cartridge filter protects turbine by holding back fine dust and debris
- Robust plastic container with 2 wheels and 2 castors for excellent stability and mobility
- The motor head design integrates an area for tool storage during use and transportation
- Innovative hose storage solution with two clamps on the backside of the tool box
- Power cable storage with 3 fixation points on the motor head and tool box
- Floor nozzles and extension tubes can be fixed onto the body for convenient storage
- Automatic On/Off function: machine activates when a connected power tool is used. 240V only
- Lightweight plastic container
- Air flow sensor beeps when air flow is reduced by clogged filter, full tank etc
- Approved for Dust Classes M in accordance with the EU standard

STOCK CODE

MAKVC3012M

CAPACITY

30 L



1

## DEWALT LI-ION BATTERY CHARGER

- DEWALT DCB107 Multi-Voltage Charger for XR Li-Ion DEWALT 10.8, 14.4 and 18 Volt slide pack batteries uses the DEWALT 2 stage charging system.
- Diagnostics with a bright LED indicator communicates battery charge status



STOCK CODE

DEWLIC



1

**BL1850B 18V LI-ION 5.0AH BATTERY**

- Integrated L.E.D. battery charge level indicator allows user to monitor battery charge
- Battery delivers consistent power and run time in extreme temperatures, even in winter (-4°F/-20°C)
- Equipped with a battery Protection circuit to protect against overloading, over-discharging and overheating.



STOCK CODE	
MAK18VBAT	1

**DC18RC COMPACT CHARGER**

**TO SUIT 18V AND 14.4V LXT SLIDE BATTERIES**

- The DC18RC will charge 18v and 14.4v LXT slide batteries in the below times:  
 3.0Ah/22 min.  
 4.0Ah/36 min.  
 5.0Ah/45 min.  
 6.0Ah/55 min.



STOCK CODE	
MATDC18RC	1

# THE SELKENT GLOVE RANGE

ENGINEERED FOR PERFORMANCE, PROTECTION, AND PRECISION.



SEE PAGES 262-263

CONTACT OUR SALES TEAM FOR MORE INFORMATION [sales@selkent.com](mailto:sales@selkent.com)

HAND TOOLS, POWER TOOLS & ACCESSORIES



AJ

AK

AL

# SAFETY & PPE



## 6 POINT HARNESS SAFETY HELMETS

- EN 397 CE, EN 50365 CE
- Material: HDPE
- Head harness: Slip Ratchet
- Points harness: 6
- Class: 0
- Electrical protection: Up to 1000V AC and 1500V DC (low voltage installations)
- Sweatband included



COLOUR	White	Black	Blue	Orange	Yellow	
STOCK CODE	HELWH01	HELBK01	HELBL01	HELOR01	HELYL01	10

## EVOLITE VENTED STANDARD PEAK SAFETY HELMETS

### ONE TOUCH™ SLIP RATCHET

- Conforms to EN 397 industrial helmet standard
- Lightweight industrial safety helmet; Weighs as little as 300g (Model dependent)
- Tough ABS shell
- Precision fit with unique 1-2-3 point harness depth adjustment
- Revolution® Wheel Ratchet



COLOUR	White	Black	Blue	Orange	Yellow	
STOCK CODE	107214	107215	107216	107218	107219	10

## WINTER HELMET LINER

- 2-Layer Poly/Fleece: Shell 100% polyester with PU coating, lining 100% poly fleece
- Hook and loop chin strap
- Regular length



STOCK CODE	
107339	12

## HELMET LANYARD

- Prevents dropped and falling objects
- Constructed using high grade elasticated webbing
- Lightweight and comfortable
- Ergonomic and versatile
- Quick and easy installation
- Retail box which aids presentation for retail sales
- Pack of 10



STOCK CODE	
HLAN01	10

## HELMET SAFETY TAG

Easily fitted to the exterior of any helmet, the ICE hard hat ID tags with data window provide first aiders and medical personal with immediate access to vital life-saving information.



STOCK CODE	SIZE	
ICETAG	70mm x 15mm	10

## 4 POINT TYPE CHIN STRAP

- Easy to connect to helmet
- Chin cup



STOCK CODE	
4CSTRAP	10

### COMFORT EAR DEFENDER

- SNR 25db
- CE EN352-1



STOCK CODE		
107196		1

### EAR DEFENDER

- Conforms EN352-1 : 2002, (DIN EN 352 : 2003)
- CE Certified
- Individually packed in a polybag with header card



STOCK CODE		
107195E		1

### HELMET MOUNT EAR DEFENDERS

- Alienor-Certification, 21 Rue Albert Einstein, 86100 Châtelleraut, France
- Notified Body No. 2754
- EN352-1:2002



STOCK CODE		
HMED		1

### JSP SONIS 1 HELMET MOUNT EAR DEFENDERS

- 26dB SNR
- Conforms to EN 352-3
- Adjustable steel arms



STOCK CODE		
JSPHMEDS1		1

### EARPLUG DISPENSER & REFILL

#### DISPENSER

- Free standing or wall mounted
- Robust design
- Easy twist action dispenser
- Bottle rotates and unscrews easily for refilling
- Contains 500 pairs of distinctive hi-vis foam disposable ear plugs

#### REFILLS

- Foam disposable ear plugs
- Conforms to EN352-2:2002
- SNR 39db, H=38, M=37, L=34

STOCK CODE	DESCRIPTION	
107198	Dispenser 500 pairs	1
107199	Refill 500 pairs	1



SAFETY & PPE

## CORDED EARPLUGS

- Extreme SNR 34dB rating
- Sold in boxes of 200, individually packed pairs
- Corded option allows for easy storage when not in use
- EN352-2:2002



STOCK CODE

107200



1

## PREMIUM EAR PLUGS

- Orange Soft Foam PU Earplugs
- Extreme SNR 39dB rating
- Individually packed pairs - 200 pairs
- EN352-2:2002



STOCK CODE

107018P



1

## UVEX COMPLETE CLEANING STATION FOR EYEWEAR

- Ideal for workplaces where there are multiple workers
- Dimensions: W 340mm x L 480mm x H 165mm
- Cleaning tissues (4 boxes of 450) - non-abrasive & highly absorbing
- 1 x 16oz bottle of cleaning fluid (specially designed for anti-fog & scratch-resistant coatings)
- Mirror



STOCK CODE

UVECS01



1

## EYE WASH POD STATION

- 8 X 20ml pods
- 2 X no 16 eye pad dressings
- With mirror



STOCK CODE

EWSM



1

## EYE WASH SALINE PODS

- Sodium Chloride 0.9%w/v Ph.Eur.
- For minor eye injuries
- Sterile, safe, and non-toxic
- 20 ml
- Box of 25



STOCK CODE

EWS20ML



1

## DIRECT VENT GOGGLES

- Soft PVC frame with polycarbonate lens
- Direct ventilation
- Approved to CE EN166

STOCK CODE	COLOUR	
107204	Clear	10



## UVEX ULTRASONIC GOGGLES

- Lightweight sporty ski goggle design
- Permanent anti-fog coating on the inside of the lens
- Scratch-resistant coating on the outside for increased durability
- Soft seal adapts to wearer's face
- Soft material aids compatibility with respirators and other items of PPE
- Wide fully adjustable head strap
- Can be worn over most prescription spectacles
- Conforms to EN166 1B 349 KN

STOCK CODE	COLOUR	
UVEGC02	Clear	4



## B-BRAND PREMIUM GOGGLES

- Wide vision lens
- Unvented
- Soft and flexible for extra comfort
- Adjustable wide headband
- Conform to EN166
- Optical Class:1
- B - (Medium impact energy)
- 2-1.2 - UV Filter
- Fields of use: 9 Molten metal and hot solids


STOCK CODE	COLOUR	
BBPGAF	Amber	1



## BOLLÉ BL10 SAFETY GLASSES

- Safety glasses with clear lenses are essential indoors
- Bollé Safety clear lenses provide 90% light transmission
- Compatible with the PLATINUM anti-fog coating

STOCK CODE	COLOUR	
BL10SC	Clear	10



## SAFETY VISITORS OVER-SPECTACLES

Designed with a moulded-in brow guard and vented side shields, the PW30 offers excellent protection and comfort. Manufactured using tough impact resistant polycarbonate. Metal free.

### FEATURES

- Single panoramic lens glasses
- Excellent side protection
- Transparent colour for better side visibility
- Suitable for wearing over most prescription glasses
- Moulded side shield and browguard for optimised protection against impacts
- Anti-scratch coating for added durability
- 99% UV protection
- CE certified
- Individually packed for vending machines
- Retail bag which aids presentation for retail sales



STOCK CODE	COLOUR	
OVERSPEC	Clear	10

## BETAFIT MONTANA SAFETY SPECTACLES

- Offers comfortable all-round protection
- Optical Class 1, highest quality clear vision polycarbonate lens
- Mechanical Strength F - low energy impact protection from high speed particles.
- Anti-Scratch coated, single-piece lens
- Soft-grip bi-polymer arms for optimum comfort and grip
- Eye-wear retainer cord included as standard
- Tested and CE Approved to BS EN166 1 F:2002



STOCK CODE	COLOUR	
107370	Clear	12
107371	Tinted	12

## CONTOURED SAFETY GLASSES

- For great comfort and excellent protection, take a look at our essential E10 safety glasses
- With a choice of two lenses, you're sure to find a product to suit the task at hand
- Scratch-resistant polycarbonate lenses
- Lightweight design
- Conforms to EN 166
- Conforms to EN 172 (Smoke only)



STOCK CODE	COLOUR	
107020	Clear	12
107019	Smoke	12

## BOLLÉ CONTOUR SAFETY GLASSES

- Ultra-lightweight
- Non-slip bridge
- Thin TIPGRIP temples for better support
- Anti-scratch
- Anti-fog
- Lens marking 2C-1,21 FT KN CE
- Frame marking EN166 FT
- Supplied with microfibre pouch



STOCK CODE	COLOUR	
107208	Clear	10
107209	Smoke	10

### LENS CLEANING TISSUES

- Highly absorbent, non abrasive low lint tissues
- Pack of 450 tissues
- Formulated specifically for uvex lens coatings
- Recyclable cardboard pack



STOCK CODE	
UVECT01	36

### LENS CLEANING SOLUTION

- Uvex lens cleaning fluid 16oz
- Specifically designed for polycarbonate lenses



STOCK CODE	
UVECF01	9

### DISPOSABLE GLOVES



#### POWDER FREE BLUE NITRILE

STOCK CODE	SIZE	
BNG8M	8M	1000
BNG9L	9L	1000
BNG10XL	10XL	1000

#### LATEX POWDERED

STOCK CODE	SIZE	
LATG8M	8M	1000
LATG9L	9L	1000
LATG10XL	10XL	1000

### ANTI VIBRATION GLOVES

- Foam latex coated soft padded palm. Closely knitted for breathability. Reduced effects of vibration when working
- EN ISO 10819:2013
- EN388:2003 (4242)
- EN388:2016 (4142X)
- EN420:2003+A1:2016



STOCK CODE	SIZE	
AVG9L	9L	50
AVG10XL	10XL	50

### GRIP GLOVES

- EN ISO 21420:2020
- EN388:2016+A1:2018 (2121A)



STOCK CODE	SIZE	
GG9L	9L	120
GG10XL	10XL	120

### FINGERLESS PU GLOVES

Partially fingerless glove with black PU palm coating on red Nylon shell.

- EN388:2003 (4121)
- EN388:2016 (3131X)
- EN420:2003+A1:2016



STOCK CODE	SIZE	
FLPUG9L	9L	120
FLPUG10XL	10XL	120

SAFETY & PPE

## SELKENT PU COATED CUT RESISTANT GLOVES

### CUT LEVEL A

- 100% Polyester liner
- Polyurethane (PU) coated palm
- Seamless knitted construction
- Elasticated knit wrist
- EN 388:2016 + A1:2018 (3 1 4 1 X)
- Level 3 – Abrasion Resistance
- Level 1 – Blade Cut Resistance
- Level 4 – Tear Resistance
- Level 1 – Puncture Resistance
- Level X – ISO 13997 (TDM) Cut Resistance

#### CUT LEVEL 1

STOCK CODE	SIZE	
PUG8M	8M	120
PUG9L	9L	120
PUG10XL	10XL	120

### CUT LEVEL B

- Level B cut resistance EN ISO 13997
- 13-gauge HPPE, Nylon, Spandex liner for a perfect ergonomic fit
- Smooth PU coating for increased abrasion resistance
- Palm-dipped design for enhanced dexterity and ventilation
- Low-risk cut protection
- Breathable seamless liner for long-term comfort
- ANSI Cut Level A2

#### LEVEL B (CUT 3)

STOCK CODE	SIZE	
PUGC38M	8M	120
PUGC39L	9L	120
PUGC310XL	10XL	120

### CUT LEVEL D

- Level D cut-resistant liner with PU coating
- Seamless HPPE, glass fibre, polyester and spandex liner
- Excellent economical solution offering high cut protection
- Smooth PU coating provides strong grip and high abrasion resistance
- Cut Level D (Cut 5 equivalent) protection against sharp edges and materials
- EN388:2016 Rating 4.4.4.3.D

#### CUT LEVEL C (CUT 5)

STOCK CODE	SIZE	
PUGC58M	8M	120
PUGC59L	9L	120
PUGC510XL	10XL	120



## SELKENT NITRILE GLOVES

- 13-gauge seamless polyester liner for comfort, ventilation, and flexibility.
- Smooth nitrile-coated palm and fingers offering grip and enhanced abrasion resistance.
- Ventilated back for improved breathability during extended use.
- Lightweight and ergonomic design ensuring excellent dexterity.
- Abrasion resistant >8000 cycles.
- EN 388:2016 + A1:2018
- EN ISO 21420:2020

STOCK CODE	SIZE	
NITG8M	8M	120
NITG9L	9L	120
NITG10XL	10XL	120
NITG11XXL	11XXL	120



## SELKENT WATERSAFE GLOVES

### CUT LEVEL GLOVE 1

- 15-gauge blue nylon liner
- Dual-layer latex coating
- Waterproof to the wrist
- Superb wet or dry grip from sandy foam latex palm
- Knit wrist
- Conforms to EN388:2016 – 2141X

STOCK CODE	SIZE	
WSAG10XL	10XL	120
WSAG9L	9L	120



## SELKENT WATERSAFE THERMAL GLOVES

### CUT LEVEL GLOVE 2

- 13-gauge orange polyester outer liner with a 10-gauge acrylic terry thermal inner liner
- Dual-layer latex coating
- Waterproof up to the wrist
- Excellent wet and dry grip from sandy latex palm
- Thermal insulation for cold environments
- Knit wrist
- EN388:2016 – 3341X & EN511:2016

STOCK CODE	SIZE	
WSBG10XL	10XL	120
WSBG9L	9L	120



## LATEX THERMAL GLOVES

- Polyc Matrix Hi Viz Thermal Work Gloves
- EN388:2016 Protection against mechanical hazards
- Resistance to Abrasion (0-4): Level 2
- Coup Cut Resistance (optional test) (0-5): Level 1
- Tear Resistance (0-4): Level 4
- Puncture Resistance (0-4): Level 1
- Straight Blade Cut Resistance (A-F): X
- Impact Resistance (optional test)
- EN511 Protection against cold
- Convective Cold Resistance: N/A
- Contact Cold Resistance: Level 1
- Water Permeability: N/A
- Seamless thermal hi-vis liner with flexible latex palm coating
- Specially designed for use in the cold
- Fleecy lining offers great warmth and cold protection
- Crinkle finish on palm and fingers for excellent grip in wet and dry conditions
- Breathable liner for greater comfort and warmth
- Elasticated knitted wrist provides a secure fit and keeps hands free from debris
- Mechanical Hazards EN388 2.2.4.1

STOCK CODE	SIZE	
THG9L	9L	120
THG10XL	10XL	120



## SELKENT RED PVC GLOVES

- Durable PVC construction
- Strong abrasion & oil resistance
- Grip in wet, dry & oily conditions
- Comfortable cotton liner
- Snug knitted cuff
- Chemical splash resistance
- EN388: 3121A certified



STOCK CODE	SIZE	
RPG9L	9L	120
RPG10XL	10XL	120

## HOUSEHOLD RUBBER GLOVES YELLOW



STOCK CODE	SIZE	
HRYGG8M	8M	100
HRYGG10XL	10XL	100

## RED PVC GAUNTLET GLOVES

A tough, flexible red PVC coating on a soft interlock lining. The flared cut of the gauntlet eases removal while the gauntlet style provides added protection to the wrist and lower arm areas. Overall length is 35cm / 14 inch. Economical multi-purpose glove for general handling in wet or oily conditions. Fully REACH compliant and Phthalate free formulation.



- Standard red PVC, 14 inch gauntlet.
- Designed for easy removal
- Extra wrist protection
- Ideal in wet and oily conditions
- Sanitized@ hygiene function
- Phthalate free
- EN388:2003 4111, EN388:2016 4111X, EN420:2003+A1:2016

STOCK CODE	
RPGG14	12

## WELDING GAUNTLETS

- EN12477 Type A welding protection
- Premium quality leather welding gauntlet
- Reinforced palm and thumb area
- Para-Aramid stitching throughout for extra durability
- Superb abrasion and tear resistance
- Ideal for welding and metal handling
- CE certified
- ANSI abrasion level 4
- UKCA marked



STOCK CODE	
GAUW14	120

## KEVLAR YELLOW WRIST PROTECTOR

- Level D cut resistance
- 13 gauge liner for a perfect fit
- Superior cut and heat resistance
- 14 inch (35cm) cut resistant protective tubular sleeve
- ANSI cut level A4



STOCK CODE	SIZE	
KWP14L	14"	1

**CONTACT OUR SALES TEAM**

 **020 8699 6777**

 **SALES@SELKENT.COM**

 **WWW.SELKENT.COM**

### CHUKKA SAFETY BOOTS

Steel toe cap, protective steel midsole, leather upper with padded collar, double density PU shock absorbent sole, fully moulded and removable insole, wide fitting, safety rating EN20345 SB-P SRA.



SIZE	6	7	8	9	10	11	12
STOCK CODE	107153	107154	107155	107156	107157	107158	107159

### SAFETY WELLINGTON BOOTS

Steel toe cap, protective steel midsole, kick spur for easy removal, reinforced toe cap area for added durability, pvc nitrile construction, washable nylon lining, safety rating EN20345 S5 SRC.



SIZE	6	7	8	9	10	11	12
STOCK CODE	107180	107181	107182	107183	107184	107185	107186

# THE SELKENT GLOVE RANGE

ENGINEERED FOR PERFORMANCE, PROTECTION, AND PRECISION.



SEE PAGES  
262-263

CONTACT OUR SALES TEAM FOR MORE INFORMATION [sales@selkent.com](mailto:sales@selkent.com)

SAFETY & PPE

## SELKENT LARGE KINETIC DISPENSER

The kinetic automatic large bootcover dispenser is designed for moderate to high volume areas where safety, speed and compliance are essential. Its unique, sturdy design allows workers to put on boot covers quickly, easily and safely.

### FEATURES & BENEFITS

- High volume capacity (110 pairs/220 covers)
- Hands free operation
- Reduced application time
- Increased worker safety & compliance
- Reduced contamination and errors
- Easy to clean
- Requires no electricity
- Portable

### APPLICATIONS

- Construction
- Manufacturing
- Clean Rooms
- Food Processing
- Healthcare
- Pharmaceuticals
- Energy

### SIZE ASSEMBLED

- Height: 890mm
- Length: 750mm
- Width: 320mm
- Weight: 23kg



### STOCK CODE

OVEBTDIS



1

## REFILL FOR LARGE KINETIC DISPENSER

### CPE COVER

Constructed of a durable spunbound polypropylene base-layer and coated with a heavy-duty layer of CPE. The waterproof CPE layer, extra deep design and durable CPE coating make this cover an ideal solution for users who require non-skid and anti-static covers for the larger work boot.


- Material: Base: Spunbound polypropylene, Bottom: CPE, Seams: Heat sealed
- Colour: White with Blue coating at base
- Other: Waterproof, non-skid, anti-static

### STOCK CODE

OVE2100



1100



## DISPOSABLE OVERSHOES

- High quality overshoes
- Elasticated for extra grip around shoes
- Anti-slip textured surface at the bottom
- Tear resistant
- Waterproof
- Ideal for decorating to protect carpets and flooring
- Lightweight polyethylene shoe covers

### STOCK CODE

OVE100B



100

OVE1000B

1000

OVE1000

2000



## AUTOMATIC OVERSHOE DISPENSER

The automatic shoe covers design is to improve hygiene by automatically fitting a sleeve over your footwear to reduce germs and infections.

This easy to load and stylish shoe cover dispenser comes complete with 100 covers and refills are available to purchase.

Fits up to shoe size 13 - or boots up to size 12

L=4020mm, W=220mm, H=130mm

Simply push your foot into the dispenser and a sleeve will automatically be placed on your shoe.

### STOCK CODE

OVEDIS



1



**PREMIUM GEL KNEE PADS**



STOCK CODE	
107211	8

**HARD CAP KNEE PADS**



STOCK CODE	
HCKP	1

**HI-VIS VESTS**

- Hi visibility waistcoat
- 100% polyester
- Hook and loop fastening
- Retro-reflective tape
- 2 x body bands
- 2 x braces
- EN ISO 20471
- Class 2 high visibility

SIZE	Colour	M	L	XL	XXL	
STOCK CODE	Yellow	107222	107223	107224	107225	1
	Orange	107227	107228	107229	107230	1



**HI-VIS OVER TROUSERS**

- 300D polyester PU coated fabric
- Waterproof taped seams
- Elasticated waist
- Confirms to EN471 class 1

SIZE	Colour	M	L	XL	XXL	
STOCK CODE	Yellow	107302	107303	107304	107305	1
	Orange	107307	107308	107309	107310	1



SAFETY & PPE

## HD WET SUIT JACKET & TROUSER

Manufactured in lightweight nylon with PVC waterproof coating to the inside surface, fully taped seams. Jacket with full zip front opening with attached hood/drawcord fully retractable into 'mandarin' collar, two lower front pockets concealed under wide flap, hip drawcord.

Trousers with elasticated waist, through access pockets and adjustable stud fastening at ankle.

### JACKET

- Lightweight nylon with PVC coating to the inside
- Zip front
- Concealed Hood
- lower front pocket with flaps
- Studded cuffs
- Hip drawcord
- Fully taped seams

### TROUSERS

- Elasticated waist
- Access to pockets
- Stud fastening to ankles
- Fully taped seams



SIZE	Colour	M	L	XL	XXL	
STOCK CODE	Yellow	HDWSM	HDWSL	HDWSXL	HDWSXXL	20
	Orange	HDWSORGM	HDWSORGL	HDWSORGXL	HDWSORGXXL	20

## COVERALL WITH REFLECTIVE STRIPS

### ORANGE

This SMS coverall features Hi-Vis reflective tape for enhanced visibility at night or in dim lighting conditions. This trilaminate constructed fabric offers a high tensile strength and toughness. It provides a fluid and particulate barrier to protect the worker without hindering mobility and comfort.

- Provides an effective barrier against particulates, aerosols and light sprays
- Anti-static
- Reflective tape for increased visibility
- Designed with a comfort fit
- Elasticated cuffs for a secure fit
- Ergonomically shaped hood for a perfect fit
- Two-way zip for quick and easy access
- CE certified, CE-CAT III
- Shell Fabric : BizTex SMS 55g

STOCK CODE	SIZE	
107342	M	50
107343	L	50
107344	XL	50
107344	XXL	50



## FLAME RETARDANT REFLECTIVE TAPE COVERALLS

### ORANGE

- 300 gram 100% cotton drill fabric with flame retardant treatment
- FR reflective tape. (Nordic Pattern)
- Concealed stud front to neck
- One left breast pocket with flap
- Two front hip pockets
- Knee pad pockets
- Plain back and hips
- ISO11611: 2007 Class 1 A1 - Protective clothing for use in welding
- ISO11612: 2008 A1, B1, C1 - Protection against heat and flame

STOCK CODE	SIZE	
FRRCOVOR48	48"	10
FRRCOVOR50	50"	10



## PREMIUM DISPOSABLE COVERALLS

This SMS coverall is generous fitting and easy to put on over work clothes. Offers excellent protection to Type 5 & 6. High tear and abrasion resistance make it highly durable. Features include elasticated hood, wrists, waist and ankles.

- Highly breathable SMS fabric
- Provides an effective barrier against particulates, aerosols and light sprays
- Anti-static
- Two-way zip for quick and easy access
- Sealable zip storm flap for extra protection
- Elasticated hood, ankles, cuffs and waist
- CE-CAT III
- Ergonomically shaped hood for a perfect fit
- CE certified
- Retail bag which aids presentation for retail sales
- Shell Fabric : BizTex SMS 55g



SIZE	Colour	M	L	XL	XXL	
STOCK CODE	White	107315	107316	107317	107318	50



## FALL ARREST INERTIA REEL

- G-Force Retractable Type Fall Arrester
- For vertical and horizontal use
- **IMPORTANT** - When using horizontally it should be used in conjunction with G-Force AZ800 wire lanyard
- Maximum load 140kg
- Length 2.4 mtrs
- Fitted with, AZ 011 carabiner for connecting to a suitable anchor point
- Safety hook with auto locking trigger and swivel for connecting direct to the safety harness
- The WR 025 consists of a compact shock absorber, top swivel for flexible movement, webbing retractor with brake inside a tough plastic case and 17mm wide heavy duty webbing
- Conforms to EN 360 2002
- 12 Months warranty
- Made in the EU



STOCK CODE	SIZE	
FALLA06	2.4m	1

## KRATOS TOGGLE ANCHOR

- Designed to be installed quickly on horizontal steel surface very quickly thanks to pressure button that selects the function open or lock
- A hole of 21 to 30 mm is needed for the installation
- Minimum breaking strength: 23 kN
- Material: Steel & stainless steel
- Total dimension: 50cm
- Weight: 1.25kg
- Conforms to : EN795:2012 Type B



STOCK CODE	SIZE	
1600	50cm	1

## COIL TOOL LANYARD

- Coiled tool lanyard with single carabiner securely tethers hand tools, hard hats and other small gear to prevent them from becoming dangerous dropped objects when working at heights. With a manual locking screw gate aluminum carabiner on one end and a flexible tethering loop on the other, this versatile coil lanyard provides a variety of options for secure connection to anchor points as well as captive holes or retrofitted attachment points on tools. The low-profile coil design stays out of the way to reduce snag or tangle hazards. Tested and approved to ANSI/ISEA 121 for dropped object prevention.
- This coiled lanyard is ideal for construction, telecom, oil and gas, power generation, utilities, wind, manufacturing, municipalities and scaffolding
- **TESTED TO BE TRUSTED**
- Rigorously tested and approved to the ANSI/ISEA 121-2018 standard and third-party certified to 2 lb / 0.9kg maximum capacity with a 2:1 safety factor to prevent falling objects
- All tool lanyards are built to withstand defined weight limits and are easy to use by any worker to avoid accidental dropped objects that could cause damage, injuries or possibly death. Safety lanyards are a part of an overall fall protection plan to reduce the risk of falling objects and increase workplace safety
- **MEETS ANSI/ISEA 121-2018** – Third-party certified to 2 lb / 0.9kg maximum working capacity with a 2:1 safety factor
- **SECURELY TETHER TOOLS & HARD HATS**– Flexible loop end connects to captive holes or retrofit attachment points on tools and accessory slots on hard hats to prevent drops

- **MANUAL LOCKING SCREW GATE ALUMINUM CARABINER** – For easy, secure attachment to tools and anchor points (belts, d-rings, etc.)
- **LOW-PROFILE COIL LANYARD** – Reduces snag or tangle hazards
- **DURABLE** – Plastic coil and aluminum carabiner are built to withstand harsh conditions
- **LANYARD DIMENSIONS:** 12-48 inch / 30-122cm



STOCK CODE	SAFE WORKING CAPACITY	
CTLAN	2 lb / 0.9kg	6

### WRIST TOOL LANYARD

- Adjustable wrist lanyard tethers tools limiting the distance of a dropped tool and reduces snag hazards.
- Approved to the ANSI/ISEA 121-2018 standard
- Polyester webbing cuff secures to wrist
- Energy absorbing ribbed pull cord
- Adjustable loop with barrel lock for tool attachment
- Short length improves the drop clearance needed
- Wrist Measurement: S/M 5 inch / 13cm - 7 inch / 18cm
- Tether length 7.5 inch / 19cm
- Maximum safe working capacity: 2 lb / 0.9kg
- Third-party certified to a 2:1 safety factor



STOCK CODE	SIZE	
TLAN03	L/XL	1

### TOOL LANYARD

- The bungee tool lanyard is manufactured from heavy duty elasticized webbing for maximum safety, providing excellent tool height safety and protect tools from falling during work at height
- Light weight, full anodised aluminium carabiner
- Extended product life with high strength wear resistant webbing, strong and durable
- Unique serial number for easy identification and tracking
- 2.5cm width nylon webbing is with reflective line
- Dimension: Standard: 35"-45" / 89cm-107cm Extended: 42"-54" / 106cm-137cm
- Max load: 8kg



STOCK CODE	SIZE	
TLAN01	Standard: 35"-45" / 89cm-107cm Extended: 42"-54" / 106cm-137cm	1

### COILED LANYARD WITH HOOK

- The Coil Lanyard is multipurpose and the elastic cord easily stretches to facilitate any normal cutting motions.
- It can also be attached to a work station to keep the tool close at hand.
- Attaches to, utility knives and holsters
- Helps increase retention rates and prevent tool loss
- Stretches to 48 inch / 120cm
- Elastomeric coil cord



STOCK CODE	
TLAN04	5

### STEEL CARABINER

- Steel screw-locking carabiner
- Material/Composition: Alloy Steel
- Gate opening: 17mm
- Minimum breaking strength: 25kN
- Conforms to EN362:2004 Class B




STOCK CODE	
KAR01	10

SAFETY & PPE

## RESTRAINT LANYARDS

- 12mm Kernmantle rope with snap hook at one end and scaffold hook at the other end
- Loops protected by abrasion resistant thimbles
- Stitching protected by strong transparent sleeve
- Minimum breaking strength 22 kN
- Conforms to: EN 355

STOCK CODE	SIZE	
FALLA01	1.5m	1



## SHOCK ABSORBING WEBBING LANYARD

- 30mm wide webbing lanyard
- 35mm webbing shock absorber
- Karabiner at one end and scaffold hook at the other end
- Loops protected by abrasion resistant tubular webbing
- Conforms to EN 355:2002 and tested as per VG 11 of PPE Directive 89/686/EEC

STOCK CODE	SIZE	
FALLA02	1.8m	1



## TWIN ELASTICATED LANYARD WITH CARABINER SCAFFOLD HOOKS

- Very popular elasticated webbing lanyard for the scaffolders, construction industry, plant maintenance, roof maintenance. Twin legs ensure the worker is always attached at all times whilst moving from anchor to anchor. Includes a carabiner at the harness end and scaffold hooks at the anchorage end. Stay safe at all times with a double lanyard for continuous attachment to anchor points, providing a fool proof fall arrest system
- Total extended length is 1.5m/1.8m
- The shock absorber will tear to absorb the energy in the event of a fall
- Carabiner and scaffold hooks rated to 20kN
- Webbing Breaking strength 25KN
- Static Strength 22KN

STOCK CODE	SIZE	
FALLA03	1.5m/1.8m	1



## NLG SMALL NON CONDUCTIVE D RING

The Non-Conductive D Ring Tool Tether is an easy-to-use tether point designed to create a metal-free attachment point on small hand tools. As part of our Instant Tether System™ when paired with Tether Tape™ it is easily fitted to tools to create a secure tether point to attach a tool lanyard.



STOCK CODE	
NLG10214	1

## NLG SHORT COIL TOOL LANYARD

The NLG Short Coil Lanyard is the tool lanyard of choice for workers using tools up to 3kg. Designed to be used in conjunction with the NLG Adjustable Wristband it allows the tools to be very quickly connected and disconnected.



STOCK CODE	
NLG20114	1

### NLG GO BUNGEE TOOL LANYARD

The NLG GO™ Bungee Tool Lanyard provides excellent value and performance. The sturdy double-action carabiner and cord loop allow for easy yet secure attachment to your tool and anchor point, whilst the low resistance makes it comfortable for all-day use.



STOCK CODE		
NLG20215		1

### NLG TETHER LOOP

Tether Loops™ are a simple easy-to-install solution to create a secure tether point on tools with a captive hole such as a hammer, saw or spanner. Consisting of a tough steel core with an anti-puncture sleeve they are perfect for harsh and dirty work environments.



STOCK CODE	SIZE	
NLG10311	120mm	1
NLG10312	150mm	1

### NLG HELMET LANYARD

The Helmet Lanyard is a lightweight and integrated tethering solution for one of the most commonly dropped objects, the hard hat. The hi-vis neoprene design makes it as visible as it is comfortable.



STOCK CODE		
NLG20711		1

### NLG D RING TETHER

The Small D Ring Tool Tether is an easy-to-use tether point designed with small hand tools in mind.



STOCK CODE	SIZE	
NLG10211	Small	1
NLG10212	Large	1

### NLG COIL TOOL LANYARD

The Short Coil Tool Lanyard, Quick Clip™ features an ultra-compact durable design that is ideal for use with a wristband or in confined spaces. Equipped with 360° Quick Clips™ that provides anti-tangle functionality and allows for effortless connection even when wearing gloves.



STOCK CODE	SIZE	
NLG20111	Short	1
NLG20113	Lightweight	1

### NLG TETHER TAPE

Tether Tape™ uses advanced self-fusing silicone technology to create a load-rated tether point on a tool in seconds. Due to its design, it doesn't use any adhesive so doesn't leave any residue behind when removing it from the tool..



STOCK CODE		
NLG60111		1

SAFETY & PPE

## 1 POINT COMFORT HARNESS

- High comfort soft webbing
- Single Point Harness with Standard Buckles
- General purpose harness with rear D-ring attachment point
- Adjustable chest-strap and thigh-straps; for easy adjustment
- Ideally positioned sit-strap for extended comfort
- Suitable for general tradesmen, construction workers, roofing, vertical climbing and access equipment
- EN 361
- Webbing Breaking strength 25kN
- Static Strength 15kN
- Rated to 140kg

STOCK CODE



FALHATC

1



## FULL SAFETY HARNESS

- Multi-Purpose Harness
- Complies with EN 361 Standard
- 1 dorsal and sternal "Forged D clip"
- 4 adjustment points
- Sub-pelvic strap
- No lanyard with this harness

STOCK CODE



FALHAF

1



## VERSATILE HARNESS WITH 2 ATTACHMENT POINTS

- There are primary anchor attachment points and the Fall Arrest points are marked on the harness with an "A".
- Adjustable chest, waist and leg straps for superior fit and comfort.
- 45mm chest strap with metal buckle gives the harness further strength.
- 2 designated attachment loops for unused lanyards to ensure they aren't connected to harness webbing incorrectly.
- Front attachment loops come equipped with carabiner. Branded rubber webbing end helps when adjusting the sizes.
- Packed in a functionally designed drawstring bag.



STOCK CODE



FALHA2

1

## RESTRAINT HARNESS KIT

- Single Point Harness with standard buckles
- General purpose harness with rear D ring attachment point. High comfort webbing
- Suitable for general tradesmen, construction workers, roofing, vertical climbing and access equipment. Simple and effective fall arrest harness for total safety compliance
- EN 361:2002
- 2m Adjustable Webbing Lanyard
- Universal webbing lanyard - adjustable
- 30mm webbing
- 2m maximum length
- EN 358:2000
- Steel screw-gate carabiner
- EN 362
- A durable lightweight drawstring bag, ideal for keeping your kit together



STOCK CODE



HARKIT

1

## JSP® FORCE®8 HALF MASK

- Conforms to EN 140 (Half-mask) & EN 143 (Filters)
- Durable thermoplastic rubber mask for superior fit to most face shapes
- Fully adjustable 4-point cradle suspension
- Low resistance exhalation valve for easy breathing, with stable mask configuration
- Compatible with range of PressToCheck™ filters
- PressToCheck™ filters allow you to check your face fit each time you don the mask
- Replacing filters is more cost effective than using disposable masks

STOCK CODE	DESCRIPTION	
107373	FORCE®8 Half Mask	1
107374	PressToCheck™ - P3 Filters	1



## FFP3 VALVED RESPIRATORY FOLD FACE MASK

- Adjustable nose bridge with foam seal.
- Latex free design
- Colour co-ordinated for easy workplace identification
- Space saving fold flat design and individual packaging.
- Exhalation valve reduces heat build up and minimise breathing resistance
- Tested and certified to EN 149:2001+A1:2009
- Pack of 10



STOCK CODE	
FFP3JSP	1

## FIRST AID KITS



STOCK CODE	FAK10	FAK20	FAK50	
TYPE	10 person	20 person	50 person	1

## FIRST AID KIT - HOUSEHOLD & BURNS

A 45-piece kit supplied in a weatherproof four pocket travel bag with handle and belt clips. Suitable for use in the home and outdoors to treat burns, grazes and cuts.



STOCK CODE	
BFAK	1

## 100 ASSORTED WATERPROOF PLASTERS



STOCK CODE	
PLA100W	1

## A5 ACCIDENT BOOK

- Aids compliance with the data protection act
- By law every business must record accidents to employees and visitors
- Space to record a total of 26 incidents in the A5 Accident Books
- Enables compliance with all requirements of the Social Security Administration Act 1992 and Data Protection Act 2018 (GDPR)



STOCK CODE	
ACCIB	1

## HEALTH & SAFETY LAW POSTER

Employers are required by law to display the HSE Health & Safety Law Poster

- HSE-approved law poster available in A2 or A3 size
- Made from biodegradable encapsulated plastic for durability on site



STOCK CODE	SIZE	
HSLAWA2	A2	1
HSLAWA3	A3	1

# SITE EQUIPMENT & CONSUMABLES



**WHEELBARROW****STEEL GALV**

STOCK CODE	CAPACITY	
WHE90	85 ltr	1

**WHEELBARROW****85LTR WITH SOLID WHEEL**

STOCK CODE	CAPACITY	
WHE85S	85 ltr	1

**PALLET TRUCK**

- Easy manoeuvre
- 210 degrees turning radius
- High quality, fully hydraulic hand pallet truck
- 2.5t Capacity



STOCK CODE	SIZE	
PT2.5T	540mm x 1150mm	1

**PALLET TRUCK  
EXTRA LONG FORKS**

- Fork width 160mm, gap between forks 220mm
- Dual controls. Hand lever and foot pedal
- Easy to manoeuvre with 210 degrees turning radius
- Grease fitting at all pivotal points to ensure trucks long life and easy control



STOCK CODE	SIZE	
PT2TXL	540mm x 1800mm	1

**HEAVY DUTY  
SACK TRUCK**

- Overall height 1140mm
- Toe plate 350mm x 190mm
- Max capacity 315kg



STOCK CODE	
SHT01	1

**LARGE GAS  
BOTTLE TROLLEY**

STOCK CODE	
LGBTDWST	1

**TYRE PRESSURE  
GAUGE**

Tyre Pressure Dial Gauge is an easy to use manual tyre pressure gauge for use with Schrader valves as fitted to all automotive tyres, provides an instant reading of tyre pressure up to a maximum of 60PSI.



STOCK CODE	DIAL GAUGE	
TPG60	60psi	1

## GLASS SUCTION PAD

- Double Glass Sucker 65kg capacity
- Triple Glass Sucker 200kg capacity



STOCK CODE	SIZE	
SUCPADDOUB	Double	1
SUCPADTRIP	Triple	1

## GLAZING SHOVEL

Mainly used for the professional installation of insulated glazing units to toe & heel to prevent dropping and dragging. The shovel is manufactured from a heavy duty plastic compound and measures approx. 255mm in length by 69mm wide.



STOCK CODE	
GLAZSHOV	1

## BOTTLE JACK

High quality and fitted with a unique overload protection system and large base to provide added stability. All stress points are reinforced for durability, and a heat treated extension screw with a serrated saddle provides a generous lifting area, a secure grip and can be adjusted for either a low pickup point or a maximum lift height.

STOCK CODE	SIZE	
BJACK2T	2 tonne	1
BJACK06	6 tonne	1
BJACK10	10 tonne	1
BJACK12	12 tonne	1



## RATCHET STRAP

2 Tonne CargoStraps can be used for wide variety of applications including securing lighter machinery, cars, or timber.



### MEDIUM DUTY - 2 TONNE

STOCK CODE	SIZE	
RAT01	4m	1
RAT02	6m	1

### HEAVY DUTY - 5 TONNE

STOCK CODE	SIZE	
RAT03	4m	1
RAT04	6m	1
RAT05	8m	1
RAT06	10m	1
RAT07	12m	1
RAT08	15m	1

## CAM BUCKLE STRAPS

### SET OF 2

Olympia cam buckle set containing 2 x 25mm x 2.5m (1 inch x 100 inch). Ideal for bundling timber or fencing pins together or as luggage restraints. Strong webbing construction with push fit buckles.



STOCK CODE	SIZE	
CBS01	25mm x 2.5m	1

### 3 WAY SPLITTER 110V

Creates three separate 110V 16amp outputs from one input. Ideal for running multiple power tools, conform to IP44 for water ingress protection.

110 V



STOCK CODE	VOLTAGE	
SPL1103W	110	1

### 4 WAY SPLITTER BOX

16A distribution box, steel cased, 5m of 2.5mm<sup>2</sup> cable with fitted plug.

110 V



STOCK CODE	OUTLETS	
SPL1104	4 x 16A	1
SPL110432P	4 x 16A with 32A plug	1
SPL11043216	2 x 16A and 2 x 32A	1
SPL110432	4 x 32A	1

### 4 WAY SPIDERBALL

- Tough, durable nylon and rubber casing with handy cable management system
- IP44 rating for optimum safety in dusty environments
- BSEN 6500 compliant
- 16A 110V plug and 3m cable
- Dimensions 230mm x 230mm x 190mm
- Weight 2.4kg

110 V

STOCK CODE	OUTLETS	
SPI110B	4 x 16A	1



### TRANSFORMERS

- Tough GRP case to withstand harsh conditions of site use
- Portable power tool transformer

110 V



STOCK CODE	POWER KVA	OUTLETS		
		1	2	
TRA15216	1.5	16A	16A	1
TRA33216	3.3	16A	16A	1

**CONTACT OUR SALES TEAM**

 **020 8699 6777**

 **SALES@SELKENT.COM**

 **WWW.SELKENT.COM**

### SPIDER POD

- Lightweight and portable for easy transport and storage
- Conforms to BS EN 60309 Plug, Standard: BSEN 5733
- Ingress Protection: IP44
- 16A 110V plug and 1.5mm<sup>2</sup> cable

110 V



STOCK CODE	OUTLETS	
SPI110P	3 x 16A	1

### FLY LEADS

Converts a 240V, 16A 3-pin plug to a 240V, 13A 3-pin socket.

240 V



STOCK CODE	DESCRIPTION	
FL24016-13	240V 16A Plug to 13A Socket	10

### TRAILING SOCKETS

Manufactured to BS 1363-2 Standards.

240 V



STOCK CODE	LENGTH	GANG	
TRA4G	5m	4	1
TRA6G	2m	6	1

### FLY LEADS

- Single socket 110V fly lead connects a 32A tool to a 16A lead without the need for rewiring
- Ingress rating IP20

110 V



STOCK CODE	DESCRIPTION	
FL11032-16	110V 16A Plug, 32A Socket	10

### PLUGS & SOCKETS

- Conforms to BS EN 60309 plug
- Ingress protection: IP44

110 V



#### PLUGS

STOCK CODE	SPECS	
PLU16	16A	10
PLU32	32A	10

#### SOCKETS

STOCK CODE	SPECS	
FSOC16	16A	10
FSOC32	32A	10

### TRAILING SOCKET 4 GANG SURGE PROTECTED

- Cable Length: 2m
- Fuse: 13 amp
- Colour: White
- Voltage: 240V

240 V



STOCK CODE	
TRA4G2MS	1

## EXTENSION REEL



STOCK CODE	DESCRIPTION	
EXTR11025	110V - 25m x 1.5mm <sup>2</sup>	1
EXTR1101.5	110V - 50m x 1.5mm <sup>2</sup>	1
EXTR110	110V - 50m x 2.5mm <sup>2</sup>	1
EXTR240	240V - 50m x 1.25mm <sup>2</sup>	1

## TOWER CABLE STAND

- Height adjustable: 1520mm - 2560mm
- Fully portable, highly visible and very stable
- Water or sand fillable



STOCK CODE	
TCS	1

## EXTENSION CABLES

110V lead for use with construction site applications such as work lights, portable transformers, corded hand tools, light industrial and heavy duty, both 16A and 32A leads, IP44.

110 V



## YELLOW - 110V

STOCK CODE	DESCRIPTION	
EXT111514	1.5mm x 16A x 14m	1
EXT111525	1.5mm x 16A x 25m	1
EXT11251416	2.5mm x 16A x 14m	1
EXT112514	2.5mm x 32A x 14m	1
EXT112525	2.5mm x 32A x 25m	1

Heavy-duty trailing lead. This robust trailing lead is fitted with a heavy-duty rubber case, this gives added durability and protection from being drop and dragged around on the ground. Trailing leads are ideal for power tools, transformers etc, as they can be used for giving a much wider work area.

240 V



## BLUE - 240V

STOCK CODE	DESCRIPTION	
EXT231514	1.5mm x 16A x 14m	1
EXT232514	2.5mm x 32A x 14m	1
EXT232525	2.5mm x 32A x 25m	1

## MULTIPURPOSE CABLE HOOK - SKY HOOK

Non-conductive, tough plastic cable hook suitable for electrical cables.



STOCK CODE	
MPCH	10

## TIDI TRIPLE HOOK CABLE HANGER

- Ideal for holding up temporary lighting
- Holds 9 x 110V arctic cables
- Can also be fixed to walls
- Designed to be hung from standard scaffolding, pipe work cable trays, ceiling grids, overhead features or screwed to the wall



STOCK CODE	
TIDIHANGER	1

### PORTABLE LIGHTING

Slim style lamp heads have an impact resistant lens and are rated at IP65 for water and dust ingress protection. Mounted on a sturdy freestanding tubular steel frame with a 'tilt and lock' facility which allows the angle of the lamp to be adjusted to direct the light exactly where it is needed.

**VOLTAGE 230/240V**

- LED Power: 10W
- Lumen Output: 900
- Beam Angle: 120°
- Colour Range: 6500K
- LED Lifetime: 50,000 hours
- LED Type: SMD
- Cable Length 1.5m (1.00mm<sup>2</sup>)

**VOLTAGE: 110/115V**

- Plug: 16Amp
- LED Power: 10W
- Lumen Output: 900
- Beam Angle: 120°
- Colour Range: 6500K
- LED Lifetime: 50,000 hours
- LED Type: SMD
- Cable Length 1.5m (1.00mm<sup>2</sup>)



STOCK CODE	DESCRIPTION	
LIGPOR110	110V 500W	1

### TWIN HEAD LED SITELIGHT WITH ADJUSTABLE TRIPOD

- Diecast housing with tempered glass for robust strength
- Sturdy steel tripod
- IP65 rating
- 2x 20W, 2x 2000lm lights
- Cool white 4000K light
- 3m H05RN-F rubber cable
- Contains a built-in, non-replaceable LED lamp



110 V

STOCK CODE	
LIGHT110	1

### FOLDING PLASTERERS LIGHT LED

- Elite LED plasterers contractors light
- 610mm / 2ft
- 30W 2600 lm
- With 2 x PTO sockets



110 V

STOCK CODE	
LIGP110	1

### YELLOW ARCTIC CABLE DRUM

Rating: 16 Amps, perfect for use as a 110V extension lead as it is resistant to temperatures down to -40°C, the yellow outer sheath also helps for identification as most people associate this colour cable with 110V applications.

- Length 100m
- 1.5mm<sup>2</sup> 3 core



110 V

STOCK CODE	
EXTD110100	1

### 10W LED PORTABLE SITELIGHT

- 10w Outdoor Re-chargeable LED Worklight
- 2200mAh Battery
- Daylight White 6000k
- IP44
- 5 Hours Charge, 4 Hours Sustainability
- Dimensions - 220mm(h) x 150mm(w) x 60mm(d)
- Black / Yellow



110 V

STOCK CODE	
LIGTAS110	1

SITE EQUIPMENT & CONSUMABLES

## FESTOON LIGHTING KIT WITH LED BULBS

Lightweight, robust and have a low heat output which simplifies the site lighting arrangements.

110 V



STOCK CODE	SIZE	
LIGKIT12LED	12m	1
LIGKIT22LED	22m	1
LIGKIT50	50m	1

## FESTOON LIGHTING KIT 10 ES

- Length 22m
- 10 x ES fittings
- 10 x polycarbonate guards
- 10 x ES LED 8W bulbs
- 110V 16A plug



110 V



STOCK CODE		
LIGKIT22		1
LIGLED110BULB	SPARE BULBS	10

## SELKENT LED LIGHT STRIP REEL

The Selkent LED Light Strip Reel range offers a high-performance lighting solution designed for industrial applications. The reel includes 180 double-line SMD 2835 LEDs per meter, a durable white polycarbonate casing an IP67-rated strip for reliable outdoor performance and IP44 connectors. Operating at 110V AC and delivering a bright 4000K neutral white output, the strips ensure uniform, high-quality illumination and can be cut at 0.5m intervals for precise installation.

The only distinction between the two models is that the 25m reel is fully linkable, supplied with both male and female IP44 CEE connectors, allowing it to link directly into another 25m reel for extended runs.

In contrast, the 50m reel is supplied as a continuous strip with one end a plug.

- Industrial Plug & Cable: Heavy-duty H05RN-F rubber cable for safety and durability.
- Linkable Design: IP44 CEE connectors for connection up to 50m.
- High Brightness: Double-line 2835 SMD LEDs with 180 LEDs per meter for uniform.

STOCK CODE	SIZE	
LIGBRIGHT025	25m (Linkable)	1
LIGBRIGHT050	50m	1



### JUMP LEADS

#### 600 AMP

- 3m length
- Jump lead with 10mm insulation
- Supplied in poly bag with euro slot



STOCK CODE	LENGTH	
JUMP600	3m	1

### 910 POWER PACK JUMP START 12/24V

Jumpstart 910 provides vital standby or emergency power for the home, vehicle, business or boat. With its built in air compressor it is also ideal for general leisure use.



STOCK CODE	
JUMPST400	1

### INDUSTRIAL BATTERY



STOCK CODE	TYPE	
BATAA	AA	10
BATAAA	AAA	10
BAT9V10	9V	10

### 6V BATTERY LONG LIFE

6V ideal for road flashing lights, skip lights, large lanterns etc.



STOCK CODE	
BAT6V	12

### LR20 ALKALINE BATTERY

#### PACK OF 12

- Lighthouse high-performance alkaline battery
- Long storage life of up to 5 years



STOCK CODE	
BATLR20	1

### C CELL BATTERY

#### PACK OF 12

- High-quality Energizer® alkaline battery
- Designed for industrial use, long life dependable power



STOCK CODE	
BATC12	1

### D CELL INDUSTRIAL BATTERY

#### PACK OF 12

- High-quality Energizer® alkaline battery
- Industrial use offering long lasting, dependable power



STOCK CODE	
ENGINDD	1

### 9V PLUS POWER +100% BATTERY

- 100% extra life in high-drain applications
- Superior nylon top closure helps prevent batteries from leaking



STOCK CODE	
BAT9V	10

SITE EQUIPMENT & CONSUMABLES

**COMPACT LED HEADLIGHT**

- Beam Distance: 12-19m
- Run Time: 12 hours
- Power: 3 x AAA batteries (supplied)
- Weight 63g
- Output: 40 lumens /150 lumens
- Super bright, wide-angle beam



STOCK CODE

TORHL30



6

**3 FUNCTION LED FOCUS TORCH**

- 3 Watt
- 210 lumens
- 3 AAA Cell alkaline batteries included
- 3 function: High / Low / Strobe
- Run time 6 hours



STOCK CODE

TORHH3



1

**ELITE HIGH PERFORMANCE****800 LUMENS RECHARGEABLE LED TORCH**

- High-performance LED torche, lightweight, strong, durable and reliable designed for outdoor use
- Three operating modes of high, low, strobe with a variable dimming function
- Rechargeable USB powerbank included
- Output: 240/800 lumens
- Beam distance: 45M
- Run time: 8 hours
- Charge time: 5 hours (approx.)
- Size: 154mm x 37mm / 31.8mm
- Weight: 157g



STOCK CODE

TORRBC



1

**FAN HEATER**

- Can be used in two positions, letter box or upright
- Carry handle and safety cut out feature
- 2 heat settings & adjustable thermostat
- Cool fan setting for summer



STOCK CODE

HEA01



1

**CONVECTOR HEATER**

- Power 2kW
- 3 adjustable heat settings



STOCK CODE

HEA05



1

**OIL FILLED RADIATOR**

**2kw**

- 9 Fin
- Three power output settings: 1000W, 1500W, and 2000W
- Adjustable room thermostat



STOCK CODE	
HEA02	1

**DESK FAN 12 inch**

- Three adjustable speed options
- Mesh guard and a sleek modern design
- Head that oscillates and tilts enabling you to direct the fan



STOCK CODE	
HEA03	1

**MAGNETIC RETRIEVAL PEN**

**PULL POWER 2.25kg**

Telescopic shaft extends from 150mm to 685mm.



STOCK CODE	
MAGPEN	1

**POWER NEODYMIUM DISC MAGNET**

**PULL POWER 15KG**



STOCK CODE	SIZE	
MAGDNEO	19mm Ø x 8mm thick x M5 thread hole	1

**HAND MAGNET WITH CARRY HANDLE**

**PULL POWER 11kg**



STOCK CODE	SIZE	
MAGCH	55mm x 20mm	1


**HORSEHOE MAGNET**

**PULL POWER 9kg**



STOCK CODE	SIZE	
MAGROE	40mm x 25mm x 25mm	1

**HORSESHOE MAGNET**



STOCK CODE	SIZE	
MAGHORSE	27mm	1
MAGHORSE3	75mm x 39mm x 8mm	1

SITE EQUIPMENT & CONSUMABLES

## PLANT MAT

The PlantMat® has been designed to offer absorption and total immobilisation of oils and fuels, particularly in high mobility areas.

PlantMat® offers extended features when used in conjunction with Plant Nappy®.



STOCK CODE	SIZE	
PMS440	440mm x 625mm	1
PMM940	940mm x 625mm	1
PML1940	1940mm x 1310mm	1

## PLANT NAPPY

Plant Nappy® sits under a huge range of plant machinery and hand-held equipment to adsorb oil and prevent it from reaching the ground, protecting the environment.



STOCK CODE	SIZE	
PNS500	500mm x 685mm	1
PNM1000	1000mm x 685mm	1
PNL2000	2000mm x 1370mm	1

## PLANT NAPPY LINER



STOCK CODE	SIZE	
PNL500	500mm x 685mm	1
PNL1000	1000mm x 685mm	1
PNLL2000	2000mm x 1370mm	1

## BOOT WASH WITH 3 BRUSH HEADS



STOCK CODE	
BW3B	1

**CONTACT OUR SALES TEAM**

 **020 8699 6777**

 **SALES@SELKENT.COM**

 **WWW.SELKENT.COM**

ENVIROPAD®



- Innovative spill pad locks in hydrocarbons permanently
- Smart polymer turns oil and fuel into solid rubber
- No leaks so no sidewalls or liner required
- Can be safely left out in the rain and jet washed
- Cheaper than nappy-style products
- Best oil retention capacity



Considerate Constructors Scheme  
**BEST PRACTICE HUB**



STOCK CODE	PRODUCT	SIZE	CAPACITY	
GNRENPS	S6 Small	610mm x 460mm	Up to 20.2 ltr oil	1
GNRENPM	M15 Medium	900mm x 690mm	Up to 10.5 ltr oil	1
GNRENPL	L31 Large	1370mm x 910mm	Up to 4.5 ltr oil	1
GNRENPSXL	XL50 X Large	1370mm x 1370mm	Up to 30.4 ltr oil	1
GNRENPSXXL	XXL80 XX Large	2180mm x 1370mm	Up to 44.3 ltr oil	1

SITE EQUIPMENT & CONSUMABLES

## VANTAGE HOUSE

As part of Selkent's wider growth plans, we've opened Vantage House. This investment strengthens our service offering with increased stock capacity and a more efficient pick-and-dispatch operation, helping us support customers nationwide with faster, more reliable delivery and long-term, sustainable growth.

Vantage House,  
Trinity Trading Estate,  
ME10 2PD



## OIL & SEDIMENT DEWATERING FILTERS

- Save £000s on third-party callouts and project delays
- Avoid fines and loss of reputation
- Oil and sediment removed to EA-accepted levels
- Ease of use and fast deployment encourage compliant operations
- Rugged and reusable up to 20 times
- Increase flow rate and capacity using Green Rhino Manifold System



**SEDIMENT FILTER**  
Stay compliant and on schedule with this rugged and reusable filter



**SEDIMENT XL FILTER**  
Our largest dewatering filter for larger volumes of water and sediment



**ECONOMY SEDIMENT FILTER**  
Low-cost but effective filter for low-volume and low-risk applications



**OIL & SEDIMENT FILTER**  
Removes oil sheen as well as sediment



**ULTRA-FINE SEDIMENT & OIL FILTER**  
Finer filtration for sensitive environments

STOCK CODE	PRODUCT	SIZE	CAPACITY	FILTER	REUSE	FLOW RATE	
GNRSDF	Sediment Filter	150cm x 35cm	Up to 20kg	150 µm	Up to 20x	450 ltr/min	1
GNRSDFXL	Sediment XL Filter	150cm x 80cm	Up to 40kg	150 µm	Up to 20x	800 ltr/min	1
GNRSDFE	Economy Sediment Filter	150cm x 35cm	Up to 20kg	100 µm	-	450 ltr/min	1
GNROSDF	Oil & Sediment Filter	150cm x 35cm	Up to 2.5 ltr / 20kg	150 µm	Up to 20x+	300 ltr/min	1

## ENVIROHORN™ DRAIN FILTER

Ø 25cm, 40cm DEPTH



PREVENTS SEDIMENT AND CONTAMINANTS FROM YOUR SITE ENTERING THE DRAINAGE SYSTEM

- Avoid fines
- Eliminate costly and time-consuming drain unblocking
- Water discharged to EA-accepted levels
- Cost-effective, reusable solution
- Instructions printed on the top
- Ideal for house building sites, wheel wash areas, entrances and exits to construction sites, motorway projects

STOCK CODE	PRODUCT	FLOW RATE	CAPACITY	
GNROSDF	Oil & Sediment Filter	130 ltr/min	1 ltr oil, 19kg sediment	1
GNRSDF	Sediment Filter	140 ltr/min	21kg sediment	1


## SPILLAGE GRANULES OIL ABSORBENT

- Suitable for most kinds of workplace spillages
- Cost-effective spillage control solution
- Highly absorbent



STOCK CODE	SIZE	
TSG10	20 ltr	1

## ABSORBENT PADS FOR OIL & FUEL PACK OF 10



These scan absorbent pads absorb oil, fuel and solvents. They have been bonded for additional strength. Ideal for dealing with small leaks and spills.

STOCK CODE	SIZE	
TRA10F	550mm x 450mm	10

### SPILL KIT - OIL ONLY

2 WHEELED BIN



STOCK CODE	SIZE	
SPK120	120 ltr	1
SPK240	240 ltr	1

### SHALLOW DRIP TRAY



This Scan Drip Tray is ideal for catching drips and leaks from vehicles, machinery and hoses. It is made from tough impact resistant plastic, making it durable and long-lasting. Prevents floor contamination and the need for cleaning.

STOCK CODE	SIZE	CAPACITY	
PDTRA12L	520mm x 520mm x 50mm	12 ltr	1
PDTRA24L	1020mm x 520mm x 50mm	24 ltr	1
TRA28D	600mm x 600mm x 70mm	28 ltr	1
PDTRA48L	1020mm x 1020mm x 50mm	48 ltr	1
PDTRA60L	1000mm x 550mm x 150mm	60 ltr	1

### SPILL KIT - OIL ONLY



STOCK CODE	SIZE	
SPK20	20 ltr	1
SPK30	30 ltr	1
SPK90	90 ltr	1



### SPILL KIT

Superior Oil Performance spill kit is filled with superior grade absorbents. The kit absorbs oils and fuels with super-fast absorption and is hydrophobic. This superior oil spill kit is supplied in a UV resistant vinyl holdall and can be stored anywhere.



STOCK CODE	SIZE	
SPI15K	50 ltr	1

### CHEMICAL SPILL KIT



STOCK CODE	SIZE	
SPK50CHEMH	50 ltr	1

SITE EQUIPMENT & CONSUMABLES

## DRUM SPILL / SUMP PALLET

- The 2 drum sump pallet is manufactured from rotationally moulded polyethylene and resists UV rays, corrosion and chemicals. The 2 drum sump pallet is tough, chemical resistant and lightweight and has a removable plastic mesh floor for easy cleaning.
- The 4 drum low profile sump pallet is manufactured from rotationally moulded polyethylene and resists UV rays, corrosion and chemicals. The 4 drum low profile sump pallet is tough, chemical resistant and lightweight and has a removable plastic mesh floor for easy cleaning.

STOCK CODE	LOAD CAPACITY	
DRIP2	2 Drums	1
DRI4P	4 Drums	1



## SPILLSHAK 2 DRUM "ALL WEATHER" SPILL PALLET

The 2 drum SpillShak is a rigid, hard covered, double walled, chemical resistant and weather proof unit that protects liquid containers from theft and damage. The covered unit also prevents sumps from filling with debris or rainwater thus maintaining bund capacity.

STOCK CODE	
AWSP2D	1



## WHEELIE BINS

- Manufactured using a compact injection moulding process, the 1100 ltr and 660 ltr wheelie bins are constructed from high-density polyethylene that offers notable durability and longevity
- Wheelie Bin is designed in accordance of DIN EN 840 and RAL GZ 951/1
- Drop front opening facilitates access to contents for easy emptying and reduces the risk of potential injury due to overstretching or lifting at awkward angles
- Resistant to UV rays, frost, heat and chemicals
- Zinc-plated metal parts are resistant to corrosion
- Suitable for use with all standard lifting devices such as DIN or comb-lifting
- 4 x 20cm quiet running, solid rubber wheels that are capable of 360° swivel

- Features 2 x foot brakes fitted as standard
- Reduce storage space and transportation costs thanks to the strong stacking ribs that allow for high stacking of containers
- Ergonomically positioned handles to facilitate easy manoeuvring even when fully loaded
- Lid shape prevents water pooling, and can be easily replaced by removing the hinge pins
- Hinge pins allow lid to be opened fully for easy waste disposal and emptying
- Fully recyclable once at the end of its useful life



STOCK CODE	COLOUR	SIZE	
BIN660	Green	660 ltr	1
BIN1100	Green	1100 ltr	1

### 240 ltr



STOCK CODE	COLOUR	SIZE	
BIN240	Black	240 ltr	1
BIN240G	Green	240 ltr	1
BIN240Y	Yellow	240 ltr	1

### METAL WASTE BIN WITH LID

**GALV**

Keep your full bin bags stored securely and safely with this galvanised metal dustbin and lid. It has an 80 ltr capacity, so it's the ideal size for a weekly rubbish collection. You can also use it to safely store logs, coal or garden waste away from pests such as mice.

The metal bin with lid is galvanised to ensure it won't rust or tarnish in wet weather. The strong and sturdy design means it won't blow away on windier days either, and the hard-wearing material is tough enough to resist the knocks and scrapes of daily use.

- Traditional metal dustbin design with 80 ltr capacity
- Secure-fitting lid keeps waste hidden and secure until collection
- Galvanised bin is rust and weather-resistant



STOCK CODE	CAPACITY	
BIN80M	80 ltr	1

### PLASTIC REFUSE BIN & LID

**BLACK**

A sturdy 80 ltr plastic dustbin and lid. With a secure fitting lid, this bin can be used inside or outside.



STOCK CODE	CAPACITY	
BINB80	80 ltr	1

### PLASTIC SWINGTOP WASTE BIN

50 ltr sturdy plastic swing bin with a silver base and lid. Ideal for use in washrooms and other areas creating a tidy appearance as waste is not open to view.



STOCK CODE	CAPACITY	
BINST50	50 ltr	1

### PAPER WASTE BIN

- A round bin, suits most office decor
- Lightweight yet sturdy construction
- Easy to fit under most desk spaces
- 30cm diameter



STOCK CODE	HEIGHT	
BINWP	28cm	1

### HEAVY-DUTY 220L BLUE PLASTIC DRUM

**FOOD GRADE & UN APPROVED**

The 220L Blue Plastic Drum is a robust and versatile storage solution suitable for a wide variety of industrial and commercial uses. Manufactured from high-density polyethylene (HDPE), this drum offers outstanding strength while remaining lightweight and easy to handle. It is both food grade and UN-approved, making it safe for storing consumables, chemicals, and hazardous materials.



STOCK CODE	CAPACITY	
DRUM220	220 ltr	1

### GRIT BIN

Moulded finger grips make the lid easy to lift whilst access points on the base make the bin convenient for lifting with a fork lift.

The Grit Bin can also be used as a storage container.



STOCK CODE	CAPACITY	
BING250	250kg	1

**LITTER PICKER**

- Handy Grab Tool
- Long reach to reduce strain



STOCK CODE

CLELP



1

**SWING BIN LINERS****PACK OF 1000**

- Capacity: 50 ltr
- Material: virgin polythene
- Weight: 3.32kg
- Colour: White
- Great value for money
- Tie waist at top
- Ideal for swing bins
- Face Width: 330mm / 13 inch
- Open Width: 572mm / 23 inch
- Length: 724mm / 29 inch
- These polythene bin liners can be recycled



STOCK CODE

LIN01

CAPACITY

50 ltr



1

**GALVANISED MOP BUCKET**

- 13 ltr capacity
- Long lasting bucket
- Great for more traditional cleaning requirements



STOCK CODE

BKTGALV



1

**BIN LINERS - FOR 80 LTR BIN****PACK OF 200**

STOCK CODE

LIN04

DESCRIPTION

Heavy Duty 20kg - 18cm x 29cm x 39cm



1

**WHEELIE BIN BAG - FOR 240 LTR BIN****PACK OF 100**

Available in a range of thicknesses, these heavy duty refuse sacks are specifically designed for use with wheelie bins. Strong and rip-resistant, these bin bags will reduce the need to wash wheelie bins and meet your disposal needs. These bin liners hold a range of rubbish, including wet and heavy waste.

- Variety of sizes and volumes available to fit most wheelie bins
- Heavy gauges hold heavier loads without ripping or tearing
- Suitable for a range of waste disposal types, including heavy and wet rubbish
- Supplied on a roll for easy storage



STOCK CODE

LIN05



1

**GALVANISED METAL BUCKET**

Durable galvanized-steel bucket for catching and transporting liquids and granular products. 14 ltr capacity.



STOCK CODE

BKTGM



1

## BUILDERS BUCKET

BLACK



STOCK CODE	SIZE	
BKT145B	14 ltr	1

## YELLOW BUCKET

Heavy-duty yellow bucket with reinforced base for extra durability. Hundreds of uses around the worksite, home and garden. Each bucket is fitted with a strong wire handle and plastic carry grip.



STOCK CODE	SIZE	
BKT14YW	14 ltr	20

## GALVANISED WATERING CAN

- Galvanised sheet watering can with D-handle and rose included
- Steel construction
- D-handle



STOCK CODE	CAPACITY	
GWC9	12 ltr	1

## FLEXI TUBS

ASSORTED COLOURS



Flexi tubs are flexible, which is the key to the millions of jobs they can perform. They are great for mixing small batches of plaster and mortar; if the mix dries, a few kicks to the flexible body will remove the muck easily. They can be carried with both handles in one hand, shaped for pouring, pressed flat to the floor for scooping, pushed flat against a wall for scraping wallpaper into, catching leaks and so on.

Flexi tubs are extremely durable and long lasting. The handles have been EU tested and have a working weight of 100kg (220 lb), so really heavy loads can be carried between two people. Flexi tubs can be used as tool bags, water tubs, rubble removers, roofing, scaffold knuckles, collecting bits, broken glass carrier etc.

**Features:**

- Infinitely versatile
- Super flexible
- Frost proof
- UV sunlight proof
- Handles ce tested
- Reinforced in key areas for durability
- Ribbed profile for strength

STOCK CODE	SIZE	
FTY14	14 ltr	1
FTB26	26 ltr	1
FTR40	40 ltr	1
FTG75	75 ltr	1

SITE EQUIPMENT & CONSUMABLES

**NEED IT FAST?**  
**CONTACT OUR SALES TEAM ON**  
 **020 8699 6777**  
**OR PLACE YOUR ORDER ONLINE AT**  
 **WWW.SELKENT.COM**

## LEADED PETROL CAN & SPOUT

### RED

A colour co-ordinated plastic fuel can with external graduations moulded into the outer casing. Supplied with flexible pouring spout which mounts neatly on can top.

The Petroleum Spirit (Motor Vehicles etc.) Regulations 1929 and the Petroleum Spirit (Plastic Containers) Regulations 1982 limit the amount of petrol that can be kept in a domestic garage or within six metres of a building (e.g. most domestic driveways).

The limit is a maximum of two suitable metal containers each of a maximum capacity of ten litres and two plastic containers (which have to be of an approved design) each of a maximum capacity of five litres. These limits also apply to any containers kept in a vehicle parked in the garage or on the driveway (but not to the internal fuel tank of the vehicle). Under no circumstances should the petrol containers be stored in the home itself.



STOCK CODE	CAPACITY	
PETL5RD	5 ltr	1

## UNLEADED PETROL CAN & SPOUT

### GREEN

Ideal for storing in the boot of a car or in the garage, this sturdy plastic fuel can has a flexible pouring spout, tethered screw cap and carry handle.

The spout stores neatly into the handle area when not in use. Complies with S.I. 1982/630.



STOCK CODE	CAPACITY	
PETL5GR	5 ltr	1

## DIESEL CAN & SPOUT

### BLACK

Ideal for storing in the boot of a car or in the garage, this sturdy plastic fuel can has a flexible pouring spout, tethered screw cap and carry handle.

The spout stores neatly into the handle area when not in use.

Complies with S.I. 1982/630.



STOCK CODE	CAPACITY	
PETL5BL	5 ltr	1

## JERRY CAN METAL

A heavy-duty all steel jerry can featuring a lockable filler cap fitted with a rubber seal to prevent leaks and evaporation. Cans are painted both internally and externally to inhibit corrosion and are certified to UN standards for the storage of Group II flammable liquids.

The storage and transportation of flammable liquids for domestic and commercial purposes are covered by extensive government legislation (The Petroleum Consolidation Regulations 2014) (PCR). It is the user's responsibility to ensure that these regulations are fully observed and that all legal requirements are met.



STOCK CODE	COLOUR	CAPACITY	
JERICAN10	Green	10 ltr	1
JERICAN20	Green	20 ltr	1
JERICAN20BLK	Black	20 ltr	1

## JERRY CAN METAL RUBBER NOZZLE

Metal spout allows more accurate pouring of jerry can contents without waste.

Metal construction with flexible rubber tip to prevent damage to receiving container, and rubber seal for a water-tight connection to the can.



STOCK CODE	
JERINOZ	1

### PLASTIC WATER CONTAINER

#### WITH TAP

This 25 ltr Plastic White UN Approved Stackable Jerry Can 61mm Neck 1170g is manufactured from high-density polyethylene (HDPE). This makes it strong and lightweight. All of our jerry cans have a built-in handle.



STOCK CODE	CAPACITY	
PWC25	25 ltr	1

### TRACTOR FUNNEL WITH FILTER

- Funnel aperture: 260mm x 170mm
- Spout diameter: 29mm
- Spout length: 120mm



STOCK CODE	
FUNTRA	1

### LARGE PLASTIC FUNNEL

#### 200MM



STOCK CODE	
FUN200	1

### FLEXIBLE FUNNEL

#### WITH METAL GAUZE

This 2-in-1 plastic funnel features a brass filter to prevent the ingress of unwanted matter and a 13 inch detachable flexible nylon spout.



STOCK CODE	
FUNMETLG	1

### POLYTHENE OIL MEASURE JUG

#### WITH SPOUT



A heavy-duty oil measuring jug made of high grade white polyethylene with a dust protection screw cap and flexible, removable spout with cap. Fluids are protected against ingress of pollutants and the cap prevents drips and spillages.

STOCK CODE	CAPACITY	
MJUG2SPT	2 ltr	1
MJUG5SPT	5 ltr	1

### CAST IRON ROTARY BARREL PUMP

This Lumatic Cast iron rotary pump suits a 205 ltr drum. It is suitable for diesel, motor, gearbox and hydraulic oils.



STOCK CODE	SIZE	
BARP205	205 ltr drum	1

### ADBLUE BARREL PUMP



STOCK CODE	SIZE	
BARPADB	205 ltr	1

### CLEAR PLASTIC MEASURING JUG



STOCK CODE	CAPACITY	
PJUG5	5 ltr	1

SITE EQUIPMENT & CONSUMABLES

## MESTO FIX PLUS PRESSURE SPRAYER

The compression sprayer is ideal for professional users. It offers plenty of comfort, such as a plastic pump with ergonomic pump handle and a 200cm oil resistant hose with integrated dirt filter.

- Oil resistant hose
- Base with foot ring
- Ergonomic shut-off valve



STOCK CODE	SIZE	
PSB5LE	5 ltr	1

## METAL HIGH PERFORMANCE SPRAYER

STOCK CODE	CAPACITY	
MPS6L	6 ltr	1



## PROFI PLUS SPRAYERS

Manual professional sprayer for a wide range of spray such as disinsection, disinfection, chemical products for construction, gardens and yards, agriculture, forestry, care of green spaces, etc.

STOCK CODE	CAPACITY	
PSB5LHD	5 ltr	1
PSB10LHD	10 ltr	1



## WATER BOTTLE FOR PETROL SAW

- Heavy duty water supply tank
- Portable water tank for sawing and drilling equipment
- Heavy duty carry handle
- 15 ltr capacity



STOCK CODE	CAPACITY	
WAT15B	15 ltr	1

## TRIGGER SPRAY BOTTLE



STOCK CODE	SIZE	
PSB0.5L	500ml	1

## PRESSURE SPRAY BOTTLE

Powerful pump act and pressure release valve. Shatterproof frost-resistant. Includes variable jet brass nozzle for precise application of insecticides etc. Colours may vary.



STOCK CODE	SIZE	
PSB2L	2 ltr	1

### PRESSURE SPRAYER

Powerful pump action and pressure release valve. Shatterproof and frost-resistant. Includes variable jet brass nozzle for precise application of insecticides etc. Colours may vary.



STOCK CODE	SIZE	
PSB5L	5 ltr	1

### BACKPACK SPRAYER

Comfortable, contoured backpack sprayer with harness and strong, integrated carry handle. Large filling hole with integrated filter to minimise blockages. Long-reach stainless steel lance with adjustable nozzle and trigger lock. Ideal for spraying water and diluted herbicides, pesticides, insecticides and fungicides. Includes extra nozzles and spares kit.



STOCK CODE	SIZE	
PSBP20	20 ltr	1

### PRESSURE SPRAYERS

This extra lightweight handheld sprayer has a pump action facility for continual spraying. Ideally suited for spraying a variety of liquids e.g. water, herbicides, pesticides, insecticides, fungicides and solvent - free treatments.

This extra lightweight handheld sprayer has a pump action facility for continual spraying

Ideally suited for spraying a variety of liquids e.g. water, herbicides, pesticides, insecticides, fungicides and solvent-free treatments



STOCK CODE	SIZE	
PSB6.25LDR	6.25 ltr	1
PSB10L	10 ltr	1

### WEED KILLER

DOFF Advanced Weedkiller kills weeds right down to the root. The weedkiller breaks down in the soil, meaning treated areas can be replanted.

Ready-to-use (RTU) formulation.



STOCK CODE	SIZE	
WEEDKIL3L	3 ltr	1

SITE EQUIPMENT & CONSUMABLES

**HOSE COMPRESSOR 300 PSI****COMPLETE WITH COUPLINGS**

- 19mm / 3/4" diameter yellow compressor hose
- Complete with 'Q' couplings
- Length: 15m / 50 feet
- 300 PSI rating



STOCK CODE	LENGTH	
HOSC300	15m	1

**COMPRESSOR HOSE GASKET**

STOCK CODE	
HOSCGASK	1

**SUBMERSIBLE PUMP**

- Max. flow rate 300 ltr/min
- Maximum head (lift height) 10m
- Can pump small solids in suspension
- Robust cast iron base with filter
- Auto start / stop float switch

STOCK CODE	TYPE	
SUBP110V	110V	1

STOCK CODE		
SUBPHC2	Hose clip for use with submersible pump	10

**LAY FLAT HOSE**

STOCK CODE	SIZE	LENGTH	
SUBPH1*50	1"	50m	1
SUBPH2*50	2"	50m	1
SUBPH100	2"	100m	1
SUBPH3*50	3"	50m	1
SUBPH3*100	3"	100m	1

**WHIP CHECK CABLE FOR HOSE**

- Small air hose whip check cables
- High quality part
- To suit 1/2" - 1.1/4" hoses
- 550mm long



STOCK CODE	SIZE	
HOSWC01	1/2" - 1.1/4"	1

**BLOW PIPE LANCE ASSEMBLY**

STOCK CODE	HOLE SIZE	
BLOWPIPE1M	1m	1
BLOWPIPE2M	2m	1



## HOSE CLIP



## BZP

STOCK CODE	SIZE	
HOS9512Z	9.5mm - 12mm	1
HOS1116Z	11mm - 16mm	1
HOS1320Z	13mm - 20mm	1
HOS1622Z	16mm - 22mm	1
HOS1825Z	18mm - 25mm	1
HOS2230Z	22mm - 30mm	1
HOS2535Z	25mm - 30mm	1
HOS3040Z	30mm - 40mm	1
HOS3245Z	32mm - 45mm	1
HOS4055Z	40mm - 55mm	1
HOS4560Z	45mm - 60mm	1
HOS5570Z	55mm - 70mm	1
HOS7090Z	70mm - 90mm	1
HOS90120Z	90mm - 120mm	1
HOS110140Z	110mm - 140mm	1
HOS135160Z	135mm - 160mm	1
HOS158190Z	158mm - 190mm	1
HOS184216Z	184mm - 216mm	1
HOS210242Z	210mm - 242mm	1

## ST/ST

STOCK CODE	SIZE	
HOS9512A2	9.5mm - 12mm	1
HOS1116A2	11mm - 16mm	1
HOS1320A2	13mm - 20mm	1
HOS1622A2	16mm - 22mm	1
HOS1825A2	18mm - 25mm	1
HOS2230A2	22mm - 30mm	1
HOS2530A2	25mm - 30mm	1
HOS3040A2	30mm - 40mm	1
HOS3245A2	32mm - 45mm	1
HOS3550A2	35mm - 50mm	1
HOS4055A2	40mm - 55mm	1
HOS4560A2	45mm - 60mm	1
HOS5570A2	55mm - 70mm	1
HOS6080A2	60mm - 80mm	1
HOS7090A2	70mm - 90mm	1
HOS85100A2	85mm - 100mm	1
HOS90120A2	90mm - 120mm	1
HOS110140A2	110mm - 140mm	1
HOS135165A2	135mm - 165mm	1

PIPE CLIP  
RUBBER LINED

STOCK CODE	SIZE	
PC15-19RL	M8-M10 x 15mm - 19mm	1
PC20-25RL	M8-M10 x 20mm - 25mm	1
PC26-30RL	M8-M10 x 26mm - 30mm	1
PC32-36RL	M8-M10 x 32mm - 36mm	1
PC38-43RL	M8-M10 x 38mm - 43mm	1
PC50-55RL	M8-M10 x 50mm - 55mm	1
PC108-116RL	M8-M10 x 108mm - 116mm	1
PC159-163RL	M8-M10 x 159mm - 163mm	1

PIPE SADDLE CLAMP  
TO SUIT 1.1/2 INCH PIPE

STOCK CODE	SIZE	
SADDLE48	48mm O.D	50

CONTACT OUR SALES TEAM

 020 8699 6777

 SALES@SELKENT.COM

 WWW.SELKENT.COM

## PVC REINFORCED HOSE REELS

Hard-wearing, kink-resistant garden hose made from extra-thick, 3-ply PVC with braided polyester reinforcement. Frost and UV-resistant. Compatible with standard 12.7mm / 1/2" fittings.

STOCK CODE	LENGTH	COLOUR	
HOSY30	30m	Yellow	1
HOSG30	30m	Green	1
HOSG50R	50m	Green	1



## BRASS DUAL TAP CONNECTOR

The quick-release push-fit dual tap connector fits both 12.5mm (1/2 inch) and 19mm (3/4 inch) taps for easy attachment and disconnection.

Manufactured from high-quality brass, suitable for use with all 1/2 inch bore garden hoses and compatible with all other UK water fittings.



STOCK CODE	SIZE	
FAIHOSETC	12.5mm & 19mm / 1/2" - 3/4"	1

## HOSE TAP CONNECTOR

### INCLUDES INSERT

Frost and UV-resistant ABS plastic. Threaded 1/2inch (12.7mm) and 3/4inch (19.05mm) BSP female connector and quick fit 1/2inch (12.7mm) male accessory connection. Converts 1/2inch (12.7mm) male threaded taps to 1/2inch (12.7mm) male quick fit connection. Also converts 3/4inch (19.05mm) BSP garden taps when insert is removed.



STOCK CODE	SIZE	
HOSTC	1/2" & 3/4" - 1/2" hose	1

## 1/2" WATERSTOP HOSE CONNECTOR

The Basic Water Stop Hose Connector has an internal valve that stops the water flow when an accessory like a spray gun is disconnected. This saves having to return to the tap to turn the water off when switching between accessories. It also eliminates water wastage.

Made from premium grade UV-protected plastic. The connectors allow a 'Snap Fit' to ensure easy connection to all major watering brands.



STOCK CODE	SIZE	
HOSWHC	12.5mm / 1/2"	1

## 1/2 INCH HOSE REPAIR CONNECTOR

For repairing damaged hose, or permanently connecting two lengths of hose.



STOCK CODE	
HOSRC	1

### 1/2 INCH HOSE CONNECTORS

It is made from the highest quality materials for ultimate durability. Fits all connectors and can be used to extend length of hose or used as a temporary repair solution.

#### 2 WAY

STOCK CODE



HOS2C

1



This connector is great for watering different areas at one time, will split a flow of water in two different directions.

#### 3 WAY

STOCK CODE



HOS3WC

1



### 2 WAY HOSE TAP CONNECTOR

#### SUITS 1/2 INCH TAP

The 2-way tap connector allows two watering devices or hose pipes to be connected directly to one outside tap. It fits most garden taps and is supplied with 21mm (1/2inch BSP), 26.5mm (3/4inch BSP) or 33.3mm (1in BSP) adaptors.

The connector has two ergonomic quarter-turn valves with flow control. It is ideal for use with automatic watering systems.



STOCK CODE



HOZ2252

1

### 4 WAY HOSE TAP CONNECTOR

The 4-way tap connector converts a single tap into 4 taps, each with its own flow control. It can also be used to connect two water computers to one tap.

The tap connector comes complete with a wall bracket, all screws and plastic wall plugs and two hose end connectors.



STOCK CODE



FLO70300405

1

### 5 PIECE HOSE CONNECTOR SET

#### INCLUDES NOZZLE

Garden hose connector set. Includes 1 x 1/2inch quick connect with water stop, 1 x 1/2inch quick connect without water stop, 1 x 3/4inch BSP tap connector, 1 x 1/2" BSP tap connector and 100mm spray nozzle with infinite variable spray pattern.



STOCK CODE



HOS5PS

1

### VERSATILE SPRAY GUN

Features 9 pattern adjustable head with rubberised pistol grip. Includes 1/2" quick connect male to 3/4" BSP.



STOCK CODE



HOSGUN

1

SITE EQUIPMENT & CONSUMABLES

## AIR BAG STOPPER HAND PUMP



- The answer to a variety of pipe sealing problems
- Range available for pipe diameters from 25mm to 450mm
- Easily inflated for trouble free pipe sealing
- Ideal for use in areas where access is smaller than the test diameter
- Extension hose available to facilitate remote sealing
- PVC Bags are supplied with standard hoses
- To create an air tight seal in pipes for a back pressure of 4"/100mm U Gauge, as requested by British Standards

### STOCK CODE

ABSHP



1

## AIR BAG STOPPER



Fitted with Schrader valves, these canvas cases contain inflatable rubber bladders that fill quickly to block off pipes. Ideal for use in areas where access is smaller than the test diameter.

### STOCK CODE

### PIPE SIZE



ABS100

100mm / 4"

1

ABS150

150mm / 6"

1

ABS225

225mm / 9"

1

## DRAIN TEST KIT



- 4 inch "U" gauge
- 9 feet length of tubing
- Hand bellows
- "Y" piece 1/2 inch
- 1 inch test nipple cap

### STOCK CODE

DTK001



1

## METAL CAP DRAIN STOPPER

- "Double Seal" plugs can be supplied to order
- Thrustwashers fitted as standard on all plugs 9" (225mm) & above
- Zinc plated – corrosion resistant to 90 hours salt spray test
- Combines the economy of price with the strength of steel



### STOCK CODE

### PIPE SIZE



DSM50

50mm

1

DSM75

75mm

1

DSM100

100mm

1

DSM115

115mm

1

DSM125

125mm

1

DSM150

150mm

1

DSM225

225mm

1

DSM250

250mm

1

DSM300

300mm

1

DSM375

375mm

1

DSM450

450mm

1

## DRAIN TRACING DYE



The Baileys Drain Tracing Dyes are soluble in water and are used to locate the direction of water flow in pipes, drains etc. The best way to use the dye is to dissolve the required amount into about five litres of water and then add into the flow or tank. The dilution rates assume that the dye is being added to clean water, for example one 8oz jar will provide enough dye for approximately 15,000 ltr/3,300 gallons of water. However, please note that dirty water will require a greater concentration of dye.

### STOCK CODE

### SIZE

### COLOUR



DTDB

200g

Blue

1

DTDR

200g

Red

1

## HYDRANT STANDPIPE KEY



### STOCK CODE

HSK01



1

## UNIVERSAL MANHOLE COVER KEY KIT

### WITH INTERCHANGABLE TIPS

An essential kit for absolutely everyone who needs to remove manhole covers as part of their job. This universal manhole cover lifting key kit ensures you don't have to carry around multiple keys and eliminates the problem of finding a manhole cover you simply don't have the key for.



#### STOCK CODE

MHKUNI



1

## DRAIN ROD SET

### 10 RODS, DOUBLE WORM & PLUNGER (KIT)

- Compatible with many third party sets
- Constructed with universal joints and crimped riveted end connections for durability
- Ideal for general domestic drain clearing

#### Technical Specification:

Rod Length - 920mm  
Rod Diameter - 18mm  
Rod Material - Polypropylene

#### Supplied with:

10 x Universal Drain Rods  
1 x Double Worm Screw  
1 x 100mm Plunger



#### STOCK CODE

UDRS12



1

## MANHOLE COVER LIFT KEY

### PACK OF 2

A rectangular shaped ends (lugs) and a triangular handles that provide a positive grip whilst allowing easy access for gloved hands. They have been zinc plated for increased protection against corrosion.



#### STOCK CODE

MHK01

#### SIZE

150mm / 6"



1

MHK02

300mm / 12"

1

MHK03

508mm / 20"

1

## GULLY SILT GRAB

Gully Silt Grabs are for use on Meter Boxes, Road Gullies, Down Pipes etc. Easy to use - just push down on Handle to open the Grabs, insert into gully, pull handle up to close Grab, take out of gully and empty.



#### STOCK CODE

GULGRAB01

#### SIZE

1.5m / 5"



1

## DELIVERY YOU CAN COUNT ON

Selkent provides a state-of-the-art delivery platform that offers our customers real-time tracking, end-to-end traceability, and digital proof of delivery. It ensures our customers have full visibility into their deliveries with accurate time slots and live van tracking.



End-to-end traceability on every delivery



Real-time GPS precision



Instant digital sign-off



Photo-verified proof of delivery



Professional, auto-generated documentation

## FIBREGLASS STEP LADDER

Trade fibreglass step ladders. Robust, rot resistant, rigid and very stable, whilst being lightweight and easy to carry. Non-conductive fibreglass legs ideal for use where electrical hazards exist. Heavy duty, non-slip, extra depth (80mm) aluminium treads. Heavy duty rubber feet and metal side arms prevent slips and twists. Rigid box section back legs with additional cross braces and 'K' straps for improved strength and stability. Built-in tool and can holder.



STOCK CODE	SIZE	
LADF4	4 tread	1
LADF6	6 tread	1
LADF8	8 tread	1

## ACROW PROP PIN

### WITH CHAIN & RING

- Acrow Prop Pin with Chain & Ring
- 16mm (5/8") EN8 pin
- 13 link 3mm x 26mm chain with 54mm I/D ring (Zinc Plated)
- Pin length: 103mm



STOCK CODE	
ACRO5	1

## CONNECTING CLIP FOR TEMPORARY FENCING

### GALVANISED STEEL



STOCK CODE	
HERCLIP	1

## HEAVY DUTY SQUARE HOP UP

- Stable - broad base and splayed legs
- Ribbed platform and treads provide a slip resistant surface while working
- Tough over boots and locking legs provide a secure footing
- Easy to use and store



STOCK CODE	SIZE mm	
AWS600HD	600mm x 600mm	1

## ALUMINIUM HOP UP WORKSTAND

Lightweight but very sturdy aluminium folding work platform. Ideal working height of 500mm (20 inch) when carrying out painting, wallpapering and preparation work on ceilings, walls and windows. The large, flat platform area reduces the number of times you would have to reposition the work platform when compared with using stepladders. More comfortable on feet and legs for extended periods. Ideal for preparation, painting, wallpapering.

Strong, lightweight aluminium platform with anti-slip feet. Legs secured by 2 sprung catches.



STOCK CODE	SIZE mm	
AWS700	700mm x 300mm	1

## ACROW PROP DOUBLE CLIP

Used for connecting a 48.3mm scaffold tube and a 60mm acrow prop at any angle.



STOCK CODE	
ACROSCAFF	1

### FENCING SPANNER ANTI THEFT

- Double ended
- Scaffold and Heras Site Fencing Clamps



STOCK CODE		
HERSPAN		1

### SCAFFOLD SPANNER

Hardened carbon steel whitworth scaffold spanner with swivel head. For older-style scaffold fittings.



STOCK CODE	SIZE	
SCASPA	7/16"	1

### DOUBLE END SCAFFOLD SPANNER

Hardened carbon steel whitworth double-ended scaffold spanner with swivel head. For scaffold fittings.



STOCK CODE	SIZE	
SCASPAD	7/16" & 1/2"	1

### CHROME PLATED SCAFFOLD HOOK



STOCK CODE	
SCAHKCP	1

### M16 SCAFFOLD RING EYE BOLT




STOCK CODE	
SCAFRE16	1

### KENNEDY BAR BENDING MACHINE

#### MANUAL

An extremely simple machine to operate, and built of steel to resist hard wear. The bending arm operates from beneath the work, facilitating the entry and withdrawal of the work to be bent, without any "top-hammer".



Mild Steel 45kg/mm <sup>2</sup>	6mm - 20mm
High Tensile steel 85kg/mm <sup>2</sup>	6mm - 16mm
Formers Included (4 qty)	38mm, 50mm, 63mm and 80mm
Other tooling included	Backstop, Workstop & Handle
Weight	14kg
Dimensions	1010mm x 180mm x 125mm

STOCK CODE		
KEN2016		1

### SCAFFOLD TUBE END CAPS

- Tube end caps are also excellent for preventing debris entering the scaffolding tube
- Please contact us for bulk quantity prices



STOCK CODE	
SCAE01	1

### SCAFFOLD TUBE NIPPLE CAPS

#### PACK OF 1000

- These nipple caps are stocked in a wide range of colours including yellow, orange, green, blue, red, black, white and pink
- Extremely high-quality dome shaped fittings end caps



STOCK CODE	
SCAEC02	1

### PODIUM TAGS WITH HOLDER

PACK OF 10

Purpose designed status tagging system for podiums.

Ensures the latest status is instantly visible at the point of use.

Contains a handy, quick-reference podium inspection checklist to run through each time before using a podium.

Helps you to comply with legislative requirements and good practices of:

- Inspecting and maintaining equipment at suitable periods as deemed appropriate by a risk assessment
- Ensuring employees are informed if equipment is not safe to use.



STOCK CODE	DESCRIPTION	QUANTITY
PTH10	Podiumtag Kit	1

### MEWP TAG KIT


Purpose designed status tagging system to help control frequent inspections, maintenance and identification of MEWPs (Mobile Elevating Work Platforms).



STOCK CODE	DESCRIPTION	QUANTITY
MEWPTAG	MEWP Tag Kit	1

### LADDERTAG

PACK OF 10 HOLDERS, 10 INSERTS AND PEN



STOCK CODE	DESCRIPTION	QUANTITY
LADTAG	Laddertag Kit	1

#### REFILLS

STOCK CODE	DESCRIPTION	QUANTITY
LADTAGH	Laddertag Holders - Pack of 10	1
LADTAGI	Laddertag Inserts - Pack of 10	1

### EXCAVATION TAG KIT

PACK OF 10 HOLDERS, 10 INSERTS AND PEN

- Clearly communicates risks in excavated areas
- Excavation Tags enable you to increase workplace safety and compliance with EU Directive 92/57/EEC by communicating vital information at excavation entrances where it can be seen by all workers
- Complying with EU Directive 92/57/EEC on minimum safety requirements for excavations becomes easier with the Excavation Tags



STOCK CODE	DESCRIPTION	QUANTITY
EXCTAG	Excavation Tag Kit	1

### SCAFFTAG

PACK OF 10 HOLDERS, 10 INSERTS AND PEN



STOCK CODE	DESCRIPTION	QUANTITY
SCATAG	Scafftag Kit	1

#### REFILLS

STOCK CODE	DESCRIPTION	QUANTITY
SCATAGH	Scafftag Holders - Pack of 10	1
SCATAGI	Scafftag Inserts - Pack of 10	1

**NEED IT FAST?**  
**CONTACT OUR SALES TEAM ON**  
**020 8699 6777**  
**OR PLACE YOUR ORDER ONLINE AT**  
**WWW.SELKENT.COM**

## TIE TAG FOR LIFTING EQUIPMENT



Periodic Inspection Identity Tie Tag. Plain on one side with a calendar on the other.

- A self fastening tag with two variable closure slots
- Made from robust but user friendly TPU (polyurethane)
- Resistant to high and low temperatures
- Resistant to acid and alkali, oil, grease and solvent

STOCK CODE	COLOUR	
TIEBLUE	Blue	10
TIEGRN	Green	10
TIERD	Red	10
TIEYW	Yellow	10

## NANOTAG™ HOLDER

**PACK OF 20 HOLDERS,  
40 CABLE TIES AND 1 PEN**

Nanotag holder with prohibition status symbol designed to operate with Nanotag insert systems ensures the latest status is instantly visible at the point of use.

RFID enabled - Low frequency RFID chip embedded as standard

Durable - The Nanotag holder is manufactured from durable nylon Impervious to dust, oil and water etc.

Attachment slots can accommodate stainless steel cable ties. Weatherproof, UV protected and durable to withstand the toughest industrial environments.

Comply with The Safety Signs and Signals Regulations A small price to pay for saving lives, legal compliance and efficient workplace inspections

The RFID chip makes the Nanotag™ perfect for on-site asset tracking in industrial environments where traditional barcode technology is vulnerable to deterioration and damage from dust, water, oil, grease and other environmental factors.

The 20mm low frequency RFID chip operates in the 125kHz range which makes it ideal for use in industrial environments where a lot of metal objects are present.



STOCK CODE	DESCRIPTION	
NANTAGH	Full kit	1

## NANOTAG™ INSERT

**PACK OF 10**

A general purpose 'Next Inspection Date Due' status insert to clearly display latest safety, maintenance and identification information at the point of use.

A selection of coloured inserts are available providing the option of additional visual qualification.


Designed to operate alongside Nanotag holder.

### NEXT INSPECTION DATE

STOCK CODE	DESCRIPTION	
NANTAGIRID	Insert only	1

### NEXT TEST DATE

STOCK CODE	DESCRIPTION	
NANTAGIRTD	Insert only	1



## SCAFFTAG MARKER PEN FINE POINT

**PACK OF 10**

STOCK CODE	
SCAPEN	1



**TUFFBANK™**

Built to a rigorous specification with a host of innovative features, TuffBank™ sets the industry benchmark for quality and functionality. A Sold Secure and Secured by Design accredited product, its heavy-duty steel plate construction and unique anti-jemmy technology means that it is virtually impregnable.

ARM11401



ARM11402



ARM11405



ARM11404



ARM11407



ARM11406

STOCK CODE	DESCRIPTION	WEIGHT	EXTERNAL SIZE W x D x H	INTERNAL SIZE W x D x H	
ARM11401	Van Box TB1	50kg	950mm x 505mm x 460mm	920mm x 470mm x 450mm	1
ARM11402	Truck Box TB12	58kg	1150mm x 495mm x 460mm	1120mm x 470mm x 450mm	1
ARM11404	Site Box TB2	80kg	1150mm x 615mm x 640mm	1120mm x 590mm x 540mm	1
ARM11405	Site Box TB3	97kg	1150mm x 615mm x 930mm	1120mm x 590mm x 840mm	1
ARM11406	Site Chest TBC4	127kg	1150mm x 615mm x 1265mm	1120mm x 590mm x 1175mm	1
ARM11407	Site Chest TBC5	153kg	1525mm x 615mm x 1265mm	1495mm x 590mm x 1175mm	1

**OXBOX™**

OxBox™ tool vaults provide a fantastic combination of security and affordability. OxBox™ shares many of the premium features of our higher-priced storage box ranges, including locks, hinges, gas struts and paint finish. Its unique “folded” construction delivers outstanding strength.



STOCK CODE	DESCRIPTION	WEIGHT Kg	EXTERNAL SIZE W x D x H	INTERNAL SIZE W x D x H	
ARM10502	Van Box	32kg	885mm x 470mm x 450mm	830mm x 425mm x 435mm	1
ARM10503	Truck Box	41kg	1155mm x 450mm x 460mm	1130mm x 425mm x 445mm	1
ARM10504	Site Box	60kg	1200mm x 660mm x 660mm	1060mm x 540mm x 550mm	1
ARM10505	Site Chest	89kg	1215mm x 595mm x 1185mm	1125mm x 570mm x 1090mm	1

**FLAMBANK™**

Built to the same high specification as our renowned TuffBank™ range, the Armorgard FlamBank™ is specially designed to comply with all COSHH regulations, ensuring that your hazardous substances are securely protected 24/7. Ideal for use on construction sites, in factories and in vehicles.



STOCK CODE	DESCRIPTION	WEIGHT Kg	EXTERNAL SIZE W x D x H mm	INTERNAL SIZE W x D x H mm	
ARM40602	Site Box FB21	64kg	765mm x 675mm x 670mm	675mm x 605mm x 575mm	1
ARM40603	Site Box FB2	82kg	1275mm x 665mm x 660mm	1185mm x 600mm x 575mm	1
ARM40601	Site Box FB1	46kg	980mm x 540mm x 475mm	840mm x 400mm x 470mm	1

SITE EQUIPMENT & CONSUMABLES

## GORILLA GAS CAGE™

Robustly constructed using 25mm box sections and 3mm wire mesh, the Gorilla Gas Cage™ features a unique modular bolt-together design using individual galvanised panels, making it quick and easy to erect and dismantle. Suitable for use on site or in the storage yard, it comes complete and ready to erect with all fixings and flat packs when not in use.



ARM41002



ARM41005

STOCK CODE	DESCRIPTION	WEIGHT	EXTERNAL SIZE W x D x H	INTERNAL SIZE W x D x H	
ARM41002	Gas Bottle Cage GGC3	60kg	912mm x 566mm x 1831mm	850mm x 500mm x 1800mm	1
ARM41005	Gas Bottle Cage GGC6	87kg	1212mm x 1266mm x 1831mm	1150mm x 1200mm x 1800mm	1

## CUTTINGSTATION™

Our ever-popular Armorgard CuttingStation™ is a neat mobile workstation that eliminates the need for a separate cutting room and is essential for safely cutting lengths of material, such as conduit, timber, cable tray and pipe. The SS7 model includes lighting and chamfered corners to further reduce noise. You'll also find a new expandable working area to accommodate mitre saws and cutaway sides for handling longer materials.



STOCK CODE	DESCRIPTION	WEIGHT	STANDARD SIZE W x D x H	EXTENDED SIZE W x D x H	
ARM20301	SS7 CuttingStation™	175kg	1390mm x 780mm x 1900mm	3225mm x 1090mm x 1900mm	1

### LONG SHACKLE PADLOCK

A brass body, steel shackle and self-locking action. These brass bodied padlocks provide an excellent level of security. Each lock features a high strength, brass cylinder mechanism that is accurately machined, durable and rust resistant. They have stainless shackle springs and a steel shackle. This lock has a hardened anti-cut and saw resistant shackle with double locking tongues for improved security. Each pack is supplied with 3 keys. It combines a quality brass 5-pin tumbler mechanism and a hardened, cut and saw resistant shackle, along with a self-locking action to provide a high level of security. It is extremely resilient to all types of weather and suitable for outside applications.



STOCK CODE	SIZE	
PAD40DLS	40mm	1

### SHUTTER PADLOCK

**BRASS**

Close shackle hardened steel armoured cover. Steel body and brass cylinder. Hardened steel rotating shackle prevents cutting with any type of saw. Double-locking cylinder with ball-bearing locking mechanism.



STOCK CODE	SIZE	
PADSHUT60E	60mm	1
PADSHUT80	80 mm	1

### LAMINATED STEEL PADLOCK

The laminated padlocks are manufactured using individually galvanised plates with a case hardened steel shackle. They are designed for use where a higher level of security is required. Each lock features a high strength, brass cylinder mechanism that is accurately machined, durable and rust resistant and has a stainless steel shackle spring. The padlocks are fitted with an all round safety bumper to protect surrounding paintwork. Suitable for sheds, garages, luggage, lockers, toolboxes, gates, bikes and many other security uses around the home and workplace. Each padlock is supplied with 3 keys.



STOCK CODE	SIZE	
PAD65L	40mm	1

### COMBINATION PADLOCK

A solid brass body with a 4-pin brass tumbler mechanism. It has a hardened and plated steel shackle encompassing a self locking action.

The 4-digit combination system can be simply changed at any time to any one of 10,000 possible combinations. To change the number, simply turn the shackle 180 degrees and push into padlock body and rotate the dials to the desired new number.



STOCK CODE	SIZE	
PAD28CO	28mm	1
PAD38CO	38mm	1

### 4 DIGIT COMBINATION PADLOCK

Solid brass body and steel shackle.



STOCK CODE	
PADCP50E	1

### LAMINATED HARDENED STEEL PADLOCK

The Faithfull Laminated padlocks are manufactured using individually galvanised plates with a case hardened steel shackle. They are designed for use where a higher level of security is required. The padlock features a 5-pin tumbler locking mechanism.



STOCK CODE	SIZE	
PADLHS50	50mm	1

## ABUS 34/55 HARDENED STEEL PADLOCK

ABUS 34/55C Steel Padlock is for medium to high security applications, these padlocks feature a precision 6-pin cylinder with mushroom counter pins for added protection. The key-retaining design ensures the key can only be removed when locked, and key variations can be matched to existing systems.



STOCK CODE	SIZE	
ABU3455CS		1

## VIRO PANZER PADLOCK

High-security padlock with a solid brass body, hardened steel armour, and a 7-pin anti-pick cylinder. Its rounded design resists tampering—ideal for securing shutters, doors, and gates.



STOCK CODE	SIZE	
PAD62PANZER	62mm	1

## 60MM PADLOCK



STOCK CODE	SIZE	
9781E	60mm	1

## DOUBLE LOCKING BRASS PADLOCK

These brass bodied padlocks provide an excellent level of security. Each lock features a high strength, brass cylinder mechanism that is accurately machined, durable and rust resistant.

They have stainless shackle springs and a steel shackle. All locks above 30mm in body size have hardened anti-cut and saw resistant shackle with double locking tongues for improved security.



STOCK CODE	SIZE	
9778	30mm	1
9779	40mm	1
9780	50mm	1
9781	60 mm	1

## BRASS PADLOCK STIRLING

Durable brass padlock offering reliable protection against opportunistic attacks. Features a double-locking hardened steel shackle and 5-pin cylinder for added security. Supplied with 2 keys



STOCK CODE	SIZE	
PADBRA63	63mm	1

**CONTACT OUR SALES TEAM**

 **020 8699 6777**


 **SALES@SELKENT.COM**

 **WWW.SELKENT.COM**

### ABUS TITALIUM PADLOCK

The ABUS 64TI Series TITALIUM™ Padlocks are ideal for medium to high risk of theft, recommended for a wide range of security requirements. All models in this series have a paracentric keyway and chrome plated cylinder cores. Hardened steel shackle, 30mm and above, with NANO PROTECT™ shackle coating which assures security and high corrosion resistance.

TITALIUM™ is based on a special aluminium alloy, a mixture of materials is created that is extremely durable and lightweight; similar to the process used in aircraft construction. Compared with classic brass padlocks, the locks in the TITALIUM™ series are around 30% lighter but feature the same level of security making them excellent value for money.



STOCK CODE	SIZE	
ABUKA54587	40mm	1

### SQUIRE CP40 COMBINATION PADLOCK

The CP40 features a modern, durable design with a 40mm die-cast alloy body and hardened steel shackle. Its 4 easy-to-use numbered wheels offer 10,000 recodable combinations and a convenient push-button opening. Available in open, closed, and extra-long shackle variants for versatile security needs.



STOCK CODE	SIZE	
PADCP40ELS	40mm	1

### SQUIRE CP60 STANDARD

Squire Warrior High-Security Padlocks are made from armoured steel. Constructed for extreme durability outdoors, these heavy-duty padlocks are designed for securing garages, site equipment, vans, perimeter gates, storage areas and numerous other commercial applications.

The padlocks have diecast internal mechanisms which are protected by the hardened armoured steel exterior. This provides excellent resistance to attack, which is further assisted by the use of hardened boron alloy for the shackles. The bodies are covered in a tactile, weather resistant jacket.

These combination padlocks are re-codeable and uses a patented mechanism which provides 10,000 variations on this model.

CRIMESTOPPERS supported.



STOCK CODE	SIZE	
HSQWC55	55mm	1

### SQUIRE COMBINATION PADLOCKS

The Squire CP Combination Padlock delivers heavy-duty security and there are no keys to lose. The die-cast alloy lock body has a dual compound protective cover for high corrosion resistance and excellent weather protection. All locks can be coded and re-coded as required and they can be coded alike, so one code opens several locks.

The combination wheels are spaced comfortably apart, making them easier to use, with push-button operation. The recodable mechanism offers 10,000 possible combinations on the 4-wheel and 100,000 possible combinations on the 5-wheel, making them very difficult to pick.

It comes with a 10 Year Guarantee.

CRIMESTOPPERS endorsed.



STOCK CODE	BODY WIDTH	SHACKLE	
HSQCP5015	50mm	Ø 8mm - 38.1mm x 22.6mm	1
PADCP50	50mm	Ø 8mm - 26mm x 22.6mm	1
HSQCP60	60mm	Ø 10mm - 28mm x 30mm	1

### DIGITAL LOCK WITH HOLDBACK

- Light duty code lock - suitable for low traffic offices and storerooms
- Use on interior doors only
- Suits doors 33-55mm thick
- Supplied with 60mm backset deadlocking tubular latch
- Includes holdback function - ideal for areas which require the door to be left unlocked for periods as required
- Reversible for left or right hand applications
- Over 8000 code options

All mechanical code locks use non-sequential codes, which means the 4-digit code can be entered in any order - e.g. 1234 can be 4321 or 1342. This is a lower security option than electronic locks but makes them ideal for smaller businesses or premises looking for the convenience and security of access control on a smaller budget.



STOCK CODE	
DIGLOCK	1

SITE EQUIPMENT & CONSUMABLES

## DISCUS PADLOCK

### ST/ST

A waterproof, anti-corrosion stainless body and a hardened steel shackle. It has a 5-pin brass tumbler lock mechanism

giving 1,875 key differs and is supplied complete with 3 keys.

Heavy duty stainless steel construction with maximum corrosion resistance. Hardened rotary action double-locking steel shackle provides extra protection against hacksaw and cropping attacks. Laser-welded lock body limits moisture ingress and protects internal locking mechanism, which is double-bolted for extra strength to resist torsion and pull attacks. 5-pin cylinder increases protection against picking.



STOCK CODE	SIZE	
PADSSD70	70mm	1
PADSSD90	90mm	1

## 4 DIGIT DISCUS PADLOCK

The Master Lock Excell™ Discus Combination Padlocks are made with cutting edge technology to deliver unprecedented security. They feature tough cut patented octagonal boron carbide shackles which are 50% tougher to cut than hardened steel.

They offer optimum weather resistance with the additional security of a shrouded shackle, which is much tougher to pull/pry open. This padlock has a set-your-own 4-digit combination for keyless convenience.

Supplied with a Lifetime Warranty against mechanical failure.

Suggested uses: gates, sheds, storage units, fences, containers and chains.



STOCK CODE	SIZE	
PADD70COM	70mm	1

## KEY CABINETS

- Lockable doors
- Includes wall mounting kit



KCH02



KCH03

STOCK CODE	SIZE	
KCH02	48 Keys	1
KCH03	90 Keys	1

## KEY RING TAGS

### PACK OF 12

- Key ring with plastic key fob
- Markable tab for easy identification



STOCK CODE	
KRNG12	1

## MASTER LOCK 5401E WALL MOUNTED KEY LOCK

### BOX UP TO 5 KEYS

- 4-digit combination for keyless convenience
- Inside & outside use
- External: 146mm x 106mm x 53mm
- Internal: 115mm x 77mm x 40mm



STOCK CODE	
MLK5403E	1

### SLEEVED HIGH SECURITY CHAIN

#### HARDENED STEEL

Hardened steel with 10mm thick links. Large internal link size (16mm x 50mm) for use with large shackles. Yellow passivated for increased corrosion resistance. Hard-wearing sleeve to reduce impact damage.



STOCK CODE	SIZE	
CHA12010S	1.2m x 10mm	1
CHA1508S	1.5m x 8mm	1

### LONG LINK CHAIN

- Mild steel side-welded chain with a hard wearing, this chain is rust resistant
- Hot dipped galvanised chain, suitable for external use



#### BZP

STOCK CODE	SIZE	
9790	3mm x 26mm x 1m	1
9791	4mm x 32mm x 1m	1
9792	5mm x 35mm x 1m	1
9793	6mm x 42mm x 1m	1
CHA8MM	8mm x 32mm x 1m	1

#### GALV

STOCK CODE	SIZE	
10MMGALVCHAIN	10 mm x 1m	1

### HEAVY DUTY HIGH SECURITY SLEEVED CHAIN

Tough, square, hardened steel links, weather-resistant PVC sheath. Yellow passivated for increased corrosion resistance. Secures gates, bikes, outdoor furniture and valuable outdoor items.

Internal link size 16mm x 38mm for use with larger padlock shackles.



STOCK CODE	LENGTH	
CHA1MS	1.5m	1

### HARDENED SECURITY CHAIN WITH SLEEVE 10mm



STOCK CODE	SIZE	
MLK8019E	1m	1

### LIGHT DUTY DOOR CLOSER SILVER

Suits wooden doors

Power size	3
Mechanism function	Fixed power, closing/latching speed
Maximum door width	950mm
Maximum door weight	60kg
Mechanism type	Rack & pinion



STOCK CODE	
DOORCLDS3	1

## T BUTT HINGES

- Light pattern designed for lightweight projects.
- EXB (Epoxy Black) finish offers resistance to corrosion



### BLACK

STOCK CODE	SIZE	
THBL150	150mm	10
THBL230	230mm	10
THBL300	300mm	10
THBL375	375mm	10
THBL400	400mm	10
THBL450	450mm	10

### BZP

STOCK CODE	SIZE	
THBZP150	150mm	10
THBZP230	230mm	10
THBZP300	300mm	10
THBZP375	375mm	10
THBZP450	450mm	10

## BRENTON PATTERN 2A



STOCK CODE	SIZE	FINISH	
PATB152	152mm	Black	1
PATB203	203mm	Galv	1
PATB300	300mm	Galv	1

## TOWER BOLT



STOCK CODE	SIZE	FINISH	
TBBL75	75mm	Black	1
TBBL100	100mm	Black	1
TBBL150	150mm	Black	1
TBBL200	200mm	Black	1
TBBZP100	100mm	BZP	1
TBBZP150	150mm	BZP	1
TBBZP200	200mm	BZP	1

## HASP & STAPLE


### BZP



STOCK CODE	SIZE	
HAS75	75mm	10
HAS114	114mm	10
HAS150	150mm	10

## BUTT HINGES

### PAIR BZP



STOCK CODE	TYPE	SIZE	
BUT75	Light Duty	75mm	1
BUT100	Light Duty	100mm	1
BUT100HBZP	Heavy Duty	100mm	1

## ADJUSTABLE GATE EYE BOLTS 2 X NUTS

Heavy self locking gate catch is supplied with the standard cranked peg, it provides full functionality from both sides of the gate, it is automatically locked when closed and can be padlocked for extra security.



STOCK CODE	SIZE	
2220	M20 x 150mm	1

## ALUMINIUM HAT AND COAT HOOK



STOCK CODE	SIZE	
COATHOOK	127mm	10

**GENERAL PURPOSE PAINT BRUSHES***PURE BLACK BRISTLE, BUDGET PAINT BRUSH*

STOCK CODE	SIZE	
9490	25mm / 1"	1
9491	50mm / 2"	1
9493	75mm / 3"	1
9492	100mm / 4"	1
9890	150mm / 6"	1

**5 PIECE PAINT BRUSH SET**

- Suitable for use with all types of paint
- Rust-resistant ferrule and a contoured handle for greater user comfort
- 9mm / 3/4 inch
- 25mm / 1 inch
- 38mm / 1.1/2 inch
- 50mm / 2 inch
- 75mm / 3 inch



STOCK CODE	
9982	1

**DUSTING BRUSH**

Used to clear dust and dirt prior to painting.



STOCK CODE	SIZE	
FAIPBDUST	100mm x 70mm x 22mm	1

**STANLEY HOBBY PAINT BRUSHES**

STOCK CODE	SIZE	
STAPBHOB25	25mm / 1"	1
STAPBHOB50	50mm / 2"	1
STAPBHOB75	75mm / 3"	1
STAPBHOB100	100mm / 4"	1

**3 PIECE PAINT BRUSH SET**

- Thick, pure bristle
- Excellent paint loading and even distribution



STOCK CODE	
PRS3	1

NEED IT FAST?  
CONTACT OUR SALES TEAM ON  
 **020 8699 6777**

OR PLACE YOUR ORDER ONLINE AT  
 **WWW.SELKENT.COM**

**STANLEY MASONRY BRUSH**

- Designed for the application of all types of cement sand and stone based paints and exterior wall paint
- Synthetic bristles and a special pot clip to hang the brush easily when not in use



STOCK CODE

SIZE



MASBRU

125mm / 11"

1

**PASTE BRUSH****WIDE SYNTHETIC BRISTLE BRUSH**

STOCK CODE

SIZE



PASBRSH

140mm x 30mm

1

**FOAM MINI ROLLER REFILL****PACK OF 10**

- Suitable with all gloss paints
- Suitable for use on all smooth surfaces
- Low density foam roller sleeves



STOCK CODE

SIZE



ROLR4

100mm / 4"

1

**MEDIUM PILE MINI ROLLER REFILL****PACK OF 10**

- Medium pile
- Trade quality mini refills



STOCK CODE

SIZE



9489

100mm / 4"

1

**MEDIUM PILE PAINT ROLLER SLEEVE**

- Trade quality refill
- Ideal for smooth & semi rough surfaces



STOCK CODE

SIZE



ROLS9

230mm / 9"

1

**SOFT GRIP SEAM ROLLER**

STOCK CODE

SIZE



50MMSR

50mm

1

### ROLLER HANDLE & 2 REFILLS

- Suitable for use with gloss and emulsion paints
- Pile rollers 2 x 100mm / 4 inch
- Roller frame 1 x 530mm / 21 inch



STOCK CODE		
ROLKIT4		1

### MINI ROLLER LONG HANDLE

- Simple push-fit sleeve connection
- Galvanised steel frame for 100mm mini roller sleeves



STOCK CODE	SIZE	
9479	600mm	1

### PAINT ROLLER HANDLE

- Heavy duty, galvanised steel paint roller frame
- Use with 230mm slide-on sleeves



STOCK CODE	SIZE	
PRH9	230mm / 9"	1

### ROLLER FRAME EXTENSION POLE

- Aluminium extension poles that can be adjusted to the required length
- Easy push-fit adaptor system that will accept all 180mm / 7 inch, 230mm / 9 inch and 300mm / 12 inch roller frames



STOCK CODE	SIZE	
ROLEXT	1m - 2m	1

### MINI TRAY, ROLLER FRAME & 2 REFILLS

- Mini roller kit with tray, foam refill, emulsion refill and frame
- Use with emulsion, gloss & satin paints



STOCK CODE	SIZE	
PRS4	100mm / 4"	1

### TRAY, ROLLER FRAME & 2 REFILLS

Twin 9 inch polyester refills, frame and 9 inch plastic tray.



STOCK CODE	SIZE	
PRS9	230mm / 9"	1

### PAINT TRAY

- General-purpose roller paint tray
- Tough and sturdy, with a deep paint reservoir



STOCK CODE	SIZE	
PPT4	100mm / 4"	1
PPT9	230mm / 9"h	1

## FILLER AND SPREADER SET

### 4 PIECE STAINLESS STEEL

- Set for applying and finishing fillers
- Fitted with flexible stainless steel blades and a soft grip, solvent resistant handles
- Sizes: 50mm, 75mm, 100mm & 150mm



STOCK CODE



FAISGFILLERS

1

## PAINT SCRAPER

- Trade quality
- Stainless steel blade with solid bolster



STOCK CODE

SIZE



PAISCR3

75mm

1

## PROFESSIONAL FILLING KNIFE

- Stainless steel blade for long-life
- Use to insert filler into cracks or holes, in wood or plaster



STOCK CODE

SIZE



FK25

25mm

1

FK50

50mm

1

FK75

75mm

1

FK100

100mm

1

FK150

150mm

1

## RUBBER HANDLE STRIPPING KNIFE

- Stainless steel blade for long-life and resistance to corrosion
- Soft grip handle provides greater comfort



STOCK CODE

SIZE



STRK2

50mm / 2"

1

STRK3

75mm / 3"

1

STRK4

10mm / 4"

1


## SELKENT MISSION

We will go further and faster than any other supplier of Construction Fixings and Tools to help keep construction sites productive and on schedule.



## PAINT SCUTTLE

For use with all types of paint and wallpaper paste.



STOCK CODE	SIZE	
PAISTA15	15 ltr	1

## SUPER ABSORBENT JUMBO SPONGE



STOCK CODE	
SPO001L	1

## STANLEY POLE SANDER

The Stanley Aluminium Pole Utility Sander with a heavy-duty ribbed aluminium body which stays flat and rigid, and with a bi-material handle. Has an efficient clamp design to hold paper or screen firmly in place; accepts most sandpaper and sanding screens.



STOCK CODE	
POLESAND	1

## PLASTIC PAINT KETTLE

- For use with all types of paint
- Can also be used for mixing wallpaper paste or holding nails, screws and small tools when working at height



STOCK CODE	SIZE	
PPK1	1 ltr	1
PPK25	2.5 ltr	1

## OXIDE SANDPAPER

115mm x 50m

- Aluminium oxide
- Full resin bond
- Flexible backing paper
- Long-life, high-performance abrasive
- Use with 1/2 sheet sanders, palm sanders and for hand sanding



STOCK CODE	GRIT	
SPR40G	40	1
SPR60G	60	1
SPR80G	80	1
SPR100G	100	1
SPR120G	120	1
SPR180G	180	1
SPR240G	240	1
SPR320G	320	1

## POLE SANDING SHEET



STOCK CODE	GRIT	
POLESS100	100	25
POLESS120	120	25

## PRIMER PAINT

- Premium quality high opacity paint
- Acrylic-based formula
- Wear and scratch resistant
- Supplied with two nozzles



STOCK CODE	COLOUR	SIZE	
9442	Grey	400ml	12
9444	Red	400ml	12



## ACRYLIC FINISHING PAINT

- Acrylic Finishing Paint
- Acrylic formulation for greater flexibility
- Gives excellent adhesion
- Direct spray and fan spray
- Compatible with most materials
- Can be applied over previously painted surfaces
- Wear and scratch resistant
- High opacity
- Supplied with two nozzles



STOCK CODE	COLOUR	SIZE	
9445	RAL 9005 Matt Black	400ml	12
9447	RAL 9005 Gloss Black	400ml	12
9448	RAL 9010 Gloss White	400ml	12
9451	RAL 6001 Gloss Green	400ml	12
9452	RAL 3000 Gloss Red	400ml	12
9453	RAL 1007 Gloss Yellow	400ml	12



## OXIDE PRIMERS



STOCK CODE	TYPE	SIZE	
9477	Red Iron Oxide	5 ltr	1
9478	Epoxy Zinc Phosphate	5 ltr	1

## UNIVERSAL THINNER

- Primarily for use with high build primers and etch primers
- Not suitable for use with cellulose



STOCK CODE	SIZE	
9483	5 ltr	1

### HAMMERITE SMOOTH METAL PAINT

Hammerite Direct To Rust Metal Paint can be painted directly onto rusty surfaces and, thanks to its special 3 in 1 formula, there is no need to use a primer or undercoat - saving you precious time!

Hammerite forms a superior barrier that not only seals out moisture, but also gives long lasting protection, both inside and outside.

Touch dry in an hour, Hammerite is corrosion resistant and is suitable for use on a wide range of exterior metal including gates, railings, drainpipes, guttering and garden furniture.

Protects for up to 8 years.



STOCK CODE	SIZE	COLOUR	
HMMSFW25L	2.5 ltr	Smooth White	1
HMMSFBL25L	2.5 ltr	Smooth Black	1
HMMSFB5L	5 ltr	Smooth Black	1

### MASONRY PAINT

Professional-quality, high-gloss finish offering excellent durability.

Suitable for interior and exterior use on wood, metal, and appropriately primed masonry surfaces. appropriately primed masonry surfaces



STOCK CODE	SIZE	COLOUR	
WHIMAS5L	5 ltr	White	1

### ANTISLIP FLOOR PAINT

Durable, smooth exterior masonry paint offering long-lasting, weather-resistant protection.

Suitable for most masonry surfaces and exterior-grade boards, with dirt-resistant and anti-carbonation properties for a clean, professional finish.



STOCK CODE	SIZE	COLOUR	
ANTISLIPYEL	5 ltr	Yellow	1

### WHITE GLOSS EXTERNAL PAINT

A premium quality decorative and protective finish. For use over correctly prepared joinery and metal.



STOCK CODE	SIZE	COLOUR	
WHIPAINT5L	5 ltr	White	1

### GLOSS PAINT

Professional-quality, high-gloss finish offering excellent durability.

Suitable for interior and exterior use on wood, metal, and appropriately primed masonry surfaces.



STOCK CODE	SIZE	COLOUR	
BLKPAINT5L	5 ltr	Black	1

SITE EQUIPMENT & CONSUMABLES

## MATT EMULSION PAINT

Rich white paint with a matte finish. Delivers a smooth, non-reflective look ideal for hiding surface imperfections. Suitable for walls and ceilings.



STOCK CODE	SIZE	COLOUR	
PAIWHEM10	10 ltr	Brilliant White	1

## LOW ODOUR WHITE SPIRIT

Same properties as traditional white spirit but with reduced odour. Can be used for thinning paint, cleaning brushes and general cleaning/degreasing.

Hazard Safety Codes:  
F, Xn, R10, R65/66.



STOCK CODE	SIZE	
WHSPLO2LTR	2 ltr	1

## ONE HOUR DECORATORS CAULK

- Two-in-one filler and sealant: higher permanently flexible and slump resistant properties have been specifically designed to provide better gap filling and sealant functions
- Quick curing time: Rapid tack time of 15 minutes which can be overpainted after 1-hour
- No prior sanding down required
- No-sagging, provides a permanently flexible, sump resistant seal



STOCK CODE	SIZE	
CAULK300ML	300ml	12

## DIGITAL THERMOMETER RANGE -40°C TO 250°C

Pocket-sized, slimline digital probe thermometer. Thin stainless steel probe, quick response time and hold function.



STOCK CODE	
THM02	1

## PAT TEST LABELS PASSED GREEN

### 500 PER PACK

- Easy to use polyvinyl label-excellent durability
- Labels come "fan folded" so they are flat and easy to write on
- Labels are kept clean in a slim cardboard carton
- Fits into Kenan plastic label protectors



STOCK CODE	
PTLPG	1

## THERMOMETER PRESS BUTTON RANGE -40° C TO +50° C

Plastic rectangular thermometer with colour-coded graduations and easy-to-read Celsius and Fahrenheit temperature scale. Suitable for indoor and outdoor use. Wall mounted, ideal for the home, conservatory or greenhouse.



STOCK CODE	
THM01	1

## MULTIFUNCTION PRO ANEMOMETER

### HANDHELD

- Wind speed, wind temperature, wind chill, low battery indicator on bright backlit LCD screen. BT-100 is a portable wind speed gauge that can accurately measure wind speed in 5 units: m/s, km/h, ft/min, knots, mph. Wind Temp in °C/°F (Degree Celsius/Fahrenheit)
- High Precision Wind Meter. Wind Speed Meter for measuring wind speed range 0.3~30m/s(+/- 5% of readings), Wind temperature range -10°C~45°C(+/- 2°C), Resolution 0.1m/s; 0.2°C. With 2 sensitive sensors and 8-leaves sensitive fan, this BT100 Pro high accuracy Anemometer can help you with HVAC installation, CFM calculation, Duct ventilation.
- Tripod Hole for Mounting. There's a metal threaded hole on the bottom of the anemometer, so you can fix it on a tripod for continuous wind measurement to set your hands free when you fly drones, rc planes, wings, helicopters and quads, long distance shooting.



STOCK CODE	
ANEMTR	1

## AIR HORN



- Ideal for providing temporary cover
- 200ml can for multiple uses
- Non flammable gas

STOCK CODE	
AIRH001	1

## FOX 40 ELECTRONIC WHISTLE

### 3 TONES

- Just a push of a button provides a loud, clear and consistent sound Features
- Offers a hygienic solution for multiple operators 4-switch, three tone functions
- Tone 3 sound can be aimed in specific directions includes detachable wrist lanyard and 9-volt battery



STOCK CODE	
WHISFOX40	1

## PLASTIC WHISTLE AND LANYARD

Lightweight plastic whistle comes with a useful lanyard.



STOCK CODE	
WHISLAN	12

## LOLLIPOP STOP AND GO TRAFFIC SIGN

- Engineer grade reflective face
- Vivid colours
- Excellent strength to weight ratio
- Will not rot, rust or corrode
- Shatterproof
- Fully recyclable



STOCK CODE	
SGSIGN	1

## CO<sub>2</sub> FIRE EXTINGUISHERS

- Kitemarked to BSEN3
- Powder coated corrosion resistant finish
- Lightweight steel



STOCK CODE	SIZE	
FE2CO2	2 ltr	1
FE5KG	5 ltr	1

## WATER FIRE EXTINGUISHERS

- Corrosion resistant finish
- Internal polyethylene lining
- Protective plastic base
- CE marked
- Lloyd's Register certified



STOCK CODE	SIZE	
FE9LTR	9 ltr	1

## FIRE BLANKETS

This fire blanket is ideal for household kitchens, homes caravans, garages, offices etc.

- 200g cloth ensures both flexibility and durability
- Kitchen fire safety



STOCK CODE	SIZE	
FBLAE	1m x 1m	1

## FIRE EXTINGUISHER STANDS

- Robust rotationally-moulded design
- Manufactured in high impact and chemical resistant plastic



STOCK CODE	SIZE	
FESINS	Single	1
FEDOUS	Double	1

## FOAM FIRE EXTINGUISHERS

- Spray nozzle
- Corrosion resistant finish
- Internal polyethylene lining
- Protective plastic base
- CE marked
- Lloyd's Register certified



STOCK CODE	SIZE	
FE2FOAM	2 ltr	1
FE6LTR	6 ltr	1
FE9FOAM	9 ltr	1

## DRY POWDER FIRE EXTINGUISHERS

- Corrosion resistant finish
- Protective plastic base with 6 and 9kg
- CE marked
- Lloyd's Register certified



STOCK CODE	SIZE	
FE2KG	2kg	1
FE6KG	6kg	1
FE9KG	9kg	1

## SMOKE ALARM

Compact and versatile, this smoke alarm is easy to install and offers continuous protection for ten years with no change of battery required.



STOCK CODE	
SMOALA01	1

# SELKENT LINE MARKER

**SELKENT**  
CONSTRUCTION FIXINGS AND TOOLS

A lead free, resin based permanent line marking paint. It can be used on a variety of surfaces including asphalt, steel and concrete, both indoors and outdoors.

**NAILED IT!**



Available in a range of colours, colour of cap denotes colour of paint

STOCK CODE	COLOUR	SIZE	
9153	White	750ml	12
9154	Yellow	750ml	12
9155	Red	750ml	12
9156	Blue	750ml	12
9157	Green	750ml	12
9158	Orange	750ml	12
9159	Black	750ml	12



**CARPENTER PENCILS**

SUITABLE FOR GENERAL  
CARPENTRY



STOCK CODE	PACKAGING	
PENC3	Pack of 3	1
PENC12	Tube of 12 + pencil sharpener	1

**YELLOW RETRO REFLECTIVE TARGET**

STOCK CODE	SIZE	
RETRO25X25	25mm x 25mm	100
RETRO30X30	30mm x 30mm	100
RETAR40X40	40mm x 40mm	100
RETAR50X50	50mm x 50mm	100

**WAX CRAYONS**

BOX OF 12

- Industrial heavy duty crayons
- Perfect solution for bold marking on almost any surface



STOCK CODE	COLOUR	
MCR12	Red	1
MCY12	Yellow	1

**WOODEN SETTING OUT PEG**

40mm x 40mm



STOCK CODE	LENGTH	
SETPEGW600	600mm	1
SETPEGW1200	1200mm	1

**IRWIN CRAYON**

YELLOW

Waterproof crayon suitable for timber, concrete, ceramics and metal, oily, slick, wet, cold or dry surfaces.



STOCK CODE	
STL66406	1

**CONTACT OUR SALES TEAM**

 **020 8699 6777**

 **SALES@SELKENT.COM**

 **WWW.SELKENT.COM**

### BRIGHT ZINC GALVE SPRAY

- Zinc content assists in corrosion prevention
- Resistant to salt spray and weathering
- Excellent heat resistance
- Aluminium powder gives a brighter finish to help blend with existing coatings
- Can be used on previously coated surfaces
- High purity powders;
- Excellent adhesion and quick drying



STOCK CODE	SIZE	
9439	400ml	12

### ZINC GALVANISING SPRAY

#### HEAVY DUTY

TYGRIS Heavy Duty Zinc Galv Spray provides active metal protection against corrosion, and is an effective defence against oxidation.

- High zinc content for maximum corrosion protection including salt spray
- Zinc powder in the product is of high purity
- Can be used on previously coated surfaces
- Can be over-coated



STOCK CODE	SIZE	
9476	400ml	12

### SILICONE LUBRICANT SPRAY

Clean, low-odour, non-staining silicone lubricant

- Suitable for plastic, metal, wood, vinyl, rubber and more
- Provides excellent lubrication and water repellency
- High temperature stability up to 200°C
- Ideal for seals, slides, bearings, textile equipment, and mould release
- Also works as an effective surface polish




STOCK CODE	SIZE	
9457	400ml	12

### CLEAR GREASE SPRAY

TYGRIS Clear Grease is used on chains and moving metal parts. This high performance grease penetrates rapidly before thickening.

- Clear and non-staining;
- Penetrates rapidly and thickens
- Highly resistant to throw-off
- Extreme pressure additives for high loadings



STOCK CODE	SIZE	
TGS500	400ml	12

### WELD SPATTER RELEASE SPRAY

- Non-silicone - can be used with products that require finishing
- Rapid drying
- Prevents adhesion - spatter easily removed
- Colourless - non-staining
- Does not gum up when subjected to heat
- Non-flammable



STOCK CODE	SIZE	
9440	400ml	12

### BRAKE AND CLUTCH CLEANER

- Colourless - non-staining
- Fast evaporating solvents
- Effective against grease - brake, fluid - brake and clutch dust
- Can be used to remove tar spots from some surfaces
- Eliminates brake squeal and clutch slip



STOCK CODE	SIZE	
9458	400ml	12

### CLEAR PENETRATING OIL

- For cutting and tapping - reaming and turning
- Extreme pressure additives for difficult materials
- High pressure foaming discharge to aid penetration machined finish
- Reduces heat build up
- Suitable for use on all metals
- Incorporates corrosion inhibitors



STOCK CODE	SIZE	
9461	400ml	12

### WATER DISPLACING ANTI-RUST AGENT

- Super powerful water displacement properties
- Leaves behind a protective film to guard against corrosion
- Rapid penetrating action for seized components



STOCK CODE	SIZE	
9459	400ml	12

### INDUSTRIAL CLEANER FAST DRYING

- Powerful solvent cleaning
- Breaks down workshop contaminants quickly
- Solvent evaporates quickly, leaving a clean surface
- Non-chlorinated
- No need for rinsing - leaves no residue



STOCK CODE	SIZE	
9458	400ml	12

SITE EQUIPMENT & CONSUMABLES

## CUTTING AND TAPPING FLUID

- For cutting and tapping - reaming and turning
- Extreme pressure additives for difficult materials
- High pressure foaming discharge to aid penetration
- Prolongs tool life and improves machined finish
- Reduces heat build up
- Suitable for use on all metals
- Incorporates corrosion inhibitors



STOCK CODE	SIZE	
9441	400ml	12

## GT85 LUBRICANT AEROSOL

GT85 Spray cleans, lubricates, and protects, providing long-lasting performance while preventing rust, reducing friction, and restoring shine.



STOCK CODE	SIZE	
PTFE400	400ml	12

## PIPE JOINTING LUBRICANT

- Universal pipe grease derived from vegetable oil for use as a pipe jointing lubricant
- Suitable for use on potable water pipes and conforms to BS6920  
WRAS No. 1102514



STOCK CODE	SIZE	
PJL2.5	2.5kg	1

## WD40 SPRAY AEROSOL

- The WD-40 smart straw lubricant is an all-purpose liquid for displacing moisture, corrosion control, lubrication, cleaning and penetration
- Can be used on metal and most non-metal parts



STOCK CODE	SIZE	
WD40	450ml	12
WD40L	600ml	12

## ALL PURPOSE SILICONE SPRAY 400ML

Dry silicone lubricant and mould release agent for the easing of friction between two surfaces.



STOCK CODE	SIZE	
EVBSILSPRAY	400ml	12

## ROCOL ANTI-SEIZE STAINLESS

ANTI-SEIZE Stainless is a nickel-free anti-seize paste specifically designed for stainless steel, nimonic and silver-coated fasteners, particularly those subjected to high temperatures for long periods in the aerospace, automotive and power generation industries.



STOCK CODE	SIZE	
ROC14143	500g	12

### PRO MAINTENANCE & LUBRICANT SPRAY

The GT85 Lubricant makes a tough job easy by loosening rusty or stiff parts. In addition it lubricates and protects from future weathering helping your tools stay in good condition all year round.

Prevents squeaking, penetrates and lubricates rusted and inaccessible parts, contains PTFE to form a long lasting, protective and lubricating film and displaces water.



STOCK CODE	SIZE	
23197	400ml	12

### SEVER BUILD SPRAY MAINTENANCE

XT44 has 100s of uses around the home, garage, workshop and in industry. Penetrates rusted parts and fastenings to assist dismantling, lubricates locks, hinges and tools.

Can be used to protect metals and tools from rusting. Can be used to assist starting wet petrol engines and damp ignition systems.



STOCK CODE	SIZE	
9887	500ml	12

### TYGRIS METAL WORKING PASTE

TYGRIS Metal Working Paste is a soft paste which has been reinforced with the most effective Extreme Pressure additives to give high film strength and anti-weld properties which are essential to counter the pressure developed during metal working. It can be used with hard metals to reduce heat and improve the dimensional stability of the surface finish. Designed for cutting, tapping, drilling, reaming, drawing, pressing, extruding and forming.



- Effective on stainless steel, titanium and light alloys;
- Extreme pressure additives;
- Extends tool life
- Fortified with molybdenum for reduced wear;
- Improves surface finish; Greater dimensional accuracy
- Non hazardous;
- Reduces heat build up

STOCK CODE	SIZE	
9462	450g	12

### HMT SPEEDLUBE™

#### DRILLING & TAPPING SPRAY

SpeedLube™ is a high-performance foaming lubricant suitable for a wide variety of metal drilling applications across a range of materials including stainless steel. Aerosol propellant ensures the lubricant foams on contact to ensure maximum tool coverage and heat dissipation. Easy one-handed application provides fast, efficient lubricant coverage and minimises the amount of applications needed during the drilling process. Unique 360° valve which enables Speedlube to be sprayed from all angles.



STOCK CODE	SIZE	
121288	500ml	12

### POCKET ROCKET LUBRICANT REPELLENT

Pocket Rocket is a high specification penetrating moisture repellent. The special blend of water dispersing agents and corrosion inhibitors instantly displaces water, leaving a light 'Silicone Free' protective lubricating film.

The advanced formula containing PTFE lubricates moving parts such as hinges, wheels, chains and gears. It penetrates through dust, dirt and rust, enabling corrosion locked parts such as nuts and bolts to be released. It is ideally suited for both industrial and domestic applications and protects against corrosion.



STOCK CODE	SIZE	
AERPR400	400ml	12

### CT90 CUTTING & TAPPING AEROSOL

High-performance metal cutting lubricant for use on all tough metals including stainless steel. Specially formulated with excellent extreme-pressure (EP) additives, reducing friction and keeping the workpiece at a stable temperature to prevent seizing. Dissipates heat, reducing cutting time, swarf build-up, metal scrap and downtime. Protects and extends the life of the tool.



STOCK CODE	SIZE	
CT90CT500ML	500ml	12

SITE EQUIPMENT & CONSUMABLES

## DRAPER PROFESSIONAL PISTOL-TYPE GREASE GUN

Expert Quality, with diecast head and port for air bleeder/bulk loader for single handed operation. Supplied with coupler and 230mm high pressure hose to DIN1283. Suitable for 400g cartridge or bulk fill.

- Expert Quality
- Diecast head and port for air bleeder/bulk loader for single handed operation
- Supplied with coupler and 230mm high pressure hose to DIN1283e
- Safe working pressure 40MPa (5800 psi)
- Suitable for 400g cartridge or bulk fill



STOCK CODE

GG500D



1

## PREMIUM QUALITY SIDE LEVER GREASE GUN

- 500cc for bulk fill or 400g cartridge



STOCK CODE

GG500



1

## TYGRIS RED LITHIUM COMPLEX GREASE

TYGRIS Red Lithium Complex Grease is a specially developed multi-purpose lithium complex grease for lubricating all types of anti-friction and plain bearings in industrial and automotive applications. This grease is highly effective at providing extended lubrication intervals over a wide operating temperature range.

- Exceptional mechanical stability extends lubrication intervals
- Excellent oxidation stability provides lasting lubrication at high temperatures
- Excellent extreme pressure and anti-wear performance
- High corrosion resistance protects components operating in wet conditions



STOCK CODE

LGC400RED

SIZE

400g



24

## TYGRIS LITHIUM EP2 GREASE

TYGRIS Lithium EP2 Grease is a premium quality multi-purpose grease for use in all anti-friction and plain bearings subject to high load conditions, and is ideal for metal to metal applications. Used extensively for applications throughout industry and the automotive sector to reduce friction and wear.

- Excellent extreme pressure and anti-wear performance
- High degree of corrosion protection



STOCK CODE

LGC400

SIZE

400g



24

GREASE3KG

3kg

4

## 2 STROKE OIL

### SEMI SYNTHETIC

- Two-stroke engine oil: 5 L of premium oil. Low ash lubricant universally compatible with all two-stroke engines. Use in all leading manufacturers' engines to improve lubrication and reduce fuel oxidation
- Universal 50:1 mineral oil-based two-stroke engine oil: Self mixing and partly synthetic. Protects engines from wear and corrosion. Red colour identifies petrol mix
- Area of application: Suitable for all leaded or unleaded two-stroke engines (including catalytic converters). Reduces risk of engine failure and reduces exhaust smoke



STOCK CODE	SIZE	
ENGOIL2STR	5 ltr	1

## SELKENT 2 STROKE OIL

### SEMI SYNTHETIC

- Semi synthetic two-stroke oil one shot
- This will meet the lubrication requirements of all modern static two-stroke engines
- Suitable for use with most horticultural, garden & domestic 2 stroke engines
- Readily mixes with fuel



STOCK CODE	SIZE	
OIL100	100ml	25

## ROTABROACH DRILLING OIL

- Cutting fluid for cutting and drilling into metal.
- Versatile.
- Extends life of metalworking tools and machines.
- Improves performance.
- Reduces friction and cutting time.



STOCK CODE	SIZE	
10214	1 ltr	1

## 2 STROKE OIL

- Specially developed oil for power cutters
- Designed to meet all the tough challenges a two-stroke engine oil can encounter
- Compatible with Husqvarna two stroke oil High Performance
- Two Stroke Oil, Oil Guard



STOCK CODE	SIZE	
OIL100H	100ml	25

## HYDRAULIC OIL



STOCK CODE	GRADE	SIZE	
10217	32	20 ltr	1
10218	46	20 ltr	1
10219	68	20 ltr	1

## 3M CITRUS CLEANER

- Helps dissolve and remove dirt, grease, tar and much more for a wide variety of industrial uses
- Removal material included
- Removes glue without damaging the underlying surface
- Use to remove grease from surfaces before gluing
- Heavy-duty degreaser / cleaner wipes away with just a shop towel after use



STOCK CODE	SIZE	
3MCITRUS500ML	500ml	12

## PRE MIXED ANTIFREEZE COOLANT



STOCK CODE	SIZE	
ANTFRZ5L	5 ltr	1

## 15W-40 ENGINE OIL

Triple QX Ultra 15W-40 mineral motor oil is blended in UK with the highest quality base stocks and advance additive technology. It meets the performance levels and specifications for the vehicles requiring this oil. Triple QX motor oil provides optimum engine performance, improved fuel economy and reduced exhaust emissions.

- Excellent high and low temperature performance
- Good protection against ring sticking at high temperatures, maintaining oil performance whilst minimising oil consumption and emissions
- Very high standard of engine cleanliness
- Excellent sludge control protection designed for stop-go city motoring



STOCK CODE	SIZE	
ENGOIL1540	5 ltr	4

## ROCK SALT



STOCK CODE	SIZE		
RS25	25kg	1	50

## ADBLUE SOLUTION

AdBlue is a highly purified colourless liquid. It contains demineralised water and urea (32.5%). The main active component of AdBlue is ammonia. This is chemically formed by hydrolysing automotive urea, which is the main raw material for AdBlue. AdBlue is used with diesel engines using SCR technology. This technology (Selective Catalytic Reduction) reduces harmful emissions (NOx). AdBlue is injected into the catalyst of the SCR system, where it triggers a chemical reaction with the ammonia. This chemical reaction converts the toxic nitrogen oxides (NOx) into nitrogen (N2) and water vapour (H2O). Water vapour and nitrogen are naturally occurring gases that are harmless to the environment.



STOCK CODE	SIZE mm	
ADBLUE10	10 ltr	1
ADBLUE20	20 ltr	1

## READY MIXED SCREENWASH

All seasons formula



STOCK CODE	SIZE	
RMSW5L	5 ltr	1

## LARGE WATERPROOF CAR COVER

- Strong double-layered composite material
- Waterproof and UV-resistant outer layer shields bodywork from frost, rain, dust, pollen, insects and light debris



STOCK CODE	SIZE	
CARCOVL	4820mm x 1190mm x 1770mm	1

### SHRINK WRAP

- Excellent for pallet wrap.
- Protects against weather, dirt and dust



STOCK CODE	COLOUR	SIZE	
SWB01	Black	500mm x 200m	8
SWC01	Clear	400mm x 250m	8

### WINDOW PROTECTION FILM

Low tack, UV resistant self-adhesive film is designed to adhere to glass without leaving any residue.



STOCK CODE	COLOUR	SIZE	
WINPROTBL	BLUE	600mm x 100m	1
WINPROTCL	CLEAR	600mm x 50m	1

### POLYTHENE SHEET CLEAR



STOCK CODE	GAUGE	SIZE	
200GPOLYCL	200	4m x 25m	1
500GPOLYCL	500	4m x 25m	1
1000GPOLYCL	1000	4m x 25m	1

### CARPET PROTECTION



STOCK CODE	SIZE	
CARPPROT	500mm x 100m	1

### TARPAULIN

Strong, flexible and waterproof.

- A strong, flexible waterproof tarpaulin withstands the wear and tear of daily use on construction site
- Manufactured from woven polypropylene with reinforced eyelets
- Laminated both sides to create a waterproof covering
- Suitable for almost any application



STOCK CODE	SIZE	
TAR45	4.5m x 6m	1
TAR54	5.4m x 7m	1
TAR9	9m x 14m	1

### ROLL BUBBLE WRAP



STOCK CODE	SIZE	
BUBWRP1200	1200mm x 50m	1

## DUST SHEET NON-WOVEN



STOCK CODE	SIZE	
DUST12	3.6m x 2.7m / 12' x 9'	25

### PLASTIC BACKED DUST SHEET

STOCK CODE	SIZE	
DUST12PBACK	12' x 9'	1

## PROTECTION BOARD SHEET

2.4m x 1.2m



### STANDARD

STOCK CODE	THICKNESS	COLOUR	
CORBK	2mm	Black	1

### FLAME RETARDANT

STOCK CODE	THICKNESS	COLOUR	
CORWHFR	2mm	White	1

## CABLE TIES



STOCK CODE	SIZE	COLOUR	
9816	2.5mm x 100mm	Black	100
9810	2.5mm x 100mm	Natural	100
9817	3.6mm x 140mm	Black	100
9811	3.6mm x 140mm	Natural	100
9818	4.8mm x 200mm	Black	100
9812	4.8mm x 200mm	Natural	100
2219	4.8mm x 200mm	Red	100
9819	4.8mm x 300mm	Black	100

## DPM POLYTHENE SHEETING

25m x 4m, BLACK

Manufactured from high quality recycled polyethylene.



### STANDARD

STOCK CODE	SIZE	
SHEBP25	1000 gauge 250µm	1
SHEBP2512	1200 gauge 300µm	1

### FLAME RETARDANT

STOCK CODE	SIZE	
SHEPB25FR	1000 gauge 250µm	1

### HEAVY DUTY STAPLE AND NAIL GUN

- Anti-jam mechanism: for continuous use and reliable operation.
- Handle Lock: for safe storage and transportation.
- Fastener Window: provides clear visibility to determine when staple reload is required
- Built in Front Wire Guide: for accurate alignment of staples to press down on cables and other low voltage wires.
- Soft Grip: for improved safety and comfort.
- Multi-purpose: Fires Stanley® Type-G staples in 6mm (TRA704T), 8mm (TRA705T), 10mm (TRA706T), 12mm (TRA708T) and 14mm (TRA709T) and Stanley® Type-J Headed Brad Pins in 12mm (SWK-BN050T) and 15mm (SWK-BN625T).
- Staples and nails not included.



STOCK CODE	
STA0TR250	1

### HEAVY DUTY STAPLER

6-14 mm


- An all steel professional staple gun, ideal for heavy duty applications. Suitable for use with TIMco heavy duty staples
- 82 piece capacity
- Adjustable staple depth controller for greater flexibility
- Soft grip handle for user comfort
- Convenient bottom loading magazine
- Also compatible with Type 140, T50 & Type G staples



STOCK CODE	
STAPLER	1

### METAL HEAVY DUTY HAMMER TACKER

Heavy duty all-steel construction with hardened high-carbon steel parts. Easy stapling of carpet, insulation material, roofing felt and upholstery. Single-handed ergonomic grip for fast and easy operation. Quick to load and clear. For use with Type 10J staples 6 - 10mm



STOCK CODE	
FAISTHAMMER	1

### HEAVY DUTY STAPLES

PACK OF 1000



- Heavy duty staples suitable for a range of professional second fix applications including carpet fitting, roof insulating, woodworking and more. Manufactured from A2 Stainless Steel offering superior corrosion resistance, perfect for external applications. Stainless steel must be used where there is corrosive environment and/or the base material has inherent corrosive characteristics e.g. Green Oak.
- Super sharp chisel point
- Heavy duty 1.2mm wire
- Galvanised for medium duty rust protection
- Flat crown for improved material clamping

STOCK CODE	SIZE	TYPE	
STAPLE6	6mm	Galv	1
STAPLE8	8mm	Galv	1
STAPLE10	10mm	Galv	1
STAPLE12	12mm	Galv	1
STAPLE14	14mm	Galv	1
STAPLE10SS	10mm	St/St	1

SITE EQUIPMENT & CONSUMABLES

## DEBRIS NETTING




STOCK CODE	COLOUR	SIZE	
DN250BLUE	Blue	2m x 50m	1
DN250RED	Red	2m x 50m	1
DN250GREEN	Green	2m x 50m	1
DN350GREEN	Green	3m x 50m	1

## FIRE RETARDANT



DNFR250BLACK	Black	2m x 50m	1
DNFR250BLUE	Blue	2m x 50m	1
DNFR250GREEN	Green	2m x 50m	1
DNFR250WHITE	White	2m x 50m	1

## SCAFFOLD SHEETING



STOCK CODE	COLOUR	SIZE	
MON245FRW	WHITE	2m x 45m	1

## TEMPORARY FENCING

1m x 50m

- Waterproof
- Install using Fencing Pin (Stock code FP12), see page 345



STOCK CODE	COLOUR	
BF50M0	Orange	1

## SKIP NET



STOCK CODE	SIZE	
SKIPN108	3m x 2.4m / 10' x 8'	1
SKIPN159	4.5m x 2.7m / 15' x 9'	1

SCAFFOLD SHEETING  
ELASTIC TOGGLES

PACK OF 50



STOCK CODE	
MONTOG	50

**ROAD PIN**



STOCK CODE	SIZE	
RPIN90020	16mm x 900mm	10

**FENCING PIN**



STOCK CODE	SIZE	
FP12	10mm x 1350mm	10

**RED AND WHITE PLASTIC SAFETY CHAIN**

Designed for use with posts or cones to form a multi-functional barrier system. Can be fitted to matching coloured posts with base. Ideal as a crowd channeliser, or to cordon off an area.



STOCK CODE	SIZE	
CHAINRW25	8mm x 25m	1

**INSULATED ROAD PIN**



STOCK CODE	SIZE	
RPINS01	900mm	10

SITE EQUIPMENT & CONSUMABLES

**TECHNICAL SUPPORT**

We provide comprehensive technical support for your current applications, including onsite advice, pull-out testing and load-calculation services, with added assistance on Gateway 2 requirements and maintaining the Golden Thread.

Contact the technical team:  
[technical@selkent.com](mailto:technical@selkent.com)



## SCAFFOLDING-FITTING BAGS



STOCK CODE	CAPACITY	
SB30KG	30kg	1
SB40KG	40kg	1

## POLYPROPYLENE WHITE SAND BAG

Heavy duty 80gsm woven polypropylene. Puncture and tear-resistant with hemmed top, triple-stitched bottom and tie strings. Ideal for carrying and storing sand, rocks, general building waste and many other items.



STOCK CODE	SIZE	
PWSB1330	750mm x 330mm	10

## EXTRA HEAVY DUTY RUBBLE SACKS

PACK OF 100

- Hard-wearing
- 100% waterproof
- 500mm x 760mm



STOCK CODE	THICKNESS	
FAIBAGRS100H	440 GAUGE	1

## HEAVY DUTY RUBBLE SACK

PACK OF 100

- 500mm x 760mm



STOCK CODE	THICKNESS	
RS20	280 GAUGE	100

## TONNE BAG

1000kg CAPACITY  
5:1 SAFETY FACTOR  
4 x Lifting Loops



STOCK CODE	SIZE	
SB1T	85cm x 85cm x 85cm	25

## TUNNEL LIFT TONNE BAG

1000kg CAPACITY  
5:1 SAFETY FACTOR

Side tunnel loops for forklift to engage.



STOCK CODE	SIZE	
SB1TT	75cm x 85cm x 95cm	20

### HESSIAN ROLL

Ideal for covering and protecting a wide variety of materials and brickwork from the frost and cold weather.

Protection for:

- Mortar
- New brickwork
- Concrete
- Bad weather
- Striking frost
- Width: 1370mm



STOCK CODE	SIZE	
HESROL46M	1.37m x 46m	1

### HESSIAN BAG

Hessian sand bag - 30 inch x 13 inch, natural, bale of 1000. Hessian sand bags are an alternative for polypropylene sand bags and used for weighing items down such as road signs or netting and also used in the prevention of floods.



STOCK CODE	SIZE	
HES330	750mm x 330mm / 30" x 13"	100

### PLASTIC WOVEN SACK WHITE



STOCK CODE	SIZE	
SACKWPW01	310mm x 460mm	100

### POLYPROPYLENE SACK WHITE PLAIN



STOCK CODE	SIZE	
WHIPOLYSACK	310mm x 230mm	100

### RAGS

STOCK CODE	DESCRIPTION	
RAG10W	Bag of 10kg White	1
RAG10M	Bag of 10kg Mixed Colour	1



## FLAT FRENCH CHALK

### BOX OF 144

Easy to clean after marking, doesn't dry out after use.



STOCK CODE	SIZE	
9472	12mm x 5mm	1

## PHANTOM PASSIVE HELMET

- Lightweight, durable, welding helmet made from strong thermoplastic, with the largest lens size for maximum visibility
- Weight 0.5kg
- Viewing Area 133mm x 114mm
- Lens Shade 10/11



STOCK CODE	DESCRIPTION	
12669	Phantom Passive Helmet DIN 10/11	1

## TIG WELDERS GAUNTLET

- EN12477 Type B welding protection
- Para-Aramid stitching throughout for extra durability
- Soft, flexible goatskin palm with heavy duty split leather cuff
- Ideal for welding and metal handling
- Excellent for jobs requiring high dexterity
- Wrist support and protection
- CE certified



STOCK CODE	SIZE	
107119	L	1

## SUPERWELD MILD STEEL MMA RODS



- Versatile, general purpose, rutile-coated mild steel MMA electrode which runs smoothly leaving attractive weld bead
- Can be used confidently used on land-based steel structures and general fabrication alike

### 7018 RODS

STOCK CODE	SIZE	WEIGHT	
12652	2.5mm	5.0kg	1
12653	3.2mm	5.0kg	1
12654	4.0mm	5.0kg	1
12655	5.0mm	5.0kg	1

## PHANTOM ACTIVE ECO AUTO-DARKENING HELMET

Suitable for all welding and cutting applications down to 10 amps. Externally-adjustable from 9-13. Can be used in Stick, TIG, MIG/MAG, plasma welding/cutting, grinding and oxy/fuel welding/cutting.

- Fully automatic power on/off
- Auto-darkens in < 1/16,000s
- Lightweight and comfortable, at just 0.4kg total product weight
- 10A minimum current sensitivity
- 2x light detection sensors
- Constant UV/IR protection to DIN16
- Powered by solar cell
- Adjustable sensitivity and delay



STOCK CODE	DESCRIPTION	
12672	Helmet XL 9-13 Variable	1

### STEEL BANDING RIBBON REEL

0.5mm THICKNESS  
334m APPROX. LENGTH



STOCK CODE	WIDTH	WEIGHT	
BANDSTL13	13mm	21kg	1
BANDSTL16	16mm	21kg	1
BANDSTL19	19mm	25kg	1

### STEEL STRAPPING SEALER

- Easy to use robust sealer for snap-on seals
- For use with a steel strapping tensioner
- Use with 19mm wide seals
- Double notch seal
- Easy grip handles



STOCK CODE	
SEASTE01	1

### STEEL STRAPPING TENSIONER

- Sturdy steel strapping tensioner for flat packages
- For use with a steel strapping sealer and snap-on seals
- Adjustable to take 13mm - 19mm wide strapping
- Maximum 0.89mm thickness



STOCK CODE	
TENSTE01	1

### BANDING SEALS

PACK OF 1000



- For 0.5mm banding
- 25mm long
- Easily slide over strapping for quick and efficient sealing
- Can be placed before or after tensioning
- These metal seals are made from galvanised hard steel and are designed to work with steel strapping. Simply place the seal over the overlapping strap ends and close with a strapping seal or combination tool

STOCK CODE	BANDING SIZE	
BANDSEAL13	13mm	1
BANDSEAL16	16mm	1
BANDSEAL19	19mm	1

### STEEL STRAPPING TENSIONER & SEALER

- Tension, seal and cut steel strapping with a single tool
- Lightweight, seal-less and ideally used to strap flat packages including pallets, bales, crates, cases and much more
- Everything all in one place, this tool will save time and money
- Adjustable thickness 0.38mm to 0.58mm strapping



STOCK CODE	
SCSST01	1

### STEEL BANDING TROLLEY

FOR 13mm - 19 mm STEEL BANDING

- Mobile dispenser for ribbon wound steel strapping
- Large tray for seals and tools
- Allows your strapping to be moved quickly, easily and safely
- Sturdy 32mm tubular steel construction
- Heavy duty rubber wheels for durability and easy mobility



STOCK CODE	
BANDTRO1319	1

SITE EQUIPMENT & CONSUMABLES

## POLYESTER COMPOSITE BANDING



STOCK CODE	SIZE	LENGTH	
BANDCMP19	19mm	500m	1

## COMPOSITE STRAPPING TENSIONING TOOL



STOCK CODE	SIZE	
BANDTNS20C	20mm	1

## STRAPPING BUCKLES **GALV**



STOCK CODE	SIZE	
BANDSEAL19G	19mm	100

## STRAPPING KIT

- 12mm combination tensioner & sealer tool
- 1500m of standard duty strapping
- 2000 strapping seals
- Mobile strapping dispenser trolley

STOCK CODE	
BANDPKT	1



## BLUE POLY ROPE

A blue poly rope meeting the needs of most trades and suitable for a variety of applications in the home and workplace. The rope is multi stranded and manufactured from weather proof rot-protected polypropylene so it is incredibly durable. The rope has a high tensile strength and has a low stretch.



STOCK CODE	SIZE	
ROP630	6mm x 30m	1
ROP6220	6mm x 220m	1
ROP6500	6mm x 500m	1
ROP820	8mm x 20m	1
ROP830	8mm x 30m	1
ROP8220	8mm x 220m	1
ROP1015	10mm x 10m	1
ROP1030	10mm x 30m	1
ROP1020	10mm x 220m	1
ROP1210	12mm x 30m	1
ROP12220	12mm x 220m	1

STOCK CODE	SIZE	
ROP16220	16mm x 220m	1
ROP2030	20mm x 30m	1
ROP20220	20mm x 220m	1
ROP28220	28mm x 220m	1

### PVA SEALER 506 SEALING ADDITIVE

- Improves adhesion to most common building surfaces
- Improves flexibility of mortars and screeds
- Ideal for priming and dust sealing on flaking surfaces
- Ideal for adhesive on wood, cork, paper, textiles etc



STOCK CODE	SIZE	
PVABOND5L	5 ltr	1

### SEVER BRICK ACID CLEANER

401 Brick & Patio Cleaner is a fast-acting acid-based formula (9.5% strength) that dissolves mortar and cement stains, ingrained dirt and paint on most mineral surfaces such as brick, stone, concrete, paving flags and earthenware.

Please note this product is only suitable for external applications.

- Acid-based, powerful cleaning action
- Water clean up
- Economical in use
- 1ltr (neat) will clean up approx. 10m<sup>2</sup> of surface stain



STOCK CODE	SIZE	
BRICKAC5L	5 ltr	1

### SEVER BLACK BITUMEN PAINT

A solvent based, full bodied black bituminous paint. When dry, the product forms an odourless and taint free black film suitable for metal protection, concrete structures and overcoating wood and felt.

- Fast drying paint
- Suitable for use on most common building surfaces
- Resistant to most salt solutions, dilute acids and alkalis, water and alcohol
- Provides a waterproof, weatherproof and corrosion-resistant protective coating



STOCK CODE	SIZE	
BITPAINT5	5 ltr	1

### SEVER BITUMEN TROWEL MASTIC

Bitumen Trowel Mastic is a trowel applied black heavily filled bituminous compound with added fibres for reinforcement.

The product forms a surface skin, but the mass below remains soft to allow for moderate movement. Suitable for sealing and filling holes in mastic asphalt, roofing felt, corrugated iron, metal guttering and downpipes.



STOCK CODE	SIZE	
BJ5L	5 ltr	1

### DPM BITUMEN

A solvent-free, rubberised bitumen emulsion which dries to a tough, black coating providing a highly effective cold-applied, damp-proof membrane in sandwich constructions. It can also be used as a waterproof for floors, walls and other above ground structures and acts as a curing membrane when applied to green concrete. It is equally effective as an adhesive for wood blocks, wood mosaic panels, insulation boards, expanded polystyrene and cork panels, or as a plaster bonding agent on difficult surfaces. It can also be applied to damp surfaces. Resistant to extreme heat and cold and has a low odour.



STOCK CODE	SIZE	
BJ25L	25 ltr	1

### FEBOND BLUEGRIT

- Bond strength tested in accordance with EN13892-8
- Ready to use straight from the tub
- Simple to apply by roller or brush
- Available in 5L and 10L pails



STOCK CODE	SIZE	
FEBLUEGRIT10	10 ltr	1

## EURO CRANE LIFT MORTAR TUB

- Manufactured from high quality virgin polymer
- Solid mortar tub for crane lift movement on site



STOCK CODE	CAPACITY	
TUBM250L	250 ltr	1

## MORTAR TUB LINER

Mortar Tub Liners are giant plastic bags that prevent mortar from sticking to the tub sides. They also aid in water retention which in turn extends the life of plaster and mortar.



STOCK CODE	LENGTH	
TUBMLIN	100 m	1

## OCTAGONAL MORTAR MIXING SPOT BOARD

Ideal for mixing cement and other similar products. Lightweight and easy to move, it restricts spillage and prevents unsightly stains on driveways and lawns. Helps keep the worksite clean. Complete with an integral hanging hook for easy storage.



STOCK CODE	
FAISPOTBOARD	1

## CEMENTITIOUS NON SHRINK GROUT

Recommended for grouting voids in structural elements such as; patching up honeycombs in concrete, filling gaps in precast elements, and grouting base plates and bridge bearings.



STOCK CODE	SIZE	
CEMNSGRO	25kg	1

## TARMAC POZAMENT NON SHRINK GROUT

- Equivalent Sodium Oxide is less than 3.0kg/m<sup>3</sup>
- Shrinkage compensated
- Can be used for grouting sections up to 500mm thick
- Chloride free
- Free flowing



STOCK CODE	SIZE	
NSGRO	20kg (yields 12.7 ltr)	1

## SIKA 4a WATER STOP

Sika®-4a Water Stop is a ready to use quick setting leak stopping liquid which is mixed with water and ordinary Portland cement to produce a paste for leak stopping against high water pressure infiltration.



STOCK CODE	SIZE	
SIKA4AWS5L	5 ltr	1



AJ

AK


AL

## PAPER JOINT TAPE



STOCK CODE	SIZE	
PAPERTAPE	50mm x 150m	1

## METAL CORNER TAPE



STOCK CODE	SIZE	
METCORTAPE	50mm x 30m	1

## British Gypsum GYPROC CORNER TAPE



British Gypsum Gyproc corner tape is a paper joint tape bonded to two corrosion resistant steel strips for reinforcing internal and external angles in plasterboard constructions. The high performance, low friction paper gives a crisp, perfect straight edge while simultaneously reducing friction burn to fingers during application. Conforms to EN 13963.

STOCK CODE	SIZE	
BGCT30	50mm x 30m	1

## British Gypsum GYPROC THISTLE PROTAPE FT50 SCRIM FIBRE TAPE



STOCK CODE	SIZE	
BGTPF	48mm x 90m	1

## FIBRE SCRIM TAPE



STOCK CODE	SIZE	
SCRIMTAPE48	48mm x 90m	1

## British Gypsum PAPER JOINT TAPE

Paper tape designed for reinforcing flat joints and internal angles. Can be applied manually or with the mechanical jointing systems. It has a centre crease, chamfered edges and spark perforations, making it easy to use in a variety of applications.



STOCK CODE	SIZE	
BGPJT150	50mm x 150m	1

## UNDERGROUND WARNING TAPES

These vivid colour tapes are designed to warn excavation crews of the existence of buried pipes or cables before damage can occur. The tapes are impervious to alkalis, acids and other soil components and are marked with text indicating the hazard type.



STOCK CODE	TYPE	SIZE	
UWTDETELE	Electric	150mm x 100m	1
UWT365ELE	Electric	150mm x 365m	1
UWT365GAS	Gas	150mm x 365m	1
UWT365WAT	Water	150mm x 365m	1
UWT365COM	Communication	150mm x 365m	1

## NON ADHESIVE BARRIER TAPE



- A strong, durable non-adhesive PVC tape used for marking out or cordoning off areas
- The highly contrasting coloured stripes serve as a clear visual warning and also present a barrier to areas that require to be sectioned off
- Suitable for a wide range of uses in various trades and services that include, construction sites, factories, warehouses, emergency services and many other situations where safety of personnel is a priority

STOCK CODE	SIZE	COLOUR	
BART70RW	70mm x 500m	Red/White	1
BART75RW	75mm x 500m	Red/White	1
BART70BY	70mm x 500m	Black/Yellow	1
HAZT75GW	70mm x 500m	Green/White	10

## ADHESIVE HAZARD TAPE



- PVC carrier and rubber adhesive, resistant to most common solvents.
- Vivid colours and easy to apply
- Abrasion, moisture and wear-resistant
- Adheres to a wide variety of substrates. Used for lane marking, floor marking, safety coding, hazard marking, identifying, sealing, colour coding, protecting, bundling in the automotive, aerospace, military, facilities management, transportation, marine and general industries
- 130mic peel adhesion = 2.2N/25mm

STOCK CODE	SIZE	COLOUR	
HYT33ABY	50mm x 33m	Black/Yellow	8
HAZT75BY	70mm x 33m	Black/Yellow	12
HAZT75RW	70mm x 33m	Red/White	12
HYT33ARW	50mm x 33m	Red/White	8

## ANTI SLIP TAPE



STOCK CODE	SIZE	COLOUR	
AST50B/Y	50mm X 18m	Black & Yellow	24

## PTFE TAPE



Provides watertight seal for water-pipe fitting and installation work. Helps prevent bi-metal corrosion in threaded joints. Lubricates threaded joints during assembly and helps prevent bi-metal corrosion. Suitable for cast iron, steel, alloys, plastic, brass and ceramics. Complies with BS 6920-1:2000 and BS 7786:2006.

STOCK CODE	SIZE	
PTFE12	12mm x 12m	10

**NEED IT FAST?**  
CONTACT OUR SALES TEAM ON

**020 8699 6777**

OR PLACE YOUR ORDER ONLINE AT

**WWW.SELKENT.COM**

## ALUMINUM CLASS O FOIL TAPE

The Everbuild Aluminium Tape is made from heat and light reflective aluminium foil. It is heat resistant to 180°C and flame retardant to Class O. It has excellent moisture resistance, and is ideal for use as a vapour barrier between foil faced insulation panels in roof and wall applications, duct sealing on all types of air conditioning and ventilation and protecting wires and pipes from heat.



STOCK CODE	SIZE	
AFT50	50mm x 45m	24
AFT75	75mm x 45m	16
AFT100	100mm x 45m	12

## PETRO ANTI CORROSION TAPE



A cold applied tape which remains plastic over a wide temperature range. The tape is non-hardening and non-cracking.

It is highly resistant to mineral acids, alkalis, salts and micro-organisms and highly impermeable to water, water vapour and gases.

### Application:

- Used for the protection of buried or exposed pipes, rods, cables, valves and metal fittings from corrosion

### Composition:

- Made from non-woven synthetic fibre fabric, which impregnated and coated with a neutral compound based on saturated petroleum hydrocarbons and inert siliceous fillers

### Specification:

- Breaking strength: 200N/50mm minimum
- Elongation at break: 10%
- Breakdown voltage: 16kV
- Temperature range for application: -5°C to 45°C
- Temperature range for service: 55°C maximum
- Thickness: 1.15mm

STOCK CODE	SIZE	
DENT50	50mm x 10m	24
DENT75	75mm x 10m	16
DENT100	100mm x 10m	12

## PVC INSULATION TAPE

Suitable for a multitude of tasks in and around the home and workplace. This 19mm wide tape withstands temperatures from -5°C to 60°C. Flame retardant conforming to BS EN 60454, CE and RoHS. Available in a variety of colours.

STOCK CODE	COLOUR	SIZE	
IT19BL	Blue	19mm x 20m	8
IT19BLA	Black	19mm x 20m	8
IT19BR	Brown	19mm x 20m	8
IT19G	Green	19mm x 20m	8
IT19GRYE	Green / Yellow	19mm x 20m	8
IT19GY	Grey	19mm x 20m	8
IT19OR	Orange	19mm x 20m	8
IT19P	Purple	19mm x 20m	8
IT19R	Red	19mm x 20m	8
IT19W	White	19mm x 20m	8
IT19Y	Yellow	19mm x 20m	8



## LOW TACK PVC TAPE

WHITE & BLACK



STOCK CODE	SIZE	COLOUR	
LOWTAC50MM	50mm x 33m	White	1
LOWTAC50MMBK	50mm x 33m	Black	1
LOWTAC75MM	75mm x 33m	White	1
LOWTAC100MM	100mm x 33m	White	1

## HIGH TACK CLOTH WATERPROOF TAPE

BLACK



STOCK CODE	SIZE	
CT50HTBK	48mm x 50m	24

## HEAVY DUTY DUCT TAPE



STOCK CODE	SIZE	
DT100B	100mm x 50m	12
DT100S	100mm x 50m	12

## GAFFA TAPE



STOCK CODE	SIZE	COLOUR	
GT50B	50mm x 50m	Black	12
GT75B	75mm x 50m	Black	12
GT50G	50mm x 50m	Silver	12
GT75S	75mm x 50m	Silver	12

## LOW TACK MASKING TAPE



The professionals choice for application to more delicate surfaces and wallpaper, where conventional masking tapes could damage the surface. Can be left on for up to 7 days. Ideal for use on woodstains, varnishes and enamels where coating does not usually key well to substrate.

STOCK CODE	SIZE	
LTMASK50	50mm x 25m	1

## MASKING TAPE



STOCK CODE	SIZE	
MT25	25mm x 50m	1
MT38	38mm x 50m	1
MT48	48mm x 50m	1
MT75	75mm x 50m	12

## DOUBLE SIDED TAPE



STOCK CODE	SIZE	
DST25	25mm x 25m	48
DST50	50mm x 25m	24

## GREEN FROG TAPE



STOCK CODE	SIZE	
MT48GF	48mm x 41.1m	12

## DOUBLE-SIDED BUTYL TAPE



STOCK CODE	SIZE	
BUTYLTAPE	50mm x 10m x 1mm	12

## TYVEK SINGLE SIDED ACRYLIC TAPE



STOCK CODE	SIZE	
TYVSINGTAPE	75mm x 25m	1

## TYVEK DOUBLE SIDED ACRYLIC TAPE



STOCK CODE	SIZE	
TYVDOUBTAPE	50mm x 25m	1

**DRAUGHT EXCLUDER TAPE**  
SELF-ADHESIVE STRIP



STOCK CODE	SIZE	
DRA12X6	12mm x 6mm x 10m	1

**HD DRAUGHT EXCLUDER TAPE**  
BLACK



STOCK CODE	SIZE	
DRAHD10X3	10mm x 3mm x 10m	1

**EXPANDING FOAM TAPE**

Xpanda is a unique combination of resilient foam and water-resisting binder. The combination produces a “dry” pre-formed strip seal used to resist weather ingress in fenestration, roofing and construction applications. The viscoelastic properties also offer noise and vibration damping. See the below table for size and other packaging information.



STOCK CODE	GAP	SIZE	
EXPFT1.5-3.0MM	1.5mm - 3mm	10mm x 12.5m	48
EXPFT2-4MM	2mm - 4mm	10mm x 10m	48
EXPFT3-7MM	3mm - 7mm	15mm x 8m	20
EXPFT5-10MM	5mm - 10mm	15mm x 5.6m	32
EXPFT7-12MM	7mm - 12mm	15mm x 4.3m	32
EXPFT8-15MM	8mm - 15mm	20mm x 3.3m	24
EXPTFT10-18MM	10mm - 18mm	20mm x 3m	24
EXPFT13-24MM	13mm - 24mm	25mm x 2m	20
EXPFT24-40MM	24mm - 40mm	40mm x 2m	12



SITE EQUIPMENT & CONSUMABLES

## COMMERCIAL GRAFFITI REMOVER



STOCK CODE	SIZE	
CLECGR5L	5 ltr	1

## HARD SURFACE & FLOOR CLEANER



STOCK CODE	SIZE	
CLEFL5	5 ltr	1

## SURFACE DISINFECTANT



STOCK CODE	SIZE	
CLEDI5	5 ltr	1

## SPRAY & WIPE SURFACE CLEANER

- Rapid action, hard surface cleaner
- Effective against E.Coli and MRSA



STOCK CODE	SIZE	
CLEKSC750	750ml	12

## MULTI SURFACE CLEANER

### SPRAY

- Cuts through grease and grime
- Fast acting multi purpose cleaner
- Refreshing lemon fragrance



STOCK CODE	SIZE	
CLEMS750	750ml	12

## WINDOW & MIRROR CLEANER

### SPRAY



STOCK CODE	SIZE	
CLEGP750	750ml	6

## NEVER BUILD GLASS CLEANER

### SPRAY

- Powerful glass cleaning agent
- Rapid drying



STOCK CODE	SIZE	
EVBGLCLEA1L	1 ltr	12

## NEVER BUILD UPVC CLEANER



STOCK CODE	SIZE	
CLEPVC1L	1 ltr	12

## ARBO GLASS CLEANER

### SPRAY



STOCK CODE	SIZE	
ARBOGLCLEAN	1 ltr	12

## WINDOW SQUEEGEE

Window-cleaning squeegee with durable rubber blade.



STOCK CODE	SIZE	
SQU12W	300mm / 12"	1

**FURNITURE POLISH SPRAY**



STOCK CODE	SIZE	
CLEFP480	300ml	12

**LIMESCALE REMOVER SPRAY**



STOCK CODE	SIZE	
CLELR500	500ml	12

**THICK BLEACH**

- Perfect for deep cleans, commercial and professional cleaning, catering cleaning, etc.
- Thick commercial grade bleach
- Strong quality
- Sold in angle necked 1 litre bottles with airtight sealed lid



STOCK CODE	SIZE	
CLEB1L	1 ltr	12

**DISHWASHER TABLETS LEMON SCENT**



STOCK CODE	SIZE	
CLEDT	100 tablets	2

**BLEACH**

For use in drains, floors, lavatories and for general disinfecting and cleaning.



STOCK CODE	SIZE	
CLEBL5	5 ltr	2

**WASHING UP LIQUID**



STOCK CODE	SIZE	
CLEWUL1	1 ltr	12
CLEWUL5	5 ltr	1

**SPONGE SCOURERS PACK OF 10**



STOCK CODE	
CLESS	1

**J TYPE CLOTHS PACK of 50**



STOCK CODE	
CLEJC50	1

**DISH CLOTHS PACK OF 10**

- Soft and absorbent
- Suitable for wet and dry applications



STOCK CODE	
CLEDC10	1

**BLUE MICROFIBRE CLEANING CLOTH**

PACK OF 10  
High quality microfibre material



STOCK CODE	
CLEMFC	1

**NUMATIC HENRY VACUUMS & BAGS**

Motor (Vacuum)	620W
Carpet/Hard Floor Pickup	C / C
Dust Re-Emission Class	C
Energy Efficiency Class	B
Sound Power Level	76dB
Cable Length (Meters)	12.5
Suction	2200mm H2O
Capacity Dry (Litres)	9
Cleaning Width	300mm Floor Tool
Dimensions	355mm x 355mm x 415mm

STOCK CODE	POWER	
107115	110 VOLT	1
107116	240 VOLT	1

**HENRY VACUUM BAGS - Pack of 10**

Replacement Plain Poly Bags- Paper Bags - Weight: 0.485 kg

STOCK CODE	
107117	1

**MOP BUCKETS**

- Size 32cm x 29cm x 23cm
- Capacity 15 ltr



STOCK CODE	
CLEMB12	1

**12 PY MOP HEAD & HANDLE**

STOCK CODE	DESCRIPTION	
CLEMH12	12 PY Mop Head	1
CLEMHD	Mop Handle	1

**YELLOW URINAL BLOCKS  
PERFUMED**

STOCK CODE	SIZE	
CLEYUB3	3kg tub	1

**TOILET CLEANER**

- Climate Pledge friendly
- Cleans, freshens & removes limescale



STOCK CODE	SIZE	
CLETC5L	5 ltr	1

**TOILET CLEANER**

STOCK CODE	SIZE	
CLETC750	750ml	12

**AIR FRESHENER  
SPRAY**

STOCK CODE	SIZE	
CLEAF400	300ml	12

**TOILET BRUSH  
& HOLDER**

STOCK CODE	
CLETB	1

### TOILET ROLLS - PREMIUM

Softer and stronger sheet

- 3 Ply
- White
- Length 20m
- Pack of 4
- Case 40
- 160 Rolls



STOCK CODE	SIZE	Icon
CLETR50		1

### CENTRE FEED CLEANER ROLLS

CASE OF 6

- 100% Recycled
- 2 Ply



STOCK CODE	SIZE	Icon
CLEBR150M	175mm x 150m	1

### PAPER HAND TOWEL



C FOLD

STOCK CODE	DESCRIPTION	Icon
CLETOWC	White - Pack of 2400	1
CLETOWG	Green - Pack of 2520	1

Z FOLD

STOCK CODE	DESCRIPTION	Icon
CLETOWZZ	White - Pack of 3000	1

### BOTTLED WATER

CASE OF 24



STOCK CODE	SIZE	Icon
WATBOT50024	500ml	24

### WATER BOTTLE

NON RETURNABLE

- PET Bottle, 100% recyclable, made with 51% recycled PET
- Bottle cap suitable for water dispenser/coolers



STOCK CODE	SIZE	Icon
CATWAT18	15 ltr	1

### CRUSHABLE WATER BOTTLES

- Fully recyclable in your normal recycling waste
- Made from 100% PET plastic with 30% recyclable content in every bottle
- High-quality pure English spring water



STOCK CODE	SIZE	Icon
WATBOT15	15 ltr	1

SITE EQUIPMENT & CONSUMABLES

**MICROWAVE OVEN****700W POWER**

- Easy set timer
- 7 power levels for precise cooking



STOCK CODE	SIZE	
MIC240	262mm x 452mm x 330mm	1

**UNDER COUNTER FRIDGE****90 LTR**

STOCK CODE	SIZE	
FIRU01	820mm x 470mm x 440mm	1

**TOASTER****REMOVABLE CRUMB TRAY**

- 240V
- Variable electronic browning control, reheat, defrost and cancel buttons
- Non slip feet



STOCK CODE	SIZE	
TOAST4	4 Slice	1

**CORDLESS KETTLE****OVERHEAT PROTECTION**

- Easy pour spout
- Quick boil
- Detachable powered base



STOCK CODE	CAPACITY	
KET01	1.7 ltr	1

**POLYSTYRENE CUP****PACK OF 1000**

- Insulated
- Biodegradable



STOCK CODE	CAPACITY	
CATPC10	10 oz	1

**CERAMIC MUG**

STOCK CODE	SIZE	COLOUR	
CATSEL	300ml	White	36

**PLASTIC CUP****PACK OF 2000**

- Biodegradable



STOCK CODE	CAPACITY	
CATPC7	7 oz	1

**STAINLESS STEEL CUTLERY**

PACK OF 12



**TEASPOON**

STOCK CODE



CATTSP12

1



**SPOON**

STOCK CODE



CATSP12

1



**FORK**

STOCK CODE



CATFK12

1



**KNIFE**

STOCK CODE



CATKNI12

1

**TYPHOO TEA BAGS**

1100 BAGS



STOCK CODE



CATTB01

1

**NESCAFE GOLD BLEND COFFEE TIN**

750g



STOCK CODE



CATCOF2

1

**NESCAFE ORIGINAL COFFEE**

500g



STOCK CODE



CATCOF01

1

**TATE & LYLE SUGAR**

1kg PACK



STOCK CODE



CATGS01

1

**TYGRIS ONEWIPE**

110 WIPES

- Highly absorbent material
- Specially formulated to remove common contaminants found in most trades and industries
- Anti-bacterial by design
- Foil sealed for freshness and long storage life



STOCK CODE



9485

6

**WONDERWIPE**

PACK OF 100

Wonderwipes are powerful enough to cut through residual grease, solvents and oils without any need for vigorous scrubbing.



STOCK CODE



WONWIP100

1

**WET CLEANSING WIPES**

50 WIPES



STOCK CODE



CLEWW01

1

SITE EQUIPMENT & CONSUMABLES

## SANITISER WIPES

### TUB OF 500

- Convenient, effective, universal surface wipes for long-lasting germ protection
- Approved to kill coronavirus
- Convenient dispenser for individual wipes
- Complies with EN13727, EN13697, EN14561, EN13624, EN14467, EN14476



STOCK CODE

SANTUB500



1

## SWARFEGA

Swarfega Orange is an advanced formulation hand cleaner with polygrains. Its natural citrus oil removes oil, grease and general soilings quickly and efficiently.



STOCK CODE

SWARFEGA



1

## 70% ALCOHOL HAND SANITISER GEL



STOCK CODE

CLEAHS500

SIZE

500ml



1

## ANTIBACTERIAL HAND SOAP



STOCK CODE

CLEHS500

SIZE

500ml



12

## HYGIENE HAND SOAP

- A pearlised hand soap suitable for environments such as hospitals and kitchens where hygiene is essential
- Ideal for use in most bulk fill dispensers



STOCK CODE

CLEHS5L

SIZE

5 ltr



1

## SUN PROTECT 30 PURE

Prolongs the skin's natural protection time against the sun's UVB rays by a factor of 30. UVC Protection - Provides additional protection against UVC rays as created artificially during certain industrial processes, such as arc welding. Does not replace personal protective equipment.

Water resistant formula - Withstands perspiration or immersion in water; ideal for outdoor workers.

Non greasy after feel - Quickly and easily absorbs into the skin to encourage regular use and does not affect dexterity with hand held tools.

Perfume-free.



STOCK CODE

SKISPP01

SIZE

100ml



12

## DEB LIME WASH

Deb® Lime Wash is a powerful hand cleanser containing Deb's patented formula of lime extract and cornmeal scrub.

Deb® Lime Wash is powerful enough to remove most common industrial soiling.



STOCK CODE

DEB009

SIZE

2 ltr



1

## BALLPOINT PEN

- Black or Blue ink available
- Medium point clear barrel ballpoint pen  
1.0mm tip with 0.4mm line width
- Shatterproof barrel with ventilated cap



STOCK CODE	COLOUR	
PENBLK	Black	50
PENBLU	Blue	50

## WHITEBOARD DRY WIPE ASSORTED PENS

### PACK OF 4

The Niceday WBM 2.5 whiteboard markers come with a bullet nib that lets you draw calligraphic, thick and thin lines. These markers can be used during meetings, classroom teachings and note-taking to make sure no message is missed. Add these multi-purpose whiteboard markers to your office supplies list and give a voice to your ideas.

This pack consists of 4 Niceday WBM 2.5 whiteboard markers in blue, green, red and black colours. Its plastic body encapsulates pigment based ink that can be easily cleaned with the regular whiteboard erasers. So pick up one of these markers and write away or better yet pick them all up and write down a cheery, colourful message.

The writing length of this marker is around 300 metres.



STOCK CODE	
WHITEBOARDPEN	1

## HIGHLIGHTER ASSORTED COLOURS

### PACK OF 4



STOCK CODE	
HIGHLIGHT4	1

## BLACK PERMANENT MARKER

### PACK OF 12

- Water resistant
- Fast drying ink



STOCK CODE	
PENPM	1

## DYKEM MEDIUM PAINT PEN

These fantastic Paint Pens are specifically designed for Industrial Applications. The quick drying, oil-based Paint will mark almost any surface including Metal, Rubber, Timber, Glass, Concrete, Leather and more.



STOCK CODE	COLOUR	
DYK75086	Yellow	1

## VALVE ACTION PAINT MARKER

Markal Paint-Riter® Valve Action® Paint Markers require very little pressure to release the specially formulated spirit based opaque paint from the metal barrel. These marks are Xylene free, very fast drying, fade and ultra-violet resistant, similar to an ink marker, but with the opacity of paint. Works best on hard, smooth surfaces, like steel and iron, plastic, glass, pipes and tubes, rubber and tyres, cloth and fabric (textiles).



STOCK CODE	COLOUR	
MKL96800C	White	1

## TIPP-EX PEN

### PACK OF 10

- Shake 'n Squeeze correction pen
- Fast drying fluid
- 8 ml of liquid



STOCK CODE	
PENTIPX	1

## LEVER ARCH FILES



- Metal thumb hole for easy retrieval from a shelf
- Strong compressor bar to secure papers
- Large spine label for easy identification

STOCK CODE	SIZE	
A4LAFILE	A4	1
A3LAFILE	A3	1

## COPIER PAPER WHITE

### 500 SHEETS

- 80gsm White



STOCK CODE	SIZE	
A4PAPER	A4	5
A3PAPER	A3	5

## WHITEBOARD MAGNETIC DRY WIPE

The lightweight, strong anodised aluminium frame features snap-on corner caps to help conceal wall fixings. Ideal for use in trainings, conferences and meeting rooms, the steel-based surface means it can double-up as a noticeboard using magnets to attach messages, charts and images.

This whiteboard weighs 5585g.

Please note that the markers are not included.



STOCK CODE	SIZE	
WHITEBOARD1200X90	1200mm x 900mm	1

## DOCUMENT LAMINATION

### A3 SIZE THERMAL LAMINATOR & POUCHES

Fast warm-up laminator:

- Hot mode only needs 3-5 minutes to preheat and there are two lamination modes, including hot lamination and cold lamination methods.



### LAMINATOR

STOCK CODE	
LAMTHM	1

### POUCHES (PACK OF 100)

STOCK CODE	SIZE	
LAMA4	A4	1
LAMA3	A3	1

## A4 CLIPBOARD

- Glazed surface guarantees smooth writing
- Size: A4



STOCK CODE	
CBA4	1

## HOLE PUNCH

- Capacity: 22 Sheets



STOCK CODE	
HOLPUNCH	1

## CHARTWELL SURVEY BOOK 2426

YELLOW



STOCK CODE	
SBCHAY	1

# CONCRETING ACCESSORIES




**CONCRETE RAKE****60inch HANDLE**

The aluminum blade on this tool allows large amounts of asphalt or concrete to be placed for finishing. For levelling and moving tarmac and a variety of loose material.

**Product features**

- Blade width 24inch/600mm
- Blade thickness 1/4 inch
- Handle length 60inch/1524mm
- Solid alloy blade



STOCK CODE

CONRAKE60



1

**BIG BLUE FLOAT KIT**

Big Blue concrete trowel which comes complete with a heavy-duty Knucklehead II Gearbox for tilt-action control on the concrete plus and 3 aluminium snap handles giving you 18ft reach on the slab.



STOCK CODE

BBF1200K

SIZE


1200mm



1

**BIG BLUE FRESNO BROOM KIT****HARD**

The heavy duty Knucklehead II with the innovative tilt action gear box allows for a smooth concrete finish when pushing out onto the concrete, and when twisted allows the textured brush to make contact with the concrete to apply the texture as the tool is pulled back towards you.



STOCK CODE

BBFBHARDKIT

SIZE

1200mm



1

**BIG BLUE REPLACEMENT BROOM**

These polybristle brushes slide onto a metal strip and are used for texturing concrete. These head replacements for fixed brushes and fresno brooms allow you to quickly slot the desired texture of brush to suit the finish required



STOCK CODE

BBFBHARD

SIZE

1200mm



1

**BIG BLUE FLOAT REPLACEMENT BLADE ONLY**

STOCK CODE

BBFBLADE

SIZE

1200 x 300 mm



1

FOR FAST DELIVERY

CALL OUR SALES TEAM ON

 **020 8699 6777**

OR TO ORDER ONLINE VISIT

 **WWW.SELKENT.COM**

### ALUMINIUM SERRATED TEXAS PLACER

Heavy duty concrete placer with a 'double dished' interchangeable aluminium blade.




STOCK CODE	
ALITEXPL	1

### ALUMINIUM LUTE / SPAZZLE

The aluminium blade on this tool allows large amounts of asphalt or concrete to be placed for finishing. For levelling and moving tarmac and a variety of loose materials.

**Product features**

- Blade width 24inch/600mm
- Blade thickness 1/4inch
- Handle length 60inch/1524mm
- Solid alloy blade



STOCK CODE	
ALISPAZ	1

### FORGED TAMPER

Solid steel head with heavy duty tubular steel handle and 130mm base for access into corners. Strong and lightweight. For compacting areas of earth, tarmac, asphalt and hardcore.



STOCK CODE	WEIGHT	
GROFT01	5kg	1

### ROUNDED TARMAC RAKE

Heavy duty forged steel rake with long, heavy-gauge tubular handle. Suitable for even spreading of tarmac over paths, driveways and roads. Head width 435mm. 16 rounded teeth.



STOCK CODE	SIZE	
GROR16	16 tooth	1

### ALUMINIUM HAND SCOOP

Aluminium scoop is resilient to aggressive materials or aggregate



STOCK CODE	
SCOALUH	1

### WAX CONE

Holding down bolts see page 18.



STOCK CODE	SIZE	
1673	229mm	1
1680	300mm	1
1674	380mm	1
1675	530mm	1
1677	450mm	1

CONCRETING ACCESSORIES

## POLYPROPYLENE CONCRETE CURING TANK

110volt concrete curing tanks are perfect economy tanks for onsite testing of concrete cube moulds. They maintain temperature of the cubes at the required 20°C.

110 V



STOCK CODE

CUR110A



1

## CONCRETE TEST CUBE MOULD PLASTIC

The mould is compliant with specifications laid out in EN 12390-1 (testing hardened concrete. shape, dimensions and other requirements for test pieces and forms).

It consists of two identical halves that are easy to assemble.

The elements are coupled together by fastening with two side closing grips.

A plastic test mould rod is supplied as standard.



STOCK CODE

MOU150CP

SIZE

150mm x 150mm



1

## CONCRETE TEST CUBE MOULD

### 4 PARTS

Made from cast iron capable of withstanding heavy usage without distortion.



STOCK CODE

MOU100C

SIZE

100mm x 100mm



1

MOU150C

150mm x 150mm

1

## POLYSTYRENE CUBE MOULD



STOCK CODE

POLYCUBE100

SIZE

100mm



125

## CONCRETE TESTING THERMOMETER

-10°C +50°C

Brass concrete thermometer with a temperature range of -10° to +50°C. Length, 500mm



STOCK CODE

THOM02



1

## VANTAGE HOUSE

As part of Selkent's wider growth plans, we've opened Vantage House. This investment strengthens our service offering with increased stock capacity and a more efficient pick-and-dispatch operation, helping us support customers nationwide with faster, more reliable delivery and long-term, sustainable growth.

Vantage House,  
Trinity Trading Estate,  
ME10 2PD



**SLUMP CONE**



STOCK CODE		
SUMC		1

**SLUMP CONE CUBE TAMPING ROD**

STEEL TO EN12390-2 AND BS1881-108



STOCK CODE	SIZE	
SUMCSTR	25mm x 380mm	1

**TAMPING ROD**




STOCK CODE	SIZE	
SUMCTR	16mm x 600mm	1

**SLUMP CONE WITH TAMPING ROD SQUARE**



STOCK CODE		
SUMCTRS		1

**SLUMP CONE BASE PLATE**



STOCK CODE		
SUMCBP		1

**MESH SIEVE**

200mm **ST/ST**

European Standard Full Height Sieves with 200mm diameter frames x 50mm deep to ISO 3310/1 (woven wire mesh) and ISO 3310/2 (perforated plate).



STOCK CODE		
SV200		1

CONCRETING ACCESSORIES

## HESSIAN ROLL

Ideal for covering and protecting a wide variety of materials and brickwork from the frost and cold weather.

Protection for:

- Mortar
- New brickwork
- Concrete
- Bad weather
- Striking frost
- Width: 1370mm



STOCK CODE	SIZE	
HESROL46M	1.37m x 46m	1

## FROST BLANKET

Lightweight, high performance concrete curing blanket for low temperatures.



STOCK CODE	SIZE	
FROBLA01	1.5m x 70m x 8mm	1

## MBT COUPLER



STOCK CODE	SIZE	
MBT12	12mm	1
MBT16	16mm	1
MBT20	20mm	1
MBT25	25mm	1
MBT32	32mm	1
MBT40	40mm	1

## WHEEL SPACER

The design of the spacer allows it to be used with a wide selection of bars and the design allows for maximum concrete flow.



STOCK CODE	COVER mm	BAR SIZE	
WSP200412	20	4mm - 12mm	1000
WSP250820	25	8mm - 20mm	500
WSP300412	30	4mm - 12mm	500
WSP300820	30	8mm - 20mm	1000
WSP350620	35	12mm - 20mm	1000
WSP400820	40	8mm - 20mm	250

## THREADED TIE ROD BAR

Tie rod threaded bars are hot rolled in the steel mill and come with thread-like deformed ribs over the entire length of the bar. The bar can be cut anywhere and is instantly threadable without further preparation.

STOCK CODE	SIZE	
TRB15X3M	15mm x 3m	1
TRB15X6M	15mm x 6m	1
TRB20X6M	20mm x 6m	1
TRB26X6M	26mm x 6m	1




## SOLID ROD FIXING

A heavy duty fixing socket which can be used without additional reinforcement.



STOCK CODE	SIZE	
SRF1675	M16 x 75mm	1

## TIE ROD FORMWORK ANCHOR



STOCK CODE	SIZE	
TRFA15	15mm	1

## TIE ROD PLASTIC SLEEVE CONE



STOCK CODE	SIZE	SUITABLE FOR	PACK OF	
TRPCONE15	22mm	15mm TIEROD	500	1
TRPCONE20	26mm	20mm TIEROD	250	1
TRPCONE26	30mm	26mm TIEROD	500	1

## TIE ROD PLASTIC SLEEVE

2m




STOCK CODE	SIZE	SUITABLE FOR	PACK OF	
TRPS15	22mm	15mm TIEROD	100m	1
TRPS20	26mm	20mm TIEROD	50m	1
TRPS26	30mm	26mm TIEROD	50m	1

## TIE ROD CAST IN ANCHOR


**ST/ST**

Stainless steel cast-in anchor, complete with positioning disc and formwork fixing nail.



STOCK CODE	SIZE	
TRCIA15	15mm	1

## TIE ROD HEX COUPLER



STOCK CODE	SIZE	
TRHC15	15mm	1
TRHC20	20mm	1
TRHC26	26mm	1

## TIE ROD HEX NUT FULL THREAD



STOCK CODE	SIZE	
TRHN15	15mm	1
TRHN20	20mm	1
TRHN26	26mm	1

NEED IT FAST?  
CONTACT OUR SALES TEAM ON  
 **020 8699 6777**

OR PLACE YOUR ORDER ONLINE AT  
 **WWW.SELKENT.COM**

## TIE ROD WING NUT



STOCK CODE	SIZE	
TRWN15	15mm	1
TRWN20	20mm	1
TRWN26	26mm	1

## TIE ROD WELDABLE ANCHOR

A metal anchor which can be welded to metal structures to accept 15mm tie rod.

Anchors must be welded continuously all the way round – load tests should be conducted before use.




STOCK CODE	SIZE	
TRWA15	15mm	1

## TIE ROD WATER STOP NUT

An effective cast in-situ Tie bar water barrier for use in water retaining structures.

Plastic reducer ensures a neat, clean fit with the tie bar tubing when used with the flanged water barrier.



STOCK CODE	SIZE	
TRWSN15	15mm	1

## R CLIP

R-Clips for use with cross drilling shafts.



STOCK CODE	SIZE	
RCLP2	2mm	100
RCLP4	4mm	100
RCLP4L	4mm x 75mm	100

## TIE ROD ROCK ANCHOR



STOCK CODE	SIZE	
TRRA15	15mm	1

## TIE ROD WALER PLATE

Pressed Waler Plates are used for timber or steel waling's in conjunction with a winged nut or a hex nut for load transfer. The embossing of the plate increases its rigidity. Load capacity depends on the contact area, the admissible bearing pressure and the threadbar that is used.



STOCK CODE	SIZE	
TRWP15	15mm	1
TRWP20	20mm	1
TRWP26	26mm	1

## PLASTIC NAILING PLATE

Plastic Nailing Plates are for use with wooden formwork and are simply nailed to the mould in the correct position and the anchor screwed on.



STOCK CODE	SIZE	
NAILPLM16	M16	100

## STAINLESS STEEL TYING WIRE

Stainless Steel wire is used where there is a risk of staining or for use with stainless steel bars. Our stainless steel lacing wire is grade 304/ A2 (1. 4301). It is the most popular grade of stainless steel it is an ideal grade for everyday applications, easy to form and long lasting. Stainless Steel 304/A2 has good corrosive resistance in every day applications and is superior to other materials.



STOCK CODE	WEIGHT	
TWS20	15kg	1

### BLACK ANNEALED TYING WIRE

16gauge fully annealed tying wire coil is ideal for lacing or tying. It is a soft and malleable tying wire, so it can be bent, twisted and be used for a wide variety of applications.

Typical applications are for insulation, rebar, fencing, cables and general tying applications where a good quality durable wire is required.



STOCK CODE	WEIGHT	
TWB12	10kg	1

### ADOSTRIP FORMSTRIKE SHUTTERING

Contractor's Concrete Mould Oil (BCA Category 2)

ADOSTRIP is a release agent that designed for general site use to achieve easy formwork release. ADOSTRIP forms a physical barrier between the formwork surface and the concrete and minimises blowholes and provides a clean uniform and non-stained surface.



STOCK CODE	SIZE	
SHUTOIL25L	25 ltr	1

### CHEMICAL RELEASE MOULD OIL



STOCK CODE	SIZE	
MOUOIL25	25 ltr	1

### MOULD OIL STRIKE RELEASE OIL



STOCK CODE	SIZE	
MOUOIL5	5 ltr	1

### CONCRETE RETARDER SPRAY ON



STOCK CODE	SIZE	
CONSPRRET25	25 ltr	1

### REBAR SAFETY STRIP

- Reuseable generic type
- Weather-resistant plastic
- Secure and stable on all reinforcement diameters
- Can be applied in horizontal and vertical positions



STOCK CODE	SIZE	
NEVOSTRIP	1m	1

### REBAR PROTECTION CAP

A durable and tough hi-vis plastic mushroom shaped rebar protection cap that sits on the top of any protruding steel and reinforcement bar, helping to reduce construction site accidents by clearly identifying the presence of steel, particularly when they are in dangerous positions.



STOCK CODE	SIZE	
RPC6	6mm - 18mm	250
RPC16	16mm - 32mm	250
RPC40	40mm - 50mm	100

CONCRETING ACCESSORIES

## MATURIX NOVA DOUBLE SENSOR TEMPERATURE AND STRENGTH MONITOR

The Maturix® Nova is an embeddable, wireless sensor for monitoring the temperature, maturity, and strength of concrete structures. Engineered for ease of use and accuracy, it offers real-time insights during curing, helping reduce the reliance on concrete specimens and enabling faster formwork removal by up to 30–50%.

With two integrated monitoring points—one in the device body and one via the 0.5m cable—the Nova captures data at multiple depths. It automatically begins recording every 15 minutes once the cable is removed, storing data internally for up to 150 days. All data is retrievable using the free Maturix® mobile app for Android and iOS, and can be shared instantly with teams and stakeholders.

Designed with durability in mind, the Nova features a robust plastic body protected by a rubberised TPU shell and includes three secure mounting points for easy rebar installation. Its low-energy Bluetooth transmission provides a reliable range of up to 50m in open air, and 5–10cm through concrete, ensuring reliable access to critical data throughout the pour and curing process.



### STOCK CODE

MTXNS1



1

## MATURIX NOVA TRIPLE SENSOR TEMPERATURE AND STRENGTH MONITOR

The Maturix® Nova **Split** is a robust, embeddable wireless sensor designed to monitor in-place concrete temperature, maturity, and strength across multiple points. It features one sensor in the device body and two additional sensors on extended cables (1.5m and 3m), allowing for comprehensive insights at varying depths within concrete pours.

Engineered for simplicity, the Nova **Split** activates automatically when the cable tip is detached, measuring temperature every 15 minutes and storing data internally for up to 90 days. With its durable, impact-resistant housing and three mounting points, it can be easily secured to reinforcement bars for reliable, long-term use.

Using the free Maturix® app on Android and iOS, data can be retrieved wirelessly via Bluetooth Low Energy (BLE) and shared instantly with site teams and stakeholders. By providing real-time temperature, maturity, and strength information, the Nova **Split** helps reduce reliance on traditional concrete specimens and enables up to 30–50% faster formwork removal.



### STOCK CODE

MTXNS2



10

## MATURIX GAIA 300 3 CHANNEL WIRELESS TRANSMITTER

The Maturix® Gaia 300 is a 3-channel wireless transmitter designed for real-time temperature and strength monitoring in concrete applications. Using Type K thermocouples, this device transmits data via the Sigfox IoT network or Bluetooth®, providing seamless remote access through the Maturix® Web Portal.

Built to withstand harsh environments, the Gaia 300 is IP64-rated for dust-tight and water-resistant protection. Its rugged design, featuring a rubber frame for shock absorption, ensures durability in construction and industrial applications. The integrated internal memory backup can store up to 35,260 measurements, ensuring data retention even in areas with limited network coverage.

Designed for efficiency, the Gaia 300 operates with low power consumption, using four replaceable AA batteries for extended usage. It supports multiple mounting slots for easy installation and features three multicolour LED indicators for status updates. Whether monitoring temperature trends or ensuring optimal concrete curing conditions, the Gaia 300 offers a smart, cost-effective solution for professional monitoring.



### STOCK CODE

MTXG300



1

### CABLE STORE INC THERMOCOUPLES 148 QTY ASSORTED TYPE K

Our gateway kit includes a gateway, 5 x 5 meters type K thermocouples, and 1 hour of on boarding, to help you best get started. The Sigfox Access Station Nano (Sigfox Gateway) is a wireless communication hub that transfers data from the Maturix transmitters to the Internet. It connects to the cloud through existing LAN infrastructure, WiFi, or using cellular networks.

- Connectivity through Ethernet, Cellular (included) or WiFi
- Long signal range (up to 700 meters depending on conditions)
- + 24 hour battery backup
- Fully Plug-and-play for an easy installation
- Creates immediate network coverage
- Can process data from hundreds of Maturix transmitters



STOCK CODE	
MTXCAB	1

### GATEWAY KIT INCLUDING 5 QTY MATURIX THERMOCOUPLE TYPE K 5M

The Maturix® Gateway Kit includes a weather and waterproof case, NAP7, SIM-card and a back up battery. The NAP7 is a wireless communication hub that transfers data from the Maturix transmitters to the Internet. It connects to the cloud through existing LAN infrastructure, WiFi or using cellular networks.

The NAP7 establishes instant network coverage at your job site, allowing you to use Maturix at locations with no or limited Sigfox reception. This gives you continuous real-time data at any time, from anywhere.


A single gateway covers most construction sites and is capable of collecting data from all of your Maturix® devices on site. The maximum signal range between gateway and transmitters is up to 700 meters, depending on the conditions\*.

Readings from the transmitters are automatically collected by the NAP7, uploaded instantly, and stored in the cloud. You can view the data in the Maturix software – and receive alarms about critical temperature or strength values.



STOCK CODE	
MTXGWY	1

### MATURIX THERMOCOUPLE TYPE K



STOCK CODE	LENGTH	
MTXTK1	1m	10
MTXTK3	3m	10
MTXTK5	5m	5
MTXTK10	10m	1

### MATURIX THERMOCOUPLE TYPE K PTFE



STOCK CODE	LENGTH	
MTXTK100	100m	1

### THERMOCOUPLE CONNECTOR TYPE K (MINI PLUG)



STOCK CODE	LENGTH	
MTXTKCON	1m	10

CONCRETING ACCESSORIES

## REBAR BUDDY

The Selkent Rebar Buddy™ range is an innovative product for preventing accidents due to contact with exposed rebar during construction or repair works. Also great for covering Dywidag and Rapid Form Ties.

### NEXT GENERATION OF PROTECTION

Products designed by *Structemp Innovations*

PATENT PENDING REGISTERED DESIGN



Made of thermoplastic elastomer (PTE) they fit snugly, and stay on, do not get blown off or accidentally detached: less litter on site, less time and less material needed to maintain the safety of the site.

Due to the flexible nature of the products, they are significantly more durable than hard plastic alternative products which split making them unusable - therefore less waste, hassle and cost.

- High temperature resistance (up to 170°C)
- Good low temperature flexibility
- Good solvent resistance
- Wear resistant
- Impact resistant and elastic recovery



- Part of the circular economy, fully reusable and can be used many times
- 100% recyclable at the end of its life
- Certified as nontoxic to RoHS and REACH standards

## REBAR BUDDY™

Available in two different sizes, to suit rebar diameters either from 8mm - 25mm or 32mm - 40mm, identifying exposed rebar and helping prevent contact injuries during construction works.



### REBAR BUDDY™

STOCK CODE	SIZE	
SELRB	8mm - 25mm	600

### REBAR BUDDY XL™

STOCK CODE	SIZE	
SELRBXL	32mm - 40mm	200

## LINEAR REBAR BUDDY™

To suit rebar diameters from 8mm - 25mm, quick and easy to install in linear applications, with all the benefits of the rebar buddy range.



### LINEAR REBAR BUDDY™

STOCK CODE	SIZE	
SELRBLIN	750mm	40

110V LEADS.....	281 - 282	ARMORGARD.....	310 - 312	BRICKWORK TRAYS.....	119
2 STROKE OIL.....	335	ASSEMBLED BOLTS.....	17 - 19	BRIGHT PANEL PIN NAILS.....	56
3M CITRUS CLEANER.....	335	AUGER DRILL BITS.....	181	BRIGHT ZINC SPRAY.....	331
4 ROW WIRE BRUSHES.....	214	AVIATION SNIPS.....	221	BRITISH GYPSUM SCREWS.....	44 - 46
<b>A</b>		<b>B</b>		<b>C</b>	
A3 FILES.....	364	BACKING PADS.....	157	CABLE DRUMS.....	283
A3 PAPER.....	364	BACKPACK SPRAYER.....	299	CABLE HOOKS.....	282
A4 CLIPBOARD.....	364	BAGS & SACKS.....	342 - 343	CABLE TIES.....	338
A4 FILES.....	364	BALLPOINT PEN.....	363	CAM BUCKLE STRAPS.....	279
A4 PAPER.....	364	BANDING.....	345 - 346	CANVAS DRAIN STOPPERS.....	304
ABRASIVE DISCS.....	157 - 158	BANDING - COMPOSITE.....	346	CAR COVER.....	336
ABSORBENT GRANULES.....	290	BANDING - STEEL.....	345	CARABINER.....	271
ABSORBENT PADS.....	290 - 291	BAR BENDING MACHINES.....	307	CARBORUNDUM CUP WHEELS.....	160
ACCIDENT BOOKS.....	276	BARREL PUMPS.....	297	CARBORUNDUM STONES.....	160
ACOUSTIC HANGERS.....	54	BARRIER FENCING.....	340	CARPENTER PENCILS.....	330
ACOUSTIC MASTICS.....	94, 97	BARRIER TAPES.....	351	CARPET PROTECTION.....	337
ACROW PROP CLIPS.....	306	BATTERIES.....	252, 285	CAST IN FIRE COLLARS.....	122 - 126
ACROW PROP PINS.....	306	BEADS - DRYLINING.....	108 - 109	CAULK - DECORATORS.....	326
ACRYLIC FINISHING PAINTS.....	324	BIG BLUE FLOAT KIT.....	366	CAULKING ROD FOAM.....	99
ACRYLIC TAPE.....	105	BIN LINERS.....	294	CAVITY CLOSERS.....	116
ADBLUE BARREL PUMPS.....	297	BINS.....	292 - 293	CAVITY FIXINGS.....	42
ADBLUE.....	336	BITUMEN.....	347	CAVITY SOCKS.....	117
ADHESIVES.....	97 - 98	BITUMEN PAINT.....	347	CAVITY WALL TIES.....	115 - 116
ADHESIVES TAPES.....	351	BLACK BITUMEN.....	347	CAVITY WALL WEEP.....	117
ADJUSTABLE SPANNERS & WRENCHES.....	225 - 227	BLACK JACK.....	347	CEILING ANCHORS.....	54
ADMIX.....	105	BLACKSMITH DRILL BITS.....	179	CEILING BRACKETS.....	54
AIR BAG STOPPERS.....	304	BLEACH.....	357	CEILING FIXINGS.....	54
AIR FRESHENER.....	358	BLIND BOLTS.....	69	CEILING WIRE.....	109
AIR HORNS.....	327	BLOW OUT PUMPS.....	91	CEMENTITIOUS NON SHRINK GROUT.....	348
AIRBRICKS.....	117 - 119	BLOW PIPE LANCE KITS.....	300	CENTRE FEED CLEANER ROLLS.....	359
ALL WEATHER SPILL PALLETS.....	292	BLOW TORCHES.....	220	CENTRE FEED PAPER TOWELS.....	359
ALLEN KEY SETS.....	177	BLUE POLY ROPE.....	346	CERAMIC MUG.....	360
ALLTHREAD STUDS.....	20 - 21	BLUE ROLL.....	359	CHAINS.....	317, 341
ALUMINUM HAND SCOOP.....	367	BLUE TIP SCREWBOLT.....	81	CHALK - FRENCH.....	344
ALUMINUM HOPUPS.....	306	BOAT LEVELS.....	201	CHALK LINES.....	231 - 232
ALUMINUM PACKERS.....	83	BODY FILLER - ISOPON P38.....	101	CHALK REFILLS.....	232
ALUMINUM SPAZZLE.....	367	BOLSTERS.....	219	CHANNEL - BRICKWORK.....	114 - 115
ALUMINUM TAPE.....	352	BOLT CROPPERS.....	222	CHANNEL BLOCKS.....	358
ANCHOR RESINS.....	86 - 90	BOLT CUTTERS.....	222	CHANNEL NUTS.....	26
ANCHOR SCREW BOLTS.....	79 - 82	BOLTS.....	15 - 19	CHARTWELL SURVEY BOOK.....	364
ANCHOR STUDS.....	20 - 21, 77	BONDED TEK WASHER.....	52		
ANEMOMETER.....	327	BOOT WASH.....	288		
ANGLE BEAD.....	109	BOOTS.....	265		
ANGLE BRACKET.....	113	BOTTLE JACKS.....	279		
ANGLE FILLET.....	109	BOTTLED WATER.....	359		
ANGLE GRINDERS.....	246	BOX SPIRIT LEVELS.....	201		
ANNULAR RING SHANK NAILS.....	56	BRAD NAILS.....	56		
ANTI CORROSION TAPE.....	352	BRAKE AND CLUTCH CLEANER.....	331		
ANTI SLIP TAPE.....	352	BRENTON PATTERN BOLTS.....	318		
ANTIFREEZE COOLANT.....	336	BRICK ACID CLEANER.....	347		
ANTI-RUST AGENT.....	331	BRICK BOLSTERS.....	219		
ANTISLIP FLOOR PAINTS.....	325	BRICK JOINTERS.....	232		
ANTI-VIBRATION GLOVES.....	261	BRICK LINES.....	230 - 231		
APPLICATOR GUNS.....	92 - 94	BRICK MORTAR GUNS.....	94		
ARBO CLEANER.....	356	BRICK REINFORCEMENT COIL.....	113		
ARCTIC CABLE.....	283	BRICKWORK ACCESSORIES.....	110 - 119		

CHECKING GAUGE.....	81	CONCRETE TEST MOULD.....	368	DIGGING BARS.....	217
CHEMICAL ANCHOR STUDS.....	21, 77	CONCRETE THERMOMETER.....	368	DIGITAL LOCKS.....	315
CHEMICAL FIXINGS.....	86 - 91	CONCRETE WASHER PINS.....	57	DIGITAL THERMOMETERS.....	326
CHEMICAL RESINS.....	86 - 90	CONTACT ADHESIVES.....	102	DISC MAGNETS.....	287
CHEMICAL SOCKETS.....	79	CONVECTOR HEATERS.....	286	DISCUS PADLOCKS.....	316
CHIN STRAPS.....	256	COOLANT - ANTIFREEZE.....	336	DISH CLOTHS.....	357
CHIPPING HAMMERS.....	205	COPIER PAPER.....	364	DISHWASHER TABLETS.....	357
CHISEL & POINT CROW BARS.....	216	CORDLESS KETTLE.....	360	DISINFECTANT.....	356
CHISELS - COLD.....	217	CORNER BRACKET.....	112	DISPENSER - OVERSHOES.....	266
CHISELS - SDS.....	188 - 189	CORNER PLATE.....	113	DISPENSING GUNS.....	92 - 94
CHISELS - WOOD.....	217	CORNER STRETCHER PLATE.....	112	DISPOSABLE COVERALLS.....	269
CHUCK ADAPTORS.....	190	CORNER TAPE.....	106	DISPOSABLE CUP.....	360
CIRCULAR SAW BLADES.....	154 - 156	CORRECTION PENS.....	363	DISPOSABLE FACE MASKS.....	275
CIRCULAR SAWS.....	251	CORREX TYPE SHEETING.....	338	DISPOSABLE GLOVES.....	261
CITRUS CLEANER.....	335	COSHH STORAGE.....	311	DISPOSABLE OVERSHOES.....	266
CLAMPS.....	202 - 203	COUNTERSINK DRILL BITS.....	171	DOME CAPS.....	42
CLAW HAMMERS.....	203	COUNTERSUNK SCREWS.....	31 - 32	DOME HEAD NUTS.....	25
CLEANER SPRAY.....	356 - 357	COUNTERSUNK SELF TAPPING SCREWS.....	35 - 36	DOME NUTS.....	25
CLEANING CLOTHS.....	357	COUNTERSUNK WOODSCREWS.....	40 - 41	DOOR CLOSERS.....	317
CLEANING WIPES.....	361 - 362	COVERALLS.....	268 - 269	DORMER DRILL BITS.....	180
CLEAR GREASE SPRAY.....	331	COVERED SPILL PALLETS.....	292	DOUBLE ROW DIAMOND CUP GRINDERS.....	153
CLEAR PENETRATING OIL SPRAY.....	332	CRANE LIFT MORTAR TUB.....	348	DOUBLE SIDED TAPE.....	354
CLEAR SILICONE.....	95	CRAYONS.....	330	DPC.....	103 - 104
CLIPBOARD.....	364	CROSS TIP DRILL BITS.....	183 - 188	DPM BITUMEN.....	347
CLOTH TAPE.....	353	CROW BARS.....	216	DPM SHEETING.....	338
CLOTHS.....	357	CTI POWER GRAB 'N' BOND.....	98	DRAIN FILTERS.....	290
CLOUT HEAD NAILS.....	56	CTI SEALANT.....	96	DRAIN ROD SETS.....	305
CLUB HAMMERS.....	205	CUBE MOULDS.....	368	DRAIN SCRAPER.....	305
COACH BOLTS.....	22	CUP - DRINKING.....	360	DRAIN STOPPERS.....	304
COACH SCREWS.....	39	CUP BRUSHES.....	161	DRAIN TEST KITS.....	304
COAT HOOKS.....	318	CUP SQUARE BOLTS.....	22	DRAIN TRACING DYE.....	304
COBALT DRILL BITS.....	179	CURING TANK.....	368	DRAUGHT EXCLUDER TAPE.....	355
COFFEE.....	361	CUT RATED GLOVES.....	262	DRILL INSERT BITS.....	172 - 176
COIL TOOL LANYARD.....	271 - 273	CUT STUDS.....	20 - 21	DRILLING & TAPPING SPRAYS.....	332 - 333
COLD CHISELS.....	217	CUTLERY.....	361	DRILLING OIL.....	335
COLLATED DRYWALL SCREWS.....	46	CUTTING & TAPPING FLUID.....	332 - 333	DRILLS - POWER TOOL.....	247 - 248
COLOURED RAGS.....	343	CUTTING & TAPPING SPRAY.....	332 - 333	DRINKING WATER.....	359
COMBI DRILLS.....	250	CUTTING DISCS.....	158	DRIP TRAYS.....	291
COMBI SQUARES.....	201	CUTTING STATION.....	312	DROP IN ANCHORS.....	78
COMBINATION PADLOCKS.....	313 - 316	<b>D</b>		DRUMCAGE.....	312
COMBINATION SPANNERS.....	226	D RING TOOL TETHER.....	272 - 273	DRUMS - PLASTIC.....	293
COMPOSITE STRAPPING TENSIONING TOOL.....	346	DAMP PROOF COURSE.....	103	DRY CORE BITS.....	195
COMPRESSION SLEEVES.....	119	DEB PRODUCTS.....	362	DRY LINING METALWORK.....	108 - 109
COMPRESSOR HOSE GASKET.....	300	DE-BONDING SLEEVES.....	116	DRY WIPE BOARD.....	364
COMPRESSOR HOSES.....	300	DEBRIS NETTING.....	340	DRY WIPE PENS.....	363
COMPRIBAND FOAM TAPE.....	355	DECORATING TAPE.....	354	DRYWALL ADHESIVE.....	
CONCRETE ANCHORS.....	79 - 82	DECORATING.....	319 - 329	DRYWALL SANDER DISCS.....	159
CONCRETE BROOMS.....	215	DECORATORS CAULK.....	326	DRYWALL SCREWS.....	43 - 46
CONCRETE CURING TANK.....	368	DEGREASER SPRAY.....	331	DUCT TAPE.....	353
CONCRETE MONITORING.....	374 - 375	DENSO TAPE.....	352	DUCTING KITS.....	119
CONCRETE NAILS.....	57	DESK FANS.....	287	DUST BAGS.....	251 - 252
CONCRETE RAKE.....	366	DEWATERING FILTERS.....	290	DUST BLOW OUT PUMPS.....	91
CONCRETE RETARDER.....	373	DIAMOND BLADES.....	150 - 153	DUST EXTRACTORS.....	252
CONCRETE RUBBING BRICKS.....	160	DIAMOND CORE DRILL BITS.....	194 - 196	DUST PAN AND BRUSHES.....	215
CONCRETE SCREW BOLTS.....	79 - 82	DIAMOND CUP GRINDERS.....	153	DUST SHEETS.....	338
CONCRETE SCREWS.....	79 - 82	DIESEL CANS.....	296	DUSTING BRUSHES.....	319
CONCRETE SLUMP CONES.....	369				

<b>E</b>		
EAR DEFENDERS.....	257	
EARPLUG DISPENSERS.....	257	
EARPLUGS.....	257 - 258	
EASI-FILL.....	106	
ELASTIC TOGGLES.....	340	
ELECTRICAL TAPE.....	353	
EMULSION PAINTS.....	326	
END CUTTING PLIERS.....	224	
ENGINE OIL.....	336	
ENVIROHORN DRAIN FILTERS.....	290	
ENVIROPADS.....	289	
EP2 GREASE.....	334	
EP2 GREASE GUN.....	93, 334	
EPDM ADHESIVE/PRIMER.....	103	
EPDM MEMBRANE.....	103	
EPDM PASTE ADHESIVE.....	103	
EPDM ROLLER.....	103	
ERASER PENS.....	363	
EURO CRANE LIFT MORTAR TUB.....	348	
EXCALIBUR BOLTS.....	79	
EXCAVATION TAG KITS.....	308	
EXPANDED LATH.....	109	
EXPANDING FOAM.....	98 - 99	
EXPANDING FOAM APPLICATOR GUN.....	99	
EXPANDING FOAM NOZZLES.....	99	
EXPANDING FOAM TAPE.....	355	
EXPANDING WOOD GLUE.....	100	
EXPANSION JOINT FOAM.....	116	
EXPRESS NAILS.....	53	
EXTENSION CABLES.....	281 - 282	
EXTENSION LEADS.....	281 - 282	
EXTENSION NOZZLES - RESIN.....	91	
EXTENSION REELS.....	282	
EXTERNAL PAINTS.....	325 - 326	
EYE BOLTS.....	22	
EYE NUT.....	22	
EYE WASH.....	258	
EYE WASH STATION.....	258	
<b>F</b>		
FAÇADE FIXING.....	53	
FAÇADE SILICONE.....	95	
FACE MASKS.....	275	
FALL ARREST.....	270	
FAN HEATERS.....	286	
FANS.....	286 - 287	
FAST CLAMP.....	131 - 144	
FAZ II FISCHER THROUGH BOLTS.....	73 - 74	
FBN II FISCHER THROUGH BOLTS.....	73 - 74	
FBS II ULTRACUT FISCHER CONCRETE SCREW.....	81	
FEBMIX ADMIX.....	105	
FEBOND BLUEGRIT.....	347	
FENCING.....	340 - 341	
FENCING CLIPS.....	306	
FENCING PINS.....	341	
FENCING SPANNERS.....	226, 307	
FESTOON KITS.....	284	
FFP3 FACE MASKS.....	275	
FIBRE SCRIM TAPE.....	106	
FIBREGLASS LADDERS.....	306	
FILES - WOOD.....	229 - 230	
FILLER - ISOPON P38 BODY.....	101	
FILLER - WOOD.....	100	
FILLERS - JOINT.....	99, 116	
FILLING KNIVES.....	322	
FILTER - MASK.....	275	
FINGERLESS GLOVES.....	261	
FINISHING PAINTS.....	324	
FIRE BLANKETS.....	328	
FIRE COLLARS.....	122 - 126	
FIRE EXTINGUISHERS.....	328	
FIRE FOAMS.....	99	
FIRE MASTICS.....	94	
FIRE RATED SCREWS.....	45	
FIRE SEALANTS.....	94, 96	
FIRST AID KITS.....	276	
FISCHER CONCRETE SCREWS.....	81	
FISCHER RESINS.....	86, 89	
FISCHER THROUGH BOLTS.....	73 - 74	
FIXING BAND.....	113	
FIXING STRIP - ZEDEX.....	104	
FLAMBANK.....	311	
FLAME RETARDANT COVERALLS.....	269	
FLAME RETARDANT DPM.....	338	
FLAME RETARDANT SHEETING.....	338, 340	
FLANGE HEAD ANCHORS.....	79 - 82	
FLAP DISCS.....	157	
FLAT GLAZING PACKERS.....	85	
FLAT WASHERS.....	27 - 28	
FLAT WOOD DRILL BITS.....	183	
FLEXI TUBS.....	295	
FLEXIBLE FUNNELS.....	296 - 297	
FLOAT KIT.....	366	
FLOATS.....	235, 366	
FLOOR CLEANER.....	356	
FLOOR MUTTS.....	210	
FLOOR PAINTS.....	325	
FLOOR PROTECTION.....	337 - 338	
FLOOR SCRAPER BLADES.....	210	
FLOOR SCRAPERS.....	210	
FLOOR SQUEEGEES.....	215	
FLY LEADS.....	281	
FOAM - EXPANSION JOINTS.....	116	
FOAM ACCESSORIES.....	99	
FOAM APPLICATOR GUNS.....	93, 99	
FOAM BACKING ROD.....	99	
FOAM CLEANERS.....	99	
FOAM GUNS.....	93, 99	
FOAM NOZZLES.....	99	
FOAMS.....	98 - 99	
FOIL PACK GUNS.....	94	
FOIL PACKS.....	94	
FOIL TAPE.....	353	
FOLDING SQUARES.....	200	
FORGED TAMPERS.....	216, 367	
FORKS - CUTLERY.....	361	
FORKS - DIGGING.....	213	
FOX ELECTRONIC WHISTLES.....	327	
FRAME CRAMP.....	114	
FRAME FIXINGS.....	76	
FRAME TIE.....	110	
FRAMING ANCHOR UNIVERSAL.....	108	
FRENCH CHALK.....	344	
FRIDGE.....	360	
FROG TAPE.....	354	
FROST BLANKETS.....	370	
FUEL CANS.....	296	
FULL NUTS.....	23	
FUNNELS.....	296 - 297	
FURNITURE POLISH.....	357	
<b>G</b>		
GAFFA TAPE.....	353	
GALV BUCKETS.....	294	
GALV PACKERS.....	83	
GALV SHIMS.....	83	
GALV SPRAY.....	331	
GALVA MATE SEALANT.....	97	
GARDEN HOSES.....	302	
GAS BOTTLE TROLLEY.....	278	
GAS BOTTLES.....	220	
GAS CAGE.....	312	
GAS TORCHES.....	220	
GASKET - COMPRESSOR HOSE.....	300	
GATE EYE BOLTS.....	318	
GAUNTLET GLOVES.....	264, 344	
GLASROC FIRE CASE SCREW.....	45	
GLASS CLEANER.....	356 - 357	
GLASS SUCTION PADS.....	279	
GLASSES - SAFETY.....	260	
GLAZING PACKERS.....	84 - 85	
GLAZING SHOVELS.....	279	
GLOSS PAINTS.....	325	
GLOVES.....	261 - 264	
GLOVES - WELDERS GAUNTLET.....	344	
GOGGLES.....	259	
GORILLA BARS.....	217	
GORILLA GAS CAGE.....	312	
GORILLA TUBS.....	295	
GRAFFITI REMOVER.....	356	
GRATING CLIPS.....	301	
GREASE.....	334	
GREASE GUN.....	93, 334	
GREASE SPRAY.....	331	
GREEN FROG TAPE.....	354	
GREEN RHINO PRODUCTS.....	289 - 290	
GREEN SCOURERS.....	301	
GRINDING DISCS.....	157 - 158	
GRIP GLOVES.....	261	
GRIT BINS.....	293	

GROUT.....	348	HEX PIN INSERT BITS.....	172 - 176	INSULATED SLEDGE HAMMERS.....	206
GRP HANDRAIL.....	128 - 130	HEX SET SCREWS.....	12 - 15	INSULATION ANCHORS.....	53
GRUBBING MATTOCKS.....	216	HEXAGON BOLTS.....	15 - 19	INSULATION FIXING PINS.....	53
GT85 LUBRICANT AEROSOL.....	332	HEXAGON KEY WRENCHES.....	177	INSULATION FIXINGS.....	53
GULLY SILT GRABS.....	305	HIGH PERFORMANCE SCREW.....	45	INSULATION SCREWS.....	49
GUN - GREASE.....	334	HIGH TACK CLOTH WATERPROOF TAPE.....	353	INSULATION TAPE.....	353
GUN - RESIN.....	92	HIGH THREAD SCREWS.....	48	INSULATION WASHERS.....	52
CYPLINER BRACKET.....	108	HIGHLIGHTER PENS.....	363	INTUMESCENT FIRE SEALANTS.....	94, 96
CYPROC TAPE.....	350	HILTI TYPE NAILS.....	57	IRONMONGERY.....	318
<b>H</b>		HINGES.....	318	ISOPON P38 EASY SANDING BODY FILLER.....	101
HACKSAWS.....	207 - 208	HI-VIS CLOTHING.....	267 - 269	<b>J</b>	
HALF NUTS.....	23 - 24	HI-VIS TROUSERS.....	267	J CLOTHS.....	357
HAMMER DRILL BITS.....	183 - 188	HI-VIS VESTS.....	267	JAB SAWS.....	207
HAMMER DRILLS.....	247 - 248	HI-VIS WAISTCOATS.....	267	JACK HANDSAWS.....	207
HAMMER FIXING.....	76	HMT SPEEDLUBE.....	333	JACKPOINT SCREWS.....	44 - 45
HAMMER SCREWS.....	76	HOLDING DOWN BOLTS.....	18 - 19	JAW LOCKING PLIERS.....	224
HAMMER TACKER.....	339	HOLE CLEANING BRUSHES.....	91	JERRY CAN METAL RUBBER NOZZLE.....	296
HAMMERS.....	203 - 206	HOLE PUNCHER.....	364	JERRY CANS.....	296
HAMMERSET ANCHOR.....	78	HOLESAW ARBORS.....	191	JIGSAW BLADES.....	162 - 166
HAND BRUSHES.....	214	HOLESAWS.....	192 - 193	JIGSAWS.....	250
HAND CLEANER.....	362	HOLLO-BOLTS.....	63 - 64	JOBBER DRILL BITS.....	178
HAND LOTION.....	362	HOLLOW WALL ANCHOR SETTING TOOLS.....	43	JOINT FILLERS.....	99, 116
HAND NAIL PLATE.....	108	HOLLOW WALL ANCHORS.....	42 - 43	JOINTING TAPE.....	106
HAND SANITISER.....	362	HOOKS - COAT.....	318	JOIST HANGERS.....	110 - 112
HAND SCRAPERS.....	210, 322	HOOVER BAGS.....	358	JUGS.....	297
HAND SOAP.....	362	HOOVERS.....	358	JUMBO SPONGES.....	323
HAND TOWELS.....	359	HOP UPS.....	306	JUMP LEADS.....	285
HAND WASH.....	362	HORSE SHOE MAGNETS.....	287	JUMP START KITS.....	285
HANDRAIL.....	128 - 148	HORSESHOE PACKERS.....	83 - 84	<b>K</b>	
HANDSAWS.....	206 - 207	HORSESHOE SHIMS.....	83	KEE CLAMP.....	131 - 144
HANDY WRAP.....	337	HOSE ACCESSORIES.....	302 - 303	KENNEDY BAR BENDING MACHINE.....	307
HANGERS - TRUSS.....	110	HOSE CLIPS.....	301	KETTLE.....	360
HARDPOINT HANDSAWS.....	206	HOSE COMPRESSORS.....	300	KETTLES - PAINT.....	323
HARNESSES.....	274	HOSE FITTINGS.....	302 - 303	KEVLAR WRIST PROTECTORS.....	264
HASP & STAPLES.....	318	HOSES.....	300	KEY CABINETS.....	316
HAT & COAT HOOKS.....	318	HSFG BOLT & NUTS.....	17 - 19	KEY RING TAGS.....	316
HAZARD TAPES.....	351	HSS DRILL BIT SETS.....	181	KNEE PADS.....	267
HEAD TORCHES.....	286	HSS DRILL BITS.....	178 - 181	KNIFE - CUTLERY.....	361
HEADLIGHTS.....	286	HYDRANT STAND PIPE & KEY.....	304	KNIFE BLADES.....	209
HEALTH & SAFETY POSTERS.....	276	HYDRAULIC OIL.....	335	KNIPEX.....	223 - 225
HEATERS.....	286 - 287	<b>I</b>		KNIVES.....	208 - 209
HEAVY DUTY RUBBLE SACKS.....	342	IMPACT ADAPTORS.....	240 - 241	KNOCK IN ANCHORS.....	78
HEAVY DUTY WET SUITS.....	268	IMPACT BIT HOLDERS.....	174	<b>L</b>	
HECO-TOPIX WOODSCREWS.....	41	IMPACT DRIVER BITS.....	173	LADDERS.....	306
HELICAL STITCHING BAR.....	113	IMPACT DRIVERS.....	249	LADDERTAG.....	308
HELLER ENDURO DRILL BITS.....	186	IMPACT SOCKETS.....	238 - 241	LAMINATOR.....	364
HELMET LANYARDS.....	256	IMPACT WRENCHES.....	249	LAMINATOR POUCHES.....	364
HELMET LINERS.....	256	INDEX SCREWS.....	42	LANYARDS.....	270 - 273
HELMET SAFETY TAG.....	256	INDUSTRIAL CLEANER SPRAY.....	331	LASER LEVELS.....	201
HELMETS.....	256	INDUSTRIAL CLEANER SPRAYS.....	356 - 357	LATH - EXPANDED & RIB.....	109
HENRY HOOVER.....	358	INSERT BIT SETS.....	175	LAY FLAT HOSES.....	300
HESSIAN BAGS.....	343	INSTANT NAILS ADHESIVE.....	97	LED LIGHTING.....	283 - 286
HESSIAN ROLL.....	343, 370	INSULATED GROUND TOOLS.....	212 - 213, 216	LENS CLEANING.....	261
HEX ARBORS.....	191	INSULATED PINS.....	53		
HEX CARRIAGE BOLTS.....	22	INSULATED ROAD PINS.....	341		
HEX HEAD ANCHORS.....	79 - 82	INSULATED SCREWDRIVERS.....	237		

LEVELS.....	201 - 202	MESH SIEVE.....	369	OILS.....	335 - 336
LEVER ARCH FILES.....	364	METAL BUCKETS.....	294	ONE TONNE BAGS.....	342
LIFTING TAGS.....	309	METAL CORNER TAPE.....	106	ONEWIPE.....	361
LIGHT REEL.....	284	METAL DRAIN STOPPERS.....	304	OVAL BRAD NAILS.....	56
LIGHTING.....	283 - 286	METAL PAINTS.....	325	OVER TROUSERS.....	267
LIMESCALE REMOVER.....	357	METAL PRESSURE SPRAYERS.....	298	OVERALLS.....	268 - 269
LINDAPTER.....	58 - 69	METAL WASHER CONCRETE PINS.....	57	OVERSHOE DISPENSER.....	266
LINE MARKING SPRAY.....	329	METAL WORKING PASTE.....	333	OVERSHOES.....	266
LINEAR REBAR BUDDY.....	376	MEWP TAG KITS.....	308	OXBOX.....	311
LITHIUM GREASE.....	334	MICROFIBRE CLOTH.....	357	OXIDE PRIMERS.....	324
LITHIUM GREASE GUN.....	334	MICROWAVE OVEN.....	360	OXIDE SANDPAPER.....	160, 323
LITTER PICKERS.....	294	MIG WELD WIRE.....	344		
LMA SILICONE.....	95	MILD STEEL PACKERS.....	83	<b>P</b>	
LOAD BEARING PACKERS & SHIMS.....	83	MIRROR ADHESIVE.....	98	P3 FILTER.....	275
LOAD INDICATOR WASHERS.....	29	MIRROR CLEANER.....	356	P65 FOAM APPLICATOR GUN.....	93, 99
LOLLIPOP STOP AND GO SIGNS.....	327	MITREBOND.....	100	PACKERS.....	83 - 85
LONG LINK CHAINS.....	317	MIXING PADDLES.....	236	PADDLE MIXERS.....	252
LOST HEAD NAILS.....	56	MIXING SPOT BOARDS.....	348	PADLOCKS.....	313 - 316
LOW MODULUS SILICONES.....	95	MONARFLEX TOGGLES.....	340	PAINT & VARNISH STRIPPERS.....	322
LOW TAC TAPE.....	353 - 354	MONARFLEX TYPE SHEETING.....	340	PAINT BRUSHES.....	319
LUBRICANT SPRAY.....	331 - 333	MOP BUCKETS.....	294, 358	PAINT BUCKETS.....	323
LUBRICANTS.....	331 - 333	MOP HANDLE.....	358	PAINT KETTLES.....	323
LUMBERJACK ADHESIVE.....	100	MOP HEAD.....	358	PAINT MARKER PEN.....	363
		MORTAR MIXING BOARDS.....	348	PAINT PEN.....	363
<b>M</b>		MORTAR PLASTICISER.....	105	PAINT ROLLER HANDLES.....	321
MACHINE SCREWS.....	38 - 39	MORTAR TUB.....	348	PAINT ROLLERS.....	321
MAGNETIC DRILL BIT HOLDERS.....	174	MORTAR TUB LINER.....	348	PAINT SCRAPERS.....	322
MAGNETIC DRILLS.....	170	MOULD OIL.....	373	PAINT SCUTTLES.....	323
MAGNETIC DRIVER BITS.....	174, 240	MUG - CERAMIC.....	360	PAINT TRAYS.....	321
MAGNETIC RETRIEVAL PENS.....	287	MULTI TRUSS HANGERS.....	111 - 112	PAINTS.....	324 - 326, 347
MAGNETS.....	287	MULTI-SUBSTRATE ANCHORS.....	79 - 81	PALLET TRUCKS.....	278
MAINTENANCE SPRAY.....	333	MULTI-TOOL BLADES.....	193	PAN POZI SELF TAPPING SCREWS.....	34 - 36
MALLETS.....	205	MUSHROOM CAP.....	373, 376	PANEL PIN NAILS.....	56
MANHOLE COVER KEYS.....	305			PAPER HAND TOWELS.....	359
MANHOLE COVER LIFTING KEYS.....	305	<b>N</b>		PAPER JOINT TAPE.....	106
MANIFOLDS - GREEN RHINO.....	290	NAIL GUN.....	339	PASTE BRUSH.....	320
MARIGOLDS.....	264	NAILING PLATE.....	108, 372	PAT TESTING LABELS.....	326
MARKER SPRAY.....	329	NAILS.....	56 - 57	PAVING MAULS.....	206
MARKING OUT.....	329 - 330	NANOTAGS.....	309	PEDAL BINS.....	29
MASKING TAPE.....	354	NETTING.....	340	PEDESTAL FANS.....	286 - 287
MASONRY BRUSH.....	320	NEVO STRIP.....	373, 376	PENCILS.....	330
MASONRY DRILL BITS.....	183 - 184, 187 - 188	NIPS.....	223 - 224	PENETRATING OIL.....	331
MASONRY HANGERS.....	110 - 112	NITRILE GLOVES.....	262	PENNY WASHERS.....	28
MASONRY NAILS.....	57	NLG.....	272	PENS.....	363
MASONRY NAILS WITH WASHER.....	57	NON SHRINK GROUT.....	348	PENS - MAGNETIC.....	287
MASONRY PAINTS.....	325	NON-CONDUCTIVE ROAD PINS.....	341	PENS - SCAFFTAG.....	308 - 309
MASONRY SCREWS.....	79 - 82	NUMATIC.....	22 - 26	PERCUSSION DRILLS.....	250
MASTERLOCK.....	316	NYLON FRAME FIXING.....	76	PERMANENT LINE MARKING SPRAY.....	329
MASTICS.....	94 - 97	NYLON HAMMERSCREW.....	76	PERMANENT MARKER PEN.....	363
MATTOCKS.....	216	NYLON INSERT NUTS.....	24	PETRO ANTI CORROSION TAPE.....	352
MATURIX CONCRETE MONITORING.....	374 - 375	NYLON NUT CAP.....	25	PETROL CANS.....	296
MBT COUPLERS.....	370	NYLON NUT PLUGS.....	42	PETROL SAW - WATER BOTTLE.....	298
MEASURING JUGS.....	297	NYLON WASHERS.....	28	PHILLIPS BITS.....	173
MEASURING TAPES.....	198 - 200			PHOTOCOPIER PAPER.....	364
MEASURING WHEEL.....	200	<b>O</b>		PICK AXES.....	216
MEMBRANE - EPDM.....	103	OIL - TWO STROKE.....	335	PIGTAIL FIXINGS.....	110
MENDING PLATE.....	113	OIL DEWATERING FILTERS.....	290	PINKGRIP.....	97 - 98
		OIL RETENTION PILLOWS.....	290 - 291		

PIPE CLIPS.....	301	PU COATED GLOVES.....	262	ROTABROACH DRILLING OIL.....	335
PIPE LUBRICANT.....	332	PULSA NAILS.....	57	ROTARY BARREL PUMPS.....	297
PIPE SADDLE CLAMPS.....	301	PUMP DISPENSERS.....	298 - 299	ROUND LOST HEAD NAILS.....	56
PIPE WRENCHES.....	226	PUMPS.....	297 - 300	ROUND SHANK CHISELS.....	189
PLAIN PAPER.....	364	PURLIN CLIPS.....	54	ROUND WIRE NAILS.....	56
PLANT MAT.....	288	PVA GLUES.....	101, 347	ROUTER CUTTERS.....	170
PLANT NAPPY.....	288	PVA SEALER ADDITIVE.....	101, 347	RUBBER GLOVES.....	264
PLASTERBOARD ADHESIVES.....	98	PVC HOSE REELS.....	302	RUBBER MALLETS.....	205
PLASTERBOARD FIXINGS.....	42 - 46	PVC INSULATION TAPE.....	353	RUBBISH SACKS.....	342 - 343
PLASTERERS LIGHTS.....	283	PVC TAPE.....	353	RUBBLE SACKS.....	342 - 343
PLASTERING METALWORK.....	108 - 109				
PLASTERS.....	276	<b>R</b>		<b>S</b>	
PLASTIC CUP.....	360	RADIATORS.....	287	SABRE SAW BLADES.....	167 - 169
PLASTIC DRUMS.....	293	RAGS.....	343	SACK TRUCKS.....	278
PLASTIC FUNNELS.....	297	RAIN SUITS.....	268	SACKS.....	342 - 343
PLASTIC PACKERS.....	83 - 85	RAKES.....	366	SAFETY ANCHORS.....	270
PLASTIC PLUGS.....	42	RASPS.....	229 - 230	SAFETY BOOTS.....	265
PLASTIC RESIN SLEEVES.....	91	RATCHET SPANNERS.....	226	SAFETY CHAIN.....	317, 341
PLASTIC SACKS.....	343	RATCHET STRAPS.....	279	SAFETY GLASSES.....	260
PLASTIC SAFETY CHAIN - RED & WHITE.....	341	RAWLPLUG RESINS.....	90	SAFETY SPECTACLES.....	260
PLASTIC SHIMS.....	83 - 84	RAWLPLUG THROUGH BOLTS.....	70 - 72	SALT - ROCK.....	336
PLASTIC WASHERED PINS.....	57	REBAR BUDDY.....	376	SAND BAGS.....	342
PLASTIC WHISTLES.....	327	REBAR PROTECTION CAP.....	373, 376	SANDER - POLE.....	323
PLIERS.....	222 - 224	REBAR SAFETY STRIP.....	373	SANDING DISCS.....	159
PLUGS - 110V.....	281	RECIP SAW BLADES.....	167	SANDPAPER.....	160, 323
PLUGS - 240V.....	281	RECIP SAWS.....	248	SANITARY SILICONES.....	96
PLUGS - NYLON.....	42	RED & WHITE PLASTIC SAFETY CHAIN.....	341	SANITISER WIPES.....	361 - 362
PLUGS - PLASTIC.....	42	RED PVC GLOVES.....	264	SANITISER/SOAP.....	362
POCKET ROCKET LUBRICANT REPELLENT.....	333	RED SHOT FIRE CARTRIDGE STRIPS.....	57	SAUSAGE MASTICS.....	94 - 97
PODGER SPANNERS.....	227	RELEASE AGENT.....	373	SAW BLADES - DIAMOND.....	150 - 153
PODIUM TAGS.....	308	RENDERING METALWORK.....	108 - 109	SAW BLADES - SKILLSAW.....	167 - 169
POINTED CHISELS.....	188	RESIN APPLICATOR GUNS.....	92	SAW BLADES - TCT.....	167 - 169
POLE SANDERS.....	323	RESIN BLOW OUT PUMP.....	91	SAW BLADES - WOOD.....	167 - 169
POLE SANDING.....	159	RESIN BONDED CUP STONES.....	161	SCABBLER HEAD.....	190
POLISH.....	357	RESIN EXTENSION NOZZLES.....	91	SCABBLER TOOL.....	190
POLY ROPE.....	346	RESIN GUNS.....	92	SCAFFOLD ACCESSORIES.....	307
POLYESTER COMPOSITE BANDING.....	345	RESIN HOLE CLEANING BRUSHES.....	91	SCAFFOLD BAGS.....	342
POLYESTER FILLERS.....	101	RESINS.....	86 - 92	SCAFFOLD END CAPS.....	307
POLYPROPYLENE WHITE SAND BAGS.....	343	RESTRAINT STRAPS.....	110, 279	SCAFFOLD HOOKS.....	307
POLYSTYRENE CUP.....	360	RETRACTABLE KNIVES.....	208 - 209	SCAFFOLD NIPPLE CAPS.....	307
POLYSTYRENE SACKS.....	343	RETRO TARGETS.....	330	SCAFFOLD RING EYE BOLTS.....	307
POLYSULPHIDE MASTIC & SEALANT.....	97	REVERSIBLE RATCHETS.....	242	SCAFFOLD SHEETING.....	340
POLYTHENE CLEAR SHEET.....	337	RIB LATH.....	109	SCAFFOLD SPANNERS.....	228, 307
POP RIVETS.....	37	RIGIDUR SCREW.....	45	SCAFFTAG MARKER PENS.....	309
PORTABLE LIGHTS.....	283, 286	RING SPANNERS.....	228	SCAFFTAGS.....	308 - 309
POWER GRAB N' BOND.....	98	RIVET GUNS.....	37	SCATHING HAMMERS.....	204
POWER TOOL ACCESSORY SETS.....	175	RIVET NUTS.....	37	SCHTUK EXTREME SEALANT.....	96
POWER TOOLS.....	246 - 253	RIVETS.....	37	SCISSORS.....	225
POZI BITS.....	173	ROAD PINS.....	341	SCOOPS.....	367
PRESSURE SPRAYERS.....	298 - 299	ROCK ANCHOR.....	372	SCOURERS.....	301
PRIMER PAINTS.....	324	ROCK SALT.....	336	SCRATCH BRUSHES.....	214
PRIMERS.....	324	ROCOL ANTI-SEIZE STAINLESS.....	332	SCREENWASH.....	336
PROTECTION BOARD SHEETING.....	338	ROLLER EXTENSION POLES.....	321	SCREW BOLTS.....	79 - 82
PROTECTION MATERIALS.....	337 - 338	ROOF & GUTTER SEALANTS.....	96	SCREWBOLT STUDS.....	78
PROTECTION SHEETING.....	337 - 338	ROOFING BOLTS.....	22	SCREWBOLTS.....	79 - 82
PRY BARS.....	216 - 217	ROPES.....	346	SCREWDRIVER BIT SET.....	176
PTFE TAPE.....	352	ROTABROACH CUTTERS.....	170	SCREWDRIVER SETS.....	236 - 237

SCREWDRIVERS.....	236 - 237	SOCKET SET SCREWS.....	30 - 34	STRAPPING - COMPOSITE.....	346
SCREW-IN FRAME TIE.....	110	SOCKET SETS.....	238, 242 - 244	STRAPPING - STEEL.....	345
SCRIM TAPE.....	106	SOCKETS.....	238 - 245	STRAPPING KIT.....	345 - 346
SCUTCH HAMMERS.....	204	SOCKETS - 110V.....	281	STRAPPING SEALER.....	345 - 346
SCUTTLES - PAINT.....	323	SOCKETS - 240V.....	281	STRAPPING TENSIONER.....	345 - 346
SDS AUGER BITS.....	182	SPADE CHISELS.....	189	STRAPS.....	279
SDS CHISELS.....	188 - 189	SPADES.....	211	STRING LINES.....	231
SDS CHUCK ADAPTORS.....	190	SPANNER SETS.....	228 - 229	STRIP LIGHT.....	284
SDS MAX DRILL BITS.....	185 - 186	SPANNERS.....	226 - 228	STRIPPING KNIVES.....	322
SDS PLUS DRILL BITS.....	183 - 184, 187 - 188	SPAZZLE.....	367	STRONG GRIP.....	97
SDS PLUS WOOD AUGER BITS.....	182	SPEADER WASHER.....	52	STUDDING.....	20 - 21
SEALANTS.....	94 - 97	SPECTACLES.....	259 - 260	STUDDING CONNECTORS.....	21
SEAM ROLLERS.....	320	SPIDER POD.....	280 - 281	STUDS - CHEMICAL ANCHOR.....	21
SECURITY CHAINS.....	317	SPIDERBALL.....	280	SUBMERSIBLE PUMPS.....	300
SECURITY SCREW INSERT BITS.....	175	SPILL CONTROL.....	288 - 292	SUGAR.....	361
SECURITY SCREWS.....	30 - 34	SPILL GRANULES.....	290	SUN CREAM.....	362
SEDIMENT DEWATERING FILTERS.....	290	SPILL KITS.....	291 - 292	SUN PROTECTION.....	362
SELF ADHERING TETHER TAPES.....	273	SPILL PALLETS.....	292	SUPERWELD MILD STEEL RODS.....	344
SELF DRILL WOODSCREWS.....	41	SPIRIT LEVELS.....	201	SURE SNAP.....	122 - 126
SELF DRILLING SCREWS.....	44 - 51	SPLITTERS.....	280 - 282	SURFACE CHANNEL.....	114
SELF TAPPING SCREWS.....	34 - 36, 82	SPONGE SCOURERS.....	301	SURFACE CLEANER.....	356
SELKENT RESIN.....	86 - 88	SPONGES.....	323, 357	SURFACE SANITISER.....	356
SET FLAT CHISELS.....	189	SPOONS - CUTLERY.....	361	SURVEY BOOK.....	364
SET SCREWS.....	12 - 15	SPOT BOARDS.....	348	SWARFEGA.....	362
SETTING OUT PEGS.....	330	SPRAY GUNS - HOSE.....	303	SWING TOP BINS.....	292 - 293
SETTING OUT PINS.....	341	SPRAYERS.....	298 - 299	SYNTHETIC OIL.....	335
SETTING PUNCHES.....	78	SPRAYS & LUBRICANTS.....	331 - 333	<b>T</b>	
SHEAR NUTS.....	25	SPRING TOGGLES.....	43	T HINGES.....	318
SHEETING.....	337 - 338, 340	SPRING WASHERS.....	29	TACKER.....	339
SHIMS.....	83	SQUARE DRIVE SOCKETS.....	238 - 241	TAG KITS.....	308 - 309
SHOT FIRE CARTRIDGE STRIPS.....	57	SQUARE PLATE WASHERS.....	29	TAMPERS.....	216
SHOT FIRE NAILS.....	57	SQUARES.....	200	TAMPING ROD.....	369
SHOVELS.....	211 - 212	SQUEEGEES.....	215, 356	TAPCON DRILL BITS.....	188
SHRINK WRAP.....	337	SQUIRE PADLOCKS.....	315	TAPCONS.....	82
SHUTTER PADLOCKS.....	313 - 314	STAINLESS STEEL CUTLERY.....	361	TAPE MEASURES.....	198 - 200
SHUTTERING OIL.....	373	STANLEY KNIVES.....	208 - 209	TAPES.....	350 - 355
SIKA WATER STOP.....	348	STAPLER.....	339	TAPS.....	191
SILICONE GUNS.....	93	STAPLES.....	339	TAR BRUSHES.....	214
SILICONE SPRAYS.....	96, 331 - 333	STATIONERY.....	363 - 364	TARGETS - RETRO.....	330
SILICONES.....	95 - 97	STEEL BANDING.....	345	TARMAC GROUT.....	348
SITE ELECTRICALS.....	280 - 285	STEEL BANDING TROLLEY.....	345	TARMAC RAKES.....	367
SITE LIGHTING.....	283 - 284	STEEL END BRUSHES.....	161	TARPAULINS.....	337
SITE MAT.....	288 - 289	STEEL PACKERS.....	83	TASK LIGHTS.....	283
SKILSAW.....	251	STEEL SHIMS.....	83	TCT SAW BLADES.....	154 - 156
SKIP NET.....	340	STEEL STRAPPING.....	345	TE1000 CHISELS.....	189
SKY HOOKS.....	282	STEEL STRAPPING SEALER.....	345	TEA BAGS.....	361
SLEDGE HAMMERS.....	206	STEEL STRAPPING TENSIONER.....	345	TEK COVER.....	51
SLEEVE ANCHORS.....	79	STEP DRILL BITS.....	172	TEK SCREWS.....	47 - 51
SLEEVED CHAINS.....	317	STEP LADDERS.....	306	TEK WASHER.....	52
SLUMP CONE.....	369	STICK PINS.....	54	TEMPORARY FENCING.....	340
SMOKE ALARM.....	328	STIXALL.....	98	TEMPORARY FENCING CLIPS.....	306
SNIPS.....	221	STONE CUTTING DISCS.....	157	TEMPORARY LINE MARKING SPRAY.....	329
SOAP/SANITISER.....	362	STONE GRINDING DISCS.....	153, 157	TETHER TAPES.....	273
SOCKET - CHEMICAL.....	79	STOP AND GO TRAFFIC SIGNS.....	327	TETHERS.....	272 - 273
SOCKET BUTTON SCREWS.....	33 - 34	STORAGE BOXES.....	310 - 311	TEXAS PLACER.....	366
SOCKET CAP SCREWS.....	30	STRAIGHT SNIPS.....	221		
SOCKET COUNTERSUNK SCREWS.....	31 - 32	STRAPPING.....	345 - 346		

THERMAL GLOVES.....	263
THERMOMETERS.....	326, 368
THINNERS.....	324
THREAD LOCK.....	102
THREADED BAR.....	20 - 21
THROUGH BOLTS.....	70 - 75
THROUGH HARDENED WASHERS.....	29
TIE ROD.....	370 - 371
TIE SAFETY PLAIN END.....	116
TIE TAGS.....	309
TIG WELDERS GAUNTLETS.....	344
TILE CHISELS.....	189
TILE DRILL BITS.....	197
TIMBER CONNECTOR.....	113
TIN SNIPS.....	221
TIPP-EX PENS.....	363
TOASTER.....	360
TOGGLES - SCAFFOLD SHEETING.....	340
TOILET BRUSH & HOLDER.....	358
TOILET CLEANER.....	358
TOILET PAPER.....	359
TOILET ROLLS.....	359
TONNE BAGS.....	342
TOOL LANYARDS.....	270 - 273
TOOL POUCHES.....	219
TORCHES.....	286
TORPEDO LEVELS.....	202
TORQUE WRENCHES.....	229
TORX BITS.....	172
TOWELS.....	359
TOWER BOLTS.....	318
TOWER CABLE STANDS.....	282
TRACTOR FUNNELS.....	297
TRAFFI GLOVES.....	261 - 264
TRAILING LEADS.....	281
TRANSFORMERS.....	280
TRAY - BRICKWORK.....	119
TREND WOODEN BISCUITS.....	
TRIPOD LIGHTS.....	283
TROLLEY - GAS BOTTLE.....	278
TROLLEY - STEEL BANDING.....	345
TROWELS.....	233 - 235
TUFFBANK.....	310
TUNGSTEN CARBIDE TIP DRILL BITS.....	183 - 188
TUNNEL LIFT TONNE BAG.....	342
TWIST NAILS.....	56
TWIST-KNOT BRUSHES.....	161
TWO PART FILLERS.....	100
TWO STROKE OIL.....	335
TYING WIRE.....	372
TYRE PRESSURE GAUGES.....	278
TYVEK.....	104 - 105
TYVEK ACRYLIC TAPE.....	105
TYVEK FIRECURB.....	104
TYVEK HOUSEWRAP.....	105
TYVEK TAPE.....	105
<b>U</b>	
ULTRACUT CONCRETE SCREWS.....	81
UNDER COUNTER FRIDGE.....	360
UNDERCOAT PAINTS.....	324 - 326
UNDERFLOOR VENTS.....	118
UNDERGROUND WARNING TAPES.....	351
UNIVERSAL THINNERS.....	324
URINAL BLOCKS.....	358
UTILITY KNIFE BLADES.....	209
<b>V</b>	
VACUUM BAGS.....	358
VACUUMS.....	358
VERTICAL FLANGE HANGERS.....	54
VIKAL.....	357
VICES.....	202
<b>W</b>	
WALER PLATE.....	372
WALL STARTER KITS.....	117
WALL TIES.....	115
WARNING TAPES.....	351
WASHERED PINS.....	57
WASHERS.....	27 - 29, 52
WASHING UP LIQUID.....	357
WASTE BINS.....	292 - 294
WATER BOTTLE FOR PETROL SAW.....	298
WATER BOTTLES.....	359
WATER CONTAINERS.....	297
WATER DISPENSER BOTTLES.....	359
WATER DISPLACING ANTI-RUST AGENT.....	331
WATER SPRAYERS.....	298 - 299
WATER STOP.....	348
WATERING CANS.....	295
WATERPROOF CAR COVER.....	336
WATERPROOF EPDM.....	103
WATERPROOF GLOVES.....	263
WATERPROOF TAPE.....	353
WAX CONES.....	18, 367
WAX CRAYONS.....	330
WD40 SPECIALIST SILICONE.....	96
WD40.....	332
WEDGE ANCHORS.....	78
WEDGE NUTS.....	25
WEEDKILLER.....	299
WEEP TUBES.....	117
WEEP VENTS.....	117
WELD SPATTER RELEASE SPRAY.....	331
WELDERS HAMMERS.....	205
WELDING.....	344
WELDING GAUNTLETS.....	264, 344
WELDING HELMETS.....	344
WELDING WIRE.....	344
WELLINGTON BOOTS.....	265
WET CORE BITS.....	196
WET SUITS.....	268
WET WIPES.....	361 - 362
WHEEL SPACER.....	370
WHEELBARROWS.....	278
WHEELIE BINS.....	292
WHIP CHECK CABLES.....	300
WHISTLES.....	327
WHITE PAPER.....	364
WHITE RAGS.....	343
WHITE SPIRIT.....	326
WHITEBOARD.....	364
WHITEBOARD PENS.....	363
WINDOW BRACKET.....	110
WINDOW CLEANER.....	356 - 357
WINDOW PACKERS.....	84 - 85
WINDOW PROTECTION FILM.....	337
WINDOW SCRAPERS.....	209
WINDOW SQUEEGEES.....	356
WINDOW SUCTION PADS.....	279
WING NUTS.....	25, 372
WIPES.....	361 - 362
WIRE BRUSHES.....	161
WIRE BRUSHES - HAND.....	214
WIRE CUTTING SCISSORS.....	225
WIRE MESH RESIN SLEEVES.....	91
WIRE ROPE GRIPS.....	19
WIREHANGERS.....	54
WONDERWIPE.....	361
WOOD ADHESIVES.....	100
WOOD AUGER DRILL BITS.....	181
WOOD CHISELS.....	188 - 189
WOOD FILES.....	229 - 230
WOOD FILLERS.....	100
WOOD GLUES.....	100
WOOD SAW BLADES.....	154 - 156
WOODEN SETTING OUT PEGS.....	330
WOODSCREWS.....	40 - 41
WRECKING BARS.....	217
WRENCHES.....	225, 229
<b>Y</b>	
YELLOW SHOT FIRE CARTRIDGE STRIPS.....	57
<b>Z</b>	
ZEDEX.....	104
ZEDEX FIXING STRIP.....	104
ZINC GALV SPRAY.....	331
ZIP TIES.....	338



---

**TERMS AND CONDITIONS APPLY, PLEASE CONTACT US TO REQUEST A COPY OR VISIT OUR WEBSITE**

[www.selkent.com](http://www.selkent.com)

Errors and omissions excepted (E&OE)

Disclaimer: While care has been taken in compiling these notes, no responsibility is accepted by the compiler for any damage or loss, however caused which may result from anyone or any company accepting the advice or suggestion contained herein. It is your responsibility to be aware of local and national/international regulations which may be imposed.

©COPYRIGHT Selkent Fastenings Ltd 2025. All rights reserved.

The entire contents of this booklet are copyright. Photocopying, scanning, duplications or copying of pictures or information (except as permitted under the Copyright Act) is a breach of copyright and may result in legal action.

No part of this booklet may be stored electronically in any form without specific written permission of Selkent Fastenings Ltd.

# **SELKENT**

## London Head Office

Osprey House,  
Crayfields Business Park,  
New Mill Road,  
Orpington, BR5 3QJ

## Ipswich Branch

Central Avenue,  
Ransomes Europark,  
Ipswich,  
Suffolk, IP3 9RR

## Distribution Centre

Vantage House, Unit 140,  
Trinity Trading Estate,  
Mill Way, Sittingbourne,  
Kent, ME10 2PD

 020 8699 6777  [sales@selkent.com](mailto:sales@selkent.com)  [www.selkent.com](http://www.selkent.com)

**OPEN 7am - 5.30pm, order online 24/7**

